https://municip.io:4200/documents/my   ⋮

88

Accessibility

These checks highlight opportunities to improve the accessibility of your web app. Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so manual testing is also encouraged.

ARIA

⚠ `[aria-*]` attributes do not match their roles   ⌄

These are opportunities to improve the usage of ARIA in your application which may enhance the experience for users of assistive technology, like a screen reader.

CONTRAST

⚠ Background and foreground colors do not have a sufficient contrast ratio.   ⌄

These are opportunities to improve the legibility of your content.

NAVIGATION

⚠ Heading elements are not in a sequentially-descending order   ⌄

These are opportunities to improve keyboard navigation in your application.

ADDITIONAL ITEMS TO MANUALLY CHECK (10)   Show

These items address areas which an automated testing tool cannot cover. Learn more in our guide on conducting an accessibility review.

PASSED AUDITS (20)   Show

NOT APPLICABLE (37)   Show

◼ Captured at Mar 22, 2024, 9:52 AM GMT   ◼ Emulated Desktop with Lighthouse 11.4.0   ◼ Single page session

Initial page load

Custom throttling

Using Chromium 122.0.0.0 with devtools

Generated by **Lighthouse** 11.4.0 | [File an issue](#)