# BANGLADESH ARMY UNIVERSITY OF SCIENCE AND TECHNOLOGY (BAUST), SAIDPUR



# PROJECT REPORT-02

Department: Computer Science and Engineering

Course Title: Web Engineering project

Course no: CSE 3200

Experiment No: 02

Name of the Experiment:Final Project Presentation

### **Submitted To:**

Name: Md. Al- Hasan

Designation: Lecturer

❖ Project Title: BD Car Rental Service

## **♦**Objective:


The objective of online car, ambulance Rental system are:

- The users are able to enter the company's website for searching and reserving their favorite cars easily through the internet and it can be access anywhere anytime in the country.
- Ambulance service respond rapidly to request for help in a medical emergency
- And Rural places people can also book this in their area's available car and ambulance at any time

## Group members:

NAME	ID
Anite Halim Sagor	180101007
Afsana Afrose Tanzim	180101020
Munira Akter Mou	180101023

## ❖ Entity-relationship diagram (ER diagram):



#### Features:

1.Index.html & about.html: This feature enables both the users and the drivers sothat they can choose how they login website as a user or driver. This page show some option like about us which describe our website and developer. there are two more option like driver's registration and user's registration.

```
<?php require_once 'cardb_connect.php'; ?>
                                                                                                                               <nav id="nav">
                                                                                                                                        ⟨li>⟨a style="color: □red; "href="index.html">back</a>
             <meta charset="utf-8">
                                                                                                                                        ⟨li>⟨a style="color: red;" href="about.html">about us⟨/a>⟨/li>
             rel="stylesheet" href="../css/index.css">
<meta name="viewport" content="width=device-width">
             <title>carrent</title>
      <div class="header">
             <div class="row">
                                                                                                                                       <div id="driver">
                    <div class="column">
                                                                                                                                           <a href=".../php/driverlogin.php"><button type="button">DRIVER'S REGISTRATION</button></a>
                           <h1>BD Car Rental Service</h1>
                                                                                                                                       <div id="USER">
                    <div class="column">
                          <img src="../pic/logo1.png"alt="Logo"/>
                                                                                                                                           <a href="../php/login.php"><button type="button">USER'S REGISTRATION</button></a>
                    <div class="column">
                           <h1>www.bdcarrental.com</h1>
        <div class="column1 left">
    <h4>CONTACT US</h4>
             dishbone: 85526-73483, 01769 675554, 01769 675553, 01769 675552, 01769 675551</i>

dishmail: mou@baust.edu.bd, anite@baust.edu.bd, tanzim@baust.edu.bd
dishaddress: Saidpur Cantonment, Saidpur
/li>
             <div id="ftext">
             you can pay using
</div>
             //div
<ing src="../pic/credit.png"alt="logo"/>
<ing src="../pic/debit.png"alt="logo"/>
<ing src="../pic/debit.png"alt="logo"/>
<ing src="../pic/nogod.jng"alt="logo"/>
<ing src="../pic/nogod.jng"alt="logo"/>
<ing src=".../pic/nogod.jng"alt="logo"/>

         <div class="column1 right">
     <h4>PRODUCT</h4>

<ii>Car booking
li>ambulance booking
Address : Saidpur Cantonment, Saidpur

   </div>
<div id="finish">
Thanks for visit.
```

Fig1:Index.html

```
⇔ about.html ×

o about.html > 🛇
            <div class="wrapper1">
                Good things happen when people can move, whether
                    across town or toward their dreams. Opportunities appear, open up, become reality.
                     What started as a way to tap a button to get a ride has led to billions of moments of human connection
                    around the world go all kinds of places in all kinds of ways with the help of our technology. cbr/>our w
                provide some basic facilities:<br/>*people can hier any type of car <br/>*In emergency situation people
                 can hier ambulance <br/> *For safty reason people can see the informathon about driver and Vehicle 
            <div class="wrapper">
                Developed By
                <div class="team">
                    <div class="team member">
                        <div class="team_img">
                            <img src="../pic/tanzim.jpg">
                                <h3>Name:Afsana Afrose Tanzim<br>
                                    Address:Babukha Uttor para,Rangpur<br/>
                                    Contact number:01780857355<br>
                                    varsity name:Bangladesh Army University Science &Technology<br>
                                    Degree:B.sc Engg in CSE</h3>
```



Fig2:about.html

#### **DRIVER SITE**

2.Driverlogin.php, driver.php & condition.html: These features mostly enables for the driver's if anyone want to use this website as a driver first of all he needs to signup this site. If he or she have already an account then he can directly login this site. There is some terms and conditions which condition should be performed by the drivers when he signup the page.

```
session_start();
require_once 'cardb_connect.php';
                                                                                                                                                                      <a style="color:red;" href="../html/index.html">back</a>
<a style= color:red;" href="../html/about.html">about us</a>

</pr
if(isset($_POST["login"]))
      $username = $_POST['uname'];
$password = $_POST['psw'];
                                                                                                                                                               <form name="loginform"action="<?=$_SERVER['PHP_SELF']?>"onsubmit="return formValidation();" method="post">
                                                                                                                                                                 $username = stripcslashes($username);
$password = stripcslashes($password);
                                                                                                                                                                  $username = mysqli_real_escape_string($connect, $username);
$password = mysqli_real_escape_string($connect, $password);
                                                                                                                                                                      <input type="text" placeholder="Enter Username" name="uname" required>
      $$ql = "SELECT *FROM driver_tbl WHERE Username = '$username' AND Psw = '$password'";
$result = mysqli_query($connect, $sql);
$row = mysqli_fetch_array($result, MYSQLI_ASSOC);
$count = mysqli_num_rows($result);
                                                                                                                                                                      <label for="psw"><b style="color:#DAA520">Password</b></label>
                                                                                                                                                                         <input type="checkbox" name="remember" />
<b style="color:#DAA520">Remember me</b>
       if($count == 1)
             $_SESSION['uname']=$row['Username'];
            $_SESSION['nid']=$row['Nidnumber'];
$_SESSION['rid']=$row['Registrationnum'];
$_SESSION['id']=$row['ID'];
$_SESSION['active']=$row['active'];
                                                                                                                                                                  (div class="container")
(dutton type="button" class="cancelbtn")Cancelc/button>
(span class="psn")you don't have account? (a href="../php/driver.php"xh style="color:#DMA528;font-size:28")
             if(!empty($_POST["remember"]))
                   setcookie ("member_login",$username,time()+(10*365*24*60*60));
                   setcookie ("member_password",$password,time()+(10*365*24*60*60));
                                                                                                                                                                                                         LOGIN
           else{
                   if(isset($_COOKIE["member_login"]))
                        setcookie("member login","");
                   if(isset($_COOKIE["member_password"]))
                                                                                                                                                                                              Enter Username
                         setcookie("member_password","");
                                                                                                                                                                                              Enter Password
            header("location:../php/driverinfopage.php");
             echo '<script>alert(" Login failed. Invalid username or password.")</script> ';
             echo '<script>window.location = "../php/driverlogin.php"</script> ';
                                                                                                                                                                                                                                     you don't have account? signup?
```

Fig3: driverlogin.php

```
Could now . (add, const.tub*)

(Constraints & post[ userman*]

(Constraints & post[ userman*])

(Constraint & post[ userman*])

(Constraints & post[ userman*])

(Constraint & post[ userman*])

(Constraint
```



#### Fig4:driver.php

```
chody?

cas id="nav">
cas id="nav"
cas id="nav">
cas id="nav"
cas id
```

Fig5:condition.htm

**4.Driverinfopage.php:** These feature mainly use for the driver sothat they can see their information and also can see the other driver's information. This page show some option like available, edit and logout. If any driver get hier then this available botton will show reserved.

```
$sql2 = "SELECT * FROM driver_tbl WHERE ID={$_SESSION['id']} ";
$result2 = $connect->query($sql2);
                                                                                                                                                                   "<a href='edit.php?id=".$_SESSION['id']."'><button type='button'>Edit</button></a>
if($result2->num_rows > 0) {
    $row2 = $result2->fetch_assoc();
                                                                                                                                                                   "<a href='./logout.php'><button type='button'>logout</button></a>"."<hr>"."<br/>'>
     "<span class='dinfo' style='color:black;'>DRIVER INFORMATION </span>"."<br/>br/>".
"Username: ".$row2['Username']."<br/>br/>".
"Nidnumber: ".$row2['Nidnumber']."<br/>br/>".
                                                                                                                                              $sql = "SELECT * FROM driver tbl WHERE active = 1";
                                                                                                                                              $result = $connect->query($sql);
          "Registrationnum: ".$row2['Registrationnum']."<br/>"Presentdivision: ".$row2['Presentdivision']."<br/>"Presentdistrict: ".$row2['Presentdistrict']."<br/>"\".
                                                                                                                                              if($result->num_rows > 0)
                                                                                                                                                    while($row = $result->fetch_assoc()) {
           "Presentthana: " .$row2['Presentthana']."<br/>".
          "Vehicletype: ".$row2['Vehicletype']. "dr/>""
"Vehiclecolor: ".$row2['Vehiclecolor']. "dr/>".
"Seat: ".$row2['Seat']. "dr/>";
                                                                                                                                                         "<span class='dinfo' style='color:black;'>DRIVER INFORMATION </span>"."<br/>br/>".
                                                                                                                                                         "Username: ".$row['Username']."<br/>
                                                                                                                                                         "Nidnumber: " .$row['Nidnumber']."<br/>".
          if(\text{srow2}['Username']==$\_SESSION['uname']){}
                                                                                                                                                        "Registrationnum: " .$row['Registrationnum']."<br/>"."
"Presentdivision: " .$row['Presentdivision']."<br/>
"Yesontdivision: " .$row['Presentdivision']."<br/>
"Yesontdivision: " .$row['Presentdivision']."
                    echo "<a href='#'><button type='button'>Available</button></a>"."<br/>";
                                                                                                                                                        "Presentdistrict: " .$row['Presentdistrict']."<br/>".
                                                                                                                                                         "Presentthana: " .$row['Presentthana']."<br/>
                                                                                                                                                         "Vehicletype: " .$row['Vehicletype']."<br/>"Vehiclecolor: " .$row['Vehiclecolor']."<br/>\>".
                    else if ($row2['active']==2) {
                                                                                                                                                         "Seat: " .$row['Seat']."<br/>";
                     echo "<div class='popup active' id='popup-1'>".
                     "<div class='overlay'>"
                     "<div class='content_2'>"
                                                                                                                                                   Kspan class=" <?php if($row['active']==1){echo 'available';}else {echo 'reserved';}?>"><?php if</pre>
                        "<div class='close-btn' onclick='togglePopup()'>x</div>".
                        "<h1>Congratulation!</h1>"
                        "You-Hoo!!!! you have been hired.<span class='alart-color'> Click </span>the r
                         "<a href='ride.php'><button class='button reserved_btn' type='button'>Reserved</
                                                                                                                                              el.sel
```



Fig6: driverinfopage.php

5.Edit.php & update.php:If any driver want to change their information then he will click the edit button and he can change their information and then his information will be updated.

```
krpn require_once carab_connect.pnp;
if(s_GET['id']) {
    $id = $_GET['id'];
    $sql = "SELECT * FROM driver_tbl WHERE ID = {$id}";
}
                                                                                                                                               Confirmpsw
                                                                                                                                               ktd><input type="text" name="Confirmpsw" placeholder="Confirmpsw" value="<?php echo $data['Confirmpsw']?>" />
  $result = $connect->query($sql);
$data = $result->fetch_assoc();
            Presentdivision(/th>
                                                                                                                                               <telect name="division" id="division" class="division">
                                                                                                                                                                   contion value="" selected="selected">select division</ontion>
                   ript>
$(document).ready(function(){
    $(".division").change(function(){
        var division_id-$(this).val();
        $.ajax({
        url:"./district_thana.php",
        method:"post",
        data:(division_id:division_id),
        success:function(data){
        $(".district").html(data);
        }
}
                                                                                                                                                                   <?php $sql2=mysqli_query($connect,"select * from division order by division_name");</pre>
                                                                                                                                                          while($row=mysqli_fetch_array($sql2))
                                                                                                                                                                 coption value="<?php echo $row['ID'];?>"><?php echo $row['division_name'];?></option>
                        method: "post",
                           data:{dis_division_id:dis_division_id,district_id:district_id},
                           success:function(data){
                                  $(".thana").html(data);
</script>
```

Fig7: edit.php

```
echo "<a href='edit.php?id=".$id."'><button type='button'>Back</button></a>";
   require_once 'cardb_connect.php';
          if($_POST) {
    $id = $_POST['id'];
                                                                                                                                                                                                                                                                                                                                                                           echo "<a href='driverinfopage.php'><button type='button'>Home</button></a>";
                                                                                                                                                                                                                                                                                                                                                                           } else {
                    $Username = $_POST['Username'];
                     $Contactnum = $_POST['Contactnum'];
                                                                                                                                                                                                                                                                                                                                                                           echo "Erorr while updating record : ". $connect->error;
                    $Psw = $_POST['Psw'];
$Confirmpsw = $_POST['Confirmpsw'];
                     $Presentdivision = $_POST['division'];
                                                                                                                                                                                                                                                                                                                                                                           $connect->close();
                     $Presentdistrict = $ POST['district'];
                     $Presentthana = $_POST['thana'];
                     $Vehicletype = $_POST['vehicletype']
                    $Vehiclecolor = $_POST['vehiclecolor'];
$Seat = $_POST['Seat'];
                      if(isset($_POST['division'])){
                               \label{lem:sqliquery} $$ \frac{\mbox{$d$ name=mysqli_query}(\mbox{$c$ nect, "select * from division where ID='$Presentdivision'");} $$ if(mysqli_num_rows(\mbox{$d$ name})=i){$} $$
                                                                                                                                                                                                                                                                                                                                                                           <!DOCTYPE html>
                                         $drow=mysqli_fetch_array($dname);
$pdname=$drow['division_name'];
                                                                                                                                                                                                                                                                                                                                                                                           <head>
                                                                                                                                                                                                                                                                                                                                                                                                          <meta charset="utf-8">
                                                                                                                                                                                                                                                                                                                                                                                                         <link rel="stylesheet" href="../css/update.css">
                                          $disname=mysqli_query($connect,"select * from district where ID='$Presentdistrict' and division_id='$Presen
                                                                                                                                                                                                                                                                                                                                                                                                         <meta name="viewport" content="width=device-width">
                                           $pdisname=$disrow['district name']
                                                                                                                                                                                                                                                                                                                                                                                                         <title>carrent</title>
                                           \theta = \frac{1}{2} - 
                                          $thanarow=mysqli_fetch_array($thananame);
                                          $pthananame=$thanarow['thana name'];
                   $sql = "UPDATE driver_tbl SET Username='$Username', Contactnum='$Contactnum', Psw='$Psw', Confirmpsw='$Confirmpsw
if(sconnect->query(sql) === TRUE) {
                ''<span class='update'>Succcessfully Updated</span>
```

Fig7.1:, update.php



Fig7.2: Output for edit.php, update.php

#### **USER SITE**

6.Userlogin.php & userregister.php: These features mostly enables for the users if they want to use this site first of all they need to create an account sothat they can login this site.If they have already an account then they don't need to create an account they can directly login the site using username and password.

```
resion_start();
require_once 'cardb_connect.php';
                                                                                                                                                                                                                                                                                      <form name="loginform"action="<?=$_SERVER['PHP_SELF']?>"onsubmit="return formValidation();" method="post">
                                                                                                                                                                                                                                                                                     <div class="imgcontainer":</pre>
                                                                                                                                                                                                                                                                                     <img src="../pic/login.png" alt="login" class="login">
                     if(isset($ POST["login"]))
                               $password = $_POST['pox'];
Susername = tripcslashes($username);
$username = mysqli_real_escape_string($connect, $username);
$password = mysqli_real_escape_string($connect, $password);
$password = mysqli_real_escape_string($connect, $password = "$username" AMD Password = "$password" $password = "$password = "$pa
                                                                                                                                                                                                                                                                                     \label for="uname"><b style="color:#DAA520">Username</b></label>
                                                                                                                                                                                                                                                                                     {echo $ COOKIE['member login'];}}>" required>
                                                                                                                                                                                                                                                                                      <label for="psw"><b style="color:#DAA520">Password</b></label>
                                                                                                                                                                                                                                                                                      {echo $_COOKIE['member_password'];}}>" required>
                                         if(!empty(\$_POST["remember"]))
                                                                                                                                                                                                                                                                                     \label{linear_login} $$ \sup_{x \in \mathbb{R}^n \in \mathbb{R}^n } \frac{f(isset(\S_{COOKIE['member_login']))}}{h(isset(\S_{COOKIE['member_login']))}} $$ $$ checked $$? he properties the properties of the propertie
                                                  setcookie ("member_login",$username,time()+(10*365*24*60*60));
setcookie ("member_password",$password,time()+(10*365*24*60*60));
                                                                                                                                                                                                                                                                                     <br/>
<br/>
tyle="color:#DAA520">Remember me</b>
                                        else{
   if(isset($_COOKIE["member_login"]))
                                                                                                                                                                                                                                                                                     <button type="submit" name="login">Login/button>
                                                                                                                                                                                                                                                                                     chutton type="button" class="cancelbtn"Acacelx/button>
cspan class="psn"you don't have account? <a href=".../ptp/userregister.ptp">../ptp/userregister.ptp">../ptp/userregister.ptp">../ptp/userregister.ptp">../ptp/userregister.ptp">../ptp/userregister.ptp">../ptp/userregister.ptp">../ptp/userregister.ptp">../ptp/userregister.ptp">../ptp/userregister.ptp">../ptp/userregister.ptp">../ptp/userregister.ptp">../ptp/userregister.ptp</a>
                                                    if(isset($ COOKIE["member password"]))
$_SESSION['Userid']=$row['ID'];
                                                                                                                                                                                                                                                                                                                                                                           LOGIN
header("location:../html/home.html");
else{
echo '<script>alert(" Login failed. Invalid username or password.")</script> ';
                                                                                                                                                                                                      Fig8: userlogin.php
form name="loginform"action="<?=$_SERVER['PHP_SELF']?>"onsubmit="return formValidation();" method="post">
                                 v class="imgcontainer">
<img src="../pic/signup.png" alt="login" class="login">
                  <div class="container1">
                                   <label for="uname"><b style="color:#DAA520">Username</b></label>
<input type="text" placeholder="Enter Username" name="uname" re</pre>
                                   <hr> <label for="contactnum"><b style="color:#DAA520">Contact Number</b></label>
<input type="text" placeholder="Enter Contact Number " name="contactnum" re</pre>
                                                                                                                                                                                                                                                                                                                                                                                                required>
                                   <label for="psw"><b style="color:#DAA520">Password</b></label>
<input type="password" placeholder="Enter Password" name="psw" required>
                                   <hr> <label for="confirmpsw"><b style="color:#DAA520">confirm Password</b></label>
<iaput type="password" placeholder="Enter Password" name="confirmpsw" required</pre>
<br/>
<br/>
<br/>
<br/>
cbutton type="submit">signup</button>
                 require_once 'cardb_connect.php';
                if($_POST) {
                        $name = $_POST['uname'];
                        $contactnum = $_POST['contactnum'];
                         $password = $_POST['psw'];
                         $sql = "INSERT INTO signup_tbl (Username, Password,Contactnum) VALUES ('$name','$password','$contactnum')";
                        if(\text{sql}) === TRUE) + if(\text{sql}) === TRUE)
                                echo '<script>alert("signup Successfully Done")</script>';
                                 echo "Error " . $sql . ' ' . $connect->connect_error;
                         $connect->close();
```

Fig9: userresister.php

8.home.html:User has two option for booking.If user want to hier a car then he will choose car option on the other hand if user want to hier ambulance then he will choose ambulance option.



Fig10: home.html

9.About.css,condition.css,driver.css,division.css,driverinfopage.css,driverlogin.css,edit.css,home.css,index.css,login.css,update.css,popup.css,userregister.css: CSS is the language we use to style an HTML document.CSS describes how HTML elements should be displayed.So,these css page use to style an HTML document in our website.

10.Driver.js & login.js: Before submitting data to the server, it is important to ensure all required form controls are filled out, in the correct format. This is called **client-side form validation**, and helps ensure data submitted matches the requirements set forth in the various form controls. These page are also help to check the validation when we want to signup or login in website.

```
var letters = /^[A-Za-z ]+$/;
                                                                                             var uregistrationnum len = uregistrationnum.value.length;
var uniname = oucument.uriverform.nicfnumber;
var unindnumber = document.driverform.nidnumber;
var uregistrationnum = document.driverform.registratic
var ucontactnum = document.driverform.contactnum;
                                                                                                                                                                                        if(uname.value.match(letters))
                                                                                             if ( uregistrationnum_len <= 10 || uregistrationnum_len >= 15)
var passid = document.driverform.psw;
var cpassid = document.driverform.confirmpsw;
var uadddiv = document.driverform.presentdivision;
var uadddis = document.driverform.presentdistrict;
                                                                                                alert( 'invalid registration number');
                                                                                                uregistrationnum.focus();
                                                                                                return false:
                                                                                                                                                                                             alert('Username must have alphabet characters only');
if(allLetter(uname))
                                                                                                                                                                                             event.preventDefault();
                                                                                                                                                                                             uname.focus();
     if(usernid validation(unidnumber))
           if ({\tt userregistrationnum\_validation(uregistrationnum}))
                                                                                        function number_validation(ucontactnum)
                if(number validation(ucontactnum))
                                                                                                                                                                                  function usernid validation(unidnumber)
                                                                                            var ucontactnum len = ucontactnum.value.length;
                                                                                                                                                                                        var unid len = unidnumber.value.length:
                                                                                            if (ucontactnum_len <11 || ucontactnum_len >11)
                                                                                                                                                                                        if (unid_len <=10|| unid_len >=15)
                           if(cpassid validation(passid,cpassid))
                                                                                                                                                                                            alert('invalid NID number');
                                                                                                alert('invalid contact number');
                                                                                                                                                                                            unidnumber.focus():
                                     if(alphanumeric(uadddis))
                                                                                                ucontactnum.focus();
                                                                                                return false;
```

```
unction passid validation(passid)
function passid_validation(passid) {
                                                                                                                                                                                                      var passid_len = passid.value.length;
    var passid_len = passid.value.length;
if ( passid_len <= 7 || passid_len >= 12) {
                                                                                                             var passid = document.loginform.psw;
                                                                                                                                                                                                      if ( passid len <= 7 || passid len >= 12) {
                                                                                                                                                                                                               'Password should not be empty / length be between 7 to 12'
                                                                                                             if (allLetter(uname)) {
    if (passid_validation(passid)) {
        if (cpassid_validation(passid, cpassid)) {
         event.preventDefault();
passid.focus();
                                                                                                                                                                                                          event.preventDefault():
    else{return true;}
                                                                                                             var letters = /^[A-Za-z ]+$/;
if (uname.value.match(letters)) {
                                                                                                                                                                                                  function cpassid_validation(passid, cpassid) {
function cpassid_validation(passid, cpassid) {
    if (passid.value !== cpassid.value)
    alert("Password didn't match");
                                                                                                                                                                                                     if (passid.value !== cpassid.value)
                                                                                                                  return true;
                                                                                                                                                                                                         alert("Password didn't match");
                                                                                                                  } else {
alert('Username must have alphabet characters only');
          event.preventDefault():
                                                                                                                                                                                                         cpassid.focus();
                                                                                                                   event.preventDefault();
                                                                                                                   uname.focus();
    else{return true;}
```

Fig11: Driver.js & login.js

11.Division.php & district\_thana.php:User can see the driver's information according to their division, district and thana.we are using ajax to creat dynamic selection button. AJAX allows web pages to be updated asynchronously by exchanging small amounts of data with the server behind the scenes. This means that it is possible to update parts of a web page, without reloading the whole page.

```
session_start();
include_once "../php/cardb_connect.php"
                                                                                                     sform action="userinfopage.php" method="POST"
                                                                                                     <div class="container1">
<!DOCTYPE html>
                                                                                                      <label for="">Division</label>
                                                                                                      <select name="division" id="division" class="division">
       <meta charset="utf-8">
                                                                                                          <option value="" selected="selected">select division</option>
        <link rel="stylesheet" href="../css/division.css">
        <meta name="viewport" content="width=device-width">
                                                                                                          <?php $sql=mysqli_query($connect, "select * from division order by division name");</pre>
        <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.6.0/jquery.min.js"></script</pre>
                                                                                                          while($row=mysqli_fetch_array($sql))
             $(document).ready(function(){
                 $(".division").change(function(){
  var division_id=$(this).val();
                                                                                                                 <option value="<?php echo $row['ID'];?>"><?php echo $row['division name'];?></option>
                         url:"./district_thana.php",
method:"post",
data:{division_id:division_id},
                                                                                                        <?php
                         success:function(data){
    $(".district").html(data);
          $(".district").change(function(){
               var dis division id=$(".division").val();
                                                                                                       <label for="">District</label>
              var district_id=$(this).val();
                                                                                                       <select name="district" id="district" class="district">
                                                                                                           <option value="" selected="selected">select district</option>
              $.ajax({
                    url:"./district thana.php",
                   method: "post",
                   data:{dis_division_id:dis_division_id,district_id:district_id},
                                                                                                       <label for="">Thana</label>
                   success:function(data){
                                                                                                       <select name="thana" id="thana" class="thana">
                        $(".thana").html(data);
                                                                                                           <option value="" selected="selected">select thana</option>
                                                                                                         <button type="submit" name="submit">submit</button>
                                                                                                     </form>
```

Fig12: division.php

Fig12.1: district thana.php



Fig12.3:userinfopage.php

12..Userinfopage.php,driver\_hier.php,ride.php,reserved.php & ride\_cancel.php: This feature enables the users to book the driver along with the car from the web itself. They can select a person as their driver after reading their information on the app.When user confirm any car for ride then driver get notification that his car was reserved for a ride.And driver can cancel the ride.When he cancel the ride user get notification that your ride has canceled and choose again the car for ride.

```
ctbody's

Cyph

session_start();

require_once 'cardb_connect.php';

ff(s_ROST) {

ff(s_ROST) {

ff(s_ROST) {

ff(s_ROST) {

ff(s_ROST) {

ff(sestit_ansayoli_query(sconnect, select * from division where ID-'$Presentdivision');

ff(sestit_ansayoli_query(sconnect, select * from division_id-'$Presentdivision');

ff(sestit_ansayoli_fetch_ansay(sdname);

ff(sestit_ansayoli_fetch_ansayoli_fetch_ansay(sdname);


ff(sestit_ansayoli_fetch_ansay(sdname)
```

Fig13: userinfopage.php

Fig14: reserved.php

Fig15:ride.php

Fig16: ride cancel.php



## ❖ Development Tools and Technology:

Software Requirement		
Description	Type	My PC availability
Operating System	Microsoft Windows 10 ( 64-bit)	Available
Language	HTML, CSS, JavaScrip,php	Available
Server	Apache	Available
Database	Xampp	Available
IDE	Notepad++, Visual Studio Code	Available

❖ Sources Code: click here for Source code and README.md file

