NoSQL

Allgemeines:

- Erstellen Sie ein Abgabefile **4Xhif_nachname.js**, das Sie auf eduvidual hochladen. Ersetzen Sie das X mit Ihrer Klasse.
- Nummerieren Sie in Ihrem File die Aufgaben entsprechend der Angabe.
- Verwenden Sie die bereitgestellten Collections **movies**, **theaters**, **users** und **bookings** auf eduvidual.
- Erzeugen Sie Datensätze, um Ihre Abfragen ausreichend zu testen.

Aufgabe 1:

Insert a new movie into the Movies collection.

```
db.movies.insertOne({
   "movie_id": "1",
   "title": "Inception",
   "genre": "Sci-Fi",
   "release_year": 2010,
   "duration": 148,
   "ratings": 4.8,
   "actors": ["Leonardo DiCaprio", "Joseph Gordon-Levitt", "Elliot Page"]
});
```

Aufgabe 2:

Insert multiple users into the Users collection.

```
db.users.insertMany([
   {
      "user_id": "1",
      "name": "John Doe",
      "email": "john.doe@example.com",
      "date_of_birth": ISODate("1985-04-23"),
      "loyalty_points": 120
   },
   {
      "user_id": "2",
      "name": "Jane Smith",
      "email": "jane.smith@example.com",
      "date_of_birth": ISODate("1990-07-12"),
      "loyalty_points": 50
   }
]);
```

Aufgabe 3:

Find all movies in the “Action” genre.

Aufgabe 4:

Find all theaters in the city “New York”.

Aufgabe 5:

Update the seating capacity of a theater with ID “1”.

Aufgabe 6:

Delete a movie by its title.

Aufgabe 7:

Retrieve all bookings made by the user with ID “2”.

Aufgabe 8:

Find a movie by its title and display only the title and genre fields.

Aufgabe 9:

Find users who have more than 100 loyalty points.

Aufgabe 10:

Insert a new booking into the Bookings collection.

Aufgabe 11:

Find all users born after 1990.

Aufgabe 12:

Update the ratings of the movie “Inception” to 4.9.