

Below are the *Terraform Associate 004 free dumps (Part 1, Q1-Q40) of V8.02* for reading:

1. How can you trigger a run in a Terraform Cloud workspace that is connected to a Version Control System (VCS) repository?

- ☐ Only Terraform Cloud organization owners can set workspace variables on VCS connected workspaces
- ☒ Commit a change to the VCS working directory and branch that the Terraform Cloud workspace is connected to
- ☐ Only Terraform Cloud organization owners can approve plans in VCS connected workspaces
- ☐ Only members of a VCS organization can open a pull request against repositories that are connected to Terraform Cloud workspaces

2. Terraform providers are always installed from the Internet.

- ☐ True
- ☒ False

3. What kind of configuration block will create an infrastructure object with settings specified within the block?

- ☐ provider
- ☐ state
- ☐ data
- ☒ resource

4. What does state locking accomplish?

- ☐ Prevent accidental Prevent accident deletion of the state file
- ☒ Blocks Terraform commands from modifying, the state file
- ☐ Copies the state file from memory to disk
- ☐ Encrypts any credentials stored within the state file

Updated Microsoft AZ-305 Dumps (V21.03) 2026 – Read AZ-305 Free Dumps (Part 1, Q1-Q40) First to Verify Your Path to Success February 10, 2026

Try L4M5 Dumps (V12.02) to Prepare 2026 – We Have L4M5 Free Dumps (Part 1, Q1-Q40) Online to Help You Check the Quality February 9, 2026

350-801 CLCOR Dumps (V30.03) Updated 2026 – You Can Read 350-801 Free Dumps (Part 1, Q1-Q40) First February 9, 2026

Updated FCSS_EFW_AD-7.6 Dumps (V9.02) 2026: Good Way to Prepare for the Fortinet NSE 7 – Enterprise Firewall 7.6 Administrator Certification Exam February 9, 2026

PCED-30-02 Exam Dumps (V8.02) with Structured Exam Questions: PCED-30-02 Free Dumps (Part 1, Q1-Q40) Online February 6, 2026

Elevate Your Preparation with Updated 350-601 DCCOR Dumps (V21.02) – Check 350-601 Free Dumps (Part 1, Q1-Q40) First February 6, 2026

Fortinet NSE4_FGT_AD-7.6 Dumps (V10.02) Come with 60 Practice Questions and Answers: Aiming to Help You Pass 2026 February 6, 2026

Updated Microsoft MB-310

5. In a Terraform Cloud workspace linked to a version control repository speculative plan run start automatically commit changes to version control.

- ☒ True
- ☐ False

6. A Terraform provider is NOT responsible for:

- ☐ Exposing resources and data sources based on an APUI
- ☒ Managing actions to take based on resources differences
- ☐ Understanding API interactions with some service
- ☐ Provisioning infrastructure in multiple

7. How does the Terraform cloud integration differ from other state backends such as S3, Consul,etc?

- ☒ It can execute Terraform runs on dedicated infrastructure in Terraform Cloud
- ☐ It doesn't show the output of a terraform apply locally
- ☐ It is only arable lo paying customers
- ☐ All of the above

8. Which backend does the Terraform CLI use by default?

- ☐ Depends on the cloud provider configured
- ☐ HTTP
- ☐ Remote
- ☐ Terraform Cloud
- ☒ Local

9. Which of these ate features of Terraform Cloud? Choose two correct answers.

- ☐ Automated infrastructure deployment visualization
- ☐ Automatic backups
- ☒ A web-based user interface (UI)
- ☒ Remote state storage

Dumps (V23.02) with 345
Q&As: Check the MB-310 Free
Dumps (Part 1, Q1-Q40) First
February 5, 2026

Categories

(ISC)² (2)

CAP Certification (1)

HCISPP Certification (1)

A10 Networks (1)

System Administration 4 (1)

AACE (8)

AACE Certification (3)

Professional Level
Certifications (5)

AACN (1)

CCRN (1)

AAFM (3)

Chartered Trust and Estate
Planner (1)

Chartered Wealth Manager
(2)

AAPC (1)

Certified Professional Coder
(1)

ABA (4)

CISP Certification (2)

CRCM Certification (1)

10. Terraform variable names are saved in the state file.

- ☐ True
- ☒ False

11. You have provisioned some virtual machines (VMs) on Google Cloud Platform (GCP) using the gcloud command line tool. However, you are standardizing with Terraform and want to manage these VMs using Terraform instead.

**What are the two things you must do to achieve this?
Choose two correct answers.**

- ☐ Run the terraform Import-gcp command
- ☒ Write Terraform configuration for the existing VMs
- ☒ Use the terraform import command for the existing VMs
- ☐ Provision new VMs using Terraform with the same VM names

12. When you use a remote backend that needs authentication, HashiCorp recommends that you:

- ☐ Write the authentication credentials in the Terraform configuration files
- ☐ Keep the Terraform configuration files in a secret store
- ☐ Push your Terraform configuration to an encrypted git repository
- ☒ Use partial configuration to load the authentication credentials outside of the Terraform code

13. What is the Terraform style convention for indenting a nesting level compared to the one above it?

- ☐ With a tab
- ☒ With two spaces
- ☐ With four spaces
- ☐ With three spaces

14. How does Terraform manage most dependencies between resources?

ABPMP (1)

BPM Certification (1)

ACAMS (2)

Certified Cryptoasset AFC
Specialist (1)

ACE (1)

Personal Trainer (1)

ACFE (16)

Certified Fraud Examiner (16)

ACI (1)

ACI-Financial Markets
Association (1)

ACMP Global (1)

Change Management
Professional (1)

Acquia (4)

Drupal 10 Certification (3)

Drupal 8 Certification (1)

ACRP (1)

ACRP Certified Professional
(1)

ACSM (2)

ACSM-CEP (2)

ACT (2)

ACT English Test (1)

ACT Mathematics Test (1)

- ☒ Terraform will automatically manage most resource dependencies
- ☐ Using the depends_on parameter
- ☐ By defining dependencies as modules and including them in a particular order
- ☐ The order that resources appear in Terraform configuration indicates dependencies

15. You must use different Terraform commands depending on the cloud provider you use.

- ☐ True
- ☒ False

16. You cannot install third party plugins using terraform init.

- ☐ True
- ☒ False

17. Which of the following is not a valid Terraform variable type?

- ☐ list
- ☒ array
- ☐ nap
- ☐ string

18. You're building a CI/CD (continuous integration/continuous delivery) pipeline and need to inject sensitive variables into your Terraform run.

How can you do this safely?

- ☐ Copy the sensitive variables into your Terraform code
- ☐ Store the sensitive variables in a secure_var
- ☐ tf file
- ☐ Store the sensitive variables as plain text in a source code repository
- ☒ Pass variables to Terraform with a -var flag

Admission Test (2)

Graduate Management
Admission Test (1)

Graduate Record
Examinations (1)

AFP (2)

Certified Treasury
Professional (2)

AGA (3)

Government Financial
Manager (3)

AGRC (1)

Corporate Governance Officer
(1)

AHLEI (1)

Certified Hotel Administrator
(CHA) (1)

AICPA (3)

AICPA Exam (1)

Public Accountant (1)

AIWMI (1)

Certified Credit Research
Analyst (1)

Alcatel Lucent (7)

Alcatel-Lucent Certifications
(7)

Alfresco (4)

ACSCA Certification (1)

19. Module variable assignments are inherited from the parent module and you do not need to explicitly set them.

- ☐ True
☒ False

20. terraform validate confirms that your infrastructure matches the Terraform state file.

- ☐ True
☒ False

21. As a member of an operations team that uses infrastructure as code (IaC) practices, you are tasked with making a change to an infrastructure stack running in a public cloud.

Which pattern would follow IaC best practices for making a change?

- ☐ Make the change via the public cloud API endpoint
☐ Clone the repository containing your infrastructure code and then run the code
☐ Use the public cloud console to make the change after a database record has been approved
☐ Make the change programmatically via the public cloud CLI
☒ Submit a pull request and wait for an approved merge of the proposed changes

22. Which command should you run to check if all code in a Terraform configuration that references multiple modules is properly formatted without making changes?

- ☐ terraform fmt -write=false
☐ terraform fmt -list -recursive
☒ terraform fmt -check -recursive
☐ terraform fmt -check

23. When should you write Terraform configuration files for existing infrastructure that you want to start managing with

Alfresco Certification (1)

APSCE Certification (1)

Process Services
Administrator (1)

Alibaba Cloud (4)

Alibaba Developer (1)

AliCloud (14)

ACP Certification (1)

Alibaba Cloud Associate
(ACA) (8)

Alibaba Cloud Certification
Associate (1)

Alibaba Cloud Computing (4)

Amazon (98)

AWS Certification (28)

AWS Certified AI Practitioner
(9)

AWS Certified Associate (31)

AWS Certified Data Analytics
– Specialty (2)

AWS Certified Database –
Specialty (1)

AWS Certified Developer –
Associate (1)

AWS Certified Professional (5)

AWS Certified Security –
Specialty (1)

AWS Certified Specialty (11)

Terraform?

- ☐ You can import infrastructure without corresponding Terraform code
- ☐ Terraform will generate the corresponding configuration files for you
- ☐ **Before you run terraform import**
- ☐ After you run terraform import

24. What does Terraform not reference when running a terraform apply -refresh-only ?

- ☐ State file
- ☐ Credentials
- ☐ Cloud provider
- ☐ **Terraform resource definitions in configuration files**

25. What does this code do?

```
terraform { required_providers { aws = ">= 3.0" }}
```

- ☐ Requires any version of the AWS provider > = 3.0 and <4.0
- ☐ **Requires any version of the AWS provider >= 3.0**
- ☐ Requires any version of the AWS provider > = 3.0 major release. like 4.1
- ☐ Requires any version of the AWS provider > 3.0

26. You have deployed a new webapp with a public IP address on a cloud provider. However, you did not create any outputs for your code.

What is the best method to quickly find the IP address of the resource you deployed?

- ☐ In a new folder, use the terraform_remote_state data source to load in the state file, then write an output for each resource that you find the state file
- ☐ **Run terraform state list to find the name of the resource, then terraform state show to find the attributes including public IP address**
- ☐ Run terraform output ip_address to view the result

AWS Certified SysOps
Administrator – Associate (1)

Data Engineer Associate (6)

DevOps-Engineer (1)

American College (1)

American College Certification
(1)

AMPP (1)

Coatings Inspector Program
(1)

Android (4)

Android Certified Application
Developer (1)

Android certified Application
Engineer (2)

Flutter Application
Development (1)

APA (3)

AICP Certification (2)

American Planning
Association (1)

APBM (1)

CBM Certifications (1)

APEGS (1)

Professional Practice Exam
(1)

API (6)

ICP Programs Certification (2)

- ☐ Run terraform destroy then terraform apply and look for the IP address in stdout

27. What feature stops multiple users from operating on the Terraform state at the same time?

- ☒ State locking
- ☐ Version control
- ☐ Provider constraints
- ☐ Remote backends

28. What information does the public Terraform Module Registry automatically expose about published modules?

- ☐ Required input variables
- ☐ Optional inputs variables and default values
- ☐ Outputs
- ☒ All of the above
- ☐ None of the above

29. You want to define a single input variable to capture configuration values for a server. The values must represent memory as a number, and the server name as a string.

Which variable type could you use for this input?

- ☐ List
- ☒ Object
- ☐ Map
- ☐ Terraform does not support complex input variables of different types

30. You decide to move a Terraform state file to Amazon S3 from another location.

You write the code below into a file called backend.tf.

Individual Certification
Programs (4)

APICS (12)

CLTD Certification (1)

CPIM Certification (7)

CSCP Certification (3)

Supply Chain Professional (1)

APM (6)

APM Project Fundamentals
Qualification (PFQ) (5)

Project professionals (1)

APMG-International (13)

Agile Business Analysis (2)

AgilePM (6)

Better Business Cases (2)

Change Management (3)

Appian (12)

Associate Developer (4)

Certified Analyst (1)

Lead Developer (3)

Senior Developer (4)

Apple (9)

Apple Certified iOS Technician
(ACiT) 2019 (1)

Apple Certified IT Professional
(ACITP) (1)


```
terraform {  
  backend "s3" {  
    bucket = "my-tf-bucket"  
    region = "us-east-1"  
  }  
}
```

Which command will migrate your current state file to the new S3 remote backend?

- ☐ terraform state
- ☒ terraform init
- ☐ terraform push
- ☐ terraform refresh

31. Which parameters does terraform import require?
Choose two correct answers.

- ☐ Provider
- ☒ Resource ID
- ☒ Resource address
- ☐ Path

32. A developer accidentally launched a VM (virtual machine) outside of the Terraform workflow and ended up with two servers with the same name. They don't know which VM Terraform manages but do have a list of all active VM IDs.

Which of the following methods could you use to discover which instance Terraform manages?

- ☒ Run terraform state list to find the names of all VMs, then run terraform state show for each of them to find which VM ID Terraform manages
- ☐ Update the code to include outputs for the ID of all VMs, then run terraform plan to view the outputs
- ☐ Run terraform taint/code on all the VMs to recreate them
- ☐ Use terraform refresh/code to find out which IDs are already part of state

33. You have never used Terraform before and would like to

Apple Certified Support
Professional (7)

APSE (1)

Employment Support
Professional (1)

Arcitura (6)

Cloud Certified Professional
(CCP) (5)

SOA Architect (1)

ARDMS (5)

ARDMS SPI (3)

RDMS (2)

Arista (1)

Arista Certification (1)

Aruba (1)

Aruba ACMP (1)

ASCP Cert (1)

MLT(ASCP) (1)

ASIS (7)

Certified Protection
Professional (3)

Physical Security Professional
(3)

Professional Certified
Investigator (1)

ASQ (10)

ASQ Certification (9)

test it out using a shared team account for a cloud provider. The shared team account already contains 15 virtual machines (VM). You develop a Terraform configuration containing one VM. perform terraform apply, and see that your VM was created successfully.

What should you do to delete the newly-created VM with Terraform?

- ☐ The Terraform state file contains all 16 VMs in the team account. Execute terraform destroy and select the newly-created V
- ☐ Delete the Terraform state file and execute terraform apply.
- ☒ The Terraform state file only contains the one new V
- ☒ Execute terraform destroy.
- ☐ Delete the VM using the cloud provider console and terraform apply to apply the changes to the Terraform state file.

34. Which of the following statements about Terraform modules is not true?

- ☐ Modules can call other modules
- ☐ A module is a container for one or more resources
- ☒ Modules must be publicly accessible
- ☐ You can call the same module multiple times

35. If you update the version constraint in your Terraform configuration, Terraform will update your lock file the next time you run terraform Init.

- ☒ True
- ☐ False

36. Why does this backend configuration not follow best practices?

Quality Improvement
Associate (1)

ATD (1)

Talent Development (1)

Atlassian (17)

ACP-OA (2)

Jira Administrator (10)

Jira Project Administrator (4)

Jira service management (1)

Auldhouse (1)

MSPF Certification (1)

Autodesk (1)

Autodesk Maya (1)

Automation Anywhere (1)

RPA Certifications (1)

Avaya (98)

ACDS (7)

ACIS (27)

ACSS (38)

Administering Avaya Call
Management System (ASAC-
0021) (1)

APDS (3)

APSS (7)

Avaya Aura Communication
Applications Technical
Associate Support (ASTA-

```

terraform {
  backend "s3" {
    bucket      = "terraform-state-prod"
    key         = "network/terraform.tfstate"
    region     = "us-east-1"
    access_key  = "AKIAIOSFODNN7EXAMPLE"
    secret_key  = "wJalrXUtnFEMI/K7MDENG/bPxrFiCYEXAMPLEKEY"
  }

  required_providers {
    aws = {
      source = "hashicorp/aws"
      version = "~> 3.38"
    }
  }

  required_version = ">= 0.15"
}

```

- ☐ An alias meta-argument should be included in backend blocks whenever possible
- ☐ You should use the local enhanced storage backend whenever possible
- ☐ **You should not store credentials in Terraform configuration**
- ☐ The backend configuration should contain multiple credentials so that more than one user can execute terraform plan and terraform apply

37. Outside of the `required_providers` block, Terraform configurations always refer to providers by their local names.

- ☐ **True**
- ☐ False

38. You can reference a resource created with `for_each` using a Splat (`*`) expression.

- ☐ True
- ☐ **False**

39. Once you configure a new Terraform backend with a terraform code block, which command(s) should you use to

7230) (1)

Avaya Aura Communication
Manager Administrator
(ASAC-0038) (1)

Avaya Aura® System
Manager Administrator
(ASAC-0037) (1)

Avaya Cloud Office
Administrator (ASAC-0030)
(1)

Avaya Experience Portal with
Proactive Outreach Manager
Support (ACSS-3305) (1)

Avaya Experience Portal with
Proactive Outreach Manager
Technical Associate Support
(ASTA-3305) (1)

Avaya IP Office™ Platform
Administrator (ASAC-0013)
(1)

Avaya IP Office™ Platform
Technical Associate
Implement (ASTA-7720) (1)

Avaya IP Office™ Platform
Technical Associate Support
(ASTA-3000) (2)

Avaya Messaging
Administrator (ASAC-0033)
(1)

Avaya Solutions Administrator
Certificate (1)

Avaya Workforce Engagement
Technical Associate Support
(ASTA-3308) (1)

migrate the state file?

- ☐ terraform destroy, then terraform apply
- ☒ **terraform init**
- ☐ terraform push
- ☐ terraform apply

40. 1.Module version is required to reference a module on the Terraform Module Registry.

- ☐ True
- ☒ **False**

Submit

Complete Your Terraform Associate 003 Exam with the Most Current TA-003-P Dumps (V12.02): Continue to Read the TA-003-P Free Dumps (Part 2, Q41-Q85) Online

Tags: [Terraform Associate 004](#)

Related Posts

HashiCorp
Certified:
Vault
Associate VA-
002-P Exam

Dumps

TA-003-P
Exam Dumps
(V12.02) Are
Available with
the Most

Updated
Exam
Questions:
Check TA-

HashiCorp
VA-003-P
Exam Dumps
(V8.02) – The
Best Exam

Materials for
HashiCorp
Certified:
Vault

Avaya-Certification (1)

AXP On-Prem (formerly
Avaya Aura CC Elite) Support
(ACSS-7492) (1)

AXP On-Prem (formerly
Avaya Aura CC Elite)
Technical Associate
Implement (ASTA-7392) (1)

AXP On-Prem Technical
Associate Support (ASTA –
7492) (1)

Aviatrix (2)

ACE Certifications (2)

AVIXA (1)

Certified Technology
Specialist (CTS) (1)

Axis (2)

Axis Certified Professional (2)

BACB (2)

BACB certification (2)

BCI (1)

CBCI 7.0 Certification Course
(1)

BCM Institute (1)

BCMS Audit Certification (1)

BCS (18)

Artificial intelligence (AI) (3)

BCS Practitioner (1)