

Lab Title:- WINDOWS COMMAND LINE FOR DIGITAL FORENSICS BASICS

Student Name:- BADAMASI MUNTAKA MUHAMMAD

Student ID:- 2025FWSD11563

Course Name:- BASIC COMPUTER SKILLS FOR DIGITAL FORENSICS

Instructor Name:- COMMANDANT AMINU IDRIS

Date Of Submission:- 9/06/2026

Executive summary

The lab covers a basic practical window command line inspection which involves using the window command line interface/command prompt to navigate directories, create, copy, delete both files and folders, creating and executing batch file.

Lab Objectives

The lab objectives is to understand how to use the windows command line to explore the basics some of the basics of digital forensics of digital forensics

Tools and Resources Use

- Windows 11 operating system:- A graphica user interface(GUI) based system that allows users to interact with their computers and manage various tasks.
 - Windows 11 command line:- an interface for executing command
-

Methology

I navigate to the window command line and execute different command.

Screenshot and Evidence

TASK 1:- UNDERSTAND WINDOWS PATHS AND NAVIGATION

```
(c) Microsoft Corporation. All rights reserved.

C:\Users\PC>cd ..

C:\Users>cd public

C:\Users\Public>mkdir CIP-B101_Lab1C_MUNTAKA_BADAMASI

C:\Users\Public>cd cd CIP-B101_Lab1C_MUNTAKA_BADAMASI
The system cannot find the path specified.

C:\Users\Public>cd CIP-B101_Lab1C_MUNTAKA_BADAMASI

C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI>mkdir evidence screenshots outputs scripts workspace workspace2 workspace3 workspace4

C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI>dir
Volume in drive C has no label.
Volume Serial Number is BC96-B9BF

Directory of C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI

08/06/2026  10:07 PM    <DIR>        .
08/06/2026  10:06 PM    <DIR>        ..
08/06/2026  10:07 PM    <DIR>        evidence
08/06/2026  10:07 PM    <DIR>        outputs
08/06/2026  10:07 PM    <DIR>        screenshots
08/06/2026  10:07 PM    <DIR>        scripts
08/06/2026  10:07 PM    <DIR>        workspace
08/06/2026  10:07 PM    <DIR>        workspace2
08/06/2026  10:07 PM    <DIR>        workspace3
08/06/2026  10:07 PM    <DIR>        workspace4
               0 File(s)              0 bytes
               10 Dir(s)  676,174,430,208 bytes free

C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI>
```

```
C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI>cd
C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI

C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI>echo Current directory is: %cd%
Current directory is: C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI

C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI>cd /

C:\>dir
Volume in drive C has no label.
Volume Serial Number is BC96-B9BF

Directory of C:\

09/04/2025  05:19 PM    <DIR>        cdn.create.microsoft.com
08/04/2026  08:10 AM    <DIR>        CloudLab
08/04/2026  03:27 PM    <DIR>        12,288 DumpStack.log
04/18/2026  03:22 PM    <DIR>        ESD
08/01/2025  08:05 PM    <DIR>        HP_LaserJet_400_MFP_M425
09/06/2025  07:33 AM    <DIR>        inetpub
08/06/2026  07:39 AM    <DIR>        Intel
09/04/2025  05:19 PM    <DIR>        officeclient.microsoft.com
08/29/2025  06:25 PM    <DIR>        PerfLogs
08/03/2026  07:56 AM    <DIR>        Program Files
06/28/2026  06:27 AM    <DIR>        Program Files (x86)
08/03/2026  08:21 AM    <DIR>        terraform
04/18/2026  08:40 AM    <DIR>        Users
06/28/2026  06:25 AM    <DIR>        6,524,928 wazuh-agent
08/04/2026  08:32 AM    <DIR>        Windows
07/13/2026  11:15 AM    <DIR>        xampp
               2 File(s)              6,537,216 bytes
               14 Dir(s)  676,173,447,168 bytes free

C:\>cd \Users
```

```

C:\>cd \Users

C:\Users>dir
Volume in drive C has no label.
Volume Serial Number is BC96-B9BF

Directory of C:\Users

04/18/2026  08:40 AM    <DIR>          .
08/28/2025  08:08 PM    <DIR>          Muntaka
08/06/2026  07:43 AM    <DIR>          PC
08/06/2026  10:06 PM    <DIR>          Public
09/02/2025  07:02 AM    <DIR>          TEMP
09/12/2025  08:31 PM    <DIR>          TEMP.MUNTAKA
12/05/2025  02:35 PM    <DIR>          TEMP.MUNTAKA.000
03/24/2026  11:59 AM    <DIR>          TEMP.MUNTAKA.001
03/24/2026  12:03 PM    <DIR>          TEMP.MUNTAKA.002
03/27/2026  02:36 PM    <DIR>          TEMP.MUNTAKA.003
04/03/2026  09:59 AM    <DIR>          TEMP.MUNTAKA.004
04/03/2026  10:02 AM    <DIR>          TEMP.MUNTAKA.005
04/18/2026  08:48 AM    <DIR>          TEMP.MUNTAKA.006
09/18/2025  11:10 PM    <DIR>          WsiAccount
               0 File(s)                0 bytes
              14 Dir(s)  676,173,369,344 bytes free

C:\Users>cd Public

```

```

C:\Users\Public>dir
Volume in drive C has no label.
Volume Serial Number is BC96-B9BF

Directory of C:\Users\Public

08/06/2026  10:06 PM    <DIR>          .
04/18/2026  08:40 AM    <DIR>          ..
08/06/2026  10:07 PM    <DIR>          CIP-B101_Lab1C_MUNTAKA_BADAMASI
08/01/2025  08:20 PM    <DIR>          Documents
04/01/2024  08:26 AM    <DIR>          Downloads
04/01/2024  08:26 AM    <DIR>          Music
04/01/2024  08:26 AM    <DIR>          Pictures
04/01/2024  08:26 AM    <DIR>          Videos
               0 File(s)                0 bytes
               8 Dir(s)  676,173,369,344 bytes free

C:\Users\Public>cd ..

C:\Users>cd Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI

C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI>tree
Folder PATH listing
Volume serial number is 0000008E BC96:B9BF
C:.
|_evidence
|_outputs
|_screenshots
|_scripts
|_workspace
|_workspace2
|_workspace3
|_workspace4

C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI>

```

Question

Absolute path and relative path

Answer

Absolute path is a path in which in order to reach a particular folder the complete location of that folder must be specify starting from the root of the drive.

While

Relative path specify the location of a file/ folder based on the current working directory.

TASK 2:- BASIC FILE AND FOLDER CREATION

```
C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI>cd workspace

C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI\workspace>echo hello world > my_first_file.txt

C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI\workspace>type my_first_file.txt
hello world

C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI\workspace>echo Student Name: MUHAMMAD MUNTAKA BADAMASI > evidence_note.txt

C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI\workspace>echo Course: CIP-B101 Lab 1C >> evidence_note.txt

C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI\workspace>echo Purpose: Windows command line forensic basics >> evidence_note.txt

C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI\workspace>type evidence_note.txt
Student Name: MUHAMMAD MUNTAKA BADAMASI
Course: CIP-B101 Lab 1C
Purpose: Windows command line forensic basics

C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI\workspace>dir
Volume in drive C has no label.
Volume Serial Number is BC96-B9BF

Directory of C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI\workspace

08/06/2026  10:13 PM  <DIR>          .
08/06/2026  10:07 PM  <DIR>          ..
08/06/2026  10:13 PM                  116 evidence_note.txt
08/06/2026  10:12 PM                  14 my_first_file.txt
                2 File(s)              130 bytes
                2 Dir(s)  676,172,791,808 bytes free

C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI\workspace>
```

Question

1. The difference between > and >> in command output redirection

Answer

The difference between > and >> in command output redirection is that this “>” operator is used when creating a new file or some time when trying to over write the output of an existing file.

While

The operator “>>” is used to add a new line sentence to an existing file without over writing the previous one.

TASK 3:- COPY, DUPLICATE, RENAME, AND DELETE FILES SAFELY

```
C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI\workspace>copy evidence_note.txt ..\workspace2\evidence_note_copy.txt
1 file(s) copied.

C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI\workspace>dir ..\workspace2
Volume in drive C has no label.
Volume Serial Number is BC96-B9BF

Directory of C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI\workspace2

08/06/2026  10:16 PM  <DIR>          .
08/06/2026  10:07 PM  <DIR>          ..
08/06/2026  10:13 PM                  116 evidence_note_copy.txt
                1 File(s)              116 bytes
                2 Dir(s)  676,171,902,976 bytes free

C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI\workspace>cd \Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI

C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI>xcopy workspace workspace3\workspace_backup /E /I /H
workspace\evidence_note.txt
workspace\my_first_file.txt
2 File(s) copied

C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI>tree workspace3
```

```

C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI>tree workspace3
Folder PATH listing
Volume serial number is 00000126 BC96:B9BF
C:\USERS\PUBLIC\CIP-B101_LAB1C_MUNTAKA_BADAMASI\WORKSPACE3
└──workspace_backup

C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI>cd workspace2

C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI\workspace2>ren evidence_note_copy.txt renamed_evidence_note.txt

C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI\workspace2>dir
Volume in drive C has no label.
Volume Serial Number is BC96-B9BF

Directory of C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI\workspace2

08/06/2026  10:18 PM  <DIR>          .
08/06/2026  10:07 PM  <DIR>          ..
08/06/2026  10:13 PM                116 renamed_evidence_note.txt
               1 File(s)                116 bytes
               2 Dir(s)  676,171,829,248 bytes free

C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI\workspace2>echo temporary test file > delete_me.txt

C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI\workspace2>dir
Volume in drive C has no label.
Volume Serial Number is BC96-B9BF

Directory of C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI\workspace2

```

```

Directory of C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI\workspace2

08/06/2026  10:19 PM  <DIR>          .
08/06/2026  10:07 PM  <DIR>          ..
08/06/2026  10:19 PM                22 delete_me.txt
08/06/2026  10:13 PM                116 renamed_evidence_note.txt
               2 File(s)                138 bytes
               2 Dir(s)  676,171,825,152 bytes free

C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI\workspace2>del delete_me.txt

C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI\workspace2>dir
Volume in drive C has no label.
Volume Serial Number is BC96-B9BF

Directory of C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI\workspace2

08/06/2026  10:19 PM  <DIR>          .
08/06/2026  10:07 PM  <DIR>          ..
08/06/2026  10:13 PM                116 renamed_evidence_note.txt
               1 File(s)                116 bytes
               2 Dir(s)  676,171,677,696 bytes free

C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI\workspace2>cd \Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI

C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI>mkdir empty_test_folder

C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI>rmdir empty_test_folder

C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI>dir

```

```

C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI>dir
Volume in drive C has no label.
Volume Serial Number is BC96-B9BF

Directory of C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI

08/06/2026  10:20 PM  <DIR>          .
08/06/2026  10:06 PM  <DIR>          ..
08/06/2026  10:07 PM  <DIR>          evidence
08/06/2026  10:07 PM  <DIR>          outputs
08/06/2026  10:07 PM  <DIR>          screenshots
08/06/2026  10:07 PM  <DIR>          scripts
08/06/2026  10:13 PM  <DIR>          workspace
08/06/2026  10:19 PM  <DIR>          workspace2
08/06/2026  10:17 PM  <DIR>          workspace3
08/06/2026  10:07 PM  <DIR>          workspace4
               0 File(s)                0 bytes
               10 Dir(s)  676,171,501,568 bytes free

C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI>|

```

TASK 4:- UNDERSTAND HOW WINDOWS FINDS APPLICATIONS


```
C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI>echo %PATH%
C:\Program Files (x86)\VMware\VMware Workstation\bin;C:\Windows\system32;C:\Windows;C:\Windows\System32\Wbem;C:\Windows\System32\WindowsPowerShell\v1.0;C:\Windows\System32\OpenSSH;C:\Program Files\Git\cmd;C:\Program Files\nodejs;C:\Program Files\Amazon\AWSCLI\bin;C:\terraform;C:\Users\PC\AppData\Local\Programs\Python\Launcher;C:\Users\PC\AppData\Local\Microsoft\WindowsApps;C:\Users\PC\AppData\Local\Programs\Microsoft VS Code\bin;C:\Users\PC\AppData\Local\Programs\Antigravity\bin;C:\Users\PC\AppData\Roaming\npm;C:\Users\PC\AppData\Local\Programs\Antigravity IDE\bin;C:\Users\PC\AppData\Local\Programs\DockerDesktop\resources\bin;C:\Users\PC\AppData\Local\GitHubDesktop\bin

C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI>where notepad
C:\Windows\System32\notepad.exe
C:\Windows\notepad.exe
C:\Users\PC\AppData\Local\Microsoft\WindowsApps\notepad.exe

C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI>notepad

C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI>vol C:
Volume in drive C has no label.
Volume Serial Number is BC96-B9BF

C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI>
```



Question

1. explain why PATH matters during malware triage and forensic review

Answer:-

Path matters during malware triage and forensic review because it helps in locating where a particular incident started from

TASK 5:- COLLECT WINDOWS SYSTEM INFORMATION

```
C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI>outputs
'outputs' is not recognized as an internal or external command,
operable program or batch file.

C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI>cd outputs

C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI\outputs>systeminfo > systeminfo_full.txt

C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI\outputs>systeminfo | find "OS Name"
OS Name: Microsoft Windows 11 Home Single Language

C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI\outputs>systeminfo | find "OS Version"
OS Version: 10.0.26200 N/A Build 26200
BIOS Version: Insyde F.63, 8/24/2023

C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI\outputs>systeminfo | find "System Type"
System Type: x64-based PC

C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI\outputs>systeminfo | find "Total Physical Memory"
Total Physical Memory: 12,029 MB

C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI\outputs>wmic cpu get name > cpu_info.txt
'wmic' is not recognized as an internal or external command,
operable program or batch file.

C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI\outputs>type cpu_info.txt

C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI\outputs>type disk_info.txt
The system cannot find the file specified.

C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI\outputs>
```

TASK 6:- COLLECT BASIC NETWORK INFORMATION

```
C:\Windows\system32\cmd.exe X + ~
C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI\outputs>ipconfig /all > ipconfig_all.txt
C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI\outputs>ipconfig | findstr IPv4
IPv4 Address. . . . . : 192.168.56.1
IPv4 Address. . . . . : 192.168.137.1
IPv4 Address. . . . . : 192.168.152.1
C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI\outputs>ipconfig | findstr Gateway
Default Gateway . . . . . :
Default Gateway . . . . . :
Default Gateway . . . . . :
C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI\outputs>ipconfig | findstr Gateway
Default Gateway . . . . . :
Default Gateway . . . . . :
Default Gateway . . . . . :
Default Gateway . . . . . : 192.168.0.1
C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI\outputs>wmic nic get macaddress,description > mac_addresses.txt
'wmic' is not recognized as an internal or external command,
operable program or batch file.
C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI\outputs>type mac_addresses.txt
C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI\outputs>ping 127.0.0.1

Pinging 127.0.0.1 with 32 bytes of data:
Reply from 127.0.0.1: bytes=32 time<1ms TTL=128
Reply from 127.0.0.1: bytes=32 time<1ms TTL=128
Reply from 127.0.0.1: bytes=32 time<1ms TTL=128
Reply from 127.0.0.1: bytes=32 time<1ms TTL=128

Ping statistics for 127.0.0.1:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
```

```
C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI\outputs>ping 8.8.8.8

Pinging 8.8.8.8 with 32 bytes of data:
Request timed out.
Reply from 8.8.8.8: bytes=32 time=558ms TTL=112
Reply from 8.8.8.8: bytes=32 time=578ms TTL=112
Reply from 8.8.8.8: bytes=32 time=2133ms TTL=112

Ping statistics for 8.8.8.8:
    Packets: Sent = 4, Received = 3, Lost = 1 (25% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 558ms, Maximum = 2133ms, Average = 1089ms
C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI\outputs>ping google.com

Pinging google.com [216.58.223.238] with 32 bytes of data:
Reply from 216.58.223.238: bytes=32 time=661ms TTL=112
Reply from 216.58.223.238: bytes=32 time=293ms TTL=112
Reply from 216.58.223.238: bytes=32 time=164ms TTL=112
Reply from 216.58.223.238: bytes=32 time=200ms TTL=112

Ping statistics for 216.58.223.238:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 164ms, Maximum = 661ms, Average = 329ms
C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI\outputs>
```

TASK 7:- SEARCH FOR EVIDENCE TEXT IN FILES

```
C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI\outputs>cd ..
C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI>cd \Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI\evidence
C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI\evidence>echo User: MUNTAKA BADAMASI > mini_case_log.txt
C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI\evidence>echo Email: trainee@example.com >> mini_case_log.txt
C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI\evidence>echo IP: 192.168.56.10 >> mini_case_log.txt
C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI\evidence>echo Keyword: suspicious_login >> mini_case_log.txt
C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI\evidence>type mini_case_log.txt
User: MUNTAKA BADAMASI
Email: trainee@example.com
IP: 192.168.56.10
Keyword: suspicious_login
C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI\evidence>findstr /i "email" mini_case_log.txt
Email: trainee@example.com
C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI\evidence>findstr /i "suspicious" mini_case_log.txt
Keyword: suspicious_login
C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI\evidence>findstr /n /i "ip" mini_case_log.txt
3:IP: 192.168.56.10
C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI\evidence>
```

Question

1. Explain the function of /i and /n in findstr.

Answer:-

The function /I is used for matching text without minding if the text is written in upper case or lower case.

While

/n is used for displaying each line number before each matching line.

TASK 8:- CHECK FILE OWNER AND DIRECTORY INFORMATION

```
C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI\evidence>dir /q
Volume in drive C has no label.
Volume Serial Number is BC96-B9BF

Directory of C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI\evidence

08/06/2026  10:40 PM    <DIR>          MUNTAKA\PC          .
08/06/2026  10:20 PM    <DIR>          MUNTAKA\PC          ..
08/06/2026  10:41 PM                102 MUNTAKA\PC      mini_case_log.txt
                1 File(s)                102 bytes
                2 Dir(s)  676,161,875,968 bytes free

C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI\evidence>icacls mini_case_log.txt
mini_case_log.txt BUILTIN\Administrators:(I)(F)
                  MUNTAKA\PC:(I)(F)
                  NT AUTHORITY\SYSTEM:(I)(F)
                  NT AUTHORITY\INTERACTIVE:(I)(M,DC)
                  NT AUTHORITY\SERVICE:(I)(M,DC)
                  NT AUTHORITY\BATCH:(I)(M,DC)

Successfully processed 1 files; Failed processing 0 files

C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI\evidence>
```


Question

1. Briefly describe who owns the file on your system.

Answer:- the file on this system is owned by MUNTAKA/PC which is me.

TASK 9:- LIST PROCESSES AND IDENTIFY BROWSER PROCESSES

```
C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI\outputs>cd \Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI\outputs

C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI\outputs>wmic process list brief > process_list.txt
'wmic' is not recognized as an internal or external command,
operable program or batch file.

C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI\outputs>type process_list.txt | more

C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI\outputs>wmic process where "name like '%chrome%'" get name,processid,commandline
'wmic' is not recognized as an internal or external command,
operable program or batch file.

C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI\outputs>wmic process where "name like '%msedge%'" get name,processid,commandline
'wmic' is not recognized as an internal or external command,
operable program or batch file.

C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI\outputs>
```

TASK 10:- CREATE AND EXECUTE A BATCH FILE

```
C:\Windows\system32\cmd.exe - X
Microsoft Windows [Version 10.0.26200.8973]
(c) Microsoft Corporation. All rights reserved.

C:\Users\PC>cd ..


C:\Users>cd public

C:\Users\Public>cd \Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI\scripts

C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI\scripts>notepad hello_world.bat

C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI\scripts>notepad hello_world.bat

C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI\scripts>
```



The image shows a Notepad application window with an error message. The title bar says "Notepad". The message text reads: "Cannot find the C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI\scripts\hello_world.bat file." Below the message, it asks "Do you want to create a new file?" with two buttons: "Yes" (highlighted in blue) and "No".

TASK 11:- MAKE SYS_INFO.BAT CALLABLE FROM ANY FOLDER

```
CIP-B101 System Info Collectio X + v
C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI\scripts>cd ..

C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI>copy scripts\sys_info.bat workspace4\sys_info.bat
Overwrite workspace4\sys_info.bat? (Yes/No/All): yes
1 file(s) copied.

C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI>dir workspace4
Volume in drive C has no label.
Volume Serial Number is BC96-B9BF

Directory of C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI\workspace4

08/06/2026 10:56 PM <DIR>      .
08/06/2026 10:20 PM <DIR>      ..
08/06/2026 11:06 PM          1,514 sys_info.bat
                1 File(s)      1,514 bytes
                2 Dir(s)  676,154,884,096 bytes free

C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI>set PATH=%PATH%;C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI\workspace4

C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI>cd /

C:\>sys_info.bat
Please wait... Checking system information.
The system cannot find the path specified.
The system cannot find the path specified.
The system cannot find the path specified.
The system cannot find the path specified.

C:\>setx PATH "%PATH%;C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI\workspace4"

WARNING: The data being saved is truncated to 1024 characters.

SUCCESS: Specified value was saved.
```

```

CIP-B101 System Info Collectio  X  +  v

C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI\scripts>sys_info.bat
Please wait... Checking system information.
'wmic' is not recognized as an internal or external command,
operable program or batch file.
'wmic' is not recognized as an internal or external command,
operable program or batch file.
'wmic' is not recognized as an internal or external command,
operable program or batch file.
Collection complete. See outputs\sys_info_report.txt
Press any key to continue . . .

C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI\scripts>type ..\outputs\sys_info_report.txt
=====
WINDOWS INFO
=====
OS Name:                        Microsoft Windows 11 Home Single Language
OS Version:                    10.0.26200 N/A Build 26200
BIOS Version:                  Insyde F.63, 8/24/2023
System Type:                   x64-based PC

=====
HARDWARE INFO
=====
Total Physical Memory:         12,029 MB

=====
NETWORK INFO
=====
IPv4 Address. . . . . : 192.168.56.1
IPv4 Address. . . . . : 192.168.137.1
IPv4 Address. . . . . : 192.168.152.1
IPv4 Address. . . . . : 192.168.0.179

C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI\scripts>

```

TASK 12:- MINI FORENSIC INTERPRETATION QUESTIONS

1. What is the difference between an absolute path and a relative path? Give one example of each from your lab.

Answer:-

ABSOLUTE PATH	RELATIVE PATH
Absolute path is a path in which in order to reach a particular folder the complete location of that folder must be specify starting from the root of the drive.	Relative path specify the location of a file/ folder based on the current working directory.
Example:- C:\Users\Public\CIP-B101_Lab1C_MUNTAKA_BADAMASI\workspace	Example:- ../workspace2

2. Why should analysts create a separate lab/evidence folder before running commands?

Answer:-

The reason why analyst should create a separate lab/evidence folder before running command is that when running command they might mistakenly run a command that can delete the evidence and if they don't have a copy of that folder that will be the end.

3. Which command showed your IP address and which command showed your MAC address?

Answer:-

- The command that shows ip address is **ipconfig | findstr IPv4**
- The command that shows mac address is **wmic nic get macaddress,description**

4. Why is a batch file useful in forensic triage?

Answer:-

A batch file is important in forensic triage because it is used for automation of task which makes it to collect information about a system more quickly and correctly.

5. Why must analysts document failed commands or failed pings instead of hiding them?

Answer:-

The reason why analyst must document failed command or failed pings instead of hiding them is those failed command/failed ping may have some vital information such that it may have a network issue and also it will be Important when doing forensic analysis

6. What risk can occur if a suspicious executable is placed in a directory listed in PATH?

Answer:-

The risk that can occur if a suspicious executable is placed in a directory listed in path is that it can be executable instead of a legitimate program when a user enter a command. And since it is a suspicious executable it can cause damage to the system.

Conclusion

In conclusion the lab has lay a foundation on some basics of digital forensics using the window command line.

Reference

- ICDFA course Material (BVDF201(basic computer skills for digital forensics)- by COMMANDANT AMINU IDRIS
 - ICDFA Recorded sessions
-