

Lab Title:- DATA CRAVING WITH XXD,BINWALK AND SCALPEL

Student Name:- BADAMASI MUNTAKA MUHAMMAD

Student ID:- 2025FWSD11563

Course Name:- COMPUTER AND DIGITAL FORENSICS

Instructor Name:- COMMANDANT AMINU IDRIS

Date Of Submission:- 5/09/2026

Executive summary

The lab covers a practical understanding on what is data craving, how to perform data craving on images/zip file using tools such as xxd, binwalk and scalpel. Some key aspect of the lab include metadata-style examination of a sample jpeg image, analysis header and footer signature of a sample jpeg image, reversing of hexdump.

Lab Objectives

The objectives of the lab is to understand what is data craving and also how to use tools such as binwalk, xxd, and scalpel to carry out data craving activities.

Tools and Resources Used

- Kali linux:- - A penetration testing platform used for security assessments.

Kali linux tools

- Binwalk:- tool for searching binary images for embedded files and executable code
 - scalpel:- Recover files from a disk image or raw block device based on headers and footers specified by the user.
 - xxd:- creates a hex dump of a given file or standard input or its reverse
 - 7z:- file archiver with a high compression ratio
 - Wget:- a free utility for non-interactive download of files from the Web.
 - Hashdeep:- Compute, compare, or audit multiple message digests
-

Methology

- I launched the kali linux terminal
- I used the wget command to download the evidence file into my working folder
- I begin the data craving activities using the xxd tool first, then the binwalk tool then used the sleuth kit tool and finally using scalpel tool.

Screenshot and Evidence

SCREENSHOT SHOWING SUCCESSFULLY COMPLETION OF MODULE 7

The screenshot shows a web interface for a course titled "Introduction to Data Carving and Raw File Recovery". The course is part of the "ICDFA / COURSES" and "SBT-DF202 — Computer and Digital Forensics". The user has completed 27 of 31 lessons, with a progress bar at 87%. The course content is listed on the right, showing four lessons: "Introduction to Data Carving and Raw File Recovery", "File Signatures, Magic Numbers and Hex Analysis with XXD", "Manual File Carving and Embedded File Recovery Lesson type", and "Automated File Carving with Scalpel". The main content area displays the title "Introduction to Data Carving and Raw File Recovery" and a brief description of data carving as a forensic technique.

ICDFA / COURSES
Introduction to Data Carving and Raw File Recovery
SBT-DF202 — Computer and Digital Forensics

Search portal

27/31 lessons 87%

MODULE 7 · LESSON 24

Introduction to Data Carving and Raw File Recovery

Text lesson 30 minutes Completed 02 Sep 2026

Data carving is a forensic technique used to recover files or file fragments directly from raw data when normal file-system metadata is unavailable, corrupted, or unreliable.

Ordinarily, a file system uses metadata to locate the data units that belong to a file. When that metadata is damaged or missing, investigators may need to work directly with sectors, blocks, clusters, and file signatures to identify and reconstruct file content.

COURSE CONTENT
Lesson outline

MODULE 7 · DATA CARVING AND FILE RECOVERY TECHNIQUES

- Introduction to Data Carving and Raw File Recovery
Text · 30 min
- File Signatures, Magic Numbers and Hex Analysis with XXD
Text · 30 min
- Manual File Carving and Embedded File Recovery Lesson type
Text · 30 min
- Automated File Carving with Scalpel
Text · 35 min

SCREENSHOT SHOWING EVIDENCE FILE AND HASHES

The screenshot shows a terminal window with the following commands and output:

```
root@kali: /home/kali
Session Actions Edit View Help
(root@kali)-[/home/kali/DATA_CARVING_LAB]
# ls
120M.7z Ch01InChap01.dd J_ub_law.jpg
(root@kali)-[/home/kali/DATA_CARVING_LAB]
# ls -l
total 38956
-rw-rw-r-- 1 kali kali 36720470 Sep 1 02:12 120M.7z
-rwxrwx-- 1 root root 1474560 Aug 23 02:25 Ch01InChap01.dd
-rw-rw-r-- 1 kali kali 1692150 Sep 1 02:10 J_ub_law.jpg
(root@kali)-[/home/kali/DATA_CARVING_LAB]
# md5sum 120M.7z
dfe7b5424e54cd1bf50d5df47aceeb3c 120M.7z
(root@kali)-[/home/kali/DATA_CARVING_LAB]
# sha256sum 120M.7z
2d2a3d93c9ec65bcad9f89c9894429ea72caa8add07726a3b96ec9a6ab6a58ce 120M.7z
(root@kali)-[/home/kali/DATA_CARVING_LAB]
# md5sum Ch01InChap01.dd
a117773bcf1fc88ec0ab8e0a349fbbcb Ch01InChap01.dd
(root@kali)-[/home/kali/DATA_CARVING_LAB]
# sha256sum Ch01InChap01.dd
3ce8053e4f3d9c8ab98b3aad2480685efb8e4980d34297b83bd5a09b1a7b122 Ch01InChap01.dd
(root@kali)-[/home/kali/DATA_CARVING_LAB]
# md5sum J_ub_law.jpg
83a360ac7f7e0ca318e5bfe39f95f137 J_ub_law.jpg
(root@kali)-[/home/kali/DATA_CARVING_LAB]
# sha256sum J_ub_law.jpg
238ff34393c50e52c0e8b14fcf8ec7dc29e23914dbbc435f8ef998d172a91468 J_ub_law.jpg
(root@kali)-[/home/kali/DATA_CARVING_LAB]
```

SCREENSHOT SHOWING SAMPLE JPEG HEADER AND FOOTER SIGNATURE

```
(root@kali)-[/home/kali/DATA_CARVING_LAB]
# xxd J_ub_law.jpg | head
00000000: ffd8 ffe1 17f0 4578 6966 0000 4949 2a00 .....Exif.. II*.
00000010: 0800 0000 1000 0001 0300 0100 0000 4013 .....@.
00000020: 0000 0101 0300 0100 0000 d00c 0000 0201 .....
00000030: 0300 0300 0000 ce00 0000 0601 0300 0100 .....
00000040: 0000 0200 0000 0f01 0200 1200 0000 d400 .....
00000050: 0000 1001 0200 0900 0000 e600 0000 1201 .....
00000060: 0300 0100 0000 0100 0000 1501 0300 0100 .....
00000070: 0000 0300 0000 1a01 0500 0100 0000 ef00 .....
00000080: 0000 1b01 0500 0100 0000 f700 0000 2801 .....(
00000090: 0300 0100 0000 0200 0000 3101 0200 2100 .....1...!..

(root@kali)-[/home/kali/DATA_CARVING_LAB]
# xxd J_ub_law.jpg | tail
0019d160: ecfe 3d52 1918 3008 da88 b489 7f22 feae ..=R.. 0....." ..
0019d170: 2def 629c 7ab5 16bc 7acd 5750 6ba9 63a7 -.b.z...z.WPk.c.
0019d180: 9155 5524 f1a8 648f 4d6a f9c7 95e4 8981 .U.$..d.Mj.....
0019d190: 55d6 1519 8293 6360 41e0 fbd5 0530 3aa9 U.....c'A.....0:..
0019d1a0: 0bab 554f 4d91 346a 25a7 99d9 2a52 a1bd ..UOM.4j%...*R...
0019d1b0: 294f ae4a a859 c9b4 2885 151a f676 3a80 )O.J.Y..(.QZ.v:..
0019d1c0: fc7f 81df 1c79 f5e1 dc0f 53e3 a4d5 5f45 .....y...S..._E
0019d1d0: 182a d52d 2406 abc1 ad69 9479 0789 d1e1 *.~$....i.y....
0019d1e0: ff00 5254 0938 040e 6ff5 f75a 9a54 f565 ..RT.8..o..Z.T.e
0019d1f0: d351 9ebf ffd9 ..Q....

(root@kali)-[/home/kali/DATA_CARVING_LAB]
```

SCREENSHOT SHOWING REVERSE-HEXDUMP RECONSTRUCTION AND HASH COMPARISON

```
(root@kali)-[/home/kali/DATA_CARVING_LAB]
# xxd -p J_ub_law.jpg | head
ffd8ffe117f04578696600004942a0008000001000001030001000000
401300000101030001000000d00c00000201030003000000ce000000601
03000100000020000000f01020012000000d40000001001020009000000
e600000012010300010000001000000150103000100000030000001a01
050001000000ef0000001b01050001000000f70000002801030001000000
020000003101020021000000ff0000003201020014000000200100009882
02000c000000340100009e9c010052000000400100006987040001000000
94010000440400000800080004e494b4f4e20434f52504f524154494f
4e004e494b4f4e204443400c0c62d0010270000c0c62d001027000041646f
62652050686f746f73686f702032312e3120284d6163696e746f73682900

(root@kali)-[/home/kali/DATA_CARVING_LAB]
# hashdeep -c md5,sha256 J_ub_law.jpg
%%%% HASHDEEP-1.0
%%%% size,md5,sha256,filename
## Invoked from: /home/kali/DATA_CARVING_LAB
## # hashdeep -c md5,sha256 J_ub_law.jpg
##
1692150,83a360ac7f7e0ca318e5bfe39f95f137,238ff34393c50e52c0e8b14fcff8ec7dc29e23914dbc435f8ef998d172a91468,/home/kali/DATA_CARVING_LAB/J_ub_law.jpg

(root@kali)-[/home/kali/DATA_CARVING_LAB]
# xxd -s 0x100 -l 0x9f J_ub_law.jpg
00000100: 2700 00c0 c62d 0010 2700 0041 646f 6265 ' .. --..'.. Adobe
00000110: 2050 686f 746f 7368 6f70 2032 312e 3120 Photoshop 21.1
00000120: 284d 6163 696e 746f 7368 2900 3230 3230 (Macintosh).2020
00000130: 3a30 383a 3230 2031 303a 3230 3a30 3500 :08:20 10:20:05.
00000140: 484f 5741 5244 204b 4f52 4e00 3200 3000 HOWARD KORN.2.0.
00000150: 3100 3300 2c00 2000 6300 6100 6d00 7000 1.3.,. .c.a.m.p.
00000160: 7500 7300 2c00 2000 4d00 6500 7200 7200 u.s.,. .M.e.r.r.
00000170: 6900 6300 6b00 2000 5300 6300 6800 6f00 i.c.k. .S.c.h.o.
00000180: 6f00 6c00 2000 6f00 6600 2000 4200 7500 o.l. .o.f. .B.u.
00000190: 7300 6900 6e00 6500 7300 7300 0000 00 s.i.n.e.s.s....

(root@kali)-[/home/kali/DATA_CARVING_LAB]
# echo "0000012c: 3230 3503" | xxd -r - J_ub_law.jpg
0000012c: 3230 3503

(root@kali)-[/home/kali/DATA_CARVING_LAB]
# xxd -s 0x100 -l 0x9f J_ub_law.jpg
00000100: 2700 00c0 c62d 0010 2700 0041 646f 6265 ' .. --..'.. Adobe
00000110: 2050 686f 746f 7368 6f70 2032 312e 3120 Photoshop 21.1
00000120: 284d 6163 696e 746f 7368 2900 3230 3503 (Macintosh).2020
00000130: 3a30 383a 3230 2031 303a 3230 3a30 3500 :08:20 10:20:05.
00000140: 484f 5741 5244 204b 4f52 4e00 3200 3000 HOWARD KORN.2.0.
00000150: 3100 3300 2c00 2000 6300 6100 6d00 7000 1.3.,. .c.a.m.p.
00000160: 7500 7300 2c00 2000 4d00 6500 7200 7200 u.s.,. .M.e.r.r.
00000170: 6900 6300 6b00 2000 5300 6300 6800 6f00 i.c.k. .S.c.h.o.
00000180: 6f00 6c00 2000 6f00 6600 2000 4200 7500 o.l. .o.f. .B.u.
00000190: 7300 6900 6e00 6500 7300 7300 0000 00 s.i.n.e.s.s....

(root@kali)-[/home/kali/DATA_CARVING_LAB]
# hashdeep -c md5,sha256 J_ub_law.jpg
%%%% HASHDEEP-1.0
%%%% size,md5,sha256,filename
## Invoked from: /home/kali/DATA_CARVING_LAB
## # hashdeep -c md5,sha256 J_ub_law.jpg
##
1692150,50457013d756835dadf642f0476c352e,2eff9759eade5f63d25e5b804aef49402165041ce00d0d6a4b199a122f361e,/home/kali/DATA_CARVING_LAB/J_ub_law.jpg

(root@kali)-[/home/kali/DATA_CARVING_LAB]
```

SCREENSHOT SHOWING STRINGS OR METADATA-STYLE EXAMINATION OF THE SAMPLE JPEG.

```
6265 ' .. .. - . . ' .. Adobe
3120   Photoshop 21.1
3230 (Macintosh).2020
3500 :08:20 10:20:05.
3000 HOWARD KORN.2.0.
7000 1.3.,. .c.a.m.p.
7200 u.s.,. .M.e.r.r.
6f00 i.c.k..S.c.h.o.
7500 o.l..o.f..B.u.
00   s.i.n.e.s.s....
```

SCREENSHOT SHOWING DATA UNIT EXAMINATION WITH SLEUTH-KIT

```
Use the command line
img_stat Ch01InChap01.dd
IMAGE FILE INFORMATION
Image Type: raw
Size in bytes: 1474560
Sector size: 512

(root@kali)~/home/kali/DATA_CARVING_LAB
# fsstat Ch01InChap01.dd
FILE SYSTEM INFORMATION
File System Type: FAT12
OEM Name: 'konIHC'
Volume ID: 0x0
Volume Label (Boot Sector):
Volume Label (Root Directory):
File System Type Label: *3**M
Sectors before file system: 0
File System Layout (in sectors)
Total Range: 0 - 2879
* Reserved: 0 - 0
** Boot Sector: 0
* FAT 0: 1 - 9
* FAT 1: 10 - 18
* Data Area: 19 - 2879
** Root Directory: 19 - 32
** Cluster Area: 33 - 2879

METADATA INFORMATION
Range: 2 - 45782
Root Directory: 2

CONTENT INFORMATION
Sector Size: 512
Cluster Size: 512
Total Cluster Range: 2 - 2848

FAT CONTENTS (in sectors)
33-236 (204) -> EOF
285-311 (27) -> EOF

(root@kali)~/home/kali/DATA_CARVING_LAB
# fls Ch01InChap01.dd
r/r 5: Client Info.mdb
r/r * 8: Billing Letter.doc
r/r * 11: Confirmation.txt
r/r 13: Income.xls
r/r * 15: letter1.txt
r/r * 17: Regrets.doc
v/v 45779: $MBR
v/v 45780: $FAT1
v/v 45781: $FAT2
v/v 45782: $OrphanFiles

(root@kali)~/home/kali/DATA_CARVING_LAB
```

```
root@kali: /home/kali/DATA_CARVING_LAB

# blkcat Ch01InChap01.dd 312 | xxd
00000000: 4561 726c 2c20 0d0a 5765 206e 6565 6420  Earl, ..We need
00000010: 746f 206d 6565 7420 6f6e 2074 6865 2031  to meet on the 1
00000020: 3874 6820 6f6e 2041 756f 7573 7420 746f  8th of August to
00000030: 2063 6f6e 6669 726d 2074 6865 2077 6f72  confirm the wor
00000040: 6b20 4920 616d 206d 0a64 6f69 6e67 2066  k I am ..doing f
00000050: 6f72 2079 6f75 2e20 596c 6561 7365 2063  or you. Please c
00000060: 6f6e 7461 6374 206d 6520 4153 4150 2e0d  ontact me ASAP..
00000070: 0a0d 0a27 656f 7267 6500 0000 0000 0000  ... George.....
00000080: 0000 0000 0000 0000 0000 0000 0000 0000  .....
00000090: 0000 0000 0000 0000 0000 0000 0000 0000  .....
000000a0: 0000 0000 0000 0000 0000 0000 0000 0000  .....
000000b0: 0000 0000 0000 0000 0000 0000 0000 0000  .....
000000c0: 0000 0000 0000 0000 0000 0000 0000 0000  .....
000000d0: 0000 0000 0000 0000 0000 0000 0000 0000  .....
000000e0: 0000 0000 0000 0000 0000 0000 0000 0000  .....
000000f0: 0000 0000 0000 0000 0000 0000 0000 0000  .....
00000100: 0000 0000 0000 0000 0000 0000 0000 0000  .....
00000110: 0000 0000 0000 0000 0000 0000 0000 0000  .....
00000120: 0000 0000 0000 0000 0000 0000 0000 0000  .....
00000130: 0000 0000 0000 0000 0000 0000 0000 0000  .....
00000140: 0000 0000 0000 0000 0000 0000 0000 0000  .....
00000150: 0000 0000 0000 0000 0000 0000 0000 0000  .....
00000160: 0000 0000 0000 0000 0000 0000 0000 0000  .....
00000170: 0000 0000 0000 0000 0000 0000 0000 0000  .....
00000180: 0000 0000 0000 0000 0000 0000 0000 0000  .....
00000190: 0000 0000 0000 0000 0000 0000 0000 0000  .....
000001a0: 0000 0000 0000 0000 0000 0000 0000 0000  .....
000001b0: 0000 0000 0000 0000 0000 0000 0000 0000  .....
000001c0: 0000 0000 0000 0000 0000 0000 0000 0000  .....
000001d0: 0000 0000 0000 0000 0000 0000 0000 0000  .....
000001e0: 0000 0000 0000 0000 0000 0000 0000 0000  .....
000001f0: 0000 0000 0000 0000 0000 0000 0000 0000  .....

# blkcat Ch01InChap01.dd 312
Earl,
We need to meet on the 18th of August to confirm the work I am
doing for you. Please contact me ASAP.

George
```

SCREENSHOT SHOWING SCALPEL CONFIGURATION

```
/etc/scalpel/scalpel.conf - Mousepad

File Edit Search View Document Help

Warning: you are using the root account. You may harm your sys

71 # are used. NO FOOTER IS DEFINED AND THE MAX CARVE SIZE IS 1000 BYTES.
72 #
73 #      NONE      y      1000      FOREMOST
74 #
75 #
76 # GRAPHICS FILES
77 #
78 #
79 #
80 # AOL ART files
81 #      art      y      150000  \x4a\x47\x04\x0e  \xcf\xc7\xcb|
82 #      art      y      150000  \x4a\x47\x03\x0e  \xd0\xcb\x00\x00
83 #
84 # GIF and JPG files (very common)
85 #      gif      y      5000000  \x47\x49\x46\x38\x37\x61  \x00\x3b
86 #      gif      y      5000000  \x47\x49\x46\x38\x39\x61  \x00\x3b
87 #      jpg      y      5242880  \xff\xd8\xff???Exif  \xff\xd9  REVERSE
88 #      jpg      y      5242880  \xff\xd8\xff???JFIF  \xff\xd9  REVERSE
89 #
90 #
91 # PNG
92 #      png      y      20000000  \x50\x4e\x47?  \xff\xfc\xfd\xfe
93 #
94 #
95 # BMP (used by MSWindows, use only if you have reason to think there are
96 # BMP files worth digging for. This often kicks back a lot of false
```

SCREENSHOT SHOWING SAMPLE(120M.7Z) OPENED SUCCESFULLY USING 7ZIP

```
(root@kali)-[/home/kali/DATA_CARVING_LAB]
# 7z e 120M.7z
7-Zip 26.00 (x64) : Copyright (c) 1999-2026 Igor Pavlov : 2026-02-12
64-bit locale=en_US.UTF-8 Threads:1 OPEN_MAX:1024, ASM

Scanning the drive for archives:
1 file, 36720470 bytes (36 MiB)

Extracting archive: 120M.7z
--
Path = 120M.7z
Type = 7z
Physical Size = 36720470
Headers Size = 214
Method = LZMA2:24
Solid = +
Blocks = 1

Everything is Ok

Folders: 1
Files: 2
Size:      124782229
Compressed: 36720470

(root@kali)-[/home/kali/DATA_CARVING_LAB]
# ls
120M 120M.7z  Ch01InChap01.dd  J_ub_law.jpg  scalpel-output  usb_fat_carving.001  usb_fat_carving.001.txt
```

SCREENSHOT SHOWING SAMPLE(120M.7Z) HASH VERIFICATION AFTER EXTRACTION

```
(root@kali)-[/home/kali/DATA_CARVING_LAB]
# ls
120M 120M.7z  Ch01InChap01.dd  J_ub_law.jpg  scalpel-output  usb_fat_carving.001  usb_fat_carving.001.txt

(root@kali)-[/home/kali/DATA_CARVING_LAB]
# hashdeep -c md5, sha1 usb_fat_carving.001
/home/kali/DATA_CARVING_LAB/sha1: No such file or directory
%%%% HASHDEEP-1.0
%%%% size,md5,filename
## Invoked from: /home/kali/DATA_CARVING_LAB
## # hashdeep -c md5, sha1 usb_fat_carving.001
##
124780544,ba4a1d0ba49f4a6667b00a3b3e85e604,/home/kali/DATA_CARVING_LAB/usb_fat_carving.001

(root@kali)-[/home/kali/DATA_CARVING_LAB]
# cat md5, sha1 usb_fat_carving.001.txt | grep "checksum"
cat: md5,: No such file or directory
cat: sha1: No such file or directory
MD5 checksum:      ba4a1d0ba49f4a6667b00a3b3e85e604
SHA1 checksum:     bcc2d49fd49c9521ecb1739f6542c6bf327375ef
MD5 checksum:      ba4a1d0ba49f4a6667b00a3b3e85e604 : verified
SHA1 checksum:     bcc2d49fd49c9521ecb1739f6542c6bf327375ef : verified

(root@kali)-[/home/kali/DATA_CARVING_LAB]
```

SCREENSHOT SHOWING SAMPLE(120M.7Z) INFORMATION

```
(root@kali)-[/home/kali/DATA_CARVING_LAB]
# fdisk -l usb_fat_carving.001
Disk usb_fat_carving.001: 119 MiB, 124780544 bytes, 243712 sectors
Units: sectors of 1 * 512 = 512 bytes
Sector size (logical/physical): 512 bytes / 512 bytes
I/O size (minimum/optimal): 512 bytes / 512 bytes
Disklabel type: dos
Disk identifier: 0xa1159a00

Device                Boot Start      End Sectors  Size Id Type
usb_fat_carving.001p1 *        128 243711  243584 118.9M  e W95 FAT16 (LBA)
```


SCREENSHOT SHOWING SAMPLE(usb_fat_carving.001) OPENED SUCCESSFULLY USING SCALPEL

```
(root@kali)~/home/kali/DATA_CARVING_LAB
# scalpel usb_fat_carving.001 -o output
Scalpel version 1.60
Written by Golden G. Richard III, based on Foremost 0.69.

Opening target "/home/kali/DATA_CARVING_LAB/usb_fat_carving.001"

Image file pass 1/2.
usb_fat_carving.001: 100.0% |*****| 119.0 MB 00:00 ETA
Allocating work queues...
Work queues allocation complete. Building carve lists...
Carve lists built. Workload:
jpg with header "\xff\xd8\xff\x3f\x3f\x45\x78\x69\x66" and footer "\xff\xd9" → 8 files
jpg with header "\xff\xd8\xff\x3f\x3f\x3f\x4a\x46\x49\x46" and footer "\xff\xd9" → 9 files
Carving files from image.
Image file pass 2/2.
usb_fat_carving.001: 100.0% |*****| 119.0 MB 00:00 ETA
Processing of image file complete. Cleaning up...
Done.
Scalpel is done, files carved = 17, elapsed = 0 seconds.

(root@kali)~/home/kali/DATA_CARVING_LAB
# ls
120M 120M.7z Ch01InChap01.dd J_ub_law.jpg output scalpel-output usb_fat_carving.001 usb_fat_carving.001.txt

(root@kali)~/home/kali/DATA_CARVING_LAB
```

SCREENSHOT SHOWING LIST OF RECOVERED FILES/FOLDER FROM SAMPLE(usb_fat_carving.001)

```
(root@kali)~/home/kali/DATA_CARVING_LAB
# cd output

(root@kali)~/home/kali/DATA_CARVING_LAB/output
# ls
audit.txt jpg-0-0 jpg-1-0

(root@kali)~/home/kali/DATA_CARVING_LAB/output
# cd jpg-0-0

(root@kali)~/home/kali/DATA_CARVING_LAB/output/jpg-0-0
# ls
00000000.jpg 00000001.jpg 00000002.jpg 00000003.jpg 00000004.jpg 00000005.jpg 00000006.jpg 00000007.jpg

(root@kali)~/home/kali/DATA_CARVING_LAB/output/jpg-0-0
```

SCREENSHOT SHOWING TWO RECOVERED IMAGES FROM SAMPLE(usb_fat_carving.001)

```
(root@kali)~/home/kali/DATA_CARVING_LAB
# cd output


(root@kali)~/home/kali/DATA_CARVING_LAB/output
# ls
audit.txt jpg-0-0 jpg-1-0


(root@kali)~/home/kali/DATA_CARVING_LAB/output
# cd jpg-0-0

(root@kali)~/home/kali/DATA_CARVING_LAB/output/jpg-0-0
# ls
00000000.jpg 00000001.jpg 00000002.jpg 00000003.jpg 00000004.jpg 00000005.jpg 00000006.jpg 00000007.jpg

(root@kali)~/home/kali/DATA_CARVING_LAB/output/jpg-0-0
# display -resize 400x300 00000007.jpg

(root@kali)~/home/kali/DATA_CARVING_LAB/output/jpg-0-0
# display -resize 400x300 00000007.jpg
```





Conclusion

In conclusion the lab has expose me on how to used binwalk, xxd, and scalpel tool to conduct data craving activities on evidence file. it has also help me in understanding how important data craving is.

Reference

- ICDFA course Material (BVDF201(computer and digital forensics)- by COMMANDANT AMINU IDRIS
- ICDFA Recorded sessions