Submission requirements

Prepared for Bismillah Studio · Websites & CMS · B0840-55537 · generated by Vibe96 AI

Your description

QuickBlog is a bilingual blogging platform for readers and publishers. Built with JavaScript, React, Vite, Node.js, Express and MongoDB. Modules: CMS, JWT auth, AI drafting, analytics, comments, bookmarks. Responsive web app; no mobile app. Services: Google Gemini, ImageKit.

Detected stack: JavaScript · React · Vite · Node.js · Express · MongoDB · JWT · Google Gemini API · ImageKit · Docker

QuickBlog is a bilingual blogging platform built as a React/Vite single-page web app over an Express and Node.js REST API backed by MongoDB, with JWT auth, a CMS, AI drafting via Google Gemini, ImageKit image hosting, analytics, comments and bookmarks. The archive must contain the complete React client and Express API source, a MongoDB schema and seed script, a lockfile for each Node project, and the Vibe96 documentation set, with no real Gemini, ImageKit or JWT secrets.

Must have — blocks the audit if missing · Nice to have — costs points · Optional — advice only

MUST HAVE · 8

1. **Complete source for every part**
   Include the full React/Vite client and the full Express API source. There is no mobile app, so state that explicitly in README.md. No compiled-only bundles, and exclude node_modules, dist, build and .git.

2. **No real credentials**
   No real credentials: config files may be present but must contain placeholders or local defaults only. This covers the JWT secret, MongoDB URI, Gemini API key, ImageKit public/private keys and URL endpoint. Use placeholders such as CHANGE_ME, and never commit a live .env.

3. **Single example config file in the API**
   Ship exactly one example config for the Node/Express API: .env.example with every variable documented (PORT, MONGODB_URI, JWT_SECRET, JWT_EXPIRES_IN, GEMINI_API_KEY, IMAGEKIT_PUBLIC_KEY, IMAGEKIT_PRIVATE_KEY, IMAGEKIT_URL_ENDPOINT, CLIENT_URL). Do not add a second example file for the client unless it is needed; if a client env is required, document it in HowToSetup.md.

4. **Lockfiles for both Node projects**
   Commit package-lock.json in both the client and the API folders, pinned to the versions you tested. Run npm audit and resolve critical findings before upload.

5. **MongoDB schema creates from empty**
   MongoDB has no SQL DDL, so provide database/schema.js as an idempotent script that creates the collections (users, posts, comments, bookmarks, analytics events), applies validators, and creates the indexes: unique email, post slug, post author and status, comment postId, and bookmark userId plus postId. Explain in HowToSetup.md how to run it against an empty database.

6. **Protected write routes and role checks**
   Every POST, PUT, PATCH and DELETE route must require JWT middleware. CMS and publishing routes must check an admin or author role. Users must only read and edit their own bookmarks, drafts and profile. Document the role matrix in docs/ or CLAUDE.md.

7. **Working demo account on the live URL**
   Provide a demo login (for example demo@quickblog.dev) with sample posts, comments and analytics data on the live URL. Include the credentials in README.md, and make sure the demo account is not an admin with destructive rights unless intentionally scoped.

8. **Install guide for two targets**
   HowToSetup.md must cover a VPS install (Node LTS, MongoDB, PM2 or systemd, Nginx reverse proxy) and a Docker install using docker-compose.yml. Also cover database schema and seed, first admin creation, and how to change branding (site name, logo, EN/AR strings).

NICE TO HAVE · 4

9. **Five differentiating features exist in code**

Submission requirements

Prepared for Bismillah Studio · Websites & CMS · B0840-55537 · generated by Vibe96 AI

Verify the five datasheet features are present and wired end to end: bilingual content switching, AI drafting through the Gemini service module, ImageKit upload pipeline, analytics dashboard, and bookmarks. Do not list a feature in the datasheet unless it exists in the archive.

10 **CLAUDE.md for AI coding tools**
Describe the architecture (client/ and api/ split, routes, controllers, services, models), where the Gemini and ImageKit integrations live, the conventions, and how to run the test suite.

11 **CHANGELOG and seed data**
Start CHANGELOG.md at 1.0.0. Provide database/seed.js with sample users, posts in both languages, and comments so a fresh install is not empty.

12 **Docker and tests**
Provide docker-compose.yml for the API, client and MongoDB, and a basic automated test suite (for example Jest or Vitest with supertest) covering auth and one CRUD route.

OPTIONAL · 1

13 **Optional docs**
Optional docs/ folder with API reference (endpoints, auth, roles), a data model or ERD, and deployment notes.

FOLDER STRUCTURE OF THE ZIP

```
QuickBlog/
  README.md, HowToSetup.md, CLAUDE.md, CHANGELOG.md, LICENSE-NOTE.md
  React Client/        (React + Vite web app: CMS, reader, analytics UI; organise as you like)
  Express API/         (Express REST API: auth, posts, comments, bookmarks, AI, uploads; organise
as you like)
  database/            (schema.js creates collections, validators and indexes; seed.js sample
data)
  docs/                (optional: API reference, data model, deployment notes)
  docker-compose.yml   (API, client and MongoDB containers)
```

FILES THAT MUST BE THERE

File	Purpose	Tier
`README.md`	Product description, target users, features, screenshots, demo URL and demo credentials, licence note, and a statement that there is no mobile app.	Must have
`HowToSetup.md`	Step-by-step install for VPS and Docker, MongoDB schema and seed, first admin login, and branding changes.	Must have
`Express API/.env.example`	The single example config for the API, with placeholder values and a comment for every variable.	Must have
`Express API/package-lock.json`	Pinned dependency tree for the API.	Must have
`React Client/package-lock.json`	Pinned dependency tree for the React client.	Must have
`database/schema.js`	Idempotent MongoDB script that creates collections, validators and indexes from an empty database.	Must have
`CLAUDE.md`	Guide for AI coding tools: architecture, file locations, conventions, role matrix, test commands.	Nice to have
`CHANGELOG.md`	Version history starting at 1.0.0.	Nice to have
`database/seed.js`	Sample users (including demo), bilingual posts, comments and bookmarks for a non-empty first run.	Nice to have
`docker-compose.yml`	Runs the API, client and MongoDB together for the Docker install path.	Nice to have

Submission requirements

Prepared for Bismillah Studio · Websites & CMS · B0840-55537 · generated by Vibe96 AI

File	Purpose	Tier
`LICENSE-NOTE.md`	Licence terms for the code and a note on third-party services (Gemini, ImageKit) and their terms.	Nice to have
`docs/API.md`	Endpoint reference with auth requirements and roles for each route.	Optional

This list is fixed for your project: every upload is compared against exactly these items, in this order, and the result is the first section of your audit report. When every must-have is true of your archive, upload it at vibe96.com/sell/submit — the audit is free every time.