Overview of Ice Dynamics Working Group

Climate and the Earth System (CLIM) Transition Workshop
SAMSI, May 2018

Murali Haran

Department of Statistics, Penn State University

Ice Models and Statistics

- Ice sheets and sea ice play important roles in climate

- Ice sheets can have a huge impact on sea level rise

- Both ice sheets and sea ice are part of complex feedback
  mechanisms in climate change, affect energy balance

Working Group Participants

- **Yawen Guan: postdoc SAMSI/NC State**
- Christian Sampson: postdoc SAMSI/UNC
- Deborah Sulsky: professor, applied mathematics U of New Mexico
- Won Chang: assistant professor, U of Cincinnati
- Alex Konomi: assistant professor, U of Cincinnati
- Joel Upston: grad, U of New Mexico
- Joel Tucker, Sandia National Labs
- Anirban Mondal: assistant professor, Case Western
- Jenny Brynjarsdottir: assistant professor, Case Western
- Several others....

Focal Points

- Ice sheet dynamics
    - Data and research questions from Penn State group led by Dave Pollard and Klaus Keller (Geosciences/Earth and Environmental Systems Institute)
    - Simple, fast: DAIS, Danish Center for Earth System Science Antarctic Ice Sheet (G.Shaffer, 2014)
    - Complex, slow: PSU-3D ice sheet model (Robert DeConto and Dave Pollard, 2009, 2011)
- Sea ice dynamics
    - **Working group: data and research questions led by Deborah Sulsky. Model: In-house (details in her talk)**

Outline of Session

Plan:

1. Intro (5-10 mins)
2. $3 \times$ (20 mins + 5 min discussion)
3. open discussion

Talks:

1. Deborah Sulsky: "Overview of Sea-Ice Modeling and Statistical Challenges"
2. Won Chang: "Ice Model Calibration using Zero-Inflated Continuous Spatial Data"
3. Yawen Guan: "Arctic Sea Ice Plays an Important Role in the Global Climate"

Parameter estimation working group (Tuesday): Ben Lee "Particle-based Approach for Computer Model Calibration"

Overarching Statistical Challenge

- We want to understand the behavior of the ice sheet or sea ice models

- How does the model output change as we vary inputs?

- How does the model output compare to observations?
  - Observations can be sparse
  - Observations are often indirect, that is, they are reconstructed from other sources
  - Observations may not always be aligned spatially or temporally with model output

- What does the model say about the future? Model projections:
  - Use observations to guide projections
  - Account for various uncertainties carefully

Common Challenges

Input dimensions

- There are many parameters that affect the behavior of the model
  - Can number in the hundreds
  - Slow models (e.g. sea ice model): infeasible to run everywhere
  - In practice, often only a few make a serious difference to model behavior
    - If we focus on just model behavior, things may be simplified
    - But parameter inference is of scientific interest, even without prediction
  - Parameters are often not identifiable ("over-parameterized")
- **Working group: Adaptive sampling in the context of sea ice model. Preliminary work/ideas led by Alex Konomi**

Complicated Model Output and Observations

- High-dimensional, potentially spatio-temporal model output and observations
  - Dimension reduction approaches may be useful (Chang et al, 2014, 2016a, b; Haran et al. 2017)
- Form of the output:
  - Ice thickness ≥ 0
  - Lots of places with no ice = zero-inflated spatial data. This is computationally challenging (see for instance Recta, Haran, Rosenberger (2012))
- **Working group: Building model emulation/calibration for positive semi-continuous spatial data. Preliminary work/ideas led by Won Chang**

Data-Model Complications

- Multiple data sets from different sources: ice concentration, thickness, motion, deformation (**Deborah Sulsky's talk**)

- Observations have errors

- Models may differ from observations in systematic ways
  - No parameter setting will align the model with the data (even after accounting for measurement error)
  - Referred to as data-model "discrepancy"
  - Important to account for this carefully (Bayarri et al., 2007; Bhat et al., 2012)

- Huge number of additional uncertainties: model components, external "forcings" that impact the model, boundary conditions,...

Ice Metrics

- Leads: large fracture within sea ice, area of open water

- $\Rightarrow$ additional interactions between atmosphere and ocean

- Lead/fracture patterns are very important to behavior of sea ice

- Modeling fractures is complicated. Standard statistical methods do not work. E.g. Basic Gaussian process models tend to smooth over leads/fractures

- **Working group: Trying new "warping" ideas to solve this problem. Preliminary work/ideas led by Yawen Guan**

Summary

Many different research directions. Highlights:

- Warping ideas to analyze sea ice with fractures. Preliminary work/ideas led by Yawen Guan

- Model emulation/calibration for positive semi-continuous spatial data. Preliminary work/ideas led by Won Chang

- Adaptive sampling in the context of sea ice model. Preliminary work/ideas led by Alex Konomi

- . . .