
Default vs Named Exports

A file can share one **main thing** and any number of **name-tagged things**.



Default export

- 1 One per file
- { } No curly braces

Named export

- ∞ As many as you want
- { } Inside curly braces

Aa Call it any name you like

```
// logs/logger.js
export default function log(message) {
    console.log("[LOG] " + message);
}

// 174_Logs.js
import log from './logs/logger.js';
import myLogger from './logs/logger.js';  //
same function
```

Aa The exact name, or rename with as

```
// logs/logger.js
export function logBetter(message) {
    console.log("-----------");
    console.log("[LOGS] " + message);
    console.log("-----------");
}

// 174_Logs.js
import { logBetter } from './logs/logger.js';
import { logBetter as fancy } from
'./logs/logger.js';
```

Both in one line

```
import log, { logBetter, logBetter2 } from './logs/logger.js';
```

Default first, then the named ones in braces.

Works or error?

Works `import log from './logs/logger.js';`

Works `import anything from './logs/logger.js';`

The default can have any name.

Works `import { logBetter } from './logs/logger.js';`

Error `import { logbetter } from './logs/logger.js';`

Names are case-sensitive.

`does not provide an export named 'logbetter'`

Error `import { log } from './logs/logger.js';`

`log` is the default, so no braces.

`does not provide an export named 'log'`

Error `export default 1;  export default 2;`

Only one default per file.

`SyntaxError`

You already use this

```
import { test, expect } from '@playwright/test';
```

Named exports. Playwright also has a default export, and it is `test` again.

Every example was run with Node 22. From lesson `22_Export_Import/174_Logs.js` and `logs/logger.js`.