METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

THE CME GROUP DAILY BULLETIN ONLY DISPLAYS THOSE PRODUCTS/CONTRACT MONTHS THAT HAVE VOLUME AND/OR OPEN INTEREST. VOLUME INCLUDES GLOBEX (OPEN OUTCRY (TRADING FLOOR) AND PRIVATELY NEGOTIATED TRANSACTIONS (PNT) THAT INCLUDE CME CLEARPORT ACTIVITY. VOLUME OR OPEN INTEREST CHAN AND AFTER THE LAST DAY OF TRADING) MAY BE AFFECTED BY: PRIVATELY NEGOTIATED TRANSACTIONS, PRIOR DAY CLEARED TRADES, POSITION ADJUSTMENTS, CASH SETTLEMENTS, OPTION EXERCISES OR ASSIGNMENTS.

PRICE INDICATOR KEY

R= RECORD VOLUME OR OPEN INTEREST, B= BID, A=ASK, P= POST SETTLEMENT SESSION,N= NOMINAL CLOSE, WHICH DESIGNATES THAT THE CONTRACT DID NOT TRADE DURIN THE RTH SESSION AND NO BETTER BID OR BETTER OFFER OCCURRED DURING THE RTH CLOSING RANGE TIME PERIOD. IN ALL INSTANCES, THE NOMINAL PRICE IS THE PREVIOU DAY'S SETTLEMENT PRICE.

METAL FUTURES CONTRACTS LAST TRADE DATES

EXPIRATION:	JUL26	JUL26	JUL26	AUG26	SEP26	OCT26	NOV26	DEC26	JAN27	FEB27	MAR27	APR27	MAY27	JUN27
COO OPT	07/31			08/28	09/30	10/30	11/30	12/31	01/29	02/26	03/31			
ECG10 OP		07/23	07/24											
ECG11 OP		07/23	07/24											
ECG13 OP		07/23	07/24											
ECG15 OP		07/23	07/24											
ECG16 OP		07/23	07/24											
ECGC OOF		07/23	07/24											
ECHG OOF		07/23	07/24											
ECSI OOF		07/23	07/24											
EHO OPT	07/31			08/28	09/30	10/30								
FMG OPT	07/24													
GMW MON	07/27			08/17										
GWR THU	07/30			08/13										
GWT TUE				08/25										
GWW WED	07/29			08/19										
HMW MON	07/27			08/17										
HRO OPT	07/28			08/25	09/29	10/27	11/24	12/29	01/26	02/23	03/30			
HWR THU	07/30			08/06										
HWT TUE				08/25										
HWW WED	07/29			08/12	09/02	10/07								
HX CALL				07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23			
HX PUT				07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23			
HXE CALL	07/31			08/07										
HXE PUT	07/31			08/14										
LHO OPT	07/31			08/31	09/30	10/30	11/30	12/31	01/29	02/26	03/31			
MMG MON	07/27													
OG CALL				07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	03/24	04/27	05/25
OG PUT				07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	03/24	04/27	05/25
OG1 CALL				08/07										
OG1 PUT				08/07										
OG2 CALL				08/14										
OG2 PUT				08/14										
OG4 CALL	07/24													
OG4 PUT	07/24													
OG5 CALL	07/31													
OG5 PUT	07/31													
OMG OPT				07/28	08/26	09/24	10/27	11/24	12/28					
PAO CALL					08/19	09/16		11/18			02/17			05/19
PAO PUT					08/19	09/16		11/18			02/17			
PAW OOF	07/24													
PLW OOF	07/31													
PO CALL					08/19	09/16			12/16			03/17		
PO PUT					08/19	09/16			12/16					
RWS THU	07/30			08/06										
SMW MON	07/27			08/03										
SO CALL				07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	03/24	04/27	05/25
SO PUT				07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	03/24	04/27	05/25
SO1 CALL				08/07										
SO1 PUT				08/07										
SO2 CALL				08/14										
SO2 PUT				08/14										
SO4 CALL	07/24													
SO4 PUT	07/24													
SO5 CALL	07/31													
SO5 PUT	07/31													
SWW WED	07/29			08/05										
TWS TUE				08/25										
WMG WED	07/29													

GOLD OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
WMG WED		MICRO GOLD WEEKLY WED OPTION WEEK5										
JUL26												
4050	----	----	----	----	----	15.10 - 15.10	.2623	----	----	----	----	1 UNCH
TOTAL												1 0

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OMG OPT		MICRO GOLD OPTIONS										
AUG26												
3500	----	----	----	----	----	0.10 UNCH	----	----	----	----	----	2 UNCH
3550	----	----	----	----	----	0.10 UNCH	----	----	----	----	----	1 UNCH
3950	----	----	----	----	----	3.10 - 6.80	----	----	----	----	----	1 UNCH
4000	----	----	----	----	----	78.10 + 8.80	----	----	----	----	----	1 UNCH
4000	----	----	----	----	----	7.30 - 11.80	----	----	----	----	----	6 UNCH
4080	----	----	----	----	----	22.10 - 0.70	----	----	----	----	----	1 UNCH
4150	----	----	----	0.10B/----	----	4.30 - 2.10	----	----	----	----	----	2 UNCH
4210	----	----	----	----	----	140.40 - 21.60	----	----	----	----	----	1 UNCH
4300	----	----	----	----	----	0.50 - 0.20	----	----	----	----	----	3 UNCH
4400	----	----	----	----	----	0.20 - 0.10	----	----	----	----	----	1 UNCH
4400	345.00	345.00	#351.00B/345.00	#351.00B/345.00	----	329.40 - 20.60	----	----	----	1	----	11 - 1
4535	----	----	----	----	----	0.10 - 0.10	----	----	----	----	----	2 UNCH
4550	----	----	----	----	----	479.20 - 20.70	----	----	----	----	----	1 UNCH
4600	----	----	----	----	----	0.10 UNCH	----	----	----	----	----	1 UNCH
TOTAL										1		34 - 1
SEP26												
3500	----	----	----	----	----	5.20 - 2.00	----	----	----	----	----	1 UNCH
3875	----	----	----	----	----	258.30 + 11.80	----	----	----	----	----	1 UNCH
3950	----	----	----	----	----	51.60 - 11.20	----	----	----	----	----	1 UNCH
4000	----	----	----/*145.00A	----/*145.00A	----	165.00 + 8.00	----	----	----	----	----	1 UNCH
4100	100.40	100.40	#100.40/100.40	#100.40/100.40	----	105.30 + 4.90	----	----	----	1	----	2 + 1
4100	----	----	----	----	----	106.40 - 15.80	----	----	----	----	----	3 UNCH
4200	----	----	----	----	----	162.50 - 18.20	----	----	----	----	----	1 UNCH
4230	----	----	----	----/*80.00A	----	51.70 + 1.90	----	----	----	----	----	2 UNCH
4400	----	----	----	----	----	17.60 + 0.10	----	----	----	----	----	2 UNCH
4600	----	----	----	----	----	5.50 - 0.20	----	----	----	----	----	1 UNCH
TOTAL										1		15 + 1
OCT26												
2500	----	----	----	----	----	1.00 - 0.10	----	----	----	----	----	0 UNCH
4680	----	----	----	----	----	14.90 + 0.40	----	----	----	----	----	1 UNCH
TOTAL												1 0
NOV26												
4000	----	----	----	----	----	258.30 + 8.70	----	----	----	----	----	1 UNCH
4005	----	----	----	----	----	255.20 + 8.60	----	----	----	----	----	1 UNCH
TOTAL												2 0
DEC26												
4000	----	----	----	----	----	283.70 + 8.70	----	----	----	----	----	1 UNCH
4000	----	----	----	----	----	155.30 - 11.90	----	----	----	----	----	2 UNCH
4300	----	----	----	----	----	140.60 + 4.60	----	----	----	----	----	0 UNCH
4400	----	----	----	----	----	109.00 + 3.80	----	----	----	----	----	1 UNCH
4700	----	----	----	----	----	49.80 + 1.50	----	----	----	----	----	10 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 02

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OMG OPT		MICRO GOLD OPTIONS										
DEC26												
5600	----	----	----	----	----	11.30 + 0.60	----	----	----	----	----	1 UNCH
TOTAL												15 0
JAN27												
4010	----	----	----	----	----	323.00 + 8.80	----	----	----	----	----	1 UNCH
TOTAL												1 0
OCT27												
4410	----	----	----	----	----	364.00 + 9.10	----	----	----	----	----	1 UNCH
TOTAL												1 0

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG5 PUT		GOLD OPTIONS										
JUL26												
3000	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
3400	----	----	----	----/0.40A	----	0.10 - 0.10	.0001	----	----	----	----	7 UNCH
3500	0.40	0.40	0.40/*0.40	0.40/*0.40	----	0.10 - 0.30	.0008	----	----	1	----	14 UNCH
3600	0.60	0.60	0.60/*0.60	0.90B/*0.60	----	0.50 - 0.60	.0042	----	----	19	----	37 + 19
3650	----	----	----/*0.70A	1.40B/*0.70A	----	0.60 - 0.90	.0055	----	----	----	----	1 UNCH
3675	----	----	----/*0.80A	1.70B/*0.80A	----	0.70 - 1.10	.0067	----	----	----	----	6 UNCH
3700	0.90	0.90	1.10/*0.90	2.20B/*0.90	----	0.90 - 1.30	.0089	----	----	36	----	51 + 23
3725	----	----	2.70B/1.20A	2.70B/1.20A	----	1.10 - 1.50	.0112	----	----	2	----	17 + 2
3750	----	----	3.40B/1.50A	3.40B/1.50A	----	1.30 - 1.90	.0138	----	----	----	----	12 UNCH
3775	2.90	2.90	4.30B/1.80A	4.30B/1.80A	----	1.60 - 2.30	.0175	----	----	21	----	24 + 14
3800	3.40	3.40	5.40B/2.10	5.40B/2.10	----	2.10 - 2.70	.0235	----	----	310	----	298 + 107
3825	2.80	2.80	7.00B/2.70	7.00B/2.70	----	2.60 - 3.30	.0300	----	----	34	----	37 + 12
3850	6.70	6.70	8.80B/3.50A	8.80B/3.50A	----	3.40 - 4.00	.0400	----	----	66	----	85 + 42
3875	4.50	4.50	11.10B/4.50	11.10B/4.50	----	4.50 - 4.70	.0536	----	----	7	----	44 + 2
3900	14.30	14.30	14.30/5.90	14.30/5.90	----	5.90 - 5.70	.0710	----	----	311	----	426 + 120
3925	11.50	11.50	17.80B/7.80A	17.80B/7.80A	----	7.80 - 6.80	.0942	----	----	371	----	347 + 292
3950	21.20	21.20	22.50B/10.20	22.50B/10.20	----	10.30 - 8.10	.1242	----	----	53	----	234 + 43
3975	16.40	16.40	28.30B/13.10A	28.30B/13.10A	----	13.60 - 9.50	.1625	----	----	9	----	238 + 8
4000	33.00	33.00	35.60B/16.90A	35.60B/16.90A	----	18.00 - 11.10	.2108	----	----	349	----	235 + 99
4025	27.40	27.40	44.40B/21.90A	44.40B/21.90A	----	23.60 - 12.80	.2690	----	----	367	----	487 + 287
4050	34.00	34.00	54.90B/28.30A	54.90B/28.30A	----	30.70 - 14.50	.3372	----	----	278	----	360 + 206
4075	54.50	54.50	66.70B/36.30A	66.70B/36.30A	----	39.70 - 16.10	.4146	----	----	27	----	162 - 4
4100	67.00	67.00	81.00B/46.20A	81.00B/46.20A	----	50.60 - 17.60	.4979	----	----	113	----	167 + 86
4125	----	----	97.40B/58.10A	97.40B/58.10A	----	63.60 - 19.00	.5834	----	----	2	----	38 UNCH
4150	87.90	87.90	115.50B/72.40A	115.50B/72.40A	----	78.80 - 20.10	.6663	----	----	1	----	20 + 1
4175	----	----	135.40B/88.50A	135.40B/88.50A	----	96.10 - 20.90	.7418	----	----	----	----	26 UNCH
4200	----	----	156.40B/108.80A	156.40B/108.80A	----	115.20 - 21.60	.8064	----	----	----	----	3 UNCH
4250	----	----	201.80B/147.50A	201.80B/147.50A	----	158.00 - 22.00	.8982	----	----	----	----	1 UNCH
TOTAL										2377		3379 + 1359

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG5 CALL		GOLD OPTIONS										
JUL26												
3975	----	----	149.70B/107.70A	149.70B/107.70A	----	137.40 + 11.20	.8372	----	----	1	----	1 UNCH
4000	----	----	128.40B/89.80A	128.40B/89.80A	----	116.80 + 9.70	.7889	----	----	----	----	9 UNCH
4025	----	----	106.00B/73.30A	106.00B/73.30A	----	97.40 + 8.00	.7308	----	----	----	----	3 UNCH
4050	70.80	70.80	89.40B/58.70A	89.40B/58.70A	----	79.60 + 6.30	.6625	----	----	1	----	22 + 1
4075	48.50	48.50	72.90B/46.20A	72.90B/46.20A	----	63.60 + 4.70	.5851	----	----	83	----	101 + 78
4100	43.00	43.00	57.90B/35.50A	57.90B/35.50A	----	49.50 + 3.20	.5018	----	----	124	----	214 + 79
4125	31.40	31.40	44.90B/26.70A	44.90B/26.70A	----	37.50 + 1.80	.4163	----	----	142	----	168 + 100
4150	20.30	20.30	33.90B/*19.90A	33.90B/*19.90A	----	27.70 + 0.70	.3335	----	----	52	----	124 + 38
4175	18.00	18.00	25.00B/*14.70A	25.00B/*14.70A	----	20.00 - 0.20	.2579	----	----	14	----	126 + 5
4200	16.70	16.70	18.00B/*10.90A	18.00B/*10.90A	----	14.20 - 0.80	.1933	----	----	207	----	391 + 128
4225	10.70	10.70	12.80B/*7.60	12.80B/*7.60	----	10.00 - 1.10	.1415	----	----	444	----	331 + 267
4250	5.90	5.90	9.10B/*5.30A	9.10B/*5.30A	----	7.00 - 1.20	.1016	----	----	86	----	364 + 49
4275	3.90	3.90	6.40B/*3.70	6.40B/*3.70	----	5.00 - 1.10	.0731	----	----	22	----	594 + 21
4300	2.70	2.70	2.70/*2.60	4.60B/*2.60	----	3.60 - 1.00	.0525	----	----	72	----	450 + 40
4325	3.00	3.00	3.30B/*1.90A	3.30B/*1.90A	----	2.60 - 0.90	.0376	----	----	16	----	44 + 15
4350	2.10	2.10	2.40B/*1.50A	2.40B/*1.50A	----	2.00 - 0.70	.0282	----	----	14	----	98 + 10
4375	1.20	1.20	1.20/*1.20	1.70B/*1.20	----	1.50 - 0.60	.0207	----	----	1	----	5 + 1
4400	1.20	1.20	1.50/*0.90	1.50/*0.90	----	1.10 - 0.60	.0149	----	----	17	----	648 + 5
4425	----	----	----/*0.70A	1.00B/*0.70A	----	0.90 - 0.50	.0117	----	----	24	----	38 + 15
4450	----	----	----/*0.60A	0.80B/*0.60A	----	0.70 - 0.50	.0089	----	----	----	----	75 UNCH
4475	----	----	----/*0.50A	0.60B/*0.50A	----	0.50 - 0.50	.0062	----	----	----	----	38 UNCH
4500	0.80	0.80	0.80/*0.40A	0.80/*0.40A	----	0.40 - 0.50	.0048	----	----	11	----	644 UNCH
4525	----	----	----/*0.40A	0.40B/*0.40A	----	0.30 - 0.50	.0035	----	----	----	----	4 UNCH
4550	----	----	----/*0.30A	0.30B/*0.30A	----	0.30 NEW	.0033	----	----	5	----	5 + 5
4600	----	----	----/*0.30A	0.20B/*0.30A	----	0.20 - 0.30	.0021	----	----	4	----	158 + 4
4700	----	----	----	----/*0.40A	----	0.10 - 0.20	.0009	----	----	----	----	10 UNCH
4750	----	----	----	----/0.40A	----	0.10 - 0.20	.0004	----	----	----	----	2 UNCH
4800	----	----	----	----/0.40A	----	0.10 - 0.10	.0001	----	----	----	----	20 UNCH
4900	----	----	----	----/0.40A	----	0.10 - 0.10	.0000	----	----	----	----	5 UNCH
5000	----	----	----	----/*0.30A	----	0.10 UNCH	----	----	----	----	----	26 UNCH
5500	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
TOTAL										1340		4723 + 861

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG4 PUT		GOLD OPTIONS										
JUL26												
3000	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	1	----	0 - 43
3250	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 27
3400	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 3
3500	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 27
3600	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 33
3650	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 12
3655	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
3660	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 3
3675	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 7
3695	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 20
3700	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 124
3720	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 4
3725	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
3745	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	2	----	0 - 12
3750	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 29
3755	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 7
3775	0.10	0.10	0.20B/0.10	0.20B/0.10	----	0.00 - 0.10	----	----	----	2	----	0 - 43
3780	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 20
3785	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 29
3790	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
3800	0.40	0.40	0.40/*0.10A	0.40/*0.10A	----	0.00 - 0.10	----	----	----	2	----	0 - 136
3810	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 13
3815	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 2
3820	0.10	0.10	0.10/*0.10	0.20B/*0.10	----	0.00 - 0.20	----	----	----	1	----	0 - 3
3825	----	----	----/*0.10A	0.30B/*0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 52
3830	0.10	0.10	0.10/*0.10	0.30B/*0.10	----	0.00 - 0.30	----	----	----	1	----	0 - 4
3835	----	----	----/*0.10A	0.30B/*0.10A	----	0.00 - 0.40	----	----	----	----	----	0 - 2
3840	----	----	----/*0.10A	0.30B/*0.10A	----	0.00 - 0.40	----	----	----	----	----	0 - 2
3845	----	----	----/*0.10A	0.40B/*0.10A	----	0.00 - 0.40	----	----	----	5	----	0 - 1
3850	----	----	----/*0.10A	0.40B/*0.10A	----	0.00 - 0.50	----	----	----	----	----	0 - 61
3855	0.50	0.50	0.50/*0.10A	0.50/*0.10A	----	0.00 - 0.50	----	----	----	1	----	0 - 1
3860	0.10	0.10	0.10/*0.10	0.50B/*0.10	----	0.00 - 0.50	----	----	----	1	----	0 - 7
3865	0.60	0.60	0.60/*0.10A	0.60/*0.10A	----	0.00 - 0.60	----	----	----	7	----	0 - 5
3870	0.10	0.10	0.70B/*0.10	0.70B/*0.10	----	0.00 - 0.60	----	----	----	3	----	0 - 11
3875	0.60	0.60	0.60/*0.10A	0.70B/*0.10A	----	0.00 - 0.70	----	----	----	15	----	0 - 52
3880	0.50	0.50	0.80B/*0.10	0.80B/*0.10	----	0.00 - 0.80	----	----	----	4	----	0 - 8
3890	0.10	0.10	1.00B/*0.10	1.00B/*0.10	----	0.00 - 0.90	----	----	----	2	----	0 - 4
3895	0.20	0.20	0.20/*0.10A	1.00B/*0.10A	----	0.00 - 1.00	----	----	----	3	----	0 - 6
3900	0.80	0.80	1.10B/*0.10	1.10B/*0.10	----	0.00 - 1.10	----	----	----	11	----	0 - 260
3905	1.00	1.00	1.00/*0.10A	1.20B/*0.10A	----	0.00 - 1.20	----	----	----	1	----	0 - 5
3910	1.10	1.10	1.50B/*0.10	1.50B/*0.10	----	0.00 - 1.30	----	----	----	9	----	0 - 2
3915	1.70	1.70	1.70/*0.20A	1.70/*0.20A	----	0.00 - 1.40	----	----	----	12	----	0 - 8
3920	1.70	1.70	1.80B/*0.10	1.80B/*0.10	----	0.00 - 1.60	----	----	----	9	----	0 - 8

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG4 PUT		GOLD OPTIONS										
JUL26												
3925	2.00	2.00	2.00/*0.10	2.00/*0.10	----	0.00 - 1.70	----	----	----	15	----	0 - 24
3930	0.10	0.10	2.20B/*0.10	2.20B/*0.10	----	0.00 - 1.90	----	----	----	11	----	0 - 31
3935	1.90	1.90	2.40B/*0.10A	2.40B/*0.10A	----	0.00 - 2.10	----	----	----	6	----	0 - 28
3940	0.50	0.50	2.70B/*0.10	2.70B/*0.10	----	0.00 - 2.30	----	----	----	105	----	0 - 27
3945	0.10	0.10	3.00B/*0.10	3.00B/*0.10	----	0.00 - 2.50	----	----	----	1	----	0 - 20
3950	2.70	2.70	3.40B/*0.10A	3.40B/*0.10A	----	0.00 - 2.80	----	----	----	412	----	0 - 543
3955	0.50	0.50	3.80B/*0.10A	3.80B/*0.10A	----	0.00 - 3.00	----	----	----	2	----	0 - 6
3960	4.50	4.50	4.50/*0.10A	4.50/*0.10A	----	0.00 - 3.30	----	----	----	13	----	0 - 11
3965	0.60	0.60	4.80B/*0.10A	4.80B/*0.10A	----	0.00 - 3.70	----	----	----	7	----	0 - 13
3970	3.50	3.50	5.30B/*0.10	5.30B/*0.10	----	0.00 - 4.00	----	----	----	61	----	0 - 81
3975	2.80	2.80	6.40/*0.10A	6.40/*0.10A	----	0.00 - 4.40	----	----	----	9	----	0 - 73
3980	4.30	4.30	7.10/*0.10	7.10/*0.10	----	0.00 - 4.90	----	----	----	23	----	0 - 18
3985	3.30	3.30	7.40B/*0.10A	7.40B/*0.10A	----	0.00 - 5.40	----	----	----	8	----	0 - 22
3990	7.90	7.90	8.30B/*0.10A	8.30B/*0.10A	----	0.00 - 5.90	----	----	----	49	----	0 - 18
3995	9.50	9.50	9.50/*0.10A	9.50/*0.10A	----	0.00 - 6.50	----	----	----	16	----	0 - 12
4000	6.50	6.50	10.40B/*0.10	10.40B/*0.10	----	0.00 - 7.20	----	----	----	218	----	0 - 280
4005	8.10	8.10	11.70B/*0.10	11.70B/*0.10	----	0.00 - 8.00	----	----	----	29	----	0 - 49
4010	6.70	6.70	14.00/*0.10	14.00/*0.10	----	0.00 - 8.90	----	----	----	249	----	0 - 120
4015	1.80	1.80	14.50B/*0.10A	14.50B/*0.10A	----	0.00 - 9.90	----	----	----	45	----	0 - 19
4020	8.80	8.80	16.50B/*0.10	16.50B/*0.10	----	0.00 - 11.00	----	----	----	45	----	0 - 12
4025	17.70	17.70	18.60B/*0.10	18.60B/*0.10	----	0.00 - 12.20	----	----	----	103	----	0 - 94
4030	12.80	12.80	20.80B/*0.10	20.80B/*0.10	----	0.00 - 13.60	----	----	----	63	----	0 - 72
4035	15.10	15.10	22.70B/*0.10A	22.70B/*0.10A	----	0.00 - 15.20	----	----	----	98	----	0 - 20
4040	16.10	16.10	26.00/*0.10	26.00/*0.10	----	0.00 - 17.00	----	----	----	62	----	0 - 15
4045	8.10	8.10	28.60B/*0.10	28.60B/*0.10	----	0.00 - 18.90	----	----	----	72	----	0 - 17
4050	20.10	20.10	32.00B/*0.10A	32.00B/*0.10A	----	0.00 - 21.10	----	----	----	179	----	0 - 127
4055	21.00	21.00	35.60B/*0.10A	35.60B/*0.10A	----	0.00 - 23.40	----	----	----	55	----	0 - 18
4060	10.40	10.40	39.40B/*0.10	39.40B/*0.10	----	0.00 - 26.00	----	----	----	74	----	0 - 27
4065	19.00	19.00	43.50B/*0.20A	43.50B/*0.20A	----	0.00 - 28.90	----	----	----	258	----	0 - 12
4070	20.20	20.20	47.90B/*0.10	47.90B/*0.10	----	0.00 - 31.90	----	----	----	114	----	0 - 24
4075	49.10	49.10	52.10B/*1.60A	52.10B/*1.60A	----	4.20 - 31.00	----	----	----	48	----	0 - 103
4080	24.00	24.00	56.70B/*3.60A	56.70B/*3.60A	----	9.20 - 29.40	----	----	----	59	----	0 - 51
4085	27.50	27.50	61.30B/7.00A	61.30B/7.00A	----	14.20 - 28.10	----	----	----	10	----	0 - 31
4090	31.50	31.50	66.00B/10.20A	66.00B/10.20A	----	19.20 - 27.00	----	----	----	13	----	0 - 17
4095	18.00	18.00	70.60B/14.20A	70.60B/14.20A	----	24.20 - 26.00	----	----	----	4	----	0 - 10
4100	39.20	39.20	75.50B/17.60A	75.50B/17.60A	----	29.20 - 25.20	----	----	----	27	----	0 - 291
4105	----	----	80.20B/22.40A	80.20B/22.40A	----	34.20 - 24.50	----	----	----	1	----	0 - 6
4110	----	----	85.00B/26.90A	85.00B/26.90A	----	39.20 - 23.90	----	----	----	2	----	0 - 12
4115	----	----	89.90B/31.60A	89.90B/31.60A	----	44.20 - 23.40	----	----	----	1	----	0 - 6
4120	----	----	94.80B/36.40A	94.80B/36.40A	----	49.20 - 23.00	----	----	----	1	----	0 - 8
4125	58.90	58.90	99.80B/41.30A	99.80B/41.30A	----	54.20 - 22.70	----	----	----	1	----	0 - 48
4130	69.00	69.00	104.60B/46.40A	104.60B/46.40A	----	59.20 - 22.40	----	----	----	5	----	0 - 13
4135	75.00	75.00	109.60B/51.20A	109.60B/51.20A	----	64.20 - 22.20	----	----	----	11	----	0 - 15
4140	----	----	114.50B/56.30A	114.50B/56.30A	----	69.20 - 22.00	----	----	----	----	----	0 - 6
4145	75.00	75.00	119.50B/61.10A	119.50B/61.10A	----	74.20 - 21.80	----	----	----	1	----	0 - 8
4150	83.40	83.40	124.40B/66.30A	124.40B/66.30A	----	79.20 - 21.70	----	----	----	44	----	0 - 52
4155	----	----	129.30B/71.30A	129.30B/71.30A	----	84.20 - 21.60	----	----	----	1	----	0 - 5
4160	----	----	134.40B/76.10A	134.40B/76.10A	----	89.20 - 21.40	----	----	----	----	----	0 - 2
4165	----	----	139.30B/81.10A	139.30B/81.10A	----	94.20 - 21.40	----	----	----	----	----	0 - 1
4175	----	----	149.30B/91.10A	149.30B/91.10A	----	104.20 - 21.20	----	----	----	----	----	0 - 4
4180	115.00	115.00	154.20B/96.10A	154.20B/96.10A	----	109.20 - 21.10	----	----	----	1	----	0 - 1
4185	----	----	159.20B/101.10A	159.20B/101.10A	----	114.20 - 21.10	----	----	----	----	----	0 - 1
4200	----	----	174.30B/116.10A	174.30B/116.10A	----	129.20 - 21.00	----	----	----	----	----	0 - 9
4235	173.00	173.00	209.20B/151.10A	209.20B/151.10A	----	164.20 - 20.70	----	----	----	1	----	0 - 1
4250	----	----	224.20B/166.10A	224.20B/166.10A	----	179.20 - 20.70	----	----	----	2	----	0 - 2
4275	----	----	249.20B/191.10A	249.20B/191.10A	----	204.20 - 20.70	----	----	----	1	----	0 - 10
4300	----	----	274.20B/216.10A	274.20B/216.10A	----	229.20 - 20.70	----	----	----	----	----	0 - 1
4350	----	----	324.20B/266.10A	324.20B/266.10A	----	279.20 - 20.70	----	----	----	----	----	0 UNCH
4400	----	----	374.20B/316.10A	374.20B/316.10A	----	329.20 - 20.70	----	----	----	----	----	0 UNCH
4450	----	----	424.20B/366.10A	424.20B/366.10A	----	379.20 - 20.70	----	----	----	----	----	0 UNCH
5500	----	----	1,473.10B/1,417	1473.10B/1417.90A	----	1429.20 NEW	----	----	----	1	----	0 UNCH
8000	----	----	3,968.10B/3,920	3968.10B/3920.70A	----	3929.20 - 20.70	----	----	----	3	----	0 UNCH
10000	5920.40	5920.40	5,964.00B/5,920	5964.00B/5920.20A	----	5929.20 - 20.70	----	----	----	510	----	0 UNCH
TOTAL										3242		0 - 3647

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG4 CALL		GOLD OPTIONS										
JUL26												
500	----	----	3,579.30B/3,531	3579.30B/3531.00A	----	3570.80 + 20.50	----	----	----	14	----	0 UNCH
2000	----	----	2,080.90B/2,028	2080.90B/2028.10A	----	2070.80 + 20.50	----	----	----	3	----	0 UNCH
3000	----	----	1,083.00B/1,026	1083.00B/1026.00A	----	1070.80 NEW	----	----	----	1	----	0 UNCH
3750	----	----	333.90B/275.90A	333.90B/275.90A	----	320.80 + 20.50	----	----	----	----	----	0 - 1
3800	252.80	252.80	283.90B/226.10A	283.90B/226.10A	----	270.80 + 20.50	----	----	----	1	----	0 - 8
3900	148.70	148.70	183.90B/127.10A	183.90B/127.10A	----	170.80 + 19.50	----	----	----	1	----	0 - 1
3925	----	----	158.90B/102.90A	158.90B/102.90A	----	145.80 + 18.90	----	----	----	1	----	0 - 2
3950	----	----	133.90B/79.50A	133.90B/79.50A	----	120.80 + 17.80	----	----	----	----	----	0 - 1
3975	----	----	108.90B/57.10A	108.90B/57.10A	----	95.80 + 16.20	----	----	----	----	----	0 - 19
4000	41.80	41.80	84.00B/36.70A	84.00B/36.70A	----	70.80 + 13.40	----	----	----	10	----	0 - 66
4005	----	----	78.80B/*33.00A	78.80B/*33.00A	----	65.80 + 12.60	----	----	----	----	----	0 - 1
4010	----	----	74.00B/*29.50A	74.00B/*29.50A	----	60.80 + 11.70	----	----	----	----	----	0 - 11
4015	----	----	69.00B/*25.90A	69.00B/*25.90A	----	55.80 + 10.70	----	----	----	----	----	0 - 3
4020	50.00	50.00	64.00B/*22.60A	64.00B/*22.60A	----	50.80 + 9.60	----	----	----	3	----	0 - 2
4025	54.00	54.00	59.00B/*19.70A	59.00B/*19.70A	----	45.80 + 8.40	----	----	----	4	----	0 - 54
4030	18.70	18.70	53.80B/*17.10A	53.80B/*17.10A	----	40.80 + 7.00	----	----	----	7	----	0 - 1
4035	18.80	18.80	49.10B/*13.80	49.10B/*13.80	----	35.80 + 5.40	----	----	----	16	----	0 - 2
4040	15.00	15.00	44.10B/*12.40A	44.10B/*12.40A	----	30.80 + 3.60	----	----	----	12	----	0 - 4
4045	20.20	20.20	39.20B/*10.60A	39.20B/*10.60A	----	25.80 + 1.70	----	----	----	14	----	0 - 3
4050	22.40	22.40	34.30B/*8.10A	34.30B/*8.10A	----	20.80 - 0.50	----	----	----	230	----	0 - 140
4055	17.90	17.90	29.40B/*5.90A	29.40B/*5.90A	----	15.80 - 2.80	----	----	----	58	----	0 - 35
4060	16.00	16.00	24.60B/*4.40A	24.60B/*4.40A	----	10.80 - 5.40	----	----	----	317	----	0 - 120
4065	13.30	13.30	21.00/*2.50	21.00/*2.50	----	5.80 - 8.30	----	----	----	292	----	0 - 11
4070	10.80	10.80	15.60B/*0.60A	15.60B/*0.60A	----	0.80 - 11.30	----	----	----	281	----	0 - 55
4075	9.20	9.20	11.60B/*0.10A	11.60B/*0.10A	----	0.00 - 10.40	----	----	----	162	----	0 - 150
4080	8.50	8.50	8.70B/*0.10	8.70B/*0.10	----	0.00 - 8.80	----	----	----	163	----	0 - 39
4085	7.00	7.00	7.00/*0.10	7.00/*0.10	----	0.00 - 7.50	----	----	----	110	----	0 - 26
4090	6.00	6.00	6.00/*0.10A	6.00/*0.10A	----	0.00 - 6.40	----	----	----	52	----	0 - 59
4095	5.00	5.00	5.00/*0.10	5.00/*0.10	----	0.00 - 5.40	----	----	----	83	----	0 - 51
4100	4.00	4.00	5.00/*0.10	5.00/*0.10	----	0.00 - 4.60	----	----	----	269	----	0 - 379
4105	3.50	3.50	3.50/*0.10	3.50/*0.10	----	0.00 - 3.90	----	----	----	25	----	0 - 55
4110	2.00	2.00	2.00/*0.10A	2.70B/*0.10A	----	0.00 - 3.30	----	----	----	9	----	0 - 41
4115	2.30	2.30	2.30/*0.10A	2.30/*0.10A	----	0.00 - 2.80	----	----	----	7	----	0 - 12
4120	0.30	0.30	0.30/*0.10A	2.00B/*0.10A	----	0.00 - 2.40	----	----	----	14	----	0 - 48
4125	2.00	2.00	2.00/*0.10A	2.00/*0.10A	----	0.00 - 2.10	----	----	----	31	----	0 - 109
4130	0.50	0.50	0.80/*0.10A	1.40B/*0.10A	----	0.00 - 1.80	----	----	----	7	----	0 - 77
4135	0.50	0.50	0.50/*0.10A	1.00B/*0.10A	----	0.00 - 1.60	----	----	----	2	----	0 - 26
4140	0.40	0.40	0.40/*0.10	0.90B/*0.10	----	0.00 - 1.40	----	----	----	16	----	0 - 29
4145	1.00	1.00	1.00/*0.10A	1.00/*0.10A	----	0.00 - 1.20	----	----	----	4	----	0 - 2
4150	0.80	0.80	0.80/*0.10A	0.80/*0.10A	----	0.00 - 1.10	----	----	----	49	----	0 - 603
4155	----	----	----/*0.10A	0.60B/*0.10A	----	0.00 - 1.00	----	----	----	----	----	0 - 76
4160	----	----	----/*0.10A	0.50B/*0.10A	----	0.00 - 0.80	----	----	----	----	----	0 - 26
4165	0.20	0.20	0.20/*0.10A	0.20/*0.10A	----	0.00 - 0.80	----	----	----	1	----	0 - 16
4170	0.10	0.10	0.10/*0.10	0.40B/*0.10	----	0.00 - 0.70	----	----	----	6	----	0 - 15
4175	0.40	0.40	0.40/*0.10A	0.40/*0.10A	----	0.00 - 0.60	----	----	----	12	----	0 - 124
4180	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.50	----	----	----	1	----	0 - 35
4185	0.10	0.10	0.10/*0.10	0.20B/*0.10	----	0.00 - 0.50	----	----	----	1	----	0 - 30
4190	0.10	0.10	0.10/*0.10	0.20B/*0.10	----	0.00 - 0.40	----	----	----	2	----	0 - 10
4195	----	----	----/0.20A	----/0.20A	----	0.00 - 0.40	----	----	----	----	----	0 - 18
4200	0.10	0.10	0.10/0.10	0.10/0.10	----	0.00 - 0.40	----	----	----	2	----	0 - 392
4205	0.50	0.50	0.60/*0.10	0.60/*0.10	----	0.00 - 0.30	----	----	----	7	----	0 - 11
4210	----	----	----/0.20A	----/0.20A	----	0.00 - 0.30	----	----	----	----	----	0 - 3
4215	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 12
4220	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 89
4225	0.20	0.20	0.20/0.20	0.20/0.20	----	0.00 - 0.20	----	----	----	1	----	0 - 159
4230	----	----	----/0.10A	----/0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 28
4235	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 12
4240	0.20	0.20	0.20/0.10	0.20/0.10	----	0.00 - 0.10	----	----	----	4	----	0 - 16
4245	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 18
4250	0.20	0.20	0.20/0.20	0.20/0.20	----	0.00 - 0.10	----	----	----	1	----	0 - 168
4255	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	2	----	0 - 20
4260	0.10	0.10	0.10/0.10	0.10/0.10	----	0.00 - 0.10	----	----	----	2	----	0 - 4
4270	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
4275	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 80
4280	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 3

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG4 CALL — GOLD OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
JUL26												
4285	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
4290	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
4295	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 8
4300	0.10	0.10	0.10/0.10	0.10/0.10	----	0.00 - 0.10	----	----	----	7	----	0 - 132
4305	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 6
4310	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
4315	0.10	0.10	0.10/0.10	0.10/0.10	----	0.00 - 0.10	----	----	----	1	----	0 - 6
4320	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
4325	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 38
4330	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
4350	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 77
4355	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
4365	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4370	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4375	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 3
4380	0.10	0.10	0.10/0.10	0.10/0.10	----	0.00 - 0.10	----	----	----	1	----	0 - 1
4400	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 62
4425	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 39
4450	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 17
4475	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 14
4500	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 78
4525	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 6
4540	0.10	0.10	#0.10/*0.10	#0.10/*0.10	----	0.00 NEW	----	----	----	17	----	0 UNCH
4550	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4555	0.10	0.10	#0.10/*0.10	#0.10/*0.10	----	0.00 NEW	----	----	----	100	----	0 UNCH
4575	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 3
4600	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 7
4625	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4650	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 15
4700	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 4
4750	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 6
4775	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4800	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 34
4900	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 10
5000	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 31
5100	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 23
5200	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
5250	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 9
5500	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	1	----	0 - 12
TOTAL										2437		0 - 4285

OG2 PUT — GOLD OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
AUG26												
3300	----	----	----/1.50A	1.00B/1.50A	----	1.10 - 0.50	.0072	----	----	----	----	2 UNCH
3400	----	----	----/*2.00A	1.80B/2.00A	----	1.60 - 0.80	.0112	----	----	----	----	20 UNCH
3500	4.00	4.00	4.00/2.70A	4.00/2.70A	----	2.50 - 1.20	.0182	----	----	20	----	15 + 10
3600	----	----	6.20B/4.50A	6.20B/4.50A	----	4.20 - 1.90	.0315	----	----	----	----	8 UNCH
3700	8.00	8.00	12.00B/7.50A	12.00B/7.50A	----	7.40 - 3.20	.0563	----	----	7	----	29 + 2
3725	----	----	14.10B/8.60A	14.10B/8.60A	----	8.60 - 3.70	.0654	----	----	----	----	35 UNCH
3750	----	----	16.40B/10.00A	16.40B/10.00A	----	10.00 - 4.20	.0759	----	----	----	----	7 UNCH
3775	12.10	12.10	19.00B/11.60A	19.00B/11.60A	----	11.70 NEW	.0883	----	----	1	----	1 + 1
3800	15.40	15.40	22.10B/13.50A	22.10B/13.50A	----	13.60 - 5.40	.1023	----	----	1	----	2 UNCH
3850	22.30	22.30	29.60B/18.20A	29.60B/18.20A	----	18.70 - 6.90	.1379	----	----	12	----	16 + 12
3900	30.00	30.00	39.60B/24.70A	39.60B/24.70A	----	25.70 - 8.60	.1842	----	----	2	----	6 + 2
3925	34.90	34.90	45.60B/28.90A	45.60B/28.90A	----	30.20 NEW	.2123	----	----	3	----	3 + 3
4000	61.50	61.50	69.40B/45.80A	69.40B/45.80A	----	48.50 - 12.30	.3158	----	----	12	----	58 + 8
4050	84.00	84.00	#90.70B/61.60A	90.70B/61.60A	----	65.50 - 14.20	.3996	----	----	2	----	5 + 1
4075	----	----	99.80B/71.20A	99.80B/71.20A	----	75.50 - 15.30	.4447	----	----	2	----	22 - 1
4100	----	----	112.10B/81.80A	112.10B/81.80A	----	86.80 - 16.20	.4915	----	----	9	----	8 + 4
4125	----	----	#125.90B/93.70A	125.90B/93.70A	----	99.30 - 17.10	.5391	----	----	----	----	2 UNCH
4250	----	----	#215.10B/175.70	215.10B/175.70A	----	180.70 NEW	.7585	----	----	2	----	2 + 2
4400	----	----	#337.80B/303.20	337.80B/303.20A	----	309.70 - 21.20	.9122	----	----	----	----	1 UNCH
TOTAL										73		242 + 44

OG2 CALL — GOLD OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
AUG26												
4050	96.40	96.40	122.40B/94.30A	122.40B/94.30A	----	114.30 + 6.50	.5998	----	----	16	----	24 + 16
4075	----	----	107.40B/81.60A	107.40B/81.60A	----	99.40 + 5.50	.5547	----	----	----	----	10 UNCH
4100	----	----	93.30B/70.30A	93.30B/70.30A	----	85.70 + 4.60	.5079	----	----	----	----	34 UNCH
4150	----	----	68.60B/50.30A	68.60B/50.30A	----	62.00 NEW	.4127	----	----	53	----	53 + 53
4175	----	----	58.00B/42.50A	58.00B/42.50A	----	52.20 + 2.10	.3663	----	----	----	----	1 UNCH
4200	----	----	48.70B/35.50A	48.70B/35.50A	----	43.60 + 1.50	.3218	----	----	----	----	25 UNCH
4225	31.60	31.60	40.60B/29.50A	40.60B/29.50A	----	36.10 + 1.00	.2796	----	----	9	----	6 - 3
4250	----	----	33.60B/*24.50A	33.60B/*24.50A	----	29.80 + 0.60	.2409	----	----	----	----	170 UNCH
4275	----	----	27.70B/*20.30A	27.70B/*20.30A	----	24.50 + 0.30	.2059	----	----	----	----	2 UNCH
4325	----	----	18.60B/*14.10A	18.60B/*14.10A	----	16.50 - 0.10	.1479	----	----	----	----	21 UNCH
4375	11.10	11.10	12.50B/*9.80A	12.50B/*9.80A	----	11.10 - 0.30	.1044	----	----	10	----	12 + 10
4400	8.00	8.00	10.30B/*8.00	10.30B/*8.00	----	9.10 - 0.40	.0873	----	----	2	----	7 + 2
4425	----	----	8.40B/*6.90A	8.40B/*6.90A	----	7.50 - 0.50	.0731	----	----	----	----	1 UNCH
4500	4.60	4.60	4.70B/*4.10A	4.70B/*4.10A	----	4.30 - 0.70	.0432	----	----	2	----	30 + 2
4525	4.00	4.00	#4.00/*3.60A	4.10B/*3.60A	----	3.70 NEW	.0371	----	----	2	----	2 + 2
4600	----	----	----/*2.50A	2.50B/*2.50A	----	2.40 - 0.50	.0238	----	----	----	----	2 UNCH
TOTAL										94		400 + 82

OG1 PUT — GOLD OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
AUG26												
3400	----	----	----/0.90A	0.90B/0.90A	----	0.70 - 0.50	.0052	----	----	----	----	1 UNCH
3500	1.50	1.50	1.50/1.20A	1.80B/1.20A	----	1.10 - 0.80	.0088	----	----	1	----	8 + 1
3600	----	----	----/2.10A	3.20B/2.10A	----	1.90 - 1.30	.0163	----	----	7	----	24 + 5
3625	2.70	2.70	3.80B/2.40A	3.80B/2.40A	----	2.20 - 1.50	.0191	----	----	1	----	5 + 1
3650	2.90	2.90	4.50B/2.70A	4.50B/2.70A	----	2.50 - 1.80	.0222	----	----	2	----	5 + 2
3675	----	----	5.50B/3.20A	5.50B/3.20A	----	3.00 - 2.00	.0268	----	----	----	----	1 UNCH
3700	4.50	4.50	6.60B/3.70A	6.60B/3.70A	----	3.60 - 2.30	.0323	----	----	10	----	20 UNCH
3725	----	----	7.80B/4.30A	7.80B/4.30A	----	4.20 - 2.70	.0381	----	----	----	----	2 UNCH
3750	----	----	9.20B/5.20A	9.20B/5.20A	----	5.10 - 3.10	.0464	----	----	----	----	5 UNCH
3775	----	----	11.30B/6.10A	11.30B/6.10A	----	6.10 - 3.60	.0557	----	----	2	----	22 + 2
3800	8.20	8.20	13.50B/7.30A	13.50B/7.30A	----	7.30 - 4.20	.0668	----	----	30	----	42 + 27
3825	----	----	16.00B/8.70A	16.00B/8.70A	----	8.80 - 4.90	.0805	----	----	----	----	2 UNCH
3850	12.90	12.90	19.10B/10.40	19.10B/10.40	----	10.70 - 5.60	.0973	----	----	32	----	42 + 28
3875	15.00	15.00	22.70B/12.60A	22.70B/12.60A	----	12.90 - 6.50	.1167	----	----	1	----	11 + 1
3900	----	----	27.10B/15.10A	27.10B/15.10A	----	15.70 - 7.40	.1405	----	----	3	----	93 UNCH
3925	----	----	32.30B/18.20A	32.30B/18.20A	----	19.10 - 8.40	.1684	----	----	----	----	3 UNCH
3950	25.20	25.20	38.30B/21.90A	38.30B/21.90A	----	23.20 - 9.50	.2008	----	----	26	----	43 + 22
3975	30.00	30.00	45.40B/26.40A	45.40B/26.40A	----	28.10 - 10.70	.2381	----	----	10	----	46 + 10
4000	----	----	53.80B/31.80A	53.80B/31.80A	----	34.10 - 11.90	.2808	----	----	6	----	69 + 6
4025	60.00	60.00	63.30B/38.30A	63.30B/38.30A	----	41.20 - 13.10	.3283	----	----	1	----	321 + 1
4050	49.40	49.40	74.10B/46.00A	74.10B/46.00A	----	49.60 - 14.30	.3804	----	----	1	----	112 UNCH
4075	62.60	62.60	86.20B/55.00A	86.20B/55.00A	----	59.30 - 15.50	.4360	----	----	12	----	23 + 12
4100	----	----	99.70B/65.50A	99.70B/65.50A	----	70.50 - 16.60	.4941	----	----	25	----	126 + 20
4125	----	----	114.80B/77.50A	114.80B/77.50A	----	83.20 - 17.70	.5533	----	----	3	----	3 + 1
4175	----	----	149.50B/107.40A	149.50B/107.40A	----	113.30 - 19.50	.6686	----	----	----	----	1 UNCH
4200	132.20	132.20	168.70B/123.70A	168.70B/123.70A	----	130.60 - 20.20	.7215	----	----	2	----	4 + 2
4300	----	----	255.00B/201.40A	255.00B/201.40A	----	212.00 - 21.50	.8771	----	----	----	----	1 UNCH
4350	----	----	302.00B/246.30A	302.00B/246.30A	----	257.70 - 21.60	.9214	----	----	----	----	1 UNCH
4400	----	----	350.30B/293.30A	350.30B/293.30A	----	305.10 - 21.60	.9485	----	----	----	----	1 UNCH
TOTAL										175		1037 + 141

OG1 CALL — GOLD OPTIONS

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG1 CALL — GOLD OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
AUG26												
3750	----	----	366.50B/313.20A	366.50B/313.20A	----	353.60 + 17.70	.9533	----	----	----	----	1 UNCH
3950	----	----	183.30B/142.60A	183.30B/142.60A	----	171.90 + 11.30	.7988	----	----	----	----	1 UNCH
4025	----	----	124.00B/92.40A	124.00B/92.40A	----	115.00 + 7.70	.6712	----	----	----	----	26 UNCH
4075	78.50	78.50	91.60B/65.20A	91.60B/65.20A	----	83.20 + 5.30	.5636	----	----	35	----	44 + 13
4100	----	----	77.00B/54.10A	77.00B/54.10A	----	69.40 + 4.10	.5054	----	----	17	----	18 + 17
4125	----	----	64.20B/44.10A	64.20B/44.10A	----	57.20 + 3.10	.4462	----	----	1	----	39 - 1
4150	50.10	50.10	52.60B/35.80A	52.60B/35.80A	----	46.50 + 2.10	.3875	----	----	42	----	65 + 23
4175	40.40	40.40	42.70B/28.90A	42.70B/28.90A	----	37.30 + 1.30	.3309	----	----	9	----	58 + 9
4200	23.70	23.70	34.20B/23.10A	34.20B/23.10A	----	29.60 + 0.60	.2780	----	----	26	----	121 + 23
4225	----	----	27.10B/*18.40A	27.10B/*18.40A	----	23.30 UNCH	.2302	----	----	----	----	19 UNCH
4250	21.20	21.20	21.40B/*14.80A	21.40B/*14.80A	----	18.20 - 0.40	.1880	----	----	1	----	60 + 1
4275	----	----	16.70B/*11.90A	16.70B/*11.90A	----	14.20 - 0.60	.1522	----	----	----	----	3 UNCH
4300	----	----	13.10B/*9.50A	13.10B/*9.50A	----	11.10 - 0.80	.1225	----	----	----	----	77 UNCH
4325	8.40	8.40	10.20B/*7.50A	10.20B/*7.50A	----	8.70 - 0.80	.0982	----	----	16	----	99 + 16
4350	----	----	8.00B/*5.90A	8.00B/*5.90A	----	6.80 - 0.90	.0782	----	----	1	----	23 + 1
4375	----	----	----/*4.70A	6.30B/*4.70A	----	5.40 - 0.90	.0628	----	----	----	----	8 UNCH
4400	----	----	----/*3.80A	5.00B/*3.80A	----	4.40 - 0.70	.0512	----	----	----	----	82 UNCH
4425	3.70	3.70	4.00B/*3.30A	4.00B/*3.30A	----	3.50 - 0.70	.0410	----	----	9	----	10 + 9
4450	----	----	----/*2.70A	3.20B/*2.70A	----	2.90 - 0.60	.0338	----	----	----	----	1 UNCH
4475	----	----	----/*2.30A	2.60B/*2.30A	----	2.40 - 0.60	.0278	----	----	----	----	1 UNCH
4550	1.30	1.30	1.30/*1.30	1.50B/*1.30	----	1.50 - 0.40	.0168	----	----	5	----	6 + 5
4600	----	----	----/*1.20A	1.10B/*1.20A	----	1.10 - 0.30	.0120	----	----	----	----	15 UNCH
4700	0.70	0.70	0.70/*0.70	0.70/*0.70	----	0.70 - 0.20	.0071	----	----	4	----	3 + 2
4800	----	----	----	0.30B/*0.90A	----	0.40 - 0.20	.0039	----	----	6	----	7 + 6
5000	----	----	----	----/0.70A	----	0.30 - 0.10	.0025	----	----	----	----	31 UNCH
TOTAL										172		818 + 124

OG PUT — COMEX GOLD OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
AUG26												
1995	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	146 UNCH
2000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	139 UNCH
2005	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	119 UNCH
2300	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	47 UNCH
2325	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2350	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	17 UNCH
2375	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	17 UNCH
2400	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	12 UNCH
2425	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2450	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	112 UNCH
2475	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
2500	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	311 UNCH
2540	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2550	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2560	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
2570	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
2575	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2580	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2590	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
2600	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	52 UNCH
2615	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2620	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
2625	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	8 UNCH
2630	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
2640	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2650	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
2655	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
2665	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2675	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2685	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2690	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2700	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	42 UNCH
2730	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	4 UNCH
2740	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
2745	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
2750	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	6 UNCH
2785	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	7 UNCH
2795	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	6 UNCH
2800	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	91 UNCH
2810	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	6 UNCH
2840	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
2860	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2875	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	9 UNCH
2885	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	8 UNCH
2890	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2900	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	66 UNCH
2910	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	15 UNCH
2925	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
2940	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	7 UNCH
2945	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2950	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	17 UNCH
2960	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	4 UNCH
2965	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	7 UNCH
2975	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
2980	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	75 UNCH
2990	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2995	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
3000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	385 UNCH
3005	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
3010	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	45 UNCH
3015	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
3020	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
3025	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
3030	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
3035	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
3040	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
3045	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	15 UNCH
3050	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	20 UNCH
3065	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	9 UNCH
3080	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
3090	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	6 UNCH
3095	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
3100	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	281 UNCH
3105	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	19 UNCH
3110	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	26 UNCH
3115	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
3120	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	46 UNCH
3125	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	14 UNCH
3130	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
3145	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	27 UNCH
3150	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	54 UNCH
3155	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
3160	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
3165	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	77 UNCH
3170	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
3175	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	4 UNCH
3180	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	28 UNCH
3185	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
3190	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	889 UNCH
3195	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	47 UNCH
3200	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	569 UNCH
3210	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
3215	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
3220	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
3225	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
3235	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	20 UNCH
3240	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
3245	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
3250	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	553 UNCH
3260	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	32 UNCH
3270	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
3275	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
3280	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	78 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
AUG26												
3285	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	7 UNCH
3290	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
3295	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	25 UNCH
3300	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	358 UNCH
3305	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	19 UNCH
3310	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	22 UNCH
3315	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	6 UNCH
3320	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	17 UNCH
3325	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	203 UNCH
3330	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	8 UNCH
3335	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	7 UNCH
3340	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	6 UNCH
3345	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	8 UNCH
3350	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	501 UNCH
3355	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
3360	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	8 UNCH
3365	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	11 UNCH
3370	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	36 UNCH
3375	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	28 UNCH
3380	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	11 UNCH
3385	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	6 UNCH
3390	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	15 UNCH
3395	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	15 UNCH
3400	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	518 UNCH
3405	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	40 UNCH
3410	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	34 UNCH
3415	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	25 UNCH
3420	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	36 UNCH
3425	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	31 UNCH
3430	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	68 UNCH
3435	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	245 UNCH
3440	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	13 UNCH
3445	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	41 UNCH
3450	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	56 UNCH
3455	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	33 UNCH
3460	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	14 UNCH
3465	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	36 UNCH
3470	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	45 UNCH
3475	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	92 UNCH
3480	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	48 UNCH
3485	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	26 UNCH
3490	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	29 UNCH
3495	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	56 UNCH
3500	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	3240 UNCH
3505	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	9 UNCH
3510	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	66 UNCH
3515	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	34 UNCH
3520	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	244 UNCH
3525	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	142 UNCH
3530	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	60 UNCH
3535	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	60 UNCH
3540	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	77 UNCH
3545	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	69 UNCH
3550	0.10	0.10	0.10/0.10	0.10/0.10	----	0.10 UNCH	----	----	----	1	----	650 UNCH
3555	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	96 UNCH
3560	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	56 UNCH
3565	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	99 UNCH
3570	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	65 UNCH
3575	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	48 UNCH
3580	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	53 UNCH
3585	----	----	----	----/*0.10A	----	0.10 UNCH	.0000	----	----	----	----	96 UNCH
3590	----	----	----	----/*0.10A	----	0.10 UNCH	.0000	----	----	----	----	56 UNCH
3595	----	----	0.20B/----	0.20B/0.20A	----	0.10 UNCH	.0000	----	----	----	----	30 UNCH
3600	0.10	0.10	0.20B/0.10	0.20B/0.10	----	0.10 UNCH	.0000	----	----	1	----	2986 UNCH
3605	0.20	0.20	0.20/*0.20	0.20/0.20	----	0.10 UNCH	.0000	----	----	2	----	45 UNCH
3610	----	----	0.20B/----	0.20B/0.20A	----	0.10 UNCH	.0000	----	----	----	----	70 UNCH
3615	----	----	0.20B/----	0.20B/*0.10A	----	0.10 UNCH	.0000	----	----	----	----	35 UNCH
3620	----	----	0.30B/*0.10A	0.30B/*0.10A	----	0.10 - 0.10	.0000	----	----	----	----	33 UNCH
3625	----	----	0.30B/*0.10A	0.30B/*0.10A	----	0.10 - 0.10	.0000	----	----	----	----	111 UNCH
3630	----	----	0.30B/----	0.30B/0.20A	----	0.10 - 0.10	.0000	----	----	----	----	95 UNCH
3635	----	----	0.30B/*0.10A	0.30B/*0.10A	----	0.10 - 0.10	.0000	----	----	----	----	23 UNCH
3640	----	----	0.40B/0.20A	0.40B/0.20A	----	0.10 - 0.20	.0000	----	----	----	----	27 UNCH
3645	----	----	0.40B/0.20A	0.40B/0.20A	----	0.10 - 0.20	.0000	----	----	----	----	74 UNCH
3650	0.10	0.10	0.40B/0.10	0.40B/0.10	----	0.10 - 0.20	.0000	----	----	15	----	463 + 14
3655	----	----	0.40B/*0.10A	0.40B/*0.10A	----	0.10 - 0.20	.0000	----	----	----	----	59 UNCH
3660	0.50	0.50	0.50/*0.10A	0.50/*0.10A	----	0.10 - 0.30	.0001	----	----	3	----	25 + 2
3665	0.10	0.10	0.10/0.10	0.40B/0.10	----	0.10 - 0.30	.0001	----	----	3	----	60 - 2
3670	----	----	0.50B/0.20A	0.50B/0.20A	----	0.10 - 0.30	.0001	----	----	----	----	49 UNCH
3675	----	----	0.60B/*0.10A	0.60B/*0.10A	----	0.10 - 0.40	.0001	----	----	----	----	81 UNCH
3680	0.20	0.20	0.60B/0.20	0.60B/0.20	----	0.10 - 0.40	.0002	----	----	1	----	27 UNCH
3685	0.20	0.20	0.70B/*0.20	0.70B/*0.20	----	0.10 - 0.40	.0002	----	----	6	----	36 + 1
3690	----	----	0.70B/*0.20A	0.70B/*0.20A	----	0.10 - 0.40	.0003	----	----	----	----	44 UNCH
3695	0.20	0.20	0.70B/*0.20	0.70B/*0.20	----	0.10 - 0.50	.0003	----	----	3	----	21 + 1
3700	0.10	0.10	0.70B/*0.10	0.70B/*0.10	----	0.10 - 0.50	.0004	----	----	32	----	2300 + 32
3705	----	----	0.80B/*0.20A	0.80B/*0.20A	----	0.10 - 0.50	.0005	----	----	----	----	52 UNCH
3710	----	----	0.80B/*0.10A	0.80B/*0.10A	----	0.10 - 0.60	.0006	----	----	----	----	42 UNCH
3715	0.30	0.30	0.90B/*0.10A	0.90B/*0.10A	----	0.10 - 0.60	.0007	----	----	20	----	118 + 14
3720	----	----	1.00B/*0.20A	1.00B/*0.20A	----	0.10 - 0.60	.0008	----	----	----	----	103 UNCH
3725	----	----	1.00B/*0.20A	1.00B/*0.20A	----	0.20 - 0.60	.0017	----	----	----	----	155 UNCH
3730	0.40	0.40	1.00B/*0.20A	1.00B/*0.20A	----	0.20 - 0.60	.0018	----	----	3	----	34 - 3
3735	0.60	0.60	1.20B/*0.20A	1.20B/*0.20A	----	0.20 - 0.70	.0018	----	----	2	----	42 - 1
3740	0.50	0.50	1.20B/*0.30A	1.20B/*0.30A	----	0.20 - 0.70	.0018	----	----	18	----	49 - 14
3745	----	----	1.30B/*0.30A	1.30B/*0.30A	----	0.20 - 0.80	.0019	----	----	----	----	16 UNCH
3750	1.20	1.20	1.40B/0.30A	1.40B/0.30A	----	0.20 - 0.80	.0019	----	----	6	----	1235 UNCH
3755	----	----	1.40B/*0.30A	1.40B/*0.30A	----	0.20 - 0.90	.0019	----	----	----	----	16 UNCH
3760	----	----	1.50B/*0.30A	1.50B/*0.30A	----	0.30 - 0.80	.0029	----	----	----	----	22 UNCH
3765	----	----	1.50B/*0.30A	1.50B/*0.30A	----	0.30 - 0.90	.0030	----	----	----	----	107 UNCH
3770	----	----	1.70B/*0.30A	1.70B/*0.30A	----	0.30 - 1.00	.0030	----	----	----	----	112 UNCH
3775	----	----	1.80B/0.40A	1.80B/0.40A	----	0.30 - 1.00	.0031	----	----	----	----	140 UNCH
3780	----	----	1.80B/*0.40A	1.80B/*0.40A	----	0.30 - 1.10	.0031	----	----	----	----	48 UNCH
3785	----	----	2.00B/*0.40A	2.00B/*0.40A	----	0.40 - 1.10	.0042	----	----	----	----	52 UNCH
3790	----	----	2.10B/*0.40A	2.10B/*0.40A	----	0.40 - 1.20	.0043	----	----	----	----	70 UNCH
3795	1.00	1.00	2.10B/*0.40A	2.10B/*0.40A	----	0.40 - 1.30	.0044	----	----	1	----	55 + 1
3800	2.30	2.30	2.30/0.40	2.30/0.40	----	0.50 - 1.30	.0056	----	----	232	----	1954 - 156
3805	----	----	2.30B/*0.50A	2.30B/*0.50A	----	0.50 - 1.40	.0057	----	----	----	----	43 UNCH
3810	----	----	2.60B/*0.50A	2.60B/*0.50A	----	0.50 - 1.50	.0058	----	----	1	----	124 - 1
3815	----	----	2.70B/*0.50A	2.70B/*0.50A	----	0.60 - 1.50	.0070	----	----	----	----	349 UNCH
3820	----	----	2.80B/0.60A	2.80B/0.60A	----	0.60 - 1.60	.0071	----	----	10	----	135 + 10
3825	----	----	3.00B/*0.60A	3.00B/*0.60A	----	0.60 - 1.80	.0073	----	----	----	----	297 UNCH
3830	----	----	3.20B/*0.60A	3.20B/*0.60A	----	0.70 - 1.80	.0086	----	----	1	----	92 - 1
3835	0.90	0.90	3.30B/0.70A	3.30B/0.70A	----	0.70 - 1.90	.0088	----	----	2	----	74 UNCH
3840	1.60	1.60	3.50B/*0.70A	3.50B/*0.70A	----	0.70 - 2.10	.0090	----	----	2	----	345 - 2
3845	----	----	3.60B/0.80A	3.60B/0.80A	----	0.80 - 2.10	.0104	----	----	----	----	143 UNCH
3850	4.10	4.10	4.10/0.80A	4.10/0.80A	----	0.80 - 2.30	.0106	----	----	75	----	1967 - 27
3855	----	----	4.10B/0.90A	4.10B/0.90A	----	0.90 - 2.30	.0120	----	----	----	----	114 UNCH
3860	1.90	1.90	4.30B/0.90A	4.30B/0.90A	----	0.90 - 2.50	.0123	----	----	2	----	50 + 2
3865	1.80	1.80	4.50B/1.00	4.50B/1.00	----	1.00 - 2.60	.0138	----	----	12	----	119 + 12
3870	5.00	5.00	5.00/1.10A	5.00/1.10A	----	1.00 - 2.80	.0142	----	----	5	----	83 + 4
3875	4.70	4.70	5.20B/1.20A	5.20B/1.20A	----	1.10 - 2.90	.0158	----	----	45	----	190 - 2
3880	2.50	2.50	5.50B/1.20A	5.50B/1.20A	----	1.20 - 3.00	.0175	----	----	3	----	192 UNCH
3885	----	----	5.80B/1.30A	5.80B/1.30A	----	1.20 - 3.30	.0179	----	----	----	----	108 UNCH
3890	----	----	6.20B/1.40A	6.20B/1.40A	----	1.30 - 3.40	.0197	----	----	2	----	134 UNCH
3895	----	----	6.60B/1.50A	6.60B/1.50A	----	1.40 - 3.60	.0215	----	----	2	----	73 + 1
3900	5.30	5.30	7.30/1.50	7.30/1.50	----	1.50 - 3.80	.0235	----	----	322	----	2161 - 46
3905	1.50	1.50	7.40B/1.50	7.40B/1.50	----	1.60 - 4.10	.0255	----	----	2	----	77 + 2
3910	1.90	1.90	7.90B/1.80A	7.90B/1.80A	----	1.70 - 4.30	.0275	----	----	2	----	167 UNCH
3915	----	----	8.40B/1.90A	8.40B/1.90A	----	1.90 - 4.50	.0311	----	----	----	----	181 UNCH
3920	2.20	2.20	9.00B/2.10A	9.00B/2.10A	----	2.00 - 4.80	.0333	----	----	2	----	127 + 2
3925	2.20	2.20	9.60B/2.20	9.60B/2.20	----	2.10 - 5.10	.0357	----	----	2	----	313 UNCH
3930	4.30	4.30	10.30B/2.40A	10.30B/2.40A	----	2.30 - 5.40	.0396	----	----	32	----	476 - 5
3935	----	----	10.90B/2.50A	10.90B/2.50A	----	2.50 - 5.70	.0436	----	----	----	----	137 UNCH
3940	10.50	10.50	11.70B/2.70A	11.70B/2.70A	----	2.70 - 6.00	.0478	----	----	1	----	115 UNCH
3945	3.40	3.40	12.50B/2.90A	12.50B/2.90A	----	2.90 - 6.40	.0522	----	----	2	----	77 + 2
3950	9.00	9.00	13.30B/3.00	13.30B/3.00	----	3.10 - 6.80	.0567	----	----	243	----	715 - 15
3955	----	----	14.20B/3.40A	14.20B/3.40A	----	3.40 - 7.20	.0629	----	----	----	----	40 UNCH
3960	----	----	15.20B/3.70A	15.20B/3.70A	----	3.70 - 7.60	.0692	----	----	----	----	195 UNCH
3965	9.90	9.90	16.20B/4.00A	16.20B/4.00A	----	4.00 - 8.00	.0759	----	----	12	----	75 + 2

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
AUG26												
3970	4.90	4.90	17.30B/4.30A	17.30B/4.30A	----	4.30 - 8.60	.0828	----	----	9	----	83 + 3
3975	17.00	17.00	18.50B/4.50	18.50B/4.50	----	4.70 - 9.00	.0914	----	----	34	----	219 - 13
3980	9.10	9.10	19.80B/5.00A	19.80B/5.00A	----	5.10 - 9.60	.1003	----	----	9	----	194 - 1
3985	10.00	10.00	21.20B/5.40A	21.20B/5.40A	----	5.60 - 10.10	.1110	----	----	16	----	71 + 9
3990	11.80	11.80	22.50B/5.80A	22.50B/5.80A	----	6.10 - 10.60	.1220	----	----	26	----	245 UNCH
3995	12.00	12.00	24.20B/6.30A	24.20B/6.30A	----	6.70 - 11.20	.1348	----	----	13	----	171 - 2
4000	19.40	19.40	25.60B/6.80A	25.60B/6.80A	----	7.30 - 11.80	.1480	----	----	520	----	4171 + 170
4005	15.00	15.00	27.60B/7.40A	27.60B/7.40A	----	8.00 - 12.40	.1630	----	----	62	----	59 + 19
4010	13.80	13.80	29.30B/8.00A	29.30B/8.00A	----	8.80 - 13.00	.1796	----	----	16	----	157 + 1
4015	10.20	10.20	31.20B/8.70A	31.20B/8.70A	----	9.60 - 13.70	.1969	----	----	18	----	73 + 11
4020	32.00	32.00	33.30B/9.40A	33.30B/9.40A	----	10.50 - 14.30	.2158	----	----	117	----	207 + 97
4025	33.00	33.00	35.50B/10.20A	35.50B/10.20A	----	11.50 - 15.00	.2364	----	----	55	----	603 UNCH
4030	35.20	35.20	37.80B/11.10A	37.80B/11.10A	----	12.70 - 15.60	.2596	----	----	69	----	296 - 23
4035	37.40	37.40	40.30B/12.10A	40.30B/12.10A	----	13.90 - 16.30	.2833	----	----	92	----	218 + 25
4040	33.00	33.00	42.70B/13.20A	42.70B/13.20A	----	15.20 - 17.00	.3087	----	----	15	----	259 + 5
4045	35.30	35.30	45.40B/14.50A	45.40B/14.50A	----	16.70 - 17.60	.3361	----	----	33	----	198 + 14
4050	35.00	35.00	48.10B/15.80A	48.10B/15.80A	----	18.30 - 18.20	.3648	----	----	148	----	991 + 30
4055	26.90	26.90	51.20B/17.30A	51.20B/17.30A	----	20.10 - 18.80	.3951	----	----	26	----	119 + 5
4060	30.20	30.20	54.30B/18.90A	54.30B/18.90A	----	22.00 - 19.40	.4263	----	----	95	----	209 + 5
4065	32.60	32.60	57.50B/20.60A	57.50B/20.60A	----	24.10 - 19.90	.4587	----	----	27	----	91 - 2
4070	27.70	27.70	60.90B/22.50A	60.90B/22.50A	----	26.30 - 20.40	.4916	----	----	6	----	80 - 3
4075	38.00	38.00	64.40B/24.50A	64.40B/24.50A	----	28.70 - 20.90	.5251	----	----	18	----	560 + 4
4080	29.20	29.20	68.00B/26.70A	68.00B/26.70A	----	31.30 - 21.30	.5587	----	----	4	----	330 - 1
4085	40.10	40.10	71.70B/29.00A	71.70B/29.00A	----	34.10 - 21.60	.5919	----	----	5	----	387 + 3
4090	45.10	45.10	75.50B/31.50A	75.50B/31.50A	----	37.00 - 22.00	.6248	----	----	3	----	276 UNCH
4095	68.00	68.00	79.50B/34.20A	79.50B/34.20A	----	40.10 - 22.30	.6568	----	----	11	----	121 - 9
4100	78.00	78.00	83.50B/36.90A	83.50B/36.90A	----	43.40 - 22.50	.6874	----	----	37	----	1275 - 21
4105	----	----	87.60B/40.10A	87.60B/40.10A	----	46.90 - 22.60	.7162	----	----	1	----	60 - 1
4110	81.00	81.00	91.90B/43.30A	91.90B/43.30A	----	50.40 - 22.80	.7437	----	----	5	----	71 - 1
4115	62.50	62.50	96.10B/46.60A	96.10B/46.60A	----	54.20 - 22.80	.7699	----	----	1	----	98 UNCH
4120	58.70	58.70	100.50B/50.00A	100.50B/50.00A	----	58.00 - 22.90	.7946	----	----	1	----	205 UNCH
4125	----	----	104.90B/53.50A	104.90B/53.50A	----	62.00 - 22.90	.8167	----	----	1	----	415 UNCH
4130	62.90	62.90	109.40B/57.40A	109.40B/57.40A	----	66.10 - 22.90	.8369	----	----	1	----	67 UNCH
4135	----	----	113.90B/61.00A	113.90B/61.00A	----	70.30 - 22.90	.8554	----	----	2	----	86 - 1
4140	90.40	90.40	118.40B/64.80A	118.40B/64.80A	----	74.60 - 22.80	.8719	----	----	10	----	120 - 2
4145	----	----	123.10B/68.90A	123.10B/68.90A	----	79.00 - 22.80	.8864	----	----	----	----	117 UNCH
4150	108.00	108.00	127.80B/72.90A	127.80B/72.90A	----	83.40 - 22.70	.8989	----	----	7	----	2377 - 5
4155	----	----	132.50B/77.30A	132.50B/77.30A	----	88.00 - 22.60	.9110	----	----	----	----	74 UNCH
4160	----	----	137.30B/81.60A	137.30B/81.60A	----	92.50 - 22.60	.9211	----	----	----	----	103 UNCH
4165	----	----	142.00B/86.00A	142.00B/86.00A	----	97.20 - 22.40	.9308	----	----	----	----	123 UNCH
4170	----	----	146.80B/90.50A	146.80B/90.50A	----	101.80 - 22.40	.9384	----	----	1	----	191 UNCH
4175	----	----	151.70B/94.90A	151.70B/94.90A	----	106.60 - 22.20	.9458	----	----	----	----	332 UNCH
4180	----	----	156.50B/99.60A	156.50B/99.60A	----	111.30 - 22.20	.9512	----	----	----	----	139 UNCH
4185	----	----	161.30B/104.10A	161.30B/104.10A	----	116.10 - 22.10	.9563	----	----	----	----	64 UNCH
4190	----	----	166.20B/108.80A	166.20B/108.80A	----	120.90 - 22.00	.9612	----	----	----	----	275 UNCH
4195	----	----	171.10B/113.50A	171.10B/113.50A	----	125.80 - 21.80	.9659	----	----	----	----	219 UNCH
4200	168.00	168.00	175.80B/118.30A	175.80B/118.30A	----	130.60 - 21.80	.9687	----	----	3	----	1378 UNCH
4205	----	----	180.80B/123.10A	180.80B/123.10A	----	135.50 - 21.70	.9714	----	----	----	----	344 UNCH
4210	----	----	185.70B/128.00A	185.70B/128.00A	----	140.40 - 21.60	.9740	----	----	----	----	44 UNCH
4215	----	----	190.50B/132.70A	190.50B/132.70A	----	145.30 - 21.50	.9764	----	----	----	----	43 UNCH
4220	163.10	163.10	195.60B/137.50A	195.60B/137.50A	----	150.20 - 21.50	.9787	----	----	1	----	77 - 1
4225	----	----	200.50B/142.40A	200.50B/142.40A	----	155.20 - 21.30	.9810	----	----	----	----	165 UNCH
4230	----	----	205.40B/147.30A	205.40B/147.30A	----	160.10 - 21.30	.9815	----	----	2	----	120 UNCH
4235	----	----	210.20B/152.10A	210.20B/152.10A	----	165.10 - 21.20	.9836	----	----	----	----	13 UNCH
4240	----	----	215.20B/157.00A	215.20B/157.00A	----	170.00 - 21.20	.9840	----	----	----	----	99 UNCH
4245	----	----	197.30B/162.20A	197.30B/162.20A	----	175.00 - 21.10	.9860	----	----	----	----	265 UNCH
4250	----	----	202.20B/167.20A	202.20B/167.20A	----	179.90 - 21.10	.9863	----	----	1	----	1254 - 1
4255	----	----	207.30B/172.10A	207.30B/172.10A	----	184.90 - 21.00	.9882	----	----	----	----	890 UNCH
4260	----	----	212.20B/177.10A	212.20B/177.10A	----	189.80 - 21.00	.9885	----	----	----	----	132 UNCH
4265	----	----	----/187.10A	213.20B/187.10A	----	194.80 - 20.90	.9887	----	----	----	----	11 UNCH
4270	----	----	222.10B/186.90A	222.10B/186.90A	----	199.80 - 20.90	.9904	----	----	----	----	292 UNCH
4275	----	----	226.90B/191.90A	226.90B/191.90A	----	204.80 - 20.80	.9906	----	----	----	----	128 UNCH
4280	----	----	232.10B/196.80A	232.10B/196.80A	----	209.70 - 20.90	.9909	----	----	----	----	380 UNCH
4285	----	----	236.90B/201.90A	236.90B/201.90A	----	214.70 - 20.80	.9910	----	----	----	----	211 UNCH
4290	----	----	242.00B/206.70A	242.00B/206.70A	----	219.70 - 20.80	.9926	----	----	----	----	417 UNCH
4295	211.00	211.00	246.70B/211.00	246.70B/211.00	----	224.70 - 20.70	.9928	----	----	1	----	28 UNCH
4300	226.50	226.50	252.00B/216.60A	252.00B/216.60A	----	229.60 - 20.80	.9929	----	----	1	----	1061 UNCH
4305	246.60	246.60	256.90B/221.60A	256.90B/221.60A	----	234.60 - 20.70	.9930	----	----	2	----	621 UNCH
4310	----	----	261.60B/226.80A	261.60B/226.80A	----	239.60 - 20.70	.9932	----	----	----	----	19 UNCH
4315	----	----	266.50B/231.70A	266.50B/231.70A	----	244.60 - 20.70	.9946	----	----	----	----	31 UNCH
4320	----	----	271.80B/236.60A	271.80B/236.60A	----	249.60 - 20.70	.9947	----	----	----	----	76 UNCH
4325	----	----	276.80B/241.50A	276.80B/241.50A	----	254.50 - 20.70	.9948	----	----	----	----	426 UNCH
4330	----	----	281.60B/246.50A	281.60B/246.50A	----	259.50 - 20.70	.9949	----	----	----	----	87 UNCH
4335	----	----	----/256.80A	282.10B/256.80A	----	264.50 - 20.70	.9950	----	----	----	----	13 UNCH
4340	----	----	291.70B/256.50A	291.70B/256.50A	----	269.50 - 20.70	.9951	----	----	----	----	97 UNCH
4345	----	----	296.40B/261.70A	296.40B/261.70A	----	274.50 - 20.60	.9952	----	----	----	----	39 UNCH
4350	----	----	301.80B/266.40A	301.80B/266.40A	----	279.50 - 20.60	.9964	----	----	1	----	1296 UNCH
4355	----	----	306.70B/271.40A	306.70B/271.40A	----	284.50 - 20.60	.9965	----	----	----	----	136 UNCH
4360	----	----	311.70B/276.50A	311.70B/276.50A	----	289.40 - 20.70	.9965	----	----	2	----	153 - 2
4365	----	----	316.80B/281.40A	316.80B/281.40A	----	294.40 - 20.70	.9966	----	----	1	----	122 - 1
4370	----	----	321.40B/286.50A	321.40B/286.50A	----	299.40 - 20.60	.9966	----	----	----	----	60 UNCH
4375	----	----	326.50B/291.40A	326.50B/291.40A	----	304.40 - 20.60	.9967	----	----	----	----	118 UNCH
4380	----	----	331.50B/296.40A	331.50B/296.40A	----	309.40 - 20.60	.9967	----	----	----	----	75 UNCH
4385	----	----	336.40B/301.50A	336.40B/301.50A	----	314.40 - 20.60	.9968	----	----	----	----	21 UNCH
4390	----	----	341.40B/306.40A	341.40B/306.40A	----	319.40 - 20.60	.9968	----	----	----	----	43 UNCH
4395	----	----	346.40B/311.50A	346.40B/311.50A	----	324.40 - 20.60	.9969	----	----	----	----	48 UNCH
4400	----	----	----/316.40A	349.90B/316.40A	----	329.40 - 20.60	.9980	----	----	----	----	1975 UNCH
4405	----	----	----/321.30A	353.40B/321.30A	----	334.40 - 20.60	.9980	----	----	----	----	147 UNCH
4410	----	----	----/326.30A	358.80B/326.30A	----	339.40 - 20.60	.9981	----	----	----	----	358 UNCH
4415	----	----	----/331.30A	363.40B/331.30A	----	344.30 - 20.70	.9981	----	----	----	----	151 UNCH
4420	----	----	----/336.50A	367.80B/336.50A	----	349.30 - 20.60	.9981	----	----	----	----	18 UNCH
4425	----	----	----/341.30A	373.40B/341.30A	----	354.30 - 20.60	.9981	----	----	----	----	115 UNCH
4430	----	----	----/346.50A	377.70B/346.50A	----	359.30 - 20.60	.9982	----	----	----	----	28 - 21
4435	----	----	----/356.60A	382.50B/356.60A	----	364.30 - 20.60	.9982	----	----	----	----	10 UNCH
4440	----	----	----/360.70A	388.50B/360.70A	----	369.30 - 20.60	.9982	----	----	----	----	75 - 13
4445	----	----	----/366.60A	392.10B/366.60A	----	374.30 - 20.60	.9982	----	----	----	----	10 UNCH
4450	----	----	----/369.50A	399.30B/369.50A	----	379.30 - 20.60	.9983	----	----	----	----	1022 - 2
4455	----	----	----/374.80A	404.20B/374.80A	----	384.30 - 20.60	.9983	----	----	----	----	272 UNCH
4460	405.00	405.00	405.00/381.60A	407.10B/381.60A	----	389.30 - 20.60	.9983	----	----	1	----	34 UNCH
4465	----	----	----/386.60A	412.50B/386.60A	----	394.30 - 20.60	.9983	----	----	----	----	47 - 9
4470	----	----	----/390.70A	418.40B/390.70A	----	399.30 - 20.60	.9984	----	----	----	----	87 - 9
4475	----	----	----/395.70A	423.30B/395.70A	----	404.30 - 20.60	.9984	----	----	----	----	172 UNCH
4480	----	----	----/401.60A	427.50B/401.60A	----	409.30 - 20.60	.9984	----	----	----	----	64 UNCH
4485	----	----	----/406.70A	432.50B/406.70A	----	414.30 - 20.60	.9984	----	----	----	----	29 UNCH
4490	----	----	----/411.60A	437.50B/411.60A	----	419.30 - 20.60	.9993	----	----	----	----	6 - 4
4495	----	----	----/416.60A	442.50B/416.60A	----	424.20 - 20.70	.9995	----	----	----	----	16 - 4
4500	----	----	----/419.60A	449.20B/419.60A	----	429.20 - 20.70	.9996	----	----	1	----	1650 - 240
4505	----	----	----/426.60A	451.90B/426.60A	----	434.20 - 20.70	.9996	----	----	----	----	21 - 23
4510	----	----	----/431.70A	457.50B/431.70A	----	439.20 - 20.70	.9997	----	----	----	----	8 - 46
4515	----	----	----/436.60A	462.50B/436.60A	----	444.20 - 20.70	.9998	----	----	----	----	12 - 25
4520	----	----	----/439.80A	469.40B/439.80A	----	449.20 - 20.70	.9999	----	----	----	----	255 - 5
4525	460.00	460.00	473.40B/445.70A	473.40B/445.70A	----	454.20 - 20.70	.9999	----	----	2	----	228 - 13
4530	----	----	----/451.60A	476.80B/451.60A	----	459.20 - 20.70	1.0000	----	----	----	----	7 UNCH
4535	----	----	----/456.60A	481.80B/456.60A	----	464.20 - 20.70	1.0000	----	----	----	----	48 - 19
4540	----	----	----/461.60A	486.90B/461.60A	----	469.20 - 20.70	1.0000	----	----	----	----	9 - 32
4545	----	----	----/466.70A	492.60B/466.70A	----	474.20 - 20.70	1.0000	----	----	----	----	18 UNCH
4550	----	----	----/470.80A	498.20B/470.80A	----	479.20 - 20.70	1.0000	----	----	1	----	129 - 51
4555	----	----	----/475.70A	503.10B/475.70A	----	484.20 - 20.70	1.0000	----	----	----	----	11 - 66
4560	----	----	----/480.70A	508.10B/480.70A	----	489.20 - 20.70	1.0000	----	----	----	----	16 - 102
4565	----	----	----/486.60A	512.50B/486.60A	----	494.20 - 20.70	1.0000	----	----	----	----	9 UNCH
4570	----	----	----/491.60A	517.50B/491.60A	----	499.20 - 20.70	1.0000	----	----	----	----	13 - 30
4575	----	----	----/496.60A	521.80B/496.60A	----	504.20 - 20.70	1.0000	----	----	----	----	14 - 46
4580	----	----	----/500.70A	528.40B/500.70A	----	509.20 - 20.70	1.0000	----	----	----	----	190 UNCH
4585	----	----	----	475.80B/575.00A	----	514.20 - 20.60	1.0000	----	----	----	----	1 - 1
4590	----	----	----/511.70A	536.80B/511.70A	----	519.20 - 20.60	1.0000	----	----	----	----	5 - 3
4595	----	----	----/516.60A	542.00B/516.60A	----	524.20 - 20.60	1.0000	----	----	----	----	32 UNCH
4600	----	----	----/519.60A	549.40B/519.60A	----	529.20 - 20.60	1.0000	----	----	----	----	432 - 84
4605	----	----	----/526.60A	552.00B/526.60A	----	534.20 - 20.60	1.0000	----	----	----	----	8 - 32
4610	----	----	----/531.60A	557.60B/531.60A	----	539.20 - 20.60	1.0000	----	----	----	----	15 - 10
4615	----	----	----	505.70B/605.10A	----	544.20 - 20.60	1.0000	----	----	----	----	1 UNCH
4620	----	----	----/541.70A	567.40B/541.70A	----	549.20 - 20.60	1.0000	----	----	----	----	1 - 12
4625	----	----	----/545.70A	573.20B/545.70A	----	554.20 - 20.60	1.0000	----	----	----	----	110 UNCH
4630	----	----	----/551.70A	577.10B/551.70A	----	559.20 - 20.60	1.0000	----	----	----	----	8 - 16
4635	----	----	----	525.70B/625.10A	----	564.20 - 20.60	1.0000	----	----	----	----	0 UNCH
4640	----	----	----/560.60A	588.10B/560.60A	----	569.20 - 20.60	1.0000	----	----	----	----	33 - 122
4645	----	----	----	535.60B/635.20A	----	574.20 - 20.60	1.0000	----	----	----	----	2 UNCH
4650	----	----	----/569.30A	599.20B/569.30A	----	579.20 - 20.60	1.0000	----	----	----	----	338 - 12

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
AUG26												
4655	----	----	----/576.60A	602.40B/576.60A	----	584.20 - 20.60	1.0000	----	----	----	----	5 UNCH
4660	----	----	----/581.60A	607.60B/581.60A	----	589.20 - 20.60	1.0000	----	----	----	----	3 UNCH
4665	----	----	----/586.60A	612.40B/586.60A	----	594.20 - 20.60	1.0000	----	----	----	----	3 UNCH
4670	----	----	----/591.70A	617.60B/591.70A	----	599.20 - 20.60	1.0000	----	----	----	----	5 UNCH
4675	----	----	----/596.70A	622.40B/596.70A	----	604.20 - 20.60	1.0000	----	----	----	----	4 - 5
4680	----	----	----/601.60A	627.60B/601.60A	----	609.20 - 20.60	1.0000	----	----	----	----	3 - 1
4685	----	----	----/606.60A	632.60B/606.60A	----	614.20 - 20.60	1.0000	----	----	----	----	3 - 4
4690	----	----	----	580.50B/680.30A	----	619.20 - 20.60	1.0000	----	----	----	----	2 UNCH
4695	----	----	----/616.60A	642.40B/616.60A	----	624.20 - 20.60	1.0000	----	----	----	----	5 UNCH
4700	----	----	----/619.60A	649.20B/619.60A	----	629.20 - 20.60	1.0000	----	----	----	----	815 - 127
4705	----	----	----/625.80A	653.20B/625.80A	----	634.20 - 20.60	1.0000	----	----	----	----	84 UNCH
4710	----	----	----/631.70A	657.70B/631.70A	----	639.20 - 20.60	1.0000	----	----	----	----	6 - 1
4715	----	----	----	605.40B/705.40A	----	644.20 - 20.60	1.0000	----	----	----	----	0 - 1
4720	----	----	----/641.60A	667.70B/641.60A	----	649.20 - 20.60	1.0000	----	----	----	----	2 - 3
4725	----	----	----/646.60A	672.60B/646.60A	----	654.20 - 20.60	1.0000	----	----	----	----	14 - 20
4730	----	----	----/651.60A	677.60B/651.60A	----	659.20 - 20.60	1.0000	----	----	----	----	0 - 3
4740	----	----	----/661.60A	687.40B/661.60A	----	669.20 - 20.60	1.0000	----	----	----	----	4 - 10
4745	----	----	----/666.70A	692.60B/666.70A	----	674.20 - 20.60	1.0000	----	----	----	----	0 - 4
4750	----	----	----/670.80A	698.20B/670.80A	----	679.20 - 20.60	1.0000	----	----	----	----	24 - 111
4755	----	----	----/676.60A	702.40B/676.60A	----	684.20 - 20.60	1.0000	----	----	----	----	9 UNCH
4760	----	----	----	650.30B/750.50A	----	689.20 - 20.60	1.0000	----	----	----	----	0 - 2
4765	----	----	----/686.60A	712.60B/686.60A	----	694.20 - 20.60	1.0000	----	----	----	----	0 - 4
4770	----	----	----/690.70A	718.30B/690.70A	----	699.20 - 20.60	1.0000	----	----	----	----	0 - 96
4775	----	----	----/696.60A	722.50B/696.60A	----	704.20 - 20.60	1.0000	----	----	----	----	8 UNCH
4780	----	----	----/701.60A	727.60B/701.60A	----	709.20 - 20.60	1.0000	----	----	----	----	3 UNCH
4785	----	----	----	675.20B/775.60A	----	714.20 - 20.60	1.0000	----	----	----	----	2 UNCH
4790	----	----	----/711.70A	737.60B/711.70A	----	719.20 - 20.60	1.0000	----	----	----	----	50 UNCH
4795	----	----	----	685.20B/785.60A	----	724.20 - 20.60	1.0000	----	----	----	----	2 UNCH
4800	----	----	----/719.80A	749.20B/719.80A	----	729.20 - 20.60	1.0000	----	----	----	----	302 UNCH
4805	----	----	----	695.20B/795.60A	----	734.20 - 20.60	1.0000	----	----	----	----	1 UNCH
4810	----	----	----	700.10B/800.50A	----	739.20 - 20.60	1.0000	----	----	----	----	2 UNCH
4825	----	----	----/746.70A	772.50B/746.70A	----	754.20 - 20.60	1.0000	----	----	----	----	30 UNCH
4835	----	----	----/756.60A	782.50B/756.60A	----	764.20 - 20.60	1.0000	----	----	----	----	25 UNCH
4850	----	----	----/771.60A	797.20B/771.60A	----	779.20 - 20.60	1.0000	----	----	----	----	10 UNCH
4855	----	----	----/776.60A	802.50B/776.60A	----	784.20 - 20.60	1.0000	----	----	----	----	11 UNCH
4860	----	----	----	750.00B/850.70A	----	789.20 - 20.60	1.0000	----	----	----	----	2 UNCH
4865	----	----	----/786.70A	812.50B/786.70A	----	794.20 - 20.60	1.0000	----	----	----	----	10 UNCH
4870	----	----	----	760.00B/860.70A	----	799.20 - 20.60	1.0000	----	----	----	----	1 UNCH
4880	----	----	----	770.00B/870.80A	----	809.20 - 20.60	1.0000	----	----	----	----	1 UNCH
4890	----	----	----/830.30A	831.50B/830.30A	----	819.20 - 20.60	1.0000	----	----	----	----	3 UNCH
4900	----	----	----/840.30A	835.10B/840.30A	----	829.20 - 20.60	1.0000	----	----	----	----	47 UNCH
4925	----	----	----	814.80B/915.80A	----	854.20 - 20.60	1.0000	----	----	----	----	1 UNCH
5050	----	----	----	939.50B/1041.20A	----	979.20 - 20.60	1.0000	----	----	125	----	120 UNCH
5100	----	----	----	989.40B/1091.30A	----	1029.20 - 20.60	1.0000	----	----	----	----	11 UNCH
5200	----	----	----	1089.10B/1191.60A	----	1129.20 - 20.60	1.0000	----	----	108	----	100 UNCH
TOTAL										2898		70983 - 1306
SEP26												
2000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	73 UNCH
2350	----	----	----	0.10B/0.20A	----	0.10 UNCH	.0000	----	----	----	----	52 UNCH
2375	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	26 UNCH
2400	----	----	----	----/*0.20A	----	0.10 UNCH	.0001	----	----	----	----	1 UNCH
2450	----	----	----	----/0.30A	----	0.10 UNCH	.0002	----	----	----	----	2 UNCH
2475	----	----	----	----/0.30A	----	0.10 - 0.10	.0002	----	----	----	----	11 UNCH
2500	----	----	----	0.10B/0.30A	----	0.10 - 0.10	.0003	----	----	----	----	90 UNCH
2525	----	----	----	----/0.30A	----	0.10 - 0.10	.0004	----	----	3	----	2 - 1
2550	----	----	----	0.10B/*0.20A	----	0.20 UNCH	.0009	----	----	----	----	10 UNCH
2575	----	----	----	0.10B/*0.20A	----	0.20 UNCH	.0009	----	----	----	----	10 UNCH
2600	0.20	0.20	0.20/*0.20	0.20/*0.20	----	0.20 - 0.10	.0009	----	----	10	----	14 + 10
2650	----	----	----	0.20B/0.40A	----	0.20 - 0.10	.0009	----	----	----	----	19 UNCH
2665	----	----	----	0.20B/0.40A	----	0.20 - 0.10	.0010	----	----	----	----	9 UNCH
2670	----	----	----	0.20B/0.40A	----	0.20 - 0.10	.0010	----	----	----	----	20 UNCH
2675	----	----	----	0.20B/0.40A	----	0.20 - 0.20	.0010	----	----	----	----	9 UNCH
2680	----	----	----	0.20B/0.40A	----	0.20 - 0.20	.0010	----	----	----	----	9 UNCH
2700	----	----	----	0.30B/0.40A	----	0.30 - 0.10	.0014	----	----	----	----	7 UNCH
2705	----	----	----	0.30B/0.40A	----	0.30 - 0.10	.0014	----	----	----	----	4 UNCH
2715	----	----	----	0.30B/0.40A	----	0.30 - 0.10	.0014	----	----	----	----	9 UNCH
2725	----	----	----	0.30B/0.40A	----	0.30 - 0.10	.0014	----	----	----	----	2 UNCH
2740	----	----	----	0.30B/0.40A	----	0.30 - 0.10	.0015	----	----	----	----	12 UNCH
2750	----	----	----/*0.40A	0.30B/0.40A	----	0.30 - 0.20	.0015	----	----	----	----	10 UNCH
2800	----	----	----	0.40B/0.50A	----	0.40 - 0.10	.0020	----	----	----	----	61 UNCH
2820	----	----	----/*0.50A	0.40B/0.50A	----	0.40 - 0.20	.0020	----	----	----	----	1 UNCH
2825	----	----	----/*0.50A	0.40B/0.50A	----	0.40 - 0.20	.0020	----	----	----	----	1 UNCH
2830	----	----	----/*0.50A	0.40B/0.50A	----	0.40 - 0.20	.0020	----	----	----	----	1 UNCH
2845	----	----	----/*0.50A	0.50B/*0.50A	----	0.40 - 0.20	.0021	----	----	----	----	1 UNCH
2850	----	----	----	0.50B/0.60A	----	0.40 - 0.20	.0021	----	----	----	----	20 UNCH
2855	----	----	----	0.50B/0.60A	----	0.40 - 0.20	.0021	----	----	----	----	1 UNCH
2860	----	----	----/*0.60A	0.50B/0.60A	----	0.50 - 0.20	.0025	----	----	----	----	84 UNCH
2865	----	----	----/*0.60A	0.50B/0.60A	----	0.50 - 0.20	.0025	----	----	----	----	20 UNCH
2880	----	----	----/*0.60A	0.50B/0.60A	----	0.50 - 0.20	.0026	----	----	----	----	1 UNCH
2900	0.60	0.60	0.60/*0.60	0.60/*0.60	----	0.50 - 0.20	.0026	----	----	1	----	56 - 1
2920	----	----	----/*0.70A	0.60B/0.70A	----	0.60 - 0.20	.0031	----	----	----	----	5 UNCH
2950	----	----	----/0.70A	0.70B/0.70A	----	0.60 - 0.30	.0032	----	----	----	----	1 UNCH
2995	----	----	----/0.80A	0.90B/0.80A	----	0.70 - 0.30	.0038	----	----	----	----	5 UNCH
3000	----	----	----/0.80A	0.90B/0.80A	----	0.70 - 0.30	.0038	----	----	52	----	266 UNCH
3020	----	----	----/0.90A	1.00B/0.90A	----	0.80 - 0.30	.0044	----	----	----	----	53 UNCH
3045	----	----	----/1.00A	1.10B/1.00A	----	0.80 - 0.40	.0045	----	----	----	----	25 UNCH
3050	----	----	----/1.00A	1.10B/1.00A	----	0.90 - 0.30	.0050	----	----	----	----	49 UNCH
3055	----	----	----/1.00A	1.10B/1.00A	----	0.90 - 0.40	.0050	----	----	----	----	5 UNCH
3080	----	----	----/1.10A	1.20B/1.10A	----	1.00 - 0.40	.0056	----	----	----	----	10 UNCH
3085	----	----	----/1.10A	1.20B/1.10A	----	1.00 - 0.40	.0056	----	----	----	----	1 UNCH
3090	----	----	----/1.10A	1.30B/1.10A	----	1.00 - 0.40	.0056	----	----	----	----	1 UNCH
3095	----	----	----/1.10A	1.30B/1.10A	----	1.00 - 0.40	.0057	----	----	----	----	16 UNCH
3100	1.00	1.00	1.00/1.00	1.30B/1.00	----	1.00 - 0.50	.0057	----	----	1	----	246 UNCH
3105	----	----	----/1.20A	1.40B/1.20A	----	1.00 - 0.50	.0057	----	----	----	----	2 UNCH
3110	----	----	----/1.20A	1.40B/1.20A	----	1.10 - 0.40	.0062	----	----	----	----	2 UNCH
3115	----	----	----/1.20A	1.40B/1.20A	----	1.10 - 0.40	.0062	----	----	----	----	2 UNCH
3120	----	----	----/1.20A	1.40B/1.20A	----	1.10 - 0.50	.0063	----	----	----	----	3 UNCH
3125	----	----	----/1.20A	1.50B/1.20A	----	1.10 - 0.50	.0063	----	----	----	----	4 UNCH
3140	----	----	----/1.30A	1.60B/1.30A	----	1.20 - 0.50	.0069	----	----	----	----	1 UNCH
3145	----	----	----/1.30A	1.60B/1.30A	----	1.20 - 0.50	.0069	----	----	----	----	65 UNCH
3150	1.40	1.40	1.40/1.40	1.60B/1.40	----	1.20 - 0.50	.0070	----	----	1	----	53 UNCH
3155	----	----	----/1.40A	1.70B/1.40A	----	1.20 - 0.60	.0070	----	----	----	----	1 UNCH
3160	----	----	----/1.40A	1.60B/1.40A	----	1.30 - 0.50	.0075	----	----	----	----	1 UNCH
3170	----	----	----/1.40A	1.80B/1.40A	----	1.30 - 0.60	.0076	----	----	----	----	1 UNCH
3195	----	----	----/1.60A	2.00B/1.60A	----	1.40 - 0.70	.0083	----	----	----	----	10 UNCH
3200	2.00	2.00	2.00/1.60A	2.00/1.60A	----	1.50 - 0.60	.0088	----	----	1	----	231 UNCH
3205	----	----	----/1.60A	2.00B/1.60A	----	1.50 - 0.60	.0088	----	----	----	----	4 UNCH
3225	----	----	----/1.80A	2.20B/1.80A	----	1.60 - 0.70	.0095	----	----	----	----	14 UNCH
3230	----	----	----/1.80A	2.30B/1.80A	----	1.60 - 0.70	.0096	----	----	----	----	1 UNCH
3240	----	----	----/1.80A	2.40B/1.80A	----	1.70 - 0.70	.0101	----	----	----	----	1 UNCH
3250	----	----	----/1.90A	2.40B/1.90A	----	1.80 - 0.70	.0107	----	----	----	----	35 UNCH
3270	----	----	----/2.10A	2.60B/2.10A	----	1.90 - 0.80	.0115	----	----	----	----	17 UNCH
3280	----	----	----/2.10A	2.80B/2.10A	----	2.00 - 0.80	.0121	----	----	----	----	2 UNCH
3285	----	----	----/2.20A	2.90B/2.20A	----	2.00 - 0.90	.0121	----	----	----	----	1 UNCH
3290	----	----	----/2.20A	2.90B/2.20A	----	2.10 - 0.80	.0127	----	----	4	----	5 + 4
3295	----	----	----/2.30A	3.00B/2.30A	----	2.10 - 0.90	.0128	----	----	----	----	8 UNCH
3300	3.10	3.10	3.10/2.30A	3.10/2.30A	----	2.20 - 0.80	.0133	----	----	6	----	63 + 5
3305	----	----	----/2.30A	3.10B/2.30A	----	2.20 - 0.90	.0134	----	----	----	----	4 UNCH
3310	----	----	----/2.40A	3.20B/2.40A	----	2.30 - 0.90	.0139	----	----	----	----	1 UNCH
3320	----	----	----/2.50A	3.30B/2.50A	----	2.30 - 1.00	.0141	----	----	----	----	2 UNCH
3325	----	----	----/2.50A	3.40B/2.50A	----	2.40 - 1.00	.0147	----	----	----	----	54 UNCH
3330	----	----	3.50B/2.60A	3.50B/2.60A	----	2.40 - 1.00	.0147	----	----	----	----	6 UNCH
3335	----	----	3.70B/2.60A	3.70B/2.60A	----	2.50 - 1.00	.0153	----	----	----	----	11 UNCH
3340	----	----	3.70B/2.70A	3.70B/2.70A	----	2.60 - 1.00	.0159	----	----	----	----	19 UNCH
3345	----	----	----/2.70A	3.70B/2.70A	----	2.60 - 1.10	.0160	----	----	----	----	1 UNCH
3350	----	----	3.90B/2.80A	3.90B/2.80A	----	2.70 - 1.00	.0165	----	----	4	----	333 - 2
3360	----	----	4.10B/2.90A	4.10B/2.90A	----	2.80 - 1.10	.0172	----	----	----	----	1 UNCH
3365	----	----	4.20B/2.90A	4.20B/2.90A	----	2.80 - 1.20	.0173	----	----	----	----	1 UNCH
3370	----	----	4.20B/3.00A	4.20B/3.00A	----	2.90 - 1.10	.0179	----	----	----	----	8 UNCH
3375	----	----	4.40B/3.10A	4.40B/3.10A	----	3.00 - 1.10	.0185	----	----	----	----	19 UNCH
3380	----	----	4.40B/3.10A	4.40B/3.10A	----	3.00 - 1.20	.0186	----	----	----	----	4 UNCH
3385	----	----	4.50B/3.20A	4.50B/3.20A	----	3.10 - 1.20	.0192	----	----	----	----	19 UNCH
3390	----	----	4.70B/3.20A	4.70B/3.20A	----	3.20 - 1.20	.0198	----	----	----	----	21 UNCH
3395	----	----	4.90B/3.30A	4.90B/3.30A	----	3.20 - 1.30	.0199	----	----	----	----	18 UNCH
3400	3.30	3.30	4.90B/3.30	4.90B/3.30	----	3.30 - 1.30	.0205	----	----	2	----	589 UNCH
3405	----	----	5.00B/3.50A	5.00B/3.50A	----	3.40 - 1.30	.0211	----	----	----	----	41 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
SEP26												
3410	----	----	5.20B/3.50A	5.20B/3.50A	----	3.50 - 1.30	.0217	----	----	----	----	3 UNCH
3415	----	----	5.30B/3.60A	5.30B/3.60A	----	3.50 - 1.40	.0219	----	----	----	----	27 UNCH
3420	----	----	5.40B/3.70A	5.40B/3.70A	----	3.60 - 1.40	.0225	----	----	----	----	17 UNCH
3425	----	----	5.60B/3.80A	5.60B/3.80A	----	3.70 - 1.40	.0231	----	----	----	----	3 UNCH
3430	----	----	5.70B/3.80A	5.70B/3.80A	----	3.80 - 1.40	.0237	----	----	----	----	6 UNCH
3435	----	----	5.80B/3.90A	5.80B/3.90A	----	3.90 - 1.40	.0243	----	----	----	----	4 UNCH
3440	----	----	6.00B/4.00A	6.00B/4.00A	----	4.00 - 1.50	.0249	----	----	----	----	33 UNCH
3445	----	----	6.00B/4.10A	6.00B/4.10A	----	4.10 - 1.50	.0256	----	----	----	----	23 UNCH
3450	4.20	4.20	6.20B/4.20	6.20B/4.20	----	4.20 - 1.50	.0262	----	----	3	----	135 - 1
3455	----	----	6.30B/4.30A	6.30B/4.30A	----	4.30 - 1.50	.0268	----	----	----	----	5 UNCH
3460	----	----	6.50B/4.40A	6.50B/4.40A	----	4.40 - 1.60	.0275	----	----	----	----	77 UNCH
3465	----	----	6.60B/4.50A	6.60B/4.50A	----	4.50 - 1.60	.0281	----	----	----	----	44 UNCH
3470	----	----	6.70B/4.60A	6.70B/4.60A	----	4.60 - 1.60	.0288	----	----	----	----	7 UNCH
3475	----	----	7.00B/4.70A	7.00B/4.70A	----	4.70 - 1.70	.0294	----	----	----	----	36 UNCH
3480	----	----	7.10B/4.80A	7.10B/4.80A	----	4.80 - 1.70	.0301	----	----	4	----	955 - 4
3485	----	----	7.30B/4.90A	7.30B/4.90A	----	4.90 - 1.80	.0308	----	----	----	----	58 UNCH
3490	----	----	7.50B/5.00A	7.50B/5.00A	----	5.00 - 1.80	.0314	----	----	----	----	15 UNCH
3495	----	----	7.70B/5.10A	7.70B/5.10A	----	5.10 - 1.90	.0321	----	----	----	----	28 UNCH
3500	6.00	6.00	7.90B/5.20A	7.90B/5.20A	----	5.20 - 2.00	.0328	----	----	7	----	1385 UNCH
3505	----	----	8.00B/5.30A	8.00B/5.30A	----	5.30 - 2.00	.0335	----	----	----	----	32 UNCH
3510	----	----	8.20B/5.50A	8.20B/5.50A	----	5.50 - 2.00	.0346	----	----	1	----	14 - 1
3515	----	----	8.40B/5.60A	8.40B/5.60A	----	5.60 - 2.10	.0353	----	----	----	----	28 UNCH
3520	----	----	8.70B/5.70A	8.70B/5.70A	----	5.70 - 2.10	.0360	----	----	----	----	56 UNCH
3525	----	----	8.90B/5.90A	8.90B/5.90A	----	5.90 - 2.10	.0372	----	----	----	----	27 UNCH
3530	----	----	9.10B/6.00A	9.10B/6.00A	----	6.00 - 2.20	.0379	----	----	----	----	34 UNCH
3535	----	----	9.30B/6.10A	9.30B/6.10A	----	6.10 - 2.30	.0386	----	----	----	----	31 UNCH
3540	----	----	9.60B/6.30A	9.60B/6.30A	----	6.30 - 2.30	.0398	----	----	----	----	40 UNCH
3545	6.50	6.50	9.80B/6.40A	9.80B/6.40A	----	6.40 - 2.40	.0405	----	----	1	----	16 + 1
3550	7.50	7.50	10.00B/6.60A	10.00B/6.60A	----	6.60 - 2.40	.0417	----	----	6	----	90 UNCH
3555	----	----	10.30B/6.70A	10.30B/6.70A	----	6.70 - 2.50	.0425	----	----	----	----	25 UNCH
3560	7.50	7.50	10.60B/6.90A	10.60B/6.90A	----	6.90 - 2.50	.0437	----	----	9	----	29 + 9
3565	----	----	10.80B/7.00A	10.80B/7.00A	----	7.10 - 2.60	.0449	----	----	----	----	10 UNCH
3570	9.80	9.80	11.10B/7.20A	11.10B/7.20A	----	7.20 - 2.70	.0457	----	----	3	----	42 + 1
3575	7.50	7.50	11.40B/7.40	11.40B/7.40	----	7.40 - 2.70	.0469	----	----	11	----	78 + 10
3580	7.50	7.50	11.70B/7.50	11.70B/7.50	----	7.60 - 2.80	.0481	----	----	4	----	87 + 2
3585	----	----	11.90B/7.70A	11.90B/7.70A	----	7.80 - 2.80	.0494	----	----	----	----	276 UNCH
3590	----	----	12.20B/7.90A	12.20B/7.90A	----	8.00 - 2.90	.0506	----	----	----	----	17 UNCH
3595	----	----	12.50B/8.10A	12.50B/8.10A	----	8.20 - 3.00	.0519	----	----	----	----	10 UNCH
3600	10.00	10.00	12.90B/8.30A	12.90B/8.30A	----	8.40 - 3.00	.0531	----	----	60	----	1365 - 20
3605	----	----	13.20B/8.50A	13.20B/8.50A	----	8.60 - 3.10	.0544	----	----	----	----	62 UNCH
3610	----	----	13.50B/8.70A	13.50B/8.70A	----	8.80 - 3.20	.0557	----	----	----	----	65 UNCH
3615	----	----	13.90B/8.90A	13.90B/8.90A	----	9.00 - 3.30	.0570	----	----	4	----	16 + 4
3620	9.10	9.10	14.20B/9.10	14.20B/9.10	----	9.20 - 3.40	.0583	----	----	1	----	25 UNCH
3625	----	----	14.60B/9.40A	14.60B/9.40A	----	9.50 - 3.40	.0600	----	----	----	----	53 UNCH
3630	----	----	14.90B/9.60A	14.90B/9.60A	----	9.70 - 3.50	.0613	----	----	----	----	48 UNCH
3635	----	----	15.30B/9.80A	15.30B/9.80A	----	10.00 - 3.50	.0631	----	----	----	----	17 UNCH
3640	----	----	15.70B/10.10A	15.70B/10.10A	----	10.20 - 3.70	.0644	----	----	----	----	53 UNCH
3645	----	----	16.10B/10.30A	16.10B/10.30A	----	10.50 - 3.70	.0662	----	----	----	----	12 UNCH
3650	14.60	14.60	16.40B/10.60A	16.40B/10.60A	----	10.80 - 3.80	.0680	----	----	6	----	593 - 1
3655	----	----	16.80B/10.90A	16.80B/10.90A	----	11.00 - 3.90	.0694	----	----	----	----	13 UNCH
3660	----	----	17.30B/11.10A	17.30B/11.10A	----	11.30 - 4.00	.0712	----	----	----	----	47 UNCH
3665	----	----	17.70B/11.40A	17.70B/11.40A	----	11.60 - 4.10	.0730	----	----	----	----	46 UNCH
3670	----	----	18.10B/11.70A	18.10B/11.70A	----	11.90 - 4.10	.0748	----	----	----	----	10 UNCH
3675	----	----	18.60B/12.00A	18.60B/12.00A	----	12.20 - 4.20	.0767	----	----	----	----	51 UNCH
3680	----	----	19.10B/12.30A	19.10B/12.30A	----	12.50 - 4.40	.0785	----	----	----	----	54 UNCH
3685	----	----	19.60B/12.60A	19.60B/12.60A	----	12.90 - 4.40	.0808	----	----	4	----	19 UNCH
3690	----	----	20.00B/12.90A	20.00B/12.90A	----	13.20 - 4.50	.0827	----	----	----	----	85 UNCH
3695	----	----	20.50B/13.30A	20.50B/13.30A	----	13.60 - 4.50	.0849	----	----	----	----	16 UNCH
3700	16.10	16.10	21.10B/13.60A	21.10B/13.60A	----	13.90 - 4.70	.0868	----	----	43	----	1999 UNCH
3705	----	----	21.60B/14.00A	21.60B/14.00A	----	14.30 - 4.80	.0892	----	----	----	----	214 UNCH
3710	----	----	22.10B/14.30A	22.10B/14.30A	----	14.70 - 4.80	.0915	----	----	1	----	7 UNCH
3715	----	----	22.70B/14.70A	22.70B/14.70A	----	15.10 - 4.90	.0938	----	----	1	----	35 + 1
3720	----	----	23.20B/15.10A	23.20B/15.10A	----	15.50 - 5.00	.0962	----	----	----	----	93 UNCH
3725	----	----	23.80B/15.50A	23.80B/15.50A	----	15.90 - 5.10	.0985	----	----	----	----	71 UNCH
3730	----	----	24.40B/15.90A	24.40B/15.90A	----	16.30 - 5.30	.1009	----	----	----	----	28 UNCH
3735	----	----	25.10B/16.30A	25.10B/16.30A	----	16.70 - 5.40	.1033	----	----	----	----	21 UNCH
3740	----	----	25.70B/16.70A	25.70B/16.70A	----	17.20 - 5.40	.1061	----	----	----	----	72 UNCH
3745	----	----	26.30B/17.20A	26.30B/17.20A	----	17.60 - 5.60	.1085	----	----	----	----	16 UNCH
3750	23.70	23.70	27.00B/17.60A	27.00B/17.60A	----	18.10 - 5.70	.1113	----	----	15	----	865 + 2
3755	----	----	27.70B/18.10A	27.70B/18.10A	----	18.60 - 5.80	.1141	----	----	----	----	142 UNCH
3760	19.70	19.70	28.40B/18.50A	28.40B/18.50A	----	19.10 - 5.90	.1170	----	----	7	----	22 UNCH
3765	----	----	29.10B/19.00A	29.10B/19.00A	----	19.60 - 6.00	.1199	----	----	4	----	111 UNCH
3770	----	----	29.80B/19.50A	29.80B/19.50A	----	20.10 - 6.20	.1227	----	----	2	----	38 UNCH
3775	----	----	30.50B/20.00A	30.50B/20.00A	----	20.70 - 6.20	.1260	----	----	----	----	129 UNCH
3780	----	----	31.30B/20.60A	31.30B/20.60A	----	21.20 - 6.40	.1289	----	----	----	----	77 UNCH
3785	----	----	32.10B/21.10A	32.10B/21.10A	----	21.80 - 6.50	.1322	----	----	----	----	29 UNCH
3790	----	----	32.90B/21.70A	32.90B/21.70A	----	22.40 - 6.60	.1355	----	----	20	----	33 + 16
3795	----	----	33.70B/22.30A	33.70B/22.30A	----	23.00 - 6.70	.1388	----	----	2	----	123 UNCH
3800	30.20	30.20	35.00/22.80A	35.00/22.80A	----	23.60 - 6.80	.1421	----	----	93	----	1440 - 36
3805	24.10	24.10	35.40B/23.40A	35.40B/23.40A	----	24.20 - 7.00	.1454	----	----	2	----	20 + 2
3810	----	----	36.30B/24.00A	36.30B/24.00A	----	24.90 - 7.10	.1491	----	----	----	----	50 UNCH
3815	----	----	37.20B/24.70A	37.20B/24.70A	----	25.50 - 7.30	.1525	----	----	----	----	9 UNCH
3820	----	----	38.10B/25.30A	38.10B/25.30A	----	26.20 - 7.40	.1563	----	----	----	----	92 UNCH
3825	----	----	39.10B/26.00A	39.10B/26.00A	----	26.90 - 7.50	.1600	----	----	1	----	539 + 1
3830	----	----	40.10B/26.70A	40.10B/26.70A	----	27.60 - 7.70	.1638	----	----	20	----	85 + 20
3835	----	----	41.00B/27.40A	41.00B/27.40A	----	28.40 - 7.80	.1679	----	----	----	----	10 UNCH
3840	28.90	28.90	42.10B/28.10A	42.10B/28.10A	----	29.10 - 8.00	.1717	----	----	3	----	202 + 2
3845	----	----	43.10B/28.80A	43.10B/28.80A	----	29.90 - 8.10	.1759	----	----	----	----	178 UNCH
3850	42.50	42.50	44.10B/29.60A	44.10B/29.60A	----	30.70 - 8.20	.1800	----	----	72	150	1020 + 24
3855	----	----	45.20B/30.30A	45.20B/30.30A	----	31.50 - 8.40	.1842	----	----	----	----	11 UNCH
3860	----	----	46.30B/31.10A	46.30B/31.10A	----	32.40 - 8.40	.1887	----	----	----	----	33 UNCH
3865	----	----	47.50B/31.90A	47.50B/31.90A	----	33.20 - 8.70	.1929	----	----	----	----	23 UNCH
3870	----	----	48.60B/32.80A	48.60B/32.80A	----	34.10 - 8.80	.1974	----	----	----	----	16 UNCH
3875	----	----	49.80B/33.60A	49.80B/33.60A	----	35.00 - 8.90	.2020	----	----	----	----	232 UNCH
3880	----	----	51.00B/34.50A	51.00B/34.50A	----	36.00 - 9.00	.2068	----	----	1	----	47 UNCH
3885	45.20	45.20	52.20B/35.40A	52.20B/35.40A	----	36.90 - 9.20	.2114	----	----	5	----	47 + 3
3890	40.60	40.60	53.50B/36.30A	53.50B/36.30A	----	37.90 - 9.30	.2163	----	----	1	----	15 - 1
3895	----	----	54.80B/37.30A	54.80B/37.30A	----	38.90 - 9.50	.2212	----	----	----	----	48 UNCH
3900	49.70	49.70	56.10B/38.10	56.10B/38.10	----	39.90 - 9.70	.2262	----	----	68	----	2589 + 12
3905	45.90	45.90	57.40B/39.20A	57.40B/39.20A	----	41.00 - 9.80	.2314	----	----	37	----	63 + 35
3910	----	----	58.80B/40.20A	58.80B/40.20A	----	42.00 - 10.00	.2364	----	----	1	----	76 + 1
3915	----	----	60.20B/41.30A	60.20B/41.30A	----	43.10 - 10.10	.2416	----	----	----	----	19 UNCH
3920	45.10	45.10	61.60B/42.40A	61.60B/42.40A	----	44.30 - 10.20	.2471	----	----	17	----	36 + 5
3925	----	----	63.10B/43.40A	63.10B/43.40A	----	45.40 - 10.40	.2524	----	----	----	----	89 UNCH
3930	47.40	47.40	64.50B/44.60A	64.50B/44.60A	----	46.60 - 10.60	.2579	----	----	35	----	78 + 20
3935	----	----	66.10B/45.70A	66.10B/45.70A	----	47.80 - 10.70	.2635	----	----	----	----	115 UNCH
3940	55.50	55.50	67.60B/46.90A	67.60B/46.90A	----	49.10 - 10.80	.2693	----	----	6	----	102 - 1
3945	51.10	51.10	69.20B/48.10A	69.20B/48.10A	----	50.30 - 11.10	.2749	----	----	1	----	484 + 1
3950	----	----	70.80B/49.30A	70.80B/49.30A	----	51.60 - 11.20	.2808	----	----	7	----	1000 - 4
3955	55.00	55.00	72.50B/50.60A	72.50B/50.60A	----	53.00 - 11.30	.2868	----	----	2	----	49 + 2
3960	----	----	74.20B/51.80A	74.20B/51.80A	----	54.30 - 11.50	.2927	----	----	----	----	134 UNCH
3965	----	----	75.90B/53.20A	75.90B/53.20A	----	55.70 - 11.70	.2989	----	----	3	----	65 + 1
3970	----	----	77.60B/54.50A	77.60B/54.50A	----	57.10 - 11.80	.3050	----	----	----	----	17 UNCH
3975	----	----	79.30B/55.90A	79.30B/55.90A	----	58.60 - 11.90	.3113	----	----	----	----	82 UNCH
3980	67.40	67.40	81.20B/57.30A	81.20B/57.30A	----	60.10 - 12.10	.3177	----	----	3	----	49 + 3
3985	62.30	62.30	83.00B/58.70A	83.00B/58.70A	----	61.60 - 12.30	.3240	----	----	1	----	53 + 1
3990	----	----	84.90B/60.20A	84.90B/60.20A	----	63.20 - 12.40	.3306	----	----	1	----	35 UNCH
3995	----	----	86.80B/61.70A	86.80B/61.70A	----	64.70 - 12.60	.3370	----	----	5	----	50 + 1
4000	79.50	79.50	88.70B/63.20A	88.70B/63.20A	----	66.40 - 12.70	.3438	----	----	131	----	1735 - 7
4005	84.50	84.50	90.70B/64.80A	90.70B/64.80A	----	68.00 - 12.90	.3504	----	----	2	----	118 + 1
4010	----	----	92.70B/66.40A	92.70B/66.40A	----	69.70 - 13.00	.3572	----	----	----	----	33 UNCH
4015	----	----	94.70B/68.00A	94.70B/68.00A	----	71.40 - 13.20	.3640	----	----	1	----	43 + 1
4020	----	----	96.90B/69.70A	96.90B/69.70A	----	73.20 - 13.30	.3710	----	----	----	----	121 UNCH
4025	----	----	98.90B/71.40A	98.90B/71.40A	----	75.00 - 13.50	.3779	----	----	1	----	386 + 1
4030	----	----	101.10B/73.10A	101.10B/73.10A	----	76.80 - 13.70	.3849	----	----	----	----	39 UNCH
4035	----	----	103.30B/74.90A	103.30B/74.90A	----	78.70 - 13.80	.3921	----	----	----	----	52 UNCH
4040	----	----	105.50B/76.70A	105.50B/76.70A	----	80.60 - 14.00	.3992	----	----	----	----	371 UNCH
4045	----	----	107.90B/78.60A	107.90B/78.60A	----	82.50 - 14.20	.4064	----	----	----	----	10 UNCH
4050	----	----	110.30B/80.50A	110.30B/80.50A	----	84.50 - 14.30	.4136	----	----	14	130	1138 - 118
4055	----	----	112.60B/82.40A	112.60B/82.40A	----	86.50 - 14.50	.4209	----	----	----	----	127 UNCH
4060	----	----	114.90B/84.30A	114.90B/84.30A	----	88.60 - 14.60	.4283	----	----	2	----	106 + 1
4065	----	----	117.40B/86.30A	117.40B/86.30A	----	90.60 - 14.80	.4357	----	----	----	----	60 UNCH
4070	93.50	93.50	119.90B/88.40A	119.90B/88.40A	----	92.80 - 14.90	.4431	----	----	2	----	41 + 1
4075	110.00	110.00	122.40B/90.40A	122.40B/90.40A	----	94.90 - 15.10	.4506	----	----	52	----	266 + 22
4080	----	----	125.00B/92.60A	125.00B/92.60A	----	97.20 - 15.20	.4581	----	----	14	----	346 + 6
4085	----	----	127.60B/94.70A	127.60B/94.70A	----	99.40 - 15.40	.4657	----	----	12	----	103 + 7
4090	109.10	109.10	130.20B/96.90A	130.20B/96.90A	----	101.70 - 15.50	.4733	----	----	6	----	64 + 5

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
SEP26												
4095	----	----	132.90B/99.20A	132.90B/99.20A	----	104.00 - 15.70	.4809	----	----	----	----	106 UNCH
4100	111.80	111.80	135.60B/101.40A	135.60B/101.40A	----	106.40 - 15.80	.4885	----	----	136	----	560 + 72
4105	----	----	138.40B/103.80A	138.40B/103.80A	----	108.80 - 16.00	.4962	----	----	3	----	21 + 2
4110	112.10	112.10	141.20B/106.10A	141.20B/106.10A	----	111.30 - 16.10	.5038	----	----	3	----	106 + 3
4115	111.90	111.90	143.70B/108.50A	143.70B/108.50A	----	113.80 - 16.20	.5115	----	----	3	----	174 + 1
4120	----	----	146.50B/111.00A	146.50B/111.00A	----	116.30 - 16.40	.5192	----	----	----	----	168 UNCH
4125	----	----	149.40B/113.40A	149.40B/113.40A	----	118.90 - 16.50	.5269	----	----	5	----	112 - 2
4130	----	----	152.40B/116.00A	152.40B/116.00A	----	121.50 - 16.60	.5346	----	----	----	----	144 UNCH
4135	----	----	155.40B/118.50A	155.40B/118.50A	----	124.20 - 16.70	.5422	----	----	----	----	60 UNCH
4140	----	----	158.30B/121.10A	158.30B/121.10A	----	126.90 - 16.90	.5499	----	----	----	----	19 UNCH
4145	----	----	161.50B/123.70A	161.50B/123.70A	----	129.60 - 17.00	.5576	----	----	----	----	29 UNCH
4150	----	----	164.60B/126.40A	164.60B/126.40A	----	132.40 - 17.10	.5653	----	----	30	----	289 - 28
4155	----	----	167.60B/129.10A	167.60B/129.10A	----	135.20 - 17.30	.5729	----	----	----	----	42 UNCH
4160	----	----	170.90B/131.80A	170.90B/131.80A	----	138.10 - 17.40	.5805	----	----	----	----	48 UNCH
4165	----	----	174.00B/134.60A	174.00B/134.60A	----	141.00 - 17.50	.5881	----	----	----	----	72 UNCH
4170	----	----	177.40B/137.50A	177.40B/137.50A	----	144.00 - 17.60	.5956	----	----	----	----	21 UNCH
4175	----	----	180.70B/140.40A	180.70B/140.40A	----	146.90 - 17.80	.6031	----	----	95	----	127 - 4
4180	----	----	184.00B/143.20A	184.00B/143.20A	----	150.00 - 17.80	.6107	----	----	----	----	115 UNCH
4185	----	----	187.30B/146.40A	187.30B/146.40A	----	153.10 - 17.90	.6181	----	----	----	----	105 UNCH
4190	----	----	190.80B/149.50A	190.80B/149.50A	----	156.20 - 18.00	.6255	----	----	----	----	21 UNCH
4195	----	----	194.30B/152.40A	194.30B/152.40A	----	159.30 - 18.10	.6328	----	----	----	----	20 UNCH
4200	----	----	197.70B/155.50A	197.70B/155.50A	----	162.50 - 18.20	.6402	----	----	1	----	805 - 1
4205	----	----	201.20B/159.00A	201.20B/159.00A	----	165.70 - 18.40	.6475	----	----	----	----	24 UNCH
4210	----	----	204.50B/162.60A	204.50B/162.60A	----	169.00 - 18.40	.6547	----	----	----	----	8 UNCH
4215	----	----	208.40B/165.30A	208.40B/165.30A	----	172.30 - 18.50	.6618	----	----	----	----	58 UNCH
4220	----	----	212.00B/168.60A	212.00B/168.60A	----	175.70 - 18.60	.6689	----	----	----	----	127 UNCH
4225	----	----	215.60B/171.80A	215.60B/171.80A	----	179.10 - 18.70	.6759	----	----	----	----	130 UNCH
4230	----	----	219.20B/175.10A	219.20B/175.10A	----	182.50 - 18.80	.6829	----	----	----	----	41 UNCH
4235	----	----	223.00B/179.00A	223.00B/179.00A	----	185.90 - 18.90	.6897	----	----	----	----	11 UNCH
4240	----	----	226.80B/181.90A	226.80B/181.90A	----	189.40 - 19.00	.6965	----	----	----	----	112 UNCH
4245	----	----	230.50B/185.80A	230.50B/185.80A	----	193.00 - 19.00	.7031	----	----	----	----	1 UNCH
4250	----	----	234.30B/188.40A	234.30B/188.40A	----	196.50 - 19.20	.7100	----	----	2	----	868 UNCH
4255	----	----	238.20B/192.30A	238.20B/192.30A	----	200.10 - 19.20	.7163	----	----	----	----	27 UNCH
4260	----	----	242.10B/195.80A	242.10B/195.80A	----	203.80 - 19.30	.7230	----	----	----	----	113 UNCH
4265	----	----	246.00B/199.40A	246.00B/199.40A	----	207.40 - 19.40	.7293	----	----	----	----	19 UNCH
4270	----	----	249.90B/203.00A	249.90B/203.00A	----	211.20 - 19.40	.7357	----	----	----	----	46 UNCH
4275	----	----	253.90B/206.60A	253.90B/206.60A	----	214.90 - 19.50	.7418	----	----	----	----	150 UNCH
4280	----	----	257.90B/212.80A	257.90B/212.80A	----	218.70 - 19.60	.7479	----	----	----	----	3 UNCH
4285	----	----	261.80B/216.80A	261.80B/216.80A	----	222.50 - 19.60	.7540	----	----	----	----	13 UNCH
4290	----	----	266.00B/220.30A	266.00B/220.30A	----	226.30 - 19.70	.7601	----	----	----	----	14 UNCH
4295	----	----	269.90B/224.30A	269.90B/224.30A	----	230.20 - 19.80	.7659	----	----	----	----	8 UNCH
4300	----	----	274.00B/225.00A	274.00B/225.00A	----	234.10 - 19.80	.7717	----	----	----	----	875 UNCH
4305	----	----	278.30B/229.20A	278.30B/229.20A	----	238.00 - 19.90	.7772	----	----	----	----	54 UNCH
4310	----	----	282.30B/236.00A	282.30B/236.00A	----	242.00 - 19.90	.7827	----	----	----	----	2 UNCH
4315	----	----	286.60B/236.90A	286.60B/236.90A	----	246.00 - 20.00	.7882	----	----	----	----	121 UNCH
4320	----	----	290.80B/240.90A	290.80B/240.90A	----	250.00 - 20.10	.7937	----	----	----	----	149 UNCH
4325	----	----	295.00B/244.90A	295.00B/244.90A	----	254.10 - 20.10	.7988	----	----	----	----	59 UNCH
4330	----	----	299.20B/248.50A	299.20B/248.50A	----	258.10 - 20.20	.8039	----	----	----	----	5 UNCH
4335	----	----	303.60B/252.50A	303.60B/252.50A	----	262.20 - 20.30	.8091	----	----	----	----	5 UNCH
4340	----	----	307.90B/256.50A	307.90B/256.50A	----	266.40 - 20.20	.8142	----	----	----	----	62 UNCH
4345	----	----	312.20B/260.60A	312.20B/260.60A	----	270.50 - 20.30	.8189	----	----	----	----	21 UNCH
4350	----	----	316.50B/264.70A	316.50B/264.70A	----	274.70 - 20.40	.8237	----	----	7	----	245 - 1
4355	----	----	321.00B/268.90A	321.00B/268.90A	----	278.90 - 20.40	.8284	----	----	----	----	7 UNCH
4360	----	----	325.20B/273.00A	325.20B/273.00A	----	283.20 - 20.40	.8328	----	----	----	----	77 UNCH
4365	----	----	329.60B/277.20A	329.60B/277.20A	----	287.40 - 20.50	.8375	----	----	----	----	9 UNCH
4370	----	----	334.10B/281.40A	334.10B/281.40A	----	291.70 - 20.50	.8418	----	----	----	----	47 UNCH
4375	----	----	338.50B/285.70A	338.50B/285.70A	----	296.00 - 20.60	.8457	----	----	----	----	74 UNCH
4380	----	----	343.00B/289.90A	343.00B/289.90A	----	300.40 - 20.50	.8500	----	----	----	----	132 UNCH
4385	----	----	347.40B/294.20A	347.40B/294.20A	----	304.70 - 20.60	.8539	----	----	----	----	2 UNCH
4390	----	----	352.00B/298.50A	352.00B/298.50A	----	309.10 - 20.60	.8582	----	----	----	----	62 UNCH
4395	----	----	356.60B/302.90A	356.60B/302.90A	----	313.50 - 20.60	.8621	----	----	----	----	93 UNCH
4400	----	----	361.00B/307.20A	361.00B/307.20A	----	317.90 - 20.70	.8655	----	----	7	----	1186 - 4
4405	----	----	365.50B/311.70A	365.50B/311.70A	----	322.30 - 20.70	.8694	----	----	----	----	73 UNCH
4410	----	----	370.00B/316.00A	370.00B/316.00A	----	326.80 - 20.70	.8728	----	----	----	----	96 UNCH
4415	----	----	374.80B/320.50A	374.80B/320.50A	----	331.30 - 20.70	.8761	----	----	----	----	54 UNCH
4420	----	----	379.20B/324.80A	379.20B/324.80A	----	335.70 - 20.80	.8795	----	----	----	----	4 UNCH
4425	----	----	383.80B/329.30A	383.80B/329.30A	----	340.30 - 20.70	.8829	----	----	----	----	216 UNCH
4430	----	----	388.60B/333.70A	388.60B/333.70A	----	344.80 - 20.80	.8862	----	----	----	----	12 UNCH
4435	----	----	393.00B/338.20A	393.00B/338.20A	----	349.30 - 20.80	.8891	----	----	----	----	10 UNCH
4440	----	----	397.70B/342.70A	397.70B/342.70A	----	353.90 - 20.80	.8924	----	----	----	----	14 UNCH
4445	----	----	402.50B/347.20A	402.50B/347.20A	----	358.40 - 20.90	.8953	----	----	----	----	5 UNCH
4450	----	----	407.00B/351.80A	407.00B/351.80A	----	363.00 - 20.90	.8981	----	----	----	----	627 UNCH
4455	----	----	411.70B/356.30A	411.70B/356.30A	----	367.60 - 20.90	.9009	----	----	----	----	4 UNCH
4465	----	----	421.10B/365.50A	421.10B/365.50A	----	376.90 - 20.90	.9060	----	----	----	----	2 UNCH
4470	----	----	425.90B/370.20A	425.90B/370.20A	----	381.50 - 20.90	.9088	----	----	----	----	5 UNCH
4475	----	----	430.60B/374.80A	430.60B/374.80A	----	386.20 - 20.90	.9111	----	----	----	----	40 UNCH
4480	----	----	435.30B/379.30A	435.30B/379.30A	----	390.80 - 20.90	.9133	----	----	----	----	7 UNCH
4485	----	----	440.10B/383.90A	440.10B/383.90A	----	395.50 - 20.90	.9161	----	----	----	----	6 UNCH
4490	----	----	444.80B/388.60A	444.80B/388.60A	----	400.20 - 20.90	.9183	----	----	----	----	54 UNCH
4495	----	----	449.60B/393.30A	449.60B/393.30A	----	404.90 - 20.90	.9206	----	----	----	----	6 UNCH
4500	----	----	454.30B/397.80A	454.30B/397.80A	----	409.60 - 20.90	.9222	----	----	----	----	630 UNCH
4505	----	----	459.00B/402.60A	459.00B/402.60A	----	414.30 - 21.00	.9245	----	----	----	----	4 UNCH
4510	----	----	463.90B/407.30A	463.90B/407.30A	----	419.00 - 21.00	.9267	----	----	----	----	11 UNCH
4515	----	----	468.70B/412.00A	468.70B/412.00A	----	423.80 - 20.90	.9283	----	----	----	----	3 UNCH
4520	----	----	473.40B/416.70A	473.40B/416.70A	----	428.50 - 21.00	.9305	----	----	----	----	118 UNCH
4525	----	----	478.20B/421.40A	478.20B/421.40A	----	433.30 - 20.90	.9321	----	----	----	----	50 UNCH
4530	----	----	483.00B/426.20A	483.00B/426.20A	----	438.10 - 20.90	.9337	----	----	----	----	25 UNCH
4540	----	----	492.70B/435.70A	492.70B/435.70A	----	447.60 - 21.00	.9375	----	----	----	----	4 UNCH
4545	----	----	497.40B/440.40A	497.40B/440.40A	----	452.40 - 21.00	.9391	----	----	----	----	15 UNCH
4550	----	----	502.30B/445.20A	502.30B/445.20A	----	457.20 - 21.00	.9406	----	----	----	----	513 UNCH
4555	----	----	507.20B/450.00A	507.20B/450.00A	----	462.00 - 21.00	.9422	----	----	----	----	107 UNCH
4560	----	----	511.90B/454.70A	511.90B/454.70A	----	466.80 - 21.00	.9438	----	----	----	----	38 UNCH
4565	----	----	516.80B/459.50A	516.80B/459.50A	----	471.60 - 21.00	.9447	----	----	----	----	82 UNCH
4570	----	----	521.60B/464.30A	521.60B/464.30A	----	476.40 - 21.00	.9463	----	----	----	----	26 UNCH
4575	----	----	526.50B/469.10A	526.50B/469.10A	----	481.30 - 20.90	.9478	----	----	----	----	53 UNCH
4580	----	----	531.30B/473.90A	531.30B/473.90A	----	486.10 - 21.00	.9488	----	----	----	----	2 UNCH
4585	----	----	536.30B/478.80A	536.30B/478.80A	----	490.90 - 21.00	.9503	----	----	----	----	70 UNCH
4595	----	----	545.90B/488.40A	545.90B/488.40A	----	500.60 - 21.00	.9528	----	----	----	----	32 UNCH
4600	----	----	550.90B/493.20A	550.90B/493.20A	----	505.50 - 20.90	.9537	----	----	----	----	129 UNCH
4605	----	----	555.80B/498.10A	555.80B/498.10A	----	510.30 - 21.00	.9552	----	----	----	----	54 UNCH
4610	----	----	560.70B/502.90A	560.70B/502.90A	----	515.20 - 20.90	.9561	----	----	----	----	5 UNCH
4615	----	----	565.50B/507.80A	565.50B/507.80A	----	520.10 - 20.90	.9570	----	----	----	----	14 UNCH
4620	----	----	570.40B/512.60A	570.40B/512.60A	----	525.00 - 20.90	.9578	----	----	----	----	438 UNCH
4625	----	----	575.30B/517.50A	575.30B/517.50A	----	529.80 - 21.00	.9593	----	----	----	----	108 UNCH
4630	----	----	580.20B/522.40A	580.20B/522.40A	----	534.70 - 20.90	.9602	----	----	----	----	32 UNCH
4635	----	----	585.10B/527.20A	585.10B/527.20A	----	539.60 - 20.90	.9611	----	----	----	----	1 UNCH
4640	----	----	590.00B/532.10A	590.00B/532.10A	----	544.50 - 20.90	.9619	----	----	----	----	6 UNCH
4645	----	----	----/556.70A	----/556.70A	----	549.40 - 20.90	.9628	----	----	----	----	1 UNCH
4650	----	----	----/561.50A	568.30B/561.50A	----	554.30 - 20.90	.9636	----	----	----	----	14 UNCH
4655	----	----	----/566.40A	573.10B/566.40A	----	559.20 - 20.90	.9645	----	----	----	----	14 UNCH
4660	----	----	----/571.30A	578.10B/571.30A	----	564.10 - 20.90	.9653	----	----	----	----	7 UNCH
4665	----	----	----	----	----	569.00 - 20.90	.9662	----	----	----	----	2 UNCH
4670	----	----	----/585.60A	585.70B/585.60A	----	573.90 - 20.90	.9670	----	----	----	----	26 UNCH
4675	----	----	----/590.50A	590.70B/590.50A	----	578.80 - 20.90	.9678	----	----	----	----	7 UNCH
4685	----	----	----/600.50A	600.50B/600.50A	----	588.60 - 20.90	.9688	----	----	----	----	8 UNCH
4690	----	----	----	----	----	593.60 - 20.80	.9697	----	----	----	----	2 UNCH
4695	----	----	----	----	----	598.50 - 20.90	.9705	----	----	----	----	2 UNCH
4700	----	----	----/615.10A	615.30B/615.10A	----	603.40 - 20.90	.9713	----	----	----	----	138 UNCH
4705	----	----	----/620.10A	618.50B/620.10A	----	608.30 - 20.90	.9714	----	----	----	----	13 UNCH
4710	----	----	----/625.00A	625.10B/625.00A	----	613.30 - 20.80	.9722	----	----	----	----	3 UNCH
4720	----	----	----/634.90A	634.90B/634.90A	----	623.10 - 20.90	.9732	----	----	----	----	4 UNCH
4725	----	----	----/639.90A	639.90B/639.90A	----	628.10 - 20.80	.9740	----	----	----	----	7 UNCH
4730	----	----	----/644.90A	644.90B/644.90A	----	633.00 - 20.90	.9741	----	----	----	----	7 UNCH
4735	----	----	----/649.80A	648.10B/649.80A	----	637.90 - 20.90	.9749	----	----	----	----	101 UNCH
4740	----	----	----/654.70A	654.70B/654.70A	----	642.90 - 20.80	.9757	----	----	----	----	3 UNCH
4750	----	----	----/664.60A	662.90B/664.60A	----	652.80 - 20.80	.9766	----	----	----	----	176 UNCH
4755	----	----	----/669.60A	669.70B/669.60A	----	657.70 - 20.90	.9768	----	----	----	----	10 UNCH
4760	----	----	----/674.50A	674.50B/674.50A	----	662.70 - 20.80	.9775	----	----	----	----	109 UNCH
4765	----	----	----	----	----	667.60 - 20.90	.9776	----	----	----	----	1 UNCH
4770	----	----	----	----	----	672.60 - 20.80	.9784	----	----	----	----	1 UNCH
4775	----	----	----/689.40A	689.50B/689.40A	----	677.50 - 20.90	.9785	----	----	----	----	130 UNCH
4780	----	----	----/694.20A	694.30B/694.20A	----	682.50 - 20.80	.9793	----	----	----	----	3 UNCH
4795	----	----	----/709.10A	709.30B/709.10A	----	697.30 - 20.90	.9803	----	----	----	----	6 UNCH
4800	----	----	----/693.80A	721.10B/693.80A	----	702.30 - 20.80	.9810	----	----	----	----	485 UNCH
4805	----	----	----/719.20A	719.10B/719.20A	----	707.20 - 20.90	.9811	----	----	----	----	9 UNCH
4825	----	----	----	----	----	727.10 - 20.80	.9822	----	----	----	----	2 UNCH
4830	----	----	----/744.00A	743.90B/744.00A	----	732.10 - 20.80	.9829	----	----	----	----	10 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
SEP26												
4835	----	----	----/748.90A	748.90B/748.90A	----	737.00 - 20.90	.9830	----	----	----	----	30 UNCH
4850	----	----	----	----	----	751.90 - 20.90	.9839	----	----	----	----	1 UNCH
4855	----	----	----/768.90A	768.70B/768.90A	----	756.90 - 20.80	.9847	----	----	----	----	14 UNCH
4860	----	----	----/773.80A	773.70B/773.80A	----	761.90 - 20.80	.9847	----	----	----	----	11 UNCH
4875	----	----	----/788.80A	786.90B/788.80A	----	776.80 - 20.80	.9856	----	----	----	----	8 UNCH
4885	----	----	----/798.60A	798.70B/798.60A	----	786.70 - 20.90	.9858	----	----	----	----	4 UNCH
4895	----	----	----	----	----	796.70 - 20.80	.9866	----	----	----	----	1 UNCH
4900	----	----	----/813.60A	813.70B/813.60A	----	801.60 - 20.90	.9866	----	----	----	----	37 UNCH
4910	----	----	----	----	----	811.60 - 20.80	.9874	----	----	----	----	1 UNCH
4915	----	----	----	----	----	816.60 - 20.80	.9875	----	----	----	----	1 UNCH
4930	----	----	----/843.60A	843.50B/843.60A	----	831.50 - 20.90	.9884	----	----	----	----	20 UNCH
4950	----	----	----	----	----	851.40 - 20.90	.9893	----	----	----	----	1 UNCH
4955	----	----	----	----	----	856.40 - 20.90	.9893	----	----	----	----	1 UNCH
4975	----	----	----/888.40A	886.50B/888.40A	----	876.40 - 20.80	.9902	----	----	----	----	220 UNCH
5000	----	----	----/913.30A	913.30B/913.30A	----	901.30 - 20.80	.9904	----	----	----	----	8 UNCH
5005	----	----	----/918.30A	918.30B/918.30A	----	906.30 - 20.80	.9911	----	----	----	----	3 UNCH
5020	----	----	----/933.40A	933.30B/933.40A	----	921.20 - 20.90	.9913	----	----	----	----	3 UNCH
5060	----	----	----/973.30A	971.50B/973.30A	----	961.20 - 20.80	.9923	----	----	----	----	4 UNCH
5100	----	----	----/1,013.30A	1013.10B/1013.30A	----	1001.10 - 20.90	.9932	----	----	----	----	29 UNCH
5300	----	----	----/1,213.70A	1214.80B/1213.70A	----	1201.10 - 20.80	.9963	----	----	175	----	170 UNCH
5400	----	----	----/1,313.70A	1311.50B/1313.70A	----	1301.10 - 20.80	.9974	----	----	100	----	100 UNCH
TOTAL										1493	280	42046+ 84
OCT26												
1000	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1500	----	----	----	----/0.20A	----	0.10 UNCH	.0002	----	----	----	----	2 UNCH
2000	----	----	----	0.20B/0.40A	----	0.30 UNCH	.0009	----	----	----	----	14 UNCH
2100	----	----	----	0.30B/*0.40A	----	0.40 UNCH	.0012	----	----	----	----	4 UNCH
2200	----	----	----/0.50A	0.40B/0.50A	----	0.50 - 0.10	.0016	----	----	13	----	15 + 12
2300	----	----	----	0.50B/0.70A	----	0.60 - 0.10	.0020	----	----	----	----	3 UNCH
2400	----	----	----/*0.80A	0.70B/0.80A	----	0.80 - 0.10	.0028	----	----	----	----	2 UNCH
2500	----	----	----/*1.00A	0.90B/1.00A	----	1.00 - 0.10	.0036	----	----	----	----	19 UNCH
2525	----	----	----	0.90B/1.10A	----	1.00 - 0.10	.0037	----	----	----	----	1 UNCH
2550	----	----	----/1.10A	1.00B/1.10A	----	1.10 - 0.10	.0040	----	----	----	----	2 UNCH
2600	----	----	----	1.10B/1.30A	----	1.20 - 0.10	.0045	----	----	6	----	17 + 4
2625	----	----	----/1.30A	1.20B/1.30A	----	1.30 - 0.10	.0049	----	----	----	----	1 UNCH
2650	----	----	----/*1.40A	1.30B/1.40A	----	1.30 - 0.20	.0050	----	----	----	----	5 UNCH
2675	----	----	----/*1.50A	1.30B/1.50A	----	1.40 - 0.20	.0054	----	----	----	----	75 UNCH
2700	----	----	----/1.50A	1.40B/1.50A	----	1.50 - 0.20	.0058	----	----	----	----	8 UNCH
2710	----	----	----/*1.60A	1.50B/1.60A	----	1.50 - 0.20	.0059	----	----	----	----	11 UNCH
2750	----	----	----/1.70A	1.70B/1.70A	----	1.60 - 0.30	.0064	----	----	2	----	16 + 2
2780	----	----	----/1.80A	1.80B/1.80A	----	1.70 - 0.40	.0069	----	----	----	----	5 UNCH
2795	----	----	----/1.80A	1.90B/1.80A	----	1.80 - 0.30	.0073	----	----	----	----	1 UNCH
2800	----	----	----/1.90A	1.90B/1.90A	----	1.80 - 0.30	.0073	----	----	----	----	43 UNCH
2810	----	----	----/1.90A	2.00B/1.90A	----	1.80 - 0.40	.0074	----	----	----	----	1 UNCH
2825	----	----	----/2.00A	2.10B/2.00A	----	1.90 - 0.40	.0078	----	----	----	----	5 UNCH
2830	----	----	----/2.00A	2.10B/2.00A	----	1.90 - 0.40	.0078	----	----	----	----	1 UNCH
2850	----	----	----/2.10A	2.20B/2.10A	----	2.00 - 0.40	.0083	----	----	----	----	7 UNCH
2865	----	----	----/2.20A	2.30B/2.20A	----	2.10 - 0.40	.0087	----	----	----	----	8 UNCH
2880	----	----	----/2.20A	2.40B/2.20A	----	2.20 - 0.40	.0092	----	----	----	----	1 UNCH
2900	----	----	----/2.30A	2.60B/2.30A	----	2.30 - 0.40	.0097	----	----	----	----	6 UNCH
2950	2.60	2.60	2.60/2.60	3.10B/2.60	----	2.70 - 0.40	.0114	----	----	1	----	126 + 1
2975	----	----	----/2.90A	3.20B/2.90A	----	2.90 - 0.40	.0124	----	----	----	----	5 UNCH
2990	----	----	----/3.00A	3.50B/3.00A	----	3.00 - 0.50	.0129	----	----	----	----	0 UNCH
3000	3.00	3.00	3.10/3.00	3.50B/3.00	----	3.10 - 0.50	.0133	----	----	61	----	664 + 58
3025	----	----	----/3.30A	3.80B/3.30A	----	3.30 - 0.60	.0143	----	----	----	----	1 UNCH
3040	----	----	----/3.40A	3.90B/3.40A	----	3.40 - 0.70	.0148	----	----	----	----	1 UNCH
3050	----	----	----/3.50A	4.10B/3.50A	----	3.50 - 0.70	.0153	----	----	----	----	4 UNCH
3055	----	----	----/3.60A	4.10B/3.60A	----	3.50 - 0.80	.0154	----	----	----	----	2 UNCH
3090	----	----	----/3.90A	4.70B/3.90A	----	3.90 - 0.80	.0172	----	----	----	----	8 UNCH
3100	----	----	----/4.00A	4.80B/4.00A	----	4.00 - 0.90	.0177	----	----	----	----	89 UNCH
3110	----	----	----/4.10A	5.00B/4.10A	----	4.10 - 0.90	.0182	----	----	----	----	1 UNCH
3120	----	----	----/4.30A	5.20B/4.30A	----	4.20 - 1.00	.0187	----	----	----	----	1 UNCH
3125	----	----	----/4.30A	5.20B/4.30A	----	4.30 - 1.00	.0192	----	----	----	----	102 UNCH
3150	4.50	4.50	4.50/4.50	5.70B/4.50	----	4.60 - 1.10	.0206	----	----	4	----	23 + 4
3155	----	----	----/4.70A	5.80B/4.70A	----	4.60 - 1.20	.0207	----	----	----	----	1 UNCH
3160	----	----	----/4.80A	5.90B/4.80A	----	4.70 - 1.20	.0212	----	----	----	----	1 UNCH
3175	----	----	6.20B/5.00A	6.20B/5.00A	----	5.00 - 1.10	.0225	----	----	----	----	5 UNCH
3180	----	----	6.30B/5.10A	6.30B/5.10A	----	5.00 - 1.20	.0226	----	----	----	----	1 UNCH
3185	----	----	6.50B/5.20A	6.50B/5.20A	----	5.10 - 1.20	.0231	----	----	----	----	1 UNCH
3190	----	----	6.60B/5.30A	6.60B/5.30A	----	5.20 - 1.20	.0235	----	----	----	----	11 UNCH
3195	----	----	6.70B/5.30A	6.70B/5.30A	----	5.30 - 1.30	.0240	----	----	----	----	2 UNCH
3200	----	----	6.80B/5.40A	6.80B/5.40A	----	5.40 - 1.30	.0244	----	----	2	----	415 UNCH
3205	----	----	6.90B/5.50A	6.90B/5.50A	----	5.50 - 1.30	.0249	----	----	----	----	4 UNCH
3215	----	----	7.20B/5.70A	7.20B/5.70A	----	5.70 - 1.30	.0258	----	----	----	----	2 UNCH
3220	----	----	7.30B/5.80A	7.30B/5.80A	----	5.80 - 1.30	.0263	----	----	----	----	3 UNCH
3225	----	----	7.50B/5.90A	7.50B/5.90A	----	5.90 - 1.30	.0267	----	----	----	----	2 UNCH
3230	----	----	7.60B/6.00A	7.60B/6.00A	----	6.00 - 1.30	.0272	----	----	----	----	3 UNCH
3235	----	----	7.70B/6.10A	7.70B/6.10A	----	6.10 - 1.40	.0277	----	----	----	----	7 UNCH
3240	----	----	7.90B/6.20A	7.90B/6.20A	----	6.20 - 1.40	.0281	----	----	----	----	5 UNCH
3245	----	----	8.00B/6.30A	8.00B/6.30A	----	6.30 - 1.40	.0286	----	----	----	----	5 UNCH
3250	----	----	8.20B/6.40A	8.20B/6.40A	----	6.40 - 1.50	.0291	----	----	----	----	58 UNCH
3255	----	----	8.30B/6.50A	8.30B/6.50A	----	6.50 - 1.50	.0296	----	----	----	----	22 UNCH
3260	----	----	8.50B/6.60A	8.50B/6.60A	----	6.60 - 1.50	.0300	----	----	----	----	4 UNCH
3265	----	----	8.60B/6.70A	8.60B/6.70A	----	6.70 - 1.60	.0305	----	----	----	----	4 UNCH
3275	----	----	8.90B/6.90A	8.90B/6.90A	----	7.00 - 1.50	.0318	----	----	----	----	11 UNCH
3280	----	----	9.10B/7.00A	9.10B/7.00A	----	7.10 - 1.60	.0323	----	----	----	----	7 UNCH
3285	----	----	9.30B/7.20A	9.30B/7.20A	----	7.20 - 1.60	.0328	----	----	----	----	2 UNCH
3290	----	----	9.40B/7.30A	9.40B/7.30A	----	7.40 - 1.60	.0336	----	----	----	----	4 UNCH
3295	----	----	9.50B/7.40A	9.50B/7.40A	----	7.50 - 1.70	.0341	----	----	----	----	9 UNCH
3300	7.70	7.70	9.80B/7.50A	9.80B/7.50A	----	7.60 - 1.70	.0347	----	----	8	----	446 + 8
3305	----	----	10.00B/7.70A	10.00B/7.70A	----	7.80 - 1.70	.0355	----	----	----	----	5 UNCH
3310	----	----	10.20B/7.80A	10.20B/7.80A	----	7.90 - 1.70	.0360	----	----	----	----	9 UNCH
3315	----	----	10.30B/7.90A	10.30B/7.90A	----	8.10 - 1.70	.0368	----	----	----	----	3 UNCH
3320	----	----	10.50B/8.10A	10.50B/8.10A	----	8.20 - 1.80	.0374	----	----	----	----	7 UNCH
3325	8.50	8.50	10.70B/8.20A	10.70B/8.20A	----	8.30 - 1.90	.0379	----	----	7	----	32 + 6
3330	8.90	8.90	10.90B/8.40A	10.90B/8.40A	----	8.50 - 1.90	.0387	----	----	3	----	15 + 3
3335	----	----	11.10B/8.50A	11.10B/8.50A	----	8.60 - 1.90	.0393	----	----	----	----	5 UNCH
3340	9.10	9.10	11.30B/8.70A	11.30B/8.70A	----	8.80 - 1.90	.0401	----	----	3	----	14 + 3
3345	----	----	11.60B/8.80A	11.60B/8.80A	----	9.00 - 1.90	.0410	----	----	----	----	16 UNCH
3350	9.20	9.20	11.80B/9.00A	11.80B/9.00A	----	9.10 - 2.00	.0415	----	----	15	----	115 + 13
3355	9.60	9.60	12.00B/9.10A	12.00B/9.10A	----	9.30 - 2.00	.0424	----	----	2	----	3 + 2
3360	9.80	9.80	12.10B/9.30A	12.10B/9.30A	----	9.40 - 2.10	.0429	----	----	2	----	11 + 2
3365	9.70	9.70	12.50B/9.40A	12.50B/9.40A	----	9.60 - 2.10	.0438	----	----	19	----	21 + 19
3370	----	----	12.70B/9.60A	12.70B/9.60A	----	9.80 - 2.10	.0447	----	----	----	----	4 UNCH
3375	10.00	10.00	12.90B/9.80A	12.90B/9.80A	----	10.00 NEW	.0455	----	----	12	----	12 + 12
3380	----	----	13.20B/10.00A	13.20B/10.00A	----	10.10 - 2.30	.0461	----	----	----	----	1 UNCH
3385	10.60	10.60	13.40B/10.20A	13.40B/10.20A	----	10.30 - 2.30	.0470	----	----	7	----	6 - 1
3390	----	----	13.70B/10.40A	13.70B/10.40A	----	10.50 - 2.30	.0479	----	----	----	----	7 UNCH
3395	----	----	13.90B/10.60A	13.90B/10.60A	----	10.70 - 2.40	.0488	----	----	3	----	17 + 2
3400	11.00	11.00	14.20B/10.70A	14.20B/10.70A	----	10.90 - 2.40	.0497	----	----	15	----	468 + 1
3405	11.40	11.40	14.50B/10.90A	14.50B/10.90A	----	11.10 - 2.50	.0506	----	----	4	----	20 + 2
3410	----	----	14.80B/11.10A	14.80B/11.10A	----	11.30 - 2.50	.0515	----	----	----	----	14 UNCH
3420	----	----	15.30B/11.50A	15.30B/11.50A	----	11.70 - 2.60	.0533	----	----	----	----	9 UNCH
3425	----	----	15.60B/11.80A	15.60B/11.80A	----	11.90 - 2.70	.0543	----	----	----	----	3 UNCH
3430	----	----	15.90B/11.90A	15.90B/11.90A	----	12.20 - 2.70	.0555	----	----	----	----	9 UNCH
3435	----	----	16.20B/12.20A	16.20B/12.20A	----	12.40 - 2.70	.0564	----	----	----	----	6 UNCH
3440	----	----	16.50B/12.40A	16.50B/12.40A	----	12.60 - 2.80	.0574	----	----	----	----	8 UNCH
3445	13.00	13.00	16.80B/12.60A	16.80B/12.60A	----	12.90 - 2.80	.0586	----	----	5	----	46 + 5
3450	----	----	17.10B/12.80A	17.10B/12.80A	----	13.10 - 2.90	.0595	----	----	44	----	92 + 24
3455	----	----	17.60B/13.10A	17.60B/13.10A	----	13.30 - 3.00	.0605	----	----	----	----	3 UNCH
3460	----	----	17.90B/13.30A	17.90B/13.30A	----	13.60 - 3.00	.0618	----	----	----	----	117 UNCH
3465	----	----	18.10B/13.60A	18.10B/13.60A	----	13.90 - 3.00	.0630	----	----	----	----	9 UNCH
3475	14.60	14.60	18.80B/14.10A	18.80B/14.10A	----	14.40 - 3.20	.0653	----	----	5	----	211 + 5
3480	----	----	19.20B/14.40A	19.20B/14.40A	----	14.70 - 3.20	.0665	----	----	----	----	12 UNCH
3485	----	----	19.50B/14.70A	19.50B/14.70A	----	14.90 - 3.30	.0675	----	----	----	----	4 UNCH
3490	----	----	19.90B/15.00A	19.90B/15.00A	----	15.20 - 3.40	.0688	----	----	----	----	5 UNCH
3495	----	----	20.30B/15.20A	20.30B/15.20A	----	15.50 - 3.40	.0701	----	----	----	----	2 UNCH
3500	15.90	15.90	20.70B/15.50A	20.70B/15.50A	----	15.80 - 3.50	.0714	----	----	12	----	1255 + 5
3505	----	----	21.10B/15.80A	21.10B/15.80A	----	16.10 - 3.50	.0727	----	----	----	----	14 UNCH
3510	----	----	21.50B/16.10A	21.50B/16.10A	----	16.40 - 3.60	.0741	----	----	----	----	8 UNCH
3515	----	----	22.00B/16.40A	22.00B/16.40A	----	16.70 - 3.70	.0754	----	----	----	----	29 UNCH
3520	----	----	22.40B/16.70A	22.40B/16.70A	----	17.00 - 3.80	.0767	----	----	----	----	12 UNCH
3525	----	----	22.80B/17.00A	22.80B/17.00A	----	17.40 - 3.80	.0783	----	----	----	----	29 UNCH
3530	----	----	23.30B/17.40A	23.30B/17.40A	----	17.70 - 3.90	.0797	----	----	----	----	5 UNCH
3540	----	----	24.20B/18.00A	24.20B/18.00A	----	18.40 - 4.00	.0827	----	----	----	----	1 UNCH
3545	----	----	24.60B/18.40A	24.60B/18.40A	----	18.70 - 4.10	.0840	----	----	----	----	56 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
OCT26												
3550	23.40	23.40	25.10B/18.70A	25.10B/18.70A	----	19.10 - 4.10	.0857	----	----	2	----	143 UNCH
3555	----	----	25.60B/19.10A	25.60B/19.10A	----	19.50 - 4.20	.0873	----	----	----	----	16 UNCH
3560	----	----	26.00B/19.50A	26.00B/19.50A	----	19.90 - 4.20	.0890	----	----	----	----	39 UNCH
3565	----	----	26.50B/19.80A	26.50B/19.80A	----	20.20 - 4.40	.0904	----	----	3	----	13 + 1
3570	----	----	27.00B/20.20A	27.00B/20.20A	----	20.60 - 4.40	.0921	----	----	----	----	4 UNCH
3575	----	----	27.60B/20.60A	27.60B/20.60A	----	21.00 - 4.50	.0937	----	----	----	----	7 UNCH
3580	----	----	28.10B/21.00A	28.10B/21.00A	----	21.40 - 4.60	.0954	----	----	----	----	6 UNCH
3585	----	----	28.60B/21.40A	28.60B/21.40A	----	21.90 - 4.60	.0974	----	----	----	----	50 UNCH
3590	----	----	29.20B/21.80A	29.20B/21.80A	----	22.30 - 4.70	.0991	----	----	----	----	15 UNCH
3595	----	----	29.70B/22.20A	29.70B/22.20A	----	22.70 - 4.80	.1008	----	----	----	----	16 UNCH
3600	30.70	30.70	30.70/22.70A	30.70/22.70A	----	23.20 - 4.80	.1028	----	----	4	----	879 + 3
3605	----	----	30.80B/23.10A	30.80B/23.10A	----	23.60 - 4.90	.1046	----	----	----	----	6 UNCH
3610	----	----	31.50B/23.50A	31.50B/23.50A	----	24.10 - 5.00	.1066	----	----	----	----	13 UNCH
3615	26.70	26.70	32.00B/24.00A	32.00B/24.00A	----	24.50 - 5.10	.1083	----	----	1	----	254 - 1
3620	----	----	32.60B/24.50A	32.60B/24.50A	----	25.00 - 5.20	.1103	----	----	----	----	18 UNCH
3625	----	----	33.30B/24.90A	33.30B/24.90A	----	25.50 - 5.20	.1124	----	----	----	----	18 UNCH
3630	----	----	33.90B/25.40A	33.90B/25.40A	----	26.00 - 5.30	.1144	----	----	----	----	7 UNCH
3635	----	----	34.60B/25.90A	34.60B/25.90A	----	26.50 - 5.40	.1165	----	----	----	----	3 UNCH
3640	----	----	35.30B/26.40A	35.30B/26.40A	----	27.00 - 5.50	.1185	----	----	----	----	52 UNCH
3645	28.10	28.10	35.90B/26.90A	35.90B/26.90A	----	27.60 - 5.50	.1208	----	----	2	----	23 UNCH
3650	28.00	28.00	36.50B/27.40A	36.50B/27.40A	----	28.10 - 5.60	.1229	----	----	6	----	340 + 4
3655	----	----	37.30B/28.00A	37.30B/28.00A	----	28.70 - 5.70	.1252	----	----	----	----	13 UNCH
3660	----	----	38.00B/28.50A	38.00B/28.50A	----	29.20 - 5.80	.1273	----	----	----	----	32 UNCH
3665	33.20	33.20	38.80B/29.10A	38.80B/29.10A	----	29.80 - 5.90	.1297	----	----	5	----	62 + 5
3670	30.40	30.40	39.50B/29.60A	39.50B/29.60A	----	30.40 - 5.90	.1320	----	----	4	----	17 + 4
3675	31.50	31.50	40.30B/30.20A	40.30B/30.20A	----	31.00 - 6.00	.1344	----	----	4	----	22 UNCH
3680	----	----	41.00B/30.80A	41.00B/30.80A	----	31.60 - 6.10	.1368	----	----	----	----	35 UNCH
3685	----	----	41.80B/31.40A	41.80B/31.40A	----	32.20 - 6.20	.1392	----	----	----	----	47 UNCH
3690	35.60	35.60	42.60B/32.00A	42.60B/32.00A	----	32.80 - 6.30	.1415	----	----	19	----	20 + 14
3695	33.60	33.60	43.50B/32.60A	43.50B/32.60A	----	33.50 - 6.40	.1442	----	----	4	----	61 + 4
3700	36.20	36.20	44.10B/33.30A	44.10B/33.30A	----	34.20 - 6.40	.1468	----	----	207	----	856 - 73
3705	----	----	45.00B/33.90A	45.00B/33.90A	----	34.80 - 6.60	.1493	----	----	----	----	26 UNCH
3710	----	----	45.90B/34.60A	45.90B/34.60A	----	35.50 - 6.60	.1519	----	----	----	----	6 UNCH
3715	----	----	46.80B/35.20A	46.80B/35.20A	----	36.20 - 6.70	.1546	----	----	----	----	202 UNCH
3720	----	----	47.80B/35.90A	47.80B/35.90A	----	36.90 - 6.80	.1573	----	----	----	----	1 UNCH
3725	38.10	38.10	48.60B/36.60A	48.60B/36.60A	----	37.70 - 6.90	.1602	----	----	5	----	112 - 4
3730	----	----	49.60B/37.30A	49.60B/37.30A	----	38.40 - 7.00	.1629	----	----	----	----	16 UNCH
3735	----	----	50.30B/38.10A	50.30B/38.10A	----	39.10 - 7.10	.1656	----	----	----	----	88 UNCH
3740	----	----	51.50B/38.80A	51.50B/38.80A	----	39.90 - 7.20	.1686	----	----	----	----	32 UNCH
3745	----	----	52.30B/39.60A	52.30B/39.60A	----	40.70 - 7.30	.1715	----	----	----	----	29 UNCH
3750	41.80	41.80	53.20B/40.30A	53.20B/40.30A	----	41.50 - 7.40	.1745	----	----	3	----	396 - 3
3755	43.70	43.70	54.40B/41.10A	54.40B/41.10A	----	42.30 - 7.50	.1775	----	----	100	----	181 + 66
3760	----	----	55.40B/41.90A	55.40B/41.90A	----	43.20 - 7.50	.1807	----	----	----	----	215 UNCH
3765	----	----	56.30B/42.70A	56.30B/42.70A	----	44.00 - 7.60	.1837	----	----	----	----	195 UNCH
3770	----	----	57.40B/43.50A	57.40B/43.50A	----	44.90 - 7.70	.1869	----	----	----	----	9 UNCH
3775	46.10	46.10	58.30B/44.40A	58.30B/44.40A	----	45.70 - 7.90	.1899	----	----	2	----	213 + 2
3780	----	----	59.50B/45.20A	59.50B/45.20A	----	46.60 - 8.00	.1932	----	----	----	----	23 UNCH
3785	----	----	60.80B/46.10A	60.80B/46.10A	----	47.60 - 8.00	.1966	----	----	----	----	32 UNCH
3790	----	----	61.70B/47.00A	61.70B/47.00A	----	48.50 - 8.10	.1998	----	----	----	----	22 UNCH
3795	49.60	49.60	63.00B/47.90A	63.00B/47.90A	----	49.40 - 8.30	.2031	----	----	3	----	26 + 3
3800	56.30	56.30	64.20B/48.80A	64.20B/48.80A	----	50.40 - 8.30	.2066	----	----	65	----	1567 + 30
3805	----	----	65.40B/49.80A	65.40B/49.80A	----	51.40 - 8.40	.2101	----	----	2	----	376 + 2
3810	53.10	53.10	66.60B/50.70A	66.60B/50.70A	----	52.40 - 8.50	.2136	----	----	3	----	34 UNCH
3815	----	----	67.70B/51.70A	67.70B/51.70A	----	53.40 - 8.60	.2171	----	----	----	----	52 UNCH
3820	54.70	54.70	68.90B/52.70A	68.90B/52.70A	----	54.50 - 8.70	.2207	----	----	1	----	63 + 1
3825	55.80	55.80	70.30B/53.70A	70.30B/53.70A	----	55.50 - 8.80	.2243	----	----	2	----	15 + 2
3830	----	----	71.50B/54.80A	71.50B/54.80A	----	56.60 - 8.90	.2280	----	----	1	----	9 - 1
3835	----	----	72.70B/55.80A	72.70B/55.80A	----	57.70 - 9.00	.2317	----	----	----	----	12 UNCH
3840	----	----	74.10B/56.90A	74.10B/56.90A	----	58.80 - 9.10	.2354	----	----	----	----	29 UNCH
3845	60.70	60.70	75.40B/57.90A	75.40B/57.90A	----	59.90 - 9.20	.2392	----	----	2	----	29 UNCH
3850	61.80	61.80	76.90B/59.10A	76.90B/59.10A	----	61.10 - 9.30	.2431	----	----	24	----	693 + 20
3855	----	----	78.30B/60.20A	78.30B/60.20A	----	62.30 - 9.40	.2470	----	----	----	----	13 UNCH
3860	----	----	79.80B/61.30A	79.80B/61.30A	----	63.50 - 9.50	.2510	----	----	----	----	70 UNCH
3865	----	----	81.10B/62.50A	81.10B/62.50A	----	64.70 - 9.60	.2549	----	----	----	----	18 UNCH
3870	66.60	66.60	82.60B/63.70A	82.60B/63.70A	----	65.90 - 9.70	.2589	----	----	2	----	27 - 2
3875	67.60	67.60	84.00B/64.90A	84.00B/64.90A	----	67.20 - 9.80	.2630	----	----	3	----	251 - 1
3880	----	----	85.50B/66.10A	85.50B/66.10A	----	68.50 - 9.90	.2671	----	----	----	----	51 UNCH
3885	----	----	87.10B/67.30A	87.10B/67.30A	----	69.80 - 10.00	.2713	----	----	----	----	35 UNCH
3890	----	----	88.50B/68.60A	88.50B/68.60A	----	71.10 - 10.10	.2755	----	----	1	----	12 UNCH
3895	----	----	90.00B/69.90A	90.00B/69.90A	----	72.40 - 10.20	.2796	----	----	----	----	20 UNCH
3900	74.20	74.20	91.70B/71.20A	91.70B/71.20A	----	73.80 - 10.30	.2839	----	----	55	----	1451 + 25
3905	----	----	93.30B/72.50A	93.30B/72.50A	----	75.20 - 10.40	.2883	----	----	----	----	15 UNCH
3910	76.00	76.00	94.90B/73.90A	94.90B/73.90A	----	76.60 - 10.50	.2926	----	----	11	----	73 + 6
3915	----	----	96.50B/75.30A	96.50B/75.30A	----	78.00 - 10.70	.2970	----	----	----	----	8 UNCH
3920	83.10	83.10	98.40B/76.60A	98.40B/76.60A	----	79.50 - 10.70	.3015	----	----	11	----	87 + 10
3925	81.50	81.50	100.00B/78.10A	100.00B/78.10A	----	80.90 - 10.90	.3059	----	----	2	----	46 + 2
3930	----	----	101.70B/79.50A	101.70B/79.50A	----	82.40 - 11.00	.3104	----	----	----	----	28 UNCH
3935	----	----	103.40B/81.00A	103.40B/81.00A	----	84.00 - 11.10	.3150	----	----	----	----	75 UNCH
3940	----	----	105.20B/82.50A	105.20B/82.50A	----	85.50 - 11.20	.3195	----	----	----	----	117 UNCH
3945	----	----	107.20B/84.00A	107.20B/84.00A	----	87.10 - 11.30	.3242	----	----	----	----	8 UNCH
3950	----	----	108.80B/85.50A	108.80B/85.50A	----	88.70 - 11.40	.3289	----	----	200	----	456 + 102
3955	----	----	110.90B/87.10A	110.90B/87.10A	----	90.30 - 11.50	.3335	----	----	----	----	21 UNCH
3960	98.80	98.80	112.70B/88.70A	112.70B/88.70A	----	91.90 - 11.70	.3382	----	----	50	----	74 + 50
3965	----	----	114.70B/90.30A	114.70B/90.30A	----	93.60 - 11.80	.3430	----	----	----	----	12 UNCH
3970	98.00	98.00	116.60B/91.90A	116.60B/91.90A	----	95.30 - 11.90	.3479	----	----	5	----	28 + 5
3975	----	----	118.30B/93.60A	118.30B/93.60A	----	97.00 - 12.00	.3527	----	----	----	----	21 UNCH
3980	----	----	120.40B/95.30A	120.40B/95.30A	----	98.80 - 12.10	.3576	----	----	----	----	25 UNCH
3985	----	----	122.60B/97.00A	122.60B/97.00A	----	100.50 - 12.20	.3625	----	----	----	----	18 UNCH
3990	----	----	124.50B/98.70A	124.50B/98.70A	----	102.30 - 12.30	.3674	----	----	----	----	25 UNCH
3995	----	----	126.60B/100.50A	126.60B/100.50A	----	104.20 - 12.40	.3724	----	----	----	----	51 UNCH
4000	110.70	110.70	128.70B/102.30A	128.70B/102.30A	----	106.00 - 12.50	.3774	----	----	2	----	1530 + 1
4005	----	----	130.70B/104.10A	130.70B/104.10A	----	107.90 - 12.60	.3825	----	----	2	----	21 - 1
4010	117.10	117.10	133.00B/105.90A	133.00B/105.90A	----	109.80 - 12.70	.3875	----	----	2	----	37 + 2
4015	----	----	135.00B/107.80A	135.00B/107.80A	----	111.70 - 12.90	.3926	----	----	----	----	10 UNCH
4020	----	----	137.30B/109.70A	137.30B/109.70A	----	113.70 - 12.90	.3977	----	----	----	----	87 UNCH
4025	----	----	139.80B/111.60A	139.80B/111.60A	----	115.70 - 13.00	.4029	----	----	2	----	247 UNCH
4030	----	----	141.70B/113.60A	141.70B/113.60A	----	117.70 - 13.20	.4080	----	----	----	----	83 UNCH
4035	----	----	144.10B/115.60A	144.10B/115.60A	----	119.80 - 13.20	.4133	----	----	----	----	37 UNCH
4040	----	----	146.50B/117.50A	146.50B/117.50A	----	121.90 - 13.30	.4185	----	----	----	----	68 UNCH
4045	----	----	148.70B/119.60A	148.70B/119.60A	----	124.00 - 13.40	.4237	----	----	----	----	6 UNCH
4050	128.20	128.20	151.10B/121.60A	151.10B/121.60A	----	126.10 - 13.50	.4290	----	----	10	----	563 + 6
4055	150.70	150.70	153.50B/123.70A	153.50B/123.70A	----	128.30 - 13.60	.4343	----	----	1	----	17 UNCH
4060	153.10	153.10	156.10B/125.80A	156.10B/125.80A	----	130.50 - 13.70	.4396	----	----	1	----	77 - 1
4065	153.40	153.40	158.50B/128.00A	158.50B/128.00A	----	132.70 - 13.80	.4449	----	----	3	----	13 + 2
4070	158.00	158.00	161.00B/130.10A	161.00B/130.10A	----	134.90 - 13.90	.4502	----	----	1	----	38 UNCH
4075	----	----	163.40B/132.30A	163.40B/132.30A	----	137.20 - 14.00	.4555	----	----	----	----	135 UNCH
4080	----	----	165.80B/134.60A	165.80B/134.60A	----	139.50 - 14.10	.4609	----	----	2	----	15 UNCH
4085	148.70	148.70	168.50B/136.80A	168.50B/136.80A	----	141.90 - 14.10	.4663	----	----	1	----	7 UNCH
4090	----	----	171.10B/139.20A	171.10B/139.20A	----	144.20 - 14.30	.4717	----	----	12	----	138 + 11
4095	----	----	173.70B/141.40A	173.70B/141.40A	----	146.60 - 14.40	.4771	----	----	----	----	27 UNCH
4100	171.10	171.10	176.40B/143.80A	176.40B/143.80A	----	149.00 - 14.50	.4825	----	----	2	----	1021 UNCH
4105	----	----	179.10B/146.20A	179.10B/146.20A	----	151.50 - 14.50	.4879	----	----	1	----	77 + 1
4110	152.00	152.00	181.80B/148.50A	181.80B/148.50A	----	154.00 - 14.60	.4933	----	----	1	----	59 + 1
4115	----	----	184.60B/151.00A	184.60B/151.00A	----	156.50 - 14.70	.4987	----	----	----	----	104 UNCH
4120	----	----	187.10B/153.40A	187.10B/153.40A	----	159.00 - 14.80	.5041	----	----	----	----	38 UNCH
4125	----	----	190.00B/155.90A	190.00B/155.90A	----	161.60 - 14.90	.5095	----	----	----	----	26 UNCH
4130	174.10	174.10	192.80B/158.40A	192.80B/158.40A	----	164.10 - 15.10	.5150	----	----	50	----	64 + 46
4135	----	----	195.70B/161.00A	195.70B/161.00A	----	166.80 - 15.10	.5204	----	----	----	----	127 UNCH
4140	----	----	198.60B/163.50A	198.60B/163.50A	----	169.40 - 15.20	.5258	----	----	----	----	92 UNCH
4145	----	----	201.60B/166.10A	201.60B/166.10A	----	172.10 - 15.30	.5312	----	----	----	----	87 UNCH
4150	----	----	204.40B/168.80A	204.40B/168.80A	----	174.80 - 15.40	.5366	----	----	----	----	441 UNCH
4155	----	----	207.30B/171.40A	207.30B/171.40A	----	177.50 - 15.60	.5420	----	----	----	----	10 UNCH
4160	----	----	210.30B/174.10A	210.30B/174.10A	----	180.30 - 15.60	.5474	----	----	----	----	18 UNCH
4165	188.90	188.90	213.30B/176.80A	213.30B/176.80A	----	183.10 - 15.70	.5528	----	----	14	----	24 - 9
4170	----	----	216.30B/179.60A	216.30B/179.60A	----	185.90 - 15.80	.5582	----	----	----	----	11 UNCH
4175	----	----	219.40B/182.40A	219.40B/182.40A	----	188.80 - 15.90	.5635	----	----	----	----	88 UNCH
4180	----	----	222.60B/185.20A	222.60B/185.20A	----	191.70 - 15.90	.5689	----	----	----	----	38 UNCH
4185	----	----	225.80B/188.00A	225.80B/188.00A	----	194.60 - 16.00	.5742	----	----	----	----	105 UNCH
4190	----	----	228.90B/190.90A	228.90B/190.90A	----	197.60 - 16.10	.5796	----	----	----	----	17 UNCH
4195	----	----	232.00B/193.70A	232.00B/193.70A	----	200.60 - 16.10	.5849	----	----	----	----	9 UNCH
4200	----	----	235.30B/196.70A	235.30B/196.70A	----	203.60 - 16.20	.5901	----	----	----	----	655 UNCH
4205	----	----	238.50B/199.70A	238.50B/199.70A	----	206.60 - 16.30	.5954	----	----	----	----	7 UNCH
4210	----	----	241.80B/202.70A	241.80B/202.70A	----	209.70 - 16.40	.6006	----	----	----	----	9 UNCH
4215	----	----	245.10B/205.60A	245.10B/205.60A	----	212.80 - 16.40	.6058	----	----	----	----	12 UNCH
4220	----	----	248.50B/209.00A	248.50B/209.00A	----	215.90 - 16.50	.6110	----	----	----	----	17 UNCH
4225	----	----	251.90B/212.00A	251.90B/212.00A	----	219.00 - 16.70	.6162	----	----	----	----	47 UNCH
4230	----	----	255.30B/215.10A	255.30B/215.10A	----	222.20 - 16.70	.6213	----	----	----	----	74 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
OCT26												
4235	----	----	258.70B/218.20A	258.70B/218.20A	----	225.40 - 16.80	.6264	----	----	----	----	38 UNCH
4240	----	----	261.90B/221.40A	261.90B/221.40A	----	228.70 - 16.80	.6315	----	----	----	----	14 UNCH
4245	----	----	265.60B/224.70A	265.60B/224.70A	----	231.90 - 16.90	.6365	----	----	----	----	21 UNCH
4250	----	----	269.10B/227.80A	269.10B/227.80A	----	235.20 - 17.00	.6416	----	----	----	----	166 UNCH
4255	----	----	272.50B/231.80A	272.50B/231.80A	----	238.50 - 17.00	.6466	----	----	----	----	1 UNCH
4260	----	----	275.90B/235.10A	275.90B/235.10A	----	241.90 - 17.10	.6515	----	----	----	----	5 UNCH
4265	----	----	279.70B/237.70A	279.70B/237.70A	----	245.20 - 17.20	.6565	----	----	----	----	200 UNCH
4270	----	----	283.10B/241.00A	283.10B/241.00A	----	248.60 - 17.20	.6614	----	----	----	----	234 UNCH
4275	----	----	286.70B/245.00A	286.70B/245.00A	----	252.00 - 17.30	.6663	----	----	----	----	4 UNCH
4280	----	----	290.40B/247.70A	290.40B/247.70A	----	255.50 - 17.30	.6711	----	----	----	----	202 UNCH
4285	----	----	294.00B/251.80A	294.00B/251.80A	----	258.90 - 17.50	.6759	----	----	----	----	1 UNCH
4290	----	----	297.60B/255.10A	297.60B/255.10A	----	262.40 - 17.50	.6807	----	----	----	----	8 UNCH
4300	----	----	305.20B/261.20A	305.20B/261.20A	----	269.50 - 17.60	.6902	----	----	----	----	1012 UNCH
4305	----	----	308.80B/265.50A	308.80B/265.50A	----	273.10 - 17.70	.6948	----	----	----	----	7 UNCH
4310	----	----	312.60B/269.10A	312.60B/269.10A	----	276.70 - 17.70	.6994	----	----	----	----	2 UNCH
4315	----	----	316.40B/272.50A	316.40B/272.50A	----	280.30 - 17.80	.7039	----	----	----	----	3 UNCH
4325	----	----	324.20B/279.10A	324.20B/279.10A	----	287.60 - 17.90	.7130	----	----	----	----	16 UNCH
4330	----	----	328.00B/283.30A	328.00B/283.30A	----	291.30 - 18.00	.7175	----	----	----	----	3 UNCH
4340	----	----	335.80B/----	335.80B/372.20A	----	298.70 - 18.20	.7263	----	----	----	----	1 UNCH
4345	----	----	339.90B/293.80A	339.90B/293.80A	----	302.50 - 18.20	.7306	----	----	----	----	27 UNCH
4350	----	----	343.80B/297.50A	343.80B/297.50A	----	306.30 - 18.20	.7349	----	----	2	----	616 UNCH
4355	----	----	347.60B/304.10A	347.60B/304.10A	----	310.10 - 18.30	.7391	----	----	----	----	14 UNCH
4360	----	----	351.60B/307.90A	351.60B/307.90A	----	313.90 - 18.40	.7432	----	----	----	----	3 UNCH
4365	----	----	355.60B/308.80A	355.60B/308.80A	----	317.80 - 18.40	.7473	----	----	----	----	34 UNCH
4370	----	----	359.70B/312.60A	359.70B/312.60A	----	321.60 - 18.50	.7514	----	----	----	----	17 UNCH
4375	----	----	363.70B/316.40A	363.70B/316.40A	----	325.50 - 18.60	.7555	----	----	----	----	293 UNCH
4380	----	----	367.80B/323.20A	367.80B/323.20A	----	329.40 - 18.60	.7595	----	----	----	----	6 UNCH
4385	----	----	371.90B/333.60A	371.90B/333.60A	----	333.40 - 18.60	.7634	----	----	----	----	2 UNCH
4390	----	----	376.00B/328.10A	376.00B/328.10A	----	337.30 - 18.70	.7672	----	----	----	----	32 UNCH
4395	----	----	380.10B/341.50A	380.10B/341.50A	----	341.30 - 18.80	.7711	----	----	----	----	1 UNCH
4400	----	----	384.30B/335.90A	384.30B/335.90A	----	345.30 - 18.80	.7749	----	----	2	----	590 + 1
4405	----	----	388.40B/342.90A	388.40B/342.90A	----	349.30 - 18.90	.7788	----	----	----	----	4 UNCH
4410	----	----	392.60B/343.80A	392.60B/343.80A	----	353.40 - 18.90	.7824	----	----	----	----	50 UNCH
4415	----	----	396.80B/349.40A	396.80B/349.40A	----	357.40 - 19.00	.7860	----	----	----	----	6 UNCH
4420	----	----	401.10B/353.50A	401.10B/353.50A	----	361.50 - 19.00	.7896	----	----	----	----	17 UNCH
4425	----	----	405.30B/355.80A	405.30B/355.80A	----	365.60 - 19.00	.7932	----	----	----	----	24 UNCH
4430	----	----	409.50B/359.80A	409.50B/359.80A	----	369.70 - 19.10	.7968	----	----	----	----	9 UNCH
4440	----	----	418.10B/367.90A	418.10B/367.90A	----	378.00 - 19.20	.8035	----	----	----	----	5 UNCH
4445	----	----	422.40B/372.20A	422.40B/372.20A	----	382.20 - 19.20	.8068	----	----	----	----	15 UNCH
4450	----	----	426.70B/376.20A	426.70B/376.20A	----	386.40 - 19.20	.8102	----	----	----	----	77 UNCH
4455	----	----	431.00B/380.50A	431.00B/380.50A	----	390.60 - 19.20	.8135	----	----	----	----	2 UNCH
4460	----	----	435.40B/384.70A	435.40B/384.70A	----	394.80 - 19.30	.8168	----	----	----	----	2 UNCH
4465	----	----	439.70B/388.70A	439.70B/388.70A	----	399.10 - 19.30	.8199	----	----	----	----	78 UNCH
4470	----	----	444.10B/393.10A	444.10B/393.10A	----	403.30 - 19.40	.8229	----	----	----	----	2 UNCH
4475	----	----	448.50B/397.20A	448.50B/397.20A	----	407.60 - 19.40	.8259	----	----	1	----	4 + 1
4480	----	----	452.90B/401.40A	452.90B/401.40A	----	411.90 - 19.40	.8290	----	----	----	----	5 UNCH
4485	----	----	457.30B/405.70A	457.30B/405.70A	----	416.20 - 19.40	.8320	----	----	----	----	1 UNCH
4490	----	----	461.70B/410.00A	461.70B/410.00A	----	420.50 - 19.50	.8350	----	----	----	----	12 UNCH
4495	----	----	466.20B/414.30A	466.20B/414.30A	----	424.80 - 19.60	.8378	----	----	----	----	37 UNCH
4500	----	----	470.60B/418.60A	470.60B/418.60A	----	429.20 - 19.50	.8405	----	----	2	----	212 + 1
4505	----	----	475.10B/422.90A	475.10B/422.90A	----	433.50 - 19.60	.8435	----	----	----	----	3 UNCH
4510	----	----	479.60B/427.40A	479.60B/427.40A	----	437.90 - 19.60	.8462	----	----	----	----	2 UNCH
4520	----	----	488.50B/436.00A	488.50B/436.00A	----	446.70 - 19.70	.8513	----	----	----	----	2 UNCH
4525	----	----	493.10B/440.40A	493.10B/440.40A	----	451.10 - 19.70	.8540	----	----	----	----	1 UNCH
4530	----	----	497.50B/444.80A	497.50B/444.80A	----	455.60 - 19.70	.8564	----	----	----	----	3 UNCH
4535	----	----	502.20B/449.20A	502.20B/449.20A	----	460.00 - 19.80	.8591	----	----	----	----	3 UNCH
4540	----	----	506.70B/453.60A	506.70B/453.60A	----	464.50 - 19.80	.8615	----	----	----	----	4 UNCH
4545	----	----	511.30B/458.10A	511.30B/458.10A	----	469.00 - 19.80	.8639	----	----	----	----	5 UNCH
4550	----	----	515.80B/462.50A	515.80B/462.50A	----	473.40 - 19.90	.8662	----	----	----	----	36 UNCH
4555	----	----	520.20B/467.00A	520.20B/467.00A	----	477.90 - 19.90	.8686	----	----	----	----	8 UNCH
4560	----	----	524.80B/471.50A	524.80B/471.50A	----	482.40 - 19.90	.8710	----	----	----	----	78 UNCH
4565	----	----	529.50B/475.90A	529.50B/475.90A	----	487.00 - 19.90	.8730	----	----	----	----	16 UNCH
4570	----	----	534.10B/480.50A	534.10B/480.50A	----	491.50 - 19.90	.8753	----	----	----	----	9 UNCH
4580	----	----	543.50B/489.50A	543.50B/489.50A	----	500.60 - 20.00	.8797	----	----	----	----	6 UNCH
4585	----	----	548.10B/494.00A	548.10B/494.00A	----	505.10 - 20.00	.8817	----	----	----	----	9 UNCH
4590	----	----	552.60B/498.60A	552.60B/498.60A	----	509.70 - 20.00	.8837	----	----	----	----	3 UNCH
4595	----	----	557.40B/503.20A	557.40B/503.20A	----	514.30 - 20.00	.8857	----	----	----	----	7 UNCH
4600	----	----	561.90B/507.70A	561.90B/507.70A	----	518.90 - 20.10	.8877	----	----	----	----	352 UNCH
4605	----	----	566.70B/512.30A	566.70B/512.30A	----	523.50 - 20.10	.8896	----	----	----	----	5 UNCH
4610	----	----	571.40B/516.90A	571.40B/516.90A	----	528.10 - 20.10	.8916	----	----	----	----	12 UNCH
4615	----	----	575.90B/521.50A	575.90B/521.50A	----	532.70 - 20.20	.8932	----	----	----	----	8 UNCH
4620	----	----	580.90B/526.10A	580.90B/526.10A	----	537.40 - 20.10	.8952	----	----	----	----	4 UNCH
4625	----	----	585.20B/530.70A	585.20B/530.70A	----	542.00 - 20.20	.8968	----	----	----	----	43 UNCH
4630	----	----	589.90B/535.30A	589.90B/535.30A	----	546.60 - 20.20	.8988	----	----	----	----	7 UNCH
4635	----	----	594.60B/539.90A	594.60B/539.90A	----	551.30 - 20.20	.9004	----	----	----	----	7 UNCH
4640	----	----	599.70B/544.60A	599.70B/544.60A	----	556.00 - 20.20	.9020	----	----	----	----	23 UNCH
4645	----	----	604.10B/549.20A	604.10B/549.20A	----	560.60 - 20.30	.9035	----	----	----	----	8 UNCH
4650	----	----	609.10B/553.90A	609.10B/553.90A	----	565.30 - 20.30	.9051	----	----	----	----	135 UNCH
4655	----	----	613.80B/558.40A	613.80B/558.40A	----	570.00 - 20.30	.9067	----	----	----	----	3 UNCH
4660	----	----	618.20B/563.10A	618.20B/563.10A	----	574.70 - 20.30	.9083	----	----	----	----	3 UNCH
4670	----	----	627.70B/572.60A	627.70B/572.60A	----	584.10 - 20.30	.9114	----	----	----	----	5 UNCH
4675	----	----	632.80B/577.30A	632.80B/577.30A	----	588.80 - 20.30	.9129	----	----	----	----	6 UNCH
4680	----	----	637.20B/582.20A	637.20B/582.20A	----	593.60 - 20.30	.9141	----	----	----	----	1 UNCH
4690	----	----	647.10B/591.30A	647.10B/591.30A	----	603.00 - 20.40	.9168	----	----	----	----	4 UNCH
4700	----	----	656.60B/600.70A	656.60B/600.70A	----	612.50 - 20.40	.9195	----	----	----	----	78 UNCH
4710	----	----	666.20B/610.30A	666.20B/610.30A	----	622.00 - 20.40	.9222	----	----	----	----	1 UNCH
4715	----	----	671.00B/615.10A	671.00B/615.10A	----	626.80 - 20.40	.9233	----	----	----	----	3 UNCH
4725	----	----	680.60B/624.80A	680.60B/624.80A	----	636.40 - 20.30	.9256	----	----	----	----	1 UNCH
4750	----	----	704.60B/648.30A	704.60B/648.30A	----	660.30 - 20.40	.9312	----	----	----	----	174 UNCH
4755	----	----	709.50B/653.10A	709.50B/653.10A	----	665.10 - 20.40	.9323	----	----	----	----	168 UNCH
4775	----	----	728.80B/672.30A	728.80B/672.30A	----	684.40 - 20.40	.9362	----	----	----	----	26 UNCH
4780	----	----	733.60B/677.40A	733.60B/677.40A	----	689.20 - 20.40	.9373	----	----	----	----	1 UNCH
4800	----	----	753.10B/696.60A	753.10B/696.60A	----	708.50 - 20.40	.9408	----	----	----	----	146 UNCH
4805	----	----	758.00B/701.30A	758.00B/701.30A	----	713.40 - 20.40	.9419	----	----	----	----	2 UNCH
4810	----	----	762.60B/706.10A	762.60B/706.10A	----	718.20 - 20.40	.9426	----	----	----	----	8 UNCH
4815	----	----	767.50B/711.10A	767.50B/711.10A	----	723.00 - 20.50	.9436	----	----	----	----	39 UNCH
4820	----	----	772.60B/715.90A	772.60B/715.90A	----	727.90 - 20.40	.9443	----	----	----	----	2 UNCH
4835	----	----	787.20B/730.50A	787.20B/730.50A	----	742.40 - 20.50	.9466	----	----	----	----	3 UNCH
4845	----	----	796.60B/740.10A	796.60B/740.10A	----	752.10 - 20.60	.9483	----	----	----	----	20 UNCH
4850	----	----	801.90B/745.10A	801.90B/745.10A	----	757.00 - 20.50	.9494	----	----	----	----	81 UNCH
4875	----	----	826.30B/769.50A	826.30B/769.50A	----	781.40 - 20.50	.9529	----	----	----	----	1 UNCH
4880	----	----	831.20B/774.30A	831.20B/774.30A	----	786.20 - 20.60	.9535	----	----	----	----	5 UNCH
4900	----	----	----/813.70A	819.00B/813.70A	----	805.80 - 20.60	.9559	----	----	----	----	94 UNCH
4910	----	----	----/823.60A	----/823.60A	----	815.60 - 20.60	.9571	----	----	----	----	1 UNCH
4920	----	----	----/833.40A	----/833.40A	----	825.40 - 20.60	.9583	----	----	----	----	1 UNCH
4925	----	----	----/838.20A	843.50B/838.20A	----	830.30 - 20.60	.9589	----	----	----	----	9 UNCH
4935	----	----	----/848.00A	853.40B/848.00A	----	840.10 - 20.60	.9601	----	----	----	----	5 UNCH
4965	----	----	----/881.80A	879.10B/881.80A	----	869.60 - 20.60	.9627	----	----	----	----	13 UNCH
4980	----	----	----	----	----	884.40 - 20.60	.9640	----	----	----	----	1 UNCH
5000	----	----	----/916.20A	913.50B/916.20A	----	904.10 - 20.60	.9658	----	----	----	----	53 UNCH
5010	----	----	----	----	----	914.00 - 20.60	.9665	----	----	----	----	1 UNCH
5050	----	----	----/965.80A	962.80B/965.80A	----	953.50 - 20.60	.9696	----	----	----	----	25 UNCH
5100	----	----	----	----	----	1002.90 - 20.70	.9733	----	----	----	----	1 UNCH
5150	----	----	----	----	----	1052.40 - 20.70	.9769	----	----	----	----	1 UNCH
5200	----	----	----/1,114.70A	1111.50B/1114.70A	----	1102.00 - 20.80	.9795	----	----	----	----	101 UNCH
5230	----	----	----	----	----	1131.90 - 20.70	.9808	----	----	----	----	1 UNCH
5250	----	----	----/1,164.70A	1161.10B/1164.70A	----	1151.80 - 20.70	.9815	----	----	----	----	76 UNCH
5285	----	----	----	----	----	1186.60 - 20.80	.9829	----	----	----	----	1 UNCH
5300	----	----	----/1,214.70A	1210.90B/1214.70A	----	1201.60 - 20.70	.9830	----	----	----	----	7 UNCH
5400	----	----	----	----	----	1301.30 - 20.70	.9863	----	----	----	----	1 UNCH
5425	----	----	----	----	----	1326.20 - 20.80	.9870	----	----	----	----	1 UNCH
5455	----	----	----/1,369.80A	1365.30B/1369.80A	----	1356.20 - 20.80	.9878	----	----	----	----	25 UNCH
5495	----	----	----	----	----	1396.10 - 20.80	.9885	----	----	----	----	1 UNCH
5500	----	----	----	----	----	1401.10 - 20.80	.9891	----	----	----	----	0 - 1
TOTAL										1183		28579 + 529
NOV26												
2100	----	----	----	0.80B/1.00A	----	0.90 - 0.10	.0025	----	----	----	----	14 UNCH
2200	----	----	----/1.20A	1.00B/1.20A	----	1.10 - 0.20	.0032	----	----	----	----	4 UNCH
2400	----	----	----/1.80A	1.60B/1.80A	----	1.70 - 0.30	.0052	----	----	----	----	2 UNCH
2500	----	----	----/2.20A	2.00B/2.20A	----	2.10 - 0.30	.0066	----	----	----	----	7 UNCH
2600	----	----	----/2.60A	2.60B/2.60A	----	2.60 - 0.40	.0084	----	----	----	----	7 UNCH
2675	----	----	----/3.10A	3.10B/3.10A	----	3.00 - 0.50	.0099	----	----	----	----	8 UNCH
2700	----	----	----/3.30A	3.30B/3.30A	----	3.20 - 0.50	.0106	----	----	----	----	1 UNCH
2750	----	----	----/3.60A	3.80B/3.60A	----	3.60 - 0.50	.0121	----	----	----	----	2 UNCH
2800	----	----	----/4.00A	4.30B/4.00A	----	4.00 - 0.60	.0136	----	----	----	----	16 UNCH
2900	----	----	----/5.10A	5.70B/5.10A	----	5.10 - 0.80	.0177	----	----	----	----	3 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
NOV26												
2965	----	----	----/6.00A	6.80B/6.00A	----	6.00 - 0.90	.0210	----	----	----	----	6 UNCH
3000	----	----	----/6.60A	7.60B/6.60A	----	6.50 - 1.10	.0229	----	----	----	----	121 UNCH
3020	----	----	----/6.90A	8.00B/6.90A	----	6.90 - 1.10	.0244	----	----	----	----	505 UNCH
3100	----	----	10.10B/8.60A	10.10B/8.60A	----	8.50 - 1.50	.0303	----	----	----	----	3 UNCH
3110	----	----	10.40B/8.80A	10.40B/8.80A	----	8.80 - 1.50	.0314	----	----	----	----	1 UNCH
3120	----	----	10.70B/9.00A	10.70B/9.00A	----	9.00 - 1.60	.0322	----	----	----	----	10 UNCH
3175	----	----	12.60B/10.60A	12.60B/10.60A	----	10.50 - 1.90	.0376	----	----	----	----	5 UNCH
3180	----	----	12.80B/10.70A	12.80B/10.70A	----	10.60 - 1.90	.0381	----	----	----	----	10 UNCH
3200	----	----	13.60B/11.30A	13.60B/11.30A	----	11.30 - 2.00	.0405	----	----	----	----	97 UNCH
3210	----	----	14.00B/11.60A	14.00B/11.60A	----	11.60 - 2.10	.0416	----	----	----	----	1 UNCH
3215	----	----	14.30B/11.80A	14.30B/11.80A	----	11.80 - 2.10	.0423	----	----	----	----	1 UNCH
3225	----	----	14.70B/12.10A	14.70B/12.10A	----	12.10 - 2.20	.0435	----	----	----	----	1 UNCH
3235	----	----	15.20B/12.50A	15.20B/12.50A	----	12.50 - 2.20	.0449	----	----	----	----	1 UNCH
3245	----	----	15.60B/12.90A	15.60B/12.90A	----	12.80 - 2.30	.0460	----	----	----	----	13 UNCH
3250	----	----	15.90B/13.00A	15.90B/13.00A	----	13.00 - 2.40	.0467	----	----	----	----	59 UNCH
3255	----	----	16.10B/13.20A	16.10B/13.20A	----	13.20 - 2.40	.0474	----	----	----	----	18 UNCH
3270	----	----	16.90B/13.80A	16.90B/13.80A	----	13.80 - 2.50	.0496	----	----	----	----	6 UNCH
3295	----	----	18.20B/14.80A	18.20B/14.80A	----	14.80 - 2.70	.0532	----	----	----	----	1 UNCH
3300	17.00	17.00	18.50B/15.00A	18.50B/15.00A	----	15.10 - 2.70	.0542	----	----	1	----	76 + 1
3310	----	----	19.10B/15.50A	19.10B/15.50A	----	15.50 - 2.80	.0557	----	----	----	----	2 UNCH
3320	----	----	19.70B/16.00A	19.70B/16.00A	----	16.00 - 2.90	.0574	----	----	----	----	16 UNCH
3325	----	----	20.00B/16.20A	20.00B/16.20A	----	16.20 - 3.00	.0582	----	----	----	----	1 UNCH
3345	----	----	21.30B/17.20A	21.30B/17.20A	----	17.20 - 3.10	.0617	----	----	----	----	1 UNCH
3350	----	----	21.60B/17.40A	21.60B/17.40A	----	17.50 - 3.10	.0627	----	----	----	----	212 UNCH
3360	----	----	22.30B/18.00A	22.30B/18.00A	----	18.00 - 3.20	.0645	----	----	----	----	10 UNCH
3390	20.00	20.00	24.40B/19.60A	24.40B/19.60A	----	19.80 NEW	.0707	----	----	5	----	5 + 5
3400	20.60	20.60	25.20B/20.20A	25.20B/20.20A	----	20.40 - 3.50	.0728	----	----	1	----	72 + 1
3405	----	----	25.60B/20.60A	25.60B/20.60A	----	20.70 - 3.60	.0738	----	----	----	----	1 UNCH
3410	----	----	26.00B/20.90A	26.00B/20.90A	----	21.00 - 3.70	.0749	----	----	----	----	2 UNCH
3420	----	----	26.80B/21.50A	26.80B/21.50A	----	21.70 - 3.70	.0772	----	----	----	----	3 UNCH
3425	----	----	27.20B/21.80A	27.20B/21.80A	----	22.00 - 3.80	.0783	----	----	----	----	1 UNCH
3430	----	----	27.60B/22.20A	27.60B/22.20A	----	22.30 - 3.90	.0794	----	----	----	----	5 UNCH
3440	----	----	28.50B/22.90A	28.50B/22.90A	----	23.00 - 4.00	.0818	----	----	----	----	45 UNCH
3450	----	----	29.50B/23.60A	29.50B/23.60A	----	23.80 - 4.00	.0844	----	----	----	----	1 UNCH
3455	----	----	29.90B/23.90A	29.90B/23.90A	----	24.10 - 4.10	.0855	----	----	----	----	1 UNCH
3465	24.40	24.40	30.80B/24.40	30.80B/24.40	----	24.90 NEW	.0881	----	----	5	----	5 + 5
3475	----	----	31.80B/25.40A	31.80B/25.40A	----	25.70 - 4.30	.0908	----	----	----	----	12 UNCH
3500	30.00	30.00	34.40B/27.40A	34.40B/27.40A	----	27.80 - 4.50	.0978	----	----	1	----	731 + 1
3505	----	----	34.90B/27.90A	34.90B/27.90A	----	28.20 - 4.60	.0991	----	----	----	----	1 UNCH
3510	----	----	35.50B/28.30A	35.50B/28.30A	----	28.60 - 4.70	.1005	----	----	----	----	25 UNCH
3515	----	----	36.00B/28.70A	36.00B/28.70A	----	29.10 - 4.70	.1021	----	----	----	----	5 UNCH
3520	----	----	36.60B/29.20A	36.60B/29.20A	----	29.60 - 4.80	.1037	----	----	----	----	3 UNCH
3535	----	----	38.40B/30.60A	38.40B/30.60A	----	31.00 - 5.00	.1083	----	----	----	----	20 UNCH
3540	36.80	36.80	38.90B/31.10A	38.90B/31.10A	----	31.50 - 5.00	.1099	----	----	50	----	76 + 50
3545	38.00	38.00	39.60B/31.50A	39.60B/31.50A	----	32.00 - 5.10	.1115	----	----	50	----	50 + 49
3550	32.30	32.30	40.20B/32.10A	40.20B/32.10A	----	32.50 - 5.10	.1132	----	----	5	----	456 - 5
3555	----	----	40.80B/32.60A	40.80B/32.60A	----	33.00 - 5.20	.1148	----	----	----	----	2 UNCH
3560	----	----	41.40B/33.10A	41.40B/33.10A	----	33.50 - 5.30	.1164	----	----	----	----	22 UNCH
3570	----	----	42.80B/34.10A	42.80B/34.10A	----	34.60 - 5.40	.1199	----	----	----	----	1 UNCH
3575	----	----	43.40B/34.60A	43.40B/34.60A	----	35.10 - 5.50	.1216	----	----	----	----	48 UNCH
3585	----	----	44.80B/35.70A	44.80B/35.70A	----	36.30 - 5.60	.1253	----	----	----	----	3 UNCH
3595	----	----	46.20B/36.90A	46.20B/36.90A	----	37.40 - 5.80	.1288	----	----	----	----	20 UNCH
3600	39.50	39.50	46.90B/37.40A	46.90B/37.40A	----	38.00 - 5.80	.1307	----	----	19	----	1416 - 19
3605	----	----	47.70B/38.00A	47.70B/38.00A	----	38.60 - 5.90	.1326	----	----	----	----	1 UNCH
3620	----	----	49.90B/39.80A	49.90B/39.80A	----	40.50 - 6.10	.1385	----	----	----	----	2 UNCH
3625	41.60	41.60	50.70B/40.50A	50.70B/40.50A	----	41.10 - 6.20	.1404	----	----	1	----	2 UNCH
3630	----	----	51.40B/41.10A	51.40B/41.10A	----	41.80 - 6.20	.1425	----	----	----	----	10 UNCH
3640	----	----	53.10B/42.40A	53.10B/42.40A	----	43.10 - 6.40	.1466	----	----	----	----	1 UNCH
3650	----	----	54.70B/43.80A	54.70B/43.80A	----	44.50 - 6.50	.1508	----	----	----	----	70 UNCH
3655	----	----	55.60B/44.40A	55.60B/44.40A	----	45.20 - 6.60	.1529	----	----	----	----	4 UNCH
3660	----	----	56.50B/45.10A	56.50B/45.10A	----	46.00 - 6.60	.1553	----	----	----	----	24 UNCH
3665	----	----	57.40B/45.80A	57.40B/45.80A	----	46.70 - 6.70	.1574	----	----	----	----	32 UNCH
3670	----	----	58.20B/46.60A	58.20B/46.60A	----	47.40 - 6.80	.1596	----	----	----	----	44 UNCH
3675	----	----	59.10B/47.30A	59.10B/47.30A	----	48.20 - 6.80	.1619	----	----	----	----	310 UNCH
3680	----	----	60.00B/48.00A	60.00B/48.00A	----	49.00 - 6.90	.1642	----	----	----	----	61 UNCH
3685	----	----	61.00B/48.80A	61.00B/48.80A	----	49.70 - 7.00	.1664	----	----	----	----	3 UNCH
3690	----	----	61.80B/49.60A	61.80B/49.60A	----	50.50 - 7.10	.1688	----	----	----	----	11 UNCH
3695	----	----	62.70B/50.30A	62.70B/50.30A	----	51.30 - 7.20	.1712	----	----	----	----	2 UNCH
3700	56.90	56.90	63.80B/51.10A	63.80B/51.10A	----	52.20 - 7.20	.1737	----	----	110	----	778 - 10
3705	----	----	64.80B/51.90A	64.80B/51.90A	----	53.00 - 7.30	.1761	----	----	----	----	31 UNCH
3710	----	----	65.70B/52.80A	65.70B/52.80A	----	53.80 - 7.40	.1784	----	----	----	----	13 UNCH
3715	----	----	66.70B/53.60A	66.70B/53.60A	----	54.70 - 7.40	.1810	----	----	----	----	5 UNCH
3720	----	----	67.80B/54.40A	67.80B/54.40A	----	55.50 - 7.60	.1834	----	----	----	----	1 UNCH
3725	----	----	68.70B/55.30A	68.70B/55.30A	----	56.40 - 7.60	.1860	----	----	----	----	2 UNCH
3730	----	----	69.90B/56.10A	69.90B/56.10A	----	57.30 - 7.70	.1885	----	----	----	----	1 UNCH
3740	----	----	72.10B/57.90A	72.10B/57.90A	----	59.10 - 7.90	.1937	----	----	----	----	21 UNCH
3750	----	----	74.00B/59.70A	74.00B/59.70A	----	61.00 - 8.00	.1991	----	----	----	----	208 UNCH
3775	----	----	80.00B/64.50A	80.00B/64.50A	----	66.00 - 8.40	.2129	----	----	----	----	37 UNCH
3780	----	----	81.10B/65.50A	81.10B/65.50A	----	67.00 - 8.50	.2157	----	----	----	----	3 UNCH
3800	----	----	86.00B/69.70A	86.00B/69.70A	----	71.30 - 8.80	.2274	----	----	62	----	597 + 50
3810	----	----	88.60B/71.80A	88.60B/71.80A	----	73.60 - 8.90	.2335	----	----	----	----	2 UNCH
3815	----	----	89.90B/72.90A	89.90B/72.90A	----	74.70 - 9.00	.2365	----	----	----	----	54 UNCH
3820	----	----	91.30B/74.10A	91.30B/74.10A	----	75.90 - 9.10	.2396	----	----	----	----	20 UNCH
3825	----	----	92.70B/75.20A	92.70B/75.20A	----	77.00 - 9.20	.2426	----	----	----	----	32 UNCH
3830	----	----	93.90B/76.40A	93.90B/76.40A	----	78.20 - 9.30	.2458	----	----	----	----	3 UNCH
3835	----	----	95.40B/77.50A	95.40B/77.50A	----	79.40 - 9.40	.2489	----	----	----	----	1 UNCH
3840	----	----	96.80B/78.70A	96.80B/78.70A	----	80.70 - 9.40	.2522	----	----	----	----	3 UNCH
3845	90.00	90.00	98.10B/79.90A	98.10B/79.90A	----	81.90 - 9.50	.2554	----	----	4	----	23 + 2
3850	86.70	86.70	99.70B/81.10A	99.70B/81.10A	----	83.20 - 9.50	.2587	----	----	3	----	208 + 3
3855	----	----	101.10B/82.40A	101.10B/82.40A	----	84.40 - 9.70	.2618	----	----	----	----	9 UNCH
3860	----	----	102.50B/83.60A	102.50B/83.60A	----	85.70 - 9.70	.2652	----	----	----	----	16 UNCH
3865	----	----	104.00B/84.90A	104.00B/84.90A	----	87.00 - 9.80	.2685	----	----	----	----	3 UNCH
3870	----	----	105.50B/86.20A	105.50B/86.20A	----	88.40 - 9.80	.2719	----	----	----	----	14 UNCH
3875	----	----	107.00B/87.50A	107.00B/87.50A	----	89.70 - 10.00	.2752	----	----	1	----	38 + 1
3880	----	----	108.60B/88.80A	108.60B/88.80A	----	91.10 - 10.00	.2787	----	----	----	----	3 UNCH
3890	99.60	99.60	111.60B/91.50A	111.60B/91.50A	----	93.90 - 10.20	.2856	----	----	3	----	201 UNCH
3895	101.10	101.10	113.30B/92.90A	113.30B/92.90A	----	95.30 - 10.20	.2890	----	----	3	----	4 UNCH
3900	102.60	102.60	114.90B/94.30A	114.90B/94.30A	----	96.70 - 10.40	.2925	----	----	3	----	115 - 3
3905	104.00	104.00	116.50B/95.70A	116.50B/95.70A	----	98.20 - 10.40	.2961	----	----	3	----	3 UNCH
3910	105.60	105.60	118.20B/97.10A	118.20B/97.10A	----	99.70 - 10.50	.2997	----	----	3	----	14 + 3
3915	107.20	107.20	119.90B/98.50A	119.90B/98.50A	----	101.20 - 10.50	.3033	----	----	3	----	4 + 3
3920	108.70	108.70	121.60B/100.00A	121.60B/100.00A	----	102.70 - 10.60	.3069	----	----	3	----	200 UNCH
3925	----	----	123.20B/101.50A	123.20B/101.50A	----	104.20 - 10.70	.3105	----	----	----	----	41 UNCH
3930	----	----	125.00B/103.00A	125.00B/103.00A	----	105.70 - 10.90	.3141	----	----	1	----	5 UNCH
3935	----	----	126.80B/104.50A	126.80B/104.50A	----	107.30 - 10.90	.3178	----	----	----	----	35 UNCH
3940	----	----	128.60B/106.10A	128.60B/106.10A	----	108.90 - 11.00	.3216	----	----	----	----	1 UNCH
3945	----	----	130.20B/107.60A	130.20B/107.60A	----	110.50 - 11.10	.3253	----	----	----	----	1 UNCH
3950	----	----	132.20B/109.30A	132.20B/109.30A	----	112.10 - 11.20	.3290	----	----	----	----	6 UNCH
3955	----	----	134.00B/110.90A	134.00B/110.90A	----	113.80 - 11.30	.3329	----	----	----	----	11 UNCH
3960	----	----	135.80B/112.50A	135.80B/112.50A	----	115.50 - 11.30	.3367	----	----	----	----	2 UNCH
3965	----	----	137.80B/114.10A	137.80B/114.10A	----	117.10 - 11.50	.3405	----	----	----	----	20 UNCH
3970	----	----	139.60B/115.90A	139.60B/115.90A	----	118.90 - 11.50	.3444	----	----	1	----	36 + 1
3975	----	----	141.50B/117.50A	141.50B/117.50A	----	120.60 - 11.60	.3482	----	----	----	----	1 UNCH
3980	----	----	143.60B/119.20A	143.60B/119.20A	----	122.30 - 11.80	.3521	----	----	----	----	14 UNCH
3985	----	----	145.40B/121.00A	145.40B/121.00A	----	124.10 - 11.80	.3560	----	----	----	----	2 UNCH
3990	----	----	147.50B/122.70A	147.50B/122.70A	----	125.90 - 11.90	.3600	----	----	----	----	14 UNCH
3995	----	----	149.50B/124.50A	149.50B/124.50A	----	127.70 - 12.00	.3639	----	----	----	----	2 UNCH
4000	143.30	143.30	151.50B/126.30A	151.50B/126.30A	----	129.60 - 12.10	.3679	----	----	4	400	547 + 399
4005	----	----	153.60B/128.00A	153.60B/128.00A	----	131.40 - 12.20	.3719	----	----	----	----	11 UNCH
4010	----	----	155.70B/130.00A	155.70B/130.00A	----	133.30 - 12.30	.3759	----	----	----	----	3 UNCH
4015	----	----	157.80B/131.70A	157.80B/131.70A	----	135.20 - 12.40	.3800	----	----	----	----	20 UNCH
4020	----	----	159.80B/133.60A	159.80B/133.60A	----	137.10 - 12.50	.3840	----	----	----	----	2 UNCH
4025	----	----	162.10B/135.50A	162.10B/135.50A	----	139.10 - 12.50	.3881	----	----	----	----	5 UNCH
4030	----	----	164.30B/137.40A	164.30B/137.40A	----	141.10 - 12.60	.3922	----	----	----	----	5 UNCH
4035	----	----	166.40B/139.40A	166.40B/139.40A	----	143.00 - 12.80	.3963	----	----	1	----	2 + 1
4040	----	----	168.70B/141.30A	168.70B/141.30A	----	145.10 - 12.80	.4005	----	----	1	----	6 + 1
4045	----	----	170.90B/143.30A	170.90B/143.30A	----	147.10 - 12.90	.4046	----	----	----	----	12 UNCH
4050	----	----	173.20B/145.30A	173.20B/145.30A	----	149.20 - 13.00	.4088	----	----	----	----	211 UNCH
4060	----	----	177.80B/149.40A	177.80B/149.40A	----	153.40 - 13.10	.4171	----	----	----	----	1 UNCH
4065	----	----	180.10B/151.60A	180.10B/151.60A	----	155.50 - 13.30	.4213	----	----	----	----	3 UNCH
4070	----	----	182.50B/153.60A	182.50B/153.60A	----	157.70 - 13.30	.4255	----	----	----	----	26 UNCH
4075	----	----	184.90B/155.80A	184.90B/155.80A	----	159.80 - 13.50	.4297	----	----	1	----	39 UNCH
4080	----	----	187.30B/157.80A	187.30B/157.80A	----	162.10 - 13.40	.4340	----	----	1	----	28 + 1
4085	----	----	189.70B/160.20A	189.70B/160.20A	----	164.30 - 13.60	.4382	----	----	----	----	3 UNCH
4090	----	----	192.20B/162.20A	192.20B/162.20A	----	166.50 - 13.70	.4425	----	----	----	----	16 UNCH
4095	----	----	194.60B/164.40A	194.60B/164.40A	----	168.80 - 13.70	.4467	----	----	----	----	23 UNCH
4100	----	----	197.10B/166.60A	197.10B/166.60A	----	171.10 - 13.80	.4510	----	----	----	----	234 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
NOV26												
4105	----	----	199.70B/168.90A	199.70B/168.90A	----	173.40 - 13.90	.4553	----	----	----	----	1 UNCH
4110	----	----	202.30B/171.20A	202.30B/171.20A	----	175.80 - 13.90	.4596	----	----	----	----	7 UNCH
4115	----	----	204.80B/173.50A	204.80B/173.50A	----	178.20 - 14.00	.4639	----	----	----	----	9 UNCH
4120	----	----	207.40B/175.90A	207.40B/175.90A	----	180.60 - 14.10	.4682	----	----	----	50	52 + 50
4125	----	----	209.90B/178.20A	209.90B/178.20A	----	183.00 - 14.20	.4725	----	----	----	----	100 UNCH
4135	----	----	215.30B/183.10A	215.30B/183.10A	----	187.90 - 14.30	.4811	----	----	----	----	31 UNCH
4140	----	----	218.00B/185.40A	218.00B/185.40A	----	190.40 - 14.40	.4855	----	----	----	----	14 UNCH
4145	----	----	220.70B/187.80A	220.70B/187.80A	----	192.90 - 14.50	.4898	----	----	----	----	14 UNCH
4150	----	----	223.40B/190.30A	223.40B/190.30A	----	195.50 - 14.50	.4941	----	----	----	----	420 UNCH
4155	203.70	203.70	226.20B/192.80A	226.20B/192.80A	----	198.10 NEW	.4984	----	----	7	----	7 + 7
4160	201.30	201.30	229.00B/195.40A	229.00B/195.40A	----	200.60 - 14.70	.5027	----	----	7	----	232 + 7
4165	----	----	231.80B/198.00A	231.80B/198.00A	----	203.30 - 14.70	.5071	----	----	----	----	21 UNCH
4170	----	----	234.60B/200.50A	234.60B/200.50A	----	205.90 - 14.80	.5114	----	----	----	----	9 UNCH
4175	----	----	237.50B/203.10A	237.50B/203.10A	----	208.60 - 14.80	.5157	----	----	----	----	5 UNCH
4180	----	----	240.30B/205.70A	240.30B/205.70A	----	211.30 - 14.90	.5200	----	----	----	----	5 UNCH
4185	----	----	243.00B/208.30A	243.00B/208.30A	----	214.00 - 15.00	.5243	----	----	----	----	2 UNCH
4190	----	----	245.90B/211.20A	245.90B/211.20A	----	216.70 - 15.10	.5286	----	----	----	----	67 UNCH
4195	----	----	248.70B/213.70A	248.70B/213.70A	----	219.50 - 15.10	.5328	----	----	----	----	2 UNCH
4200	----	----	251.80B/216.30A	251.80B/216.30A	----	222.30 - 15.20	.5371	----	----	----	----	275 UNCH
4205	----	----	254.70B/219.30A	254.70B/219.30A	----	225.10 - 15.20	.5414	----	----	----	----	60 UNCH
4210	----	----	257.60B/222.00A	257.60B/222.00A	----	227.90 - 15.30	.5457	----	----	----	----	51 UNCH
4215	----	----	260.80B/224.70A	260.80B/224.70A	----	230.80 - 15.30	.5500	----	----	----	----	6 UNCH
4220	----	----	263.90B/227.50A	263.90B/227.50A	----	233.70 - 15.40	.5542	----	----	----	----	3 UNCH
4225	----	----	266.80B/230.40A	266.80B/230.40A	----	236.60 - 15.50	.5584	----	----	----	----	4 UNCH
4230	----	----	269.90B/233.20A	269.90B/233.20A	----	239.50 - 15.60	.5626	----	----	----	----	4 UNCH
4235	----	----	273.20B/236.00A	273.20B/236.00A	----	242.50 - 15.60	.5668	----	----	----	----	50 UNCH
4240	----	----	276.30B/238.90A	276.30B/238.90A	----	245.40 - 15.70	.5711	----	----	----	----	3 UNCH
4245	----	----	279.50B/241.90A	279.50B/241.90A	----	248.40 - 15.80	.5753	----	----	----	----	10 UNCH
4250	----	----	282.70B/244.70A	282.70B/244.70A	----	251.50 - 15.70	.5794	----	----	----	----	629 UNCH
4255	----	----	285.90B/247.80A	285.90B/247.80A	----	254.50 - 15.80	.5836	----	----	----	----	11 UNCH
4260	----	----	289.10B/250.80A	289.10B/250.80A	----	257.60 - 15.90	.5877	----	----	----	----	3 UNCH
4265	----	----	292.40B/253.90A	292.40B/253.90A	----	260.70 - 15.90	.5919	----	----	----	----	2 UNCH
4275	----	----	298.80B/260.10A	298.80B/260.10A	----	266.90 - 16.10	.6001	----	----	----	----	23 UNCH
4280	----	----	302.30B/263.40A	302.30B/263.40A	----	270.10 - 16.10	.6042	----	----	----	----	1 UNCH
4290	----	----	308.90B/269.90A	308.90B/269.90A	----	276.40 - 16.30	.6123	----	----	----	----	1 UNCH
4300	----	----	315.70B/275.70A	315.70B/275.70A	----	282.90 - 16.40	.6204	----	----	----	----	101 UNCH
4305	----	----	319.20B/279.20A	319.20B/279.20A	----	286.10 - 16.50	.6244	----	----	----	----	3 UNCH
4315	----	----	326.10B/285.70A	326.10B/285.70A	----	292.70 - 16.60	.6324	----	----	----	----	6 UNCH
4320	----	----	329.50B/288.70A	329.50B/288.70A	----	296.00 - 16.70	.6363	----	----	----	----	43 UNCH
4330	----	----	336.60B/296.10A	336.60B/296.10A	----	302.70 - 16.80	.6441	----	----	----	----	9 UNCH
4335	----	----	340.10B/299.40A	340.10B/299.40A	----	306.10 - 16.80	.6480	----	----	----	----	1 UNCH
4340	----	----	343.70B/302.50A	343.70B/302.50A	----	309.50 - 16.90	.6520	----	----	----	----	9 UNCH
4350	----	----	350.90B/309.10A	350.90B/309.10A	----	316.40 - 17.00	.6596	----	----	2	----	9 + 2
4360	----	----	358.20B/316.30A	358.20B/316.30A	----	323.30 - 17.20	.6672	----	----	----	----	1 UNCH
4375	----	----	369.20B/326.70A	369.20B/326.70A	----	333.90 - 17.30	.6783	----	----	----	----	2 UNCH
4380	----	----	372.90B/329.50A	372.90B/329.50A	----	337.50 - 17.30	.6820	----	----	----	----	20 UNCH
4390	----	----	380.40B/337.30A	380.40B/337.30A	----	344.70 - 17.40	.6894	----	----	----	----	1 UNCH
4395	----	----	384.10B/340.90A	384.10B/340.90A	----	348.30 - 17.50	.6929	----	----	----	----	1 UNCH
4400	----	----	388.00B/344.30A	388.00B/344.30A	----	351.90 - 17.60	.6965	----	----	2	----	10 + 2
4405	----	----	391.70B/348.00A	391.70B/348.00A	----	355.60 - 17.60	.7000	----	----	----	----	1 UNCH
4425	----	----	407.20B/362.20A	407.20B/362.20A	----	370.50 - 17.80	.7139	----	----	----	----	72 UNCH
4430	----	----	411.10B/368.50A	411.10B/368.50A	----	374.20 - 17.90	.7173	----	----	----	----	10 UNCH
4435	----	----	415.00B/372.20A	415.00B/372.20A	----	378.00 - 17.90	.7207	----	----	----	----	7 UNCH
4450	----	----	426.80B/383.30A	426.80B/383.30A	----	389.50 - 18.00	.7307	----	----	----	----	41 UNCH
4470	----	----	442.80B/410.70A	442.80B/410.70A	----	405.00 - 18.10	.7434	----	----	----	----	1 UNCH
4485	----	----	455.00B/417.70A	455.00B/417.70A	----	416.80 - 18.30	.7528	----	----	----	----	1 UNCH
4490	----	----	459.10B/421.60A	459.10B/421.60A	----	420.80 - 18.30	.7558	----	----	----	----	1 UNCH
4500	----	----	467.20B/422.90A	467.20B/422.90A	----	428.70 - 18.40	.7619	----	----	----	----	138 UNCH
4510	----	----	475.50B/431.10A	475.50B/431.10A	----	436.80 - 18.50	.7676	----	----	----	----	11 UNCH
4530	----	----	492.20B/445.40A	492.20B/445.40A	----	453.10 - 18.60	.7790	----	----	----	----	40 UNCH
4535	----	----	496.40B/447.80A	496.40B/447.80A	----	457.20 - 18.60	.7818	----	----	----	----	10 UNCH
4540	----	----	500.60B/451.70A	500.60B/451.70A	----	461.30 - 18.70	.7847	----	----	----	----	6 UNCH
4545	----	----	505.00B/455.90A	505.00B/455.90A	----	465.40 - 18.70	.7873	----	----	----	----	1 UNCH
4550	----	----	509.20B/460.10A	509.20B/460.10A	----	469.60 - 18.70	.7900	----	----	----	----	1 UNCH
4555	----	----	513.40B/464.20A	513.40B/464.20A	----	473.70 - 18.80	.7926	----	----	----	----	1 UNCH
4580	----	----	534.90B/484.80A	534.90B/484.80A	----	494.70 - 19.00	.8055	----	----	----	----	10 UNCH
4590	----	----	543.60B/493.60A	543.60B/493.60A	----	503.20 - 19.10	.8103	----	----	----	----	1 UNCH
4600	----	----	552.30B/501.80A	552.30B/501.80A	----	511.80 - 19.10	.8151	----	----	----	----	72 UNCH
4610	----	----	561.10B/510.30A	561.10B/510.30A	----	520.30 - 19.20	.8199	----	----	----	----	4 UNCH
4640	----	----	587.70B/536.20A	587.70B/536.20A	----	546.40 - 19.40	.8333	----	----	----	----	90 UNCH
4645	----	----	592.00B/540.70A	592.00B/540.70A	----	550.80 - 19.40	.8354	----	----	----	----	1 UNCH
4650	----	----	596.50B/544.90A	596.50B/544.90A	----	555.20 - 19.40	.8373	----	----	----	----	78 UNCH
4655	----	----	601.00B/549.40A	601.00B/549.40A	----	559.60 - 19.40	.8394	----	----	----	----	1 UNCH
4700	----	----	641.70B/589.20A	641.70B/589.20A	----	599.70 - 19.60	.8568	----	----	----	----	58 UNCH
4710	----	----	650.70B/598.50A	650.70B/598.50A	----	608.70 - 19.70	.8603	----	----	----	----	1 UNCH
4725	----	----	664.50B/612.00A	664.50B/612.00A	----	622.30 - 19.70	.8656	----	----	----	----	2 UNCH
4750	----	----	687.50B/634.30A	687.50B/634.30A	----	645.10 - 19.80	.8734	----	----	----	----	10 UNCH
4755	----	----	692.20B/639.30A	692.20B/639.30A	----	649.70 - 19.80	.8750	----	----	----	----	1 UNCH
4800	----	----	734.10B/680.70A	734.10B/680.70A	----	691.30 - 20.00	.8879	----	----	----	----	13 UNCH
4820	----	----	752.90B/699.30A	752.90B/699.30A	----	710.00 - 20.00	.8931	----	----	----	----	1 UNCH
4840	----	----	771.80B/718.00A	771.80B/718.00A	----	728.70 - 20.10	.8981	----	----	----	----	2 UNCH
4845	----	----	776.50B/722.40A	776.50B/722.40A	----	733.40 - 20.10	.8990	----	----	----	----	10 UNCH
4850	----	----	781.00B/727.30A	781.00B/727.30A	----	738.10 - 20.10	.9003	----	----	----	----	8 UNCH
4900	802.60	802.60	828.80B/774.20A	828.80B/774.20A	----	785.40 - 20.20	.9109	----	----	1	----	13 + 1
4915	----	----	842.90B/788.70A	842.90B/788.70A	----	799.70 - 20.20	.9139	----	----	----	----	3 UNCH
4935	----	----	862.30B/807.50A	862.30B/807.50A	----	818.80 - 20.20	.9175	----	----	----	----	25 UNCH
4950	----	----	876.70B/822.10A	876.70B/822.10A	----	833.20 - 20.20	.9201	----	----	----	----	11 UNCH
4960	----	----	886.10B/831.70A	886.10B/831.70A	----	842.70 - 20.30	.9219	----	----	----	----	2 UNCH
5000	----	----	924.90B/870.10A	924.90B/870.10A	----	881.20 - 20.30	.9281	----	----	----	----	255 UNCH
5020	----	----	944.10B/889.30A	944.10B/889.30A	----	900.60 - 20.30	.9312	----	----	----	----	30 UNCH
5055	----	----	978.10B/923.20A	978.10B/923.20A	----	934.50 - 20.30	.9358	----	----	----	----	8 UNCH
5200	----	----	----/1,085.20A	1087.80B/1085.20A	----	1075.90 - 20.50	.9513	----	----	----	----	82 UNCH
5395	----	----	----/1,282.80A	1276.10B/1282.80A	----	1267.90 - 20.70	.9653	----	----	----	----	6 UNCH
5400	----	----	----/1,287.80A	1281.10B/1287.80A	----	1272.90 - 20.60	.9657	----	----	----	----	6 UNCH
5470	----	----	----	----	----	1342.20 - 20.70	.9693	----	----	----	----	2 UNCH
5475	----	----	----	----	----	1347.10 - 20.70	.9697	----	----	----	----	1 UNCH
TOTAL										368	450	12404 + 609
DEC26												
1350	----	----	0.20B/----	0.20B/0.50A	----	0.10 UNCH	.0002	----	----	----	----	17 UNCH
1375	----	----	----	0.20B/0.50A	----	0.20 UNCH	.0004	----	----	----	----	1 UNCH
1400	----	----	----	0.20B/0.50A	----	0.20 UNCH	.0004	----	----	----	----	1 UNCH
1500	----	----	----	0.30B/0.60A	----	0.40 UNCH	.0008	----	----	----	----	1 UNCH
1600	----	----	----	0.40B/0.70A	----	0.50 - 0.10	.0011	----	----	----	----	194 UNCH
1700	----	----	----	0.50B/*0.80A	----	0.60 - 0.10	.0014	----	----	----	----	200 UNCH
1845	----	----	----	0.80B/1.10A	----	0.90 - 0.10	.0021	----	----	----	----	60 UNCH
1850	----	----	----	0.80B/1.10A	----	0.90 - 0.10	.0022	----	----	----	----	5 UNCH
1900	----	----	----	0.90B/*1.20A	----	1.10 UNCH	.0026	----	----	----	----	6 UNCH
2000	----	----	----	1.10B/1.50A	----	1.40 + 0.10	.0034	----	----	----	----	2 UNCH
2100	----	----	----	1.40B/1.80A	----	1.60 - 0.10	.0041	----	----	----	----	1 UNCH
2200	----	----	----	1.80B/2.10A	----	1.80 - 0.20	.0048	----	----	----	----	12 UNCH
2250	----	----	----	2.00B/2.30A	----	2.00 - 0.30	.0054	----	----	----	----	1 UNCH
2300	----	----	----	2.20B/2.50A	----	2.20 - 0.30	.0060	----	----	----	----	3 UNCH
2400	----	----	----/3.00A	2.80B/3.00A	----	2.80 - 0.30	.0078	----	----	----	----	1 UNCH
2450	----	----	----/3.30A	3.10B/3.30A	----	3.20 - 0.30	.0089	----	----	----	----	4 UNCH
2490	----	----	----/3.60A	3.40B/3.60A	----	3.50 - 0.30	.0098	----	----	----	----	1 UNCH
2500	----	----	----/3.60A	3.40B/3.60A	----	3.50 - 0.40	.0099	----	----	----	----	390 UNCH
2550	----	----	----/4.00A	3.90B/4.00A	----	3.90 - 0.40	.0111	----	----	----	----	4 UNCH
2600	----	----	----/4.50A	4.40B/4.50A	----	4.30 - 0.50	.0124	----	----	----	----	1 UNCH
2645	----	----	----/4.90A	4.90B/4.90A	----	4.70 - 0.60	.0137	----	----	----	----	7 UNCH
2655	----	----	----/5.00A	5.00B/5.00A	----	4.80 - 0.60	.0141	----	----	----	----	2 UNCH
2660	5.00	5.00	5.00/5.00	5.00/5.00	----	4.90 - 0.60	.0143	----	----	4	----	3 - 1
2750	----	----	----/6.10A	6.30B/6.10A	----	5.90 - 0.80	.0176	----	----	----	----	45 UNCH
2795	----	----	----/6.70A	7.00B/6.70A	----	6.50 - 0.90	.0196	----	----	----	----	10 UNCH
2800	----	----	----/6.80A	7.10B/6.80A	----	6.60 - 0.90	.0199	----	----	----	----	45 UNCH
2875	----	----	----/8.00A	8.60B/8.00A	----	7.80 - 1.10	.0238	----	----	----	----	1 UNCH
2900	----	----	----/8.50A	9.20B/8.50A	----	8.30 - 1.10	.0253	----	----	----	----	74 UNCH
2925	----	----	----/9.00A	9.80B/9.00A	----	8.80 - 1.20	.0270	----	----	----	----	303 UNCH
2975	----	----	----/10.10A	11.20B/10.10A	----	9.90 - 1.30	.0305	----	----	----	----	902 UNCH
3000	----	----	----/10.70A	11.90B/10.70A	----	10.50 - 1.40	.0325	----	----	----	----	2101 UNCH
3025	11.70	11.70	12.80B/11.40A	12.80B/11.40A	----	11.20 - 1.50	.0347	----	----	2	----	2 UNCH
3060	----	----	14.00B/12.40A	14.00B/12.40A	----	12.20 - 1.70	.0379	----	----	----	----	200 UNCH
3075	----	----	14.60B/12.90A	14.60B/12.90A	----	12.70 - 1.70	.0394	----	----	----	----	3 UNCH
3100	----	----	15.60B/13.70A	15.60B/13.70A	----	13.50 - 1.80	.0420	----	----	----	----	96 UNCH
3160	----	----	18.40B/15.90A	18.40B/15.90A	----	15.80 - 2.10	.0492	----	----	----	----	2 UNCH
3175	----	----	19.10B/16.60A	19.10B/16.60A	----	16.40 - 2.20	.0511	----	----	----	----	60 UNCH
3200	20.00	20.00	20.50B/17.70A	20.50B/17.70A	----	17.50 - 2.40	.0545	----	----	1	----	41 + 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
DEC26												
3215	----	----	21.30B/18.40A	21.30B/18.40A	----	18.20 - 2.50	.0567	----	----	----	----	3 UNCH
3245	----	----	23.20B/19.80A	23.20B/19.80A	----	19.70 - 2.70	.0613	----	----	----	----	4 UNCH
3250	----	----	23.60B/20.10A	23.60B/20.10A	----	20.00 - 2.70	.0622	----	----	----	----	471 UNCH
3265	----	----	24.60B/20.90A	24.60B/20.90A	----	20.80 - 2.90	.0646	----	----	----	----	27 UNCH
3300	----	----	27.10B/22.90A	27.10B/22.90A	----	22.90 - 3.10	.0709	----	----	----	----	470 UNCH
3345	----	----	30.70B/25.90A	30.70B/25.90A	----	25.90 - 3.50	.0799	----	----	----	----	2 UNCH
3350	----	----	31.20B/26.30A	31.20B/26.30A	----	26.20 - 3.60	.0808	----	----	----	----	2 UNCH
3370	----	----	33.00B/27.70A	33.00B/27.70A	----	27.70 - 3.70	.0852	----	----	----	----	1 UNCH
3375	----	----	33.50B/28.10A	33.50B/28.10A	----	28.10 - 3.80	.0864	----	----	----	----	250 UNCH
3400	----	----	35.90B/30.10A	35.90B/30.10A	----	30.10 - 4.00	.0923	----	----	----	100	1757 UNCH
3425	----	----	38.60B/32.20A	38.60B/32.20A	----	32.30 - 4.20	.0986	----	----	----	----	350 UNCH
3440	----	----	40.30B/33.60A	40.30B/33.60A	----	33.70 - 4.40	.1026	----	----	----	----	1 UNCH
3445	----	----	40.70B/34.00A	40.70B/34.00A	----	34.10 - 4.50	.1038	----	----	----	----	1 UNCH
3450	----	----	41.30B/34.50A	41.30B/34.50A	----	34.60 - 4.50	.1052	----	----	----	----	1586 UNCH
3460	----	----	42.50B/35.40A	42.50B/35.40A	----	35.60 - 4.60	.1080	----	----	----	----	71 UNCH
3465	----	----	43.10B/35.90A	43.10B/35.90A	----	36.10 - 4.70	.1094	----	----	----	----	222 UNCH
3475	----	----	44.40B/36.90A	44.40B/36.90A	----	37.10 - 4.80	.1122	----	----	----	----	162 UNCH
3480	----	----	44.90B/37.50A	44.90B/37.50A	----	37.60 - 4.90	.1137	----	----	----	----	27 UNCH
3485	----	----	45.60B/38.00A	45.60B/38.00A	----	38.20 - 4.90	.1153	----	----	----	----	1 UNCH
3495	----	----	46.80B/39.00A	46.80B/39.00A	----	39.30 - 5.00	.1183	----	----	----	----	4 UNCH
3500	41.00	41.00	47.60B/39.50A	47.60B/39.50A	----	39.80 - 5.10	.1198	----	----	10	----	4572 + 10
3510	----	----	48.90B/40.60A	48.90B/40.60A	----	41.00 - 5.10	.1230	----	----	----	----	213 UNCH
3515	----	----	49.60B/41.20A	49.60B/41.20A	----	41.60 - 5.20	.1246	----	----	----	----	100 UNCH
3520	----	----	50.30B/41.80A	50.30B/41.80A	----	42.10 - 5.30	.1261	----	----	----	----	1 UNCH
3525	----	----	51.00B/42.40A	51.00B/42.40A	----	42.70 - 5.40	.1278	----	----	----	----	200 UNCH
3530	----	----	51.70B/43.00A	51.70B/43.00A	----	43.30 - 5.40	.1294	----	----	----	----	1 UNCH
3540	----	----	53.10B/44.20A	53.10B/44.20A	----	44.60 - 5.50	.1329	----	----	----	----	3 UNCH
3545	----	----	53.90B/44.80A	53.90B/44.80A	----	45.20 - 5.60	.1345	----	----	----	----	11 UNCH
3550	----	----	54.70B/45.40A	54.70B/45.40A	----	45.90 - 5.60	.1363	----	----	----	----	2129 UNCH
3560	----	----	56.30B/46.70A	56.30B/46.70A	----	47.20 - 5.70	.1399	----	----	----	----	101 UNCH
3565	----	----	56.80B/47.30A	56.80B/47.30A	----	47.90 - 5.70	.1417	----	----	----	----	19 UNCH
3570	----	----	57.80B/48.00A	57.80B/48.00A	----	48.50 - 5.90	.1434	----	----	----	----	1 UNCH
3585	----	----	60.20B/50.00A	60.20B/50.00A	----	50.60 - 6.00	.1489	----	----	----	----	330 UNCH
3590	----	----	61.10B/50.70A	61.10B/50.70A	----	51.40 - 6.00	.1510	----	----	----	----	2 UNCH
3595	----	----	61.70B/51.50A	61.70B/51.50A	----	52.10 - 6.10	.1528	----	----	----	----	110 UNCH
3600	----	----	62.80B/52.20A	62.80B/52.20A	----	52.80 - 6.20	.1547	----	----	30	----	2135 + 30
3605	----	----	63.60B/52.90A	63.60B/52.90A	----	53.60 - 6.20	.1567	----	----	----	----	30 UNCH
3610	----	----	64.30B/53.60A	64.30B/53.60A	----	54.40 - 6.30	.1588	----	----	----	----	19 UNCH
3640	----	----	69.90B/58.30A	69.90B/58.30A	----	59.20 - 6.60	.1711	----	----	----	----	6 UNCH
3645	----	----	71.20B/59.10A	71.20B/59.10A	----	60.00 - 6.70	.1732	----	----	----	----	55 UNCH
3650	----	----	72.10B/59.90A	72.10B/59.90A	----	60.90 - 6.80	.1754	----	----	----	150	855 + 150
3655	----	----	73.00B/60.70A	73.00B/60.70A	----	61.70 - 6.90	.1775	----	----	----	----	230 UNCH
3660	----	----	74.10B/61.60A	74.10B/61.60A	----	62.60 - 6.90	.1797	----	----	----	----	6 UNCH
3670	----	----	75.90B/63.30A	75.90B/63.30A	----	64.40 - 7.00	.1842	----	----	----	----	97 UNCH
3675	----	----	77.10B/64.20A	77.10B/64.20A	----	65.30 - 7.10	.1864	----	----	----	----	12 UNCH
3680	----	----	77.80B/65.10A	77.80B/65.10A	----	66.20 - 7.20	.1887	----	----	----	----	4 UNCH
3685	----	----	79.20B/66.00A	79.20B/66.00A	----	67.10 - 7.30	.1909	----	----	----	----	4 UNCH
3690	----	----	80.50B/66.90A	80.50B/66.90A	----	68.10 - 7.30	.1933	----	----	----	----	13 UNCH
3695	----	----	81.40B/67.80A	81.40B/67.80A	----	69.00 - 7.40	.1956	----	----	----	----	2 UNCH
3700	73.70	73.70	82.30B/68.60	82.30B/68.60	----	70.00 - 7.50	.1980	----	----	13	----	1087 + 5
3705	----	----	83.30B/69.70A	83.30B/69.70A	----	71.00 - 7.50	.2004	----	----	----	----	15 UNCH
3710	----	----	84.80B/70.70A	84.80B/70.70A	----	71.90 - 7.70	.2027	----	----	----	----	90 UNCH
3715	----	----	85.60B/71.70A	85.60B/71.70A	----	72.90 - 7.80	.2051	----	----	----	----	22 UNCH
3720	----	----	86.80B/72.60A	86.80B/72.60A	----	74.00 - 7.80	.2077	----	----	----	----	65 UNCH
3725	----	----	88.30B/73.60A	88.30B/73.60A	----	75.00 - 7.90	.2101	----	----	----	----	256 UNCH
3730	75.20	75.20	89.60B/74.70A	89.60B/74.70A	----	76.00 - 8.00	.2125	----	----	2	----	718 UNCH
3735	76.30	76.30	90.70B/75.70A	90.70B/75.70A	----	77.10 - 8.00	.2151	----	----	1	----	317 - 1
3740	----	----	91.90B/76.80A	91.90B/76.80A	----	78.10 - 8.20	.2176	----	----	----	----	43 UNCH
3745	----	----	93.10B/77.80A	93.10B/77.80A	----	79.20 - 8.20	.2201	----	----	----	----	85 UNCH
3750	----	----	94.20B/78.80A	94.20B/78.80A	----	80.30 - 8.30	.2227	----	----	----	----	1088 UNCH
3755	----	----	95.60B/80.00A	95.60B/80.00A	----	81.40 - 8.40	.2253	----	----	----	----	23 UNCH
3760	----	----	96.90B/81.10A	96.90B/81.10A	----	82.50 - 8.50	.2279	----	----	----	----	193 UNCH
3765	----	----	98.10B/82.10A	98.10B/82.10A	----	83.70 - 8.50	.2306	----	----	----	----	2 UNCH
3770	----	----	99.40B/83.20A	99.40B/83.20A	----	84.80 - 8.60	.2332	----	----	----	----	2 UNCH
3775	----	----	100.50B/84.50A	100.50B/84.50A	----	86.00 - 8.70	.2359	----	----	----	----	32 UNCH
3780	----	----	101.70B/85.50A	101.70B/85.50A	----	87.20 - 8.70	.2387	----	----	----	----	3 UNCH
3785	----	----	103.20B/86.70A	103.20B/86.70A	----	88.30 - 8.90	.2413	----	----	----	----	40 UNCH
3790	90.30	90.30	104.80B/87.90A	104.80B/87.90A	----	89.60 - 8.90	.2442	----	----	1	----	2 + 1
3795	----	----	106.10B/89.10A	106.10B/89.10A	----	90.80 - 9.00	.2469	----	----	----	----	15 UNCH
3800	----	----	107.30B/90.30A	107.30B/90.30A	----	92.00 - 9.10	.2497	----	----	17	----	1054 + 14
3805	----	----	108.90B/91.50A	108.90B/91.50A	----	93.30 - 9.10	.2525	----	----	----	----	16 UNCH
3810	----	----	110.10B/92.70A	110.10B/92.70A	----	94.50 - 9.30	.2553	----	----	----	----	57 UNCH
3830	----	----	116.20B/97.80A	116.20B/97.80A	----	99.80 - 9.50	.2669	----	----	----	----	20 UNCH
3840	----	----	118.90B/100.60A	118.90B/100.60A	----	102.50 - 9.60	.2728	----	----	----	----	3 UNCH
3850	115.00	115.00	122.40B/103.30A	122.40B/103.30A	----	105.20 - 9.90	.2788	----	----	4	----	323 UNCH
3855	----	----	124.00B/104.60A	124.00B/104.60A	----	106.60 - 9.90	.2818	----	----	----	----	1 UNCH
3860	----	----	125.60B/106.00A	125.60B/106.00A	----	108.10 - 9.90	.2849	----	----	----	----	1 UNCH
3865	----	----	127.20B/107.40A	127.20B/107.40A	----	109.50 - 10.00	.2879	----	----	----	----	2 UNCH
3870	----	----	128.80B/108.80A	128.80B/108.80A	----	111.00 - 10.10	.2910	----	----	----	----	1 UNCH
3875	----	----	130.50B/110.20A	130.50B/110.20A	----	112.50 - 10.10	.2942	----	----	----	----	32 UNCH
3880	----	----	131.90B/111.70A	131.90B/111.70A	----	114.00 - 10.20	.2973	----	----	----	----	1 UNCH
3885	----	----	133.70B/113.20A	133.70B/113.20A	----	115.50 - 10.20	.3004	----	----	----	----	29 UNCH
3890	----	----	135.30B/114.70A	135.30B/114.70A	----	117.00 - 10.30	.3036	----	----	----	----	1 UNCH
3895	----	----	137.20B/116.20A	137.20B/116.20A	----	118.60 - 10.30	.3068	----	----	----	----	200 UNCH
3900	119.40	119.40	138.90B/117.60A	138.90B/117.60A	----	120.20 - 10.30	.3100	----	----	37	----	3575 + 17
3905	----	----	140.50B/119.30A	140.50B/119.30A	----	121.70 - 10.50	.3132	----	----	----	----	3 UNCH
3910	----	----	142.30B/120.80A	142.30B/120.80A	----	123.30 - 10.50	.3164	----	----	----	----	1 UNCH
3915	----	----	144.10B/122.40A	144.10B/122.40A	----	125.00 - 10.50	.3198	----	----	----	----	175 UNCH
3920	----	----	145.90B/124.00A	145.90B/124.00A	----	126.60 - 10.60	.3230	----	----	----	----	50 UNCH
3925	----	----	147.70B/125.60A	147.70B/125.60A	----	128.30 - 10.60	.3263	----	----	----	----	258 UNCH
3930	----	----	149.50B/127.20A	149.50B/127.20A	----	130.00 - 10.60	.3297	----	----	----	----	2 UNCH
3935	----	----	151.40B/128.90A	151.40B/128.90A	----	131.70 - 10.70	.3330	----	----	----	----	3 UNCH
3940	----	----	153.40B/130.60A	153.40B/130.60A	----	133.40 - 10.80	.3363	----	----	----	----	1 UNCH
3945	----	----	155.20B/132.20A	155.20B/132.20A	----	135.10 - 10.90	.3397	----	----	----	----	2 UNCH
3950	----	----	157.20B/133.80A	157.20B/133.80A	----	136.80 - 11.00	.3431	----	----	----	----	2254 UNCH
3960	----	----	161.10B/137.40A	161.10B/137.40A	----	140.40 - 11.10	.3499	----	----	----	----	1 UNCH
3965	----	----	162.90B/139.20A	162.90B/139.20A	----	142.20 - 11.20	.3533	----	----	----	----	52 UNCH
3970	----	----	164.90B/140.90A	164.90B/140.90A	----	144.00 - 11.30	.3568	----	----	----	----	212 UNCH
3975	----	----	166.90B/142.70A	166.90B/142.70A	----	145.80 - 11.40	.3602	----	----	----	----	193 UNCH
3980	149.80	149.80	169.00B/144.60A	169.00B/144.60A	----	147.70 - 11.50	.3637	----	----	3	----	193 + 2
3985	----	----	171.00B/146.40A	171.00B/146.40A	----	149.60 - 11.60	.3672	----	----	----	----	1 UNCH
3990	----	----	173.10B/148.20A	173.10B/148.20A	----	151.50 - 11.70	.3707	----	----	----	----	13 UNCH
3995	----	----	175.10B/150.10A	175.10B/150.10A	----	153.40 - 11.80	.3742	----	----	----	----	2 UNCH
4000	----	----	177.20B/151.90A	177.20B/151.90A	----	155.30 - 11.90	.3777	----	----	455	----	2991 - 10
4005	----	----	179.50B/153.90A	179.50B/153.90A	----	157.20 - 12.10	.3813	----	----	----	----	42 UNCH
4010	----	----	181.60B/155.80A	181.60B/155.80A	----	159.20 - 12.10	.3848	----	----	----	----	1 UNCH
4015	----	----	183.70B/157.70A	183.70B/157.70A	----	161.20 - 12.10	.3884	----	----	----	----	23 UNCH
4020	----	----	186.10B/159.70A	186.10B/159.70A	----	163.20 - 12.20	.3920	----	----	----	----	4 UNCH
4025	----	----	188.20B/161.50A	188.20B/161.50A	----	165.20 - 12.30	.3956	----	----	----	----	823 UNCH
4035	----	----	192.60B/165.70A	192.60B/165.70A	----	169.30 - 12.40	.4028	----	----	----	----	43 UNCH
4040	----	----	194.90B/167.70A	194.90B/167.70A	----	171.40 - 12.40	.4064	----	----	----	----	4 UNCH
4050	----	----	199.50B/171.80A	199.50B/171.80A	----	175.70 - 12.50	.4137	----	----	4	----	341 UNCH
4060	----	----	204.10B/176.10A	204.10B/176.10A	----	180.00 - 12.70	.4211	----	----	----	----	105 UNCH
4065	----	----	206.60B/178.30A	206.60B/178.30A	----	182.20 - 12.80	.4247	----	----	----	----	15 UNCH
4070	----	----	208.90B/180.40A	208.90B/180.40A	----	184.40 - 12.90	.4284	----	----	----	----	22 UNCH
4080	----	----	213.80B/184.80A	213.80B/184.80A	----	188.90 - 13.00	.4358	----	----	455	----	457 + 450
4085	----	----	216.10B/187.10A	216.10B/187.10A	----	191.20 - 13.10	.4396	----	----	----	----	1 UNCH
4090	----	----	218.70B/189.30A	218.70B/189.30A	----	193.50 - 13.20	.4433	----	----	----	----	4 UNCH
4095	----	----	221.20B/191.60A	221.20B/191.60A	----	195.80 - 13.30	.4470	----	----	----	----	7 UNCH
4100	----	----	223.60B/193.70A	223.60B/193.70A	----	198.20 - 13.30	.4507	----	----	----	----	745 UNCH
4105	----	----	226.30B/196.20A	226.30B/196.20A	----	200.50 - 13.50	.4545	----	----	----	----	17 UNCH
4110	----	----	228.70B/198.50A	228.70B/198.50A	----	202.90 - 13.60	.4582	----	----	3	----	17 UNCH
4115	----	----	231.50B/200.80A	231.50B/200.80A	----	205.30 - 13.70	.4620	----	----	----	----	66 UNCH
4120	210.70	210.70	234.10B/203.20A	234.10B/203.20A	----	207.80 - 13.70	.4657	----	----	3	----	20 + 3
4125	----	----	236.60B/205.60A	236.60B/205.60A	----	210.20 - 13.80	.4695	----	----	4	----	14 + 4
4130	----	----	239.30B/207.90A	239.30B/207.90A	----	212.70 - 13.90	.4732	----	----	----	----	732 UNCH
4135	----	----	241.80B/210.50A	241.80B/210.50A	----	215.20 - 14.00	.4770	----	----	----	----	3 UNCH
4140	215.00	215.00	244.50B/212.80A	244.50B/212.80A	----	217.70 - 14.10	.4807	----	----	3	----	47 + 3
4145	----	----	247.30B/215.40A	247.30B/215.40A	----	220.20 - 14.20	.4845	----	----	----	----	10 UNCH
4150	----	----	249.90B/217.90A	249.90B/217.90A	----	222.80 - 14.20	.4882	----	----	----	----	184 UNCH
4155	235.00	235.00	252.80B/220.30A	252.80B/220.30A	----	225.40 - 14.30	.4920	----	----	3	----	13 + 3
4160	----	----	255.40B/222.90A	255.40B/222.90A	----	228.00 - 14.40	.4957	----	----	----	----	296 UNCH
4165	----	----	258.20B/225.40A	258.20B/225.40A	----	230.60 - 14.50	.4995	----	----	3	----	33 + 3
4170	----	----	261.00B/228.00A	261.00B/228.00A	----	233.20 - 14.60	.5032	----	----	----	----	27 UNCH
4175	----	----	264.00B/230.70A	264.00B/230.70A	----	235.90 - 14.60	.5070	----	----	6	----	164 UNCH
4180	236.20	236.20	266.70B/233.40A	266.70B/233.40A	----	238.60 - 14.70	.5107	----	----	6	----	24 + 6
4185	----	----	269.70B/236.00A	269.70B/236.00A	----	241.30 - 14.70	.5144	----	----	----	----	15 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
DEC26												
4190	----	----	272.60B/238.60A	272.60B/238.60A	----	244.00 - 14.80	.5182	----	----	15	----	336 + 6
4195	----	----	275.50B/241.40A	275.50B/241.40A	----	246.80 - 14.80	.5219	----	----	----	----	3 UNCH
4200	----	----	277.80B/243.90A	277.80B/243.90A	----	249.50 - 15.00	.5256	----	----	----	----	1517 UNCH
4205	----	----	280.90B/246.80A	280.90B/246.80A	----	252.30 - 15.00	.5293	----	----	----	----	26 UNCH
4210	----	----	283.90B/249.50A	283.90B/249.50A	----	255.10 - 15.10	.5330	----	----	----	----	71 UNCH
4215	----	----	287.00B/252.30A	287.00B/252.30A	----	258.00 - 15.10	.5367	----	----	----	----	164 UNCH
4220	270.60	270.60	289.40B/255.10A	289.40B/255.10A	----	260.80 - 15.20	.5404	----	----	6	----	8 - 4
4225	264.60	264.60	292.90B/257.90A	292.90B/257.90A	----	263.70 - 15.20	.5441	----	----	5	----	83 + 2
4230	----	----	295.90B/260.70A	295.90B/260.70A	----	266.60 - 15.30	.5478	----	----	----	----	156 UNCH
4235	267.30	267.30	299.00B/263.60A	299.00B/263.60A	----	269.50 - 15.40	.5515	----	----	3	----	13 - 1
4240	----	----	302.10B/266.50A	302.10B/266.50A	----	272.40 - 15.50	.5551	----	----	----	----	5 UNCH
4245	----	----	305.20B/269.40A	305.20B/269.40A	----	275.40 - 15.50	.5588	----	----	----	----	21 UNCH
4250	----	----	308.30B/272.40A	308.30B/272.40A	----	278.40 - 15.50	.5625	----	----	----	----	1272 UNCH
4255	----	----	311.40B/275.10A	311.40B/275.10A	----	281.40 - 15.60	.5661	----	----	----	----	12 UNCH
4260	----	----	314.60B/278.20A	314.60B/278.20A	----	284.40 - 15.60	.5697	----	----	----	----	35 UNCH
4265	----	----	317.80B/281.10A	317.80B/281.10A	----	287.40 - 15.70	.5733	----	----	----	----	54 UNCH
4270	----	----	321.00B/284.10A	321.00B/284.10A	----	290.50 - 15.70	.5769	----	----	----	----	4 UNCH
4275	----	----	324.20B/287.30A	324.20B/287.30A	----	293.60 - 15.80	.5805	----	----	----	----	5 UNCH
4280	----	----	327.40B/290.20A	327.40B/290.20A	----	296.70 - 15.80	.5841	----	----	----	----	239 UNCH
4290	----	----	334.00B/296.40A	334.00B/296.40A	----	302.90 - 16.00	.5912	----	----	----	----	1 UNCH
4300	----	----	340.60B/303.20A	340.60B/303.20A	----	309.30 - 16.00	.5983	----	----	----	----	2290 UNCH
4305	----	----	343.90B/305.80A	343.90B/305.80A	----	312.40 - 16.10	.6017	----	----	----	----	7 UNCH
4310	----	----	347.30B/308.90A	347.30B/308.90A	----	315.70 - 16.10	.6053	----	----	----	----	3 UNCH
4315	----	----	350.60B/312.50A	350.60B/312.50A	----	318.90 - 16.20	.6087	----	----	----	----	19 UNCH
4320	----	----	354.00B/315.40A	354.00B/315.40A	----	322.20 - 16.20	.6122	----	----	----	----	124 UNCH
4325	----	----	357.40B/319.40A	357.40B/319.40A	----	325.40 - 16.30	.6157	----	----	----	----	915 UNCH
4330	----	----	360.90B/322.00A	360.90B/322.00A	----	328.70 - 16.30	.6191	----	----	----	----	10 UNCH
4335	----	----	364.20B/325.60A	364.20B/325.60A	----	332.00 - 16.40	.6226	----	----	----	----	19 UNCH
4340	----	----	367.80B/328.50A	367.80B/328.50A	----	335.40 - 16.40	.6259	----	----	----	----	88 UNCH
4350	----	----	374.60B/335.20A	374.60B/335.20A	----	342.10 - 16.50	.6327	----	----	3	----	188 + 1
4360	----	----	381.70B/342.30A	381.70B/342.30A	----	348.90 - 16.50	.6394	----	----	----	----	1 UNCH
4365	----	----	385.30B/345.40A	385.30B/345.40A	----	352.30 - 16.60	.6427	----	----	----	----	195 UNCH
4375	----	----	392.30B/352.30A	392.30B/352.30A	----	359.20 - 16.70	.6494	----	----	----	----	120 UNCH
4385	----	----	399.50B/359.10A	399.50B/359.10A	----	366.10 - 16.80	.6559	----	----	----	----	75 UNCH
4390	----	----	403.10B/362.30A	403.10B/362.30A	----	369.60 - 16.80	.6591	----	----	----	----	200 UNCH
4400	----	----	410.40B/369.60A	410.40B/369.60A	----	376.70 - 16.90	.6655	----	----	3	----	674 + 1
4410	----	----	417.90B/376.40A	417.90B/376.40A	----	383.80 - 17.00	.6719	----	----	----	----	3 UNCH
4420	----	----	425.20B/383.50A	425.20B/383.50A	----	391.00 - 17.00	.6781	----	----	----	----	3 UNCH
4425	----	----	428.90B/386.80A	428.90B/386.80A	----	394.60 - 17.10	.6812	----	----	----	----	9 UNCH
4430	----	----	432.70B/390.80A	432.70B/390.80A	----	398.30 - 17.10	.6843	----	----	----	----	121 UNCH
4435	----	----	436.50B/394.20A	436.50B/394.20A	----	401.90 - 17.10	.6873	----	----	----	----	14 UNCH
4440	----	----	440.40B/397.80A	440.40B/397.80A	----	405.60 - 17.10	.6904	----	----	----	----	9 UNCH
4445	----	----	444.20B/401.60A	444.20B/401.60A	----	409.30 - 17.20	.6935	----	----	----	----	1 UNCH
4450	----	----	448.00B/405.10A	448.00B/405.10A	----	413.00 - 17.20	.6965	----	----	----	----	270 UNCH
4460	----	----	455.60B/412.20A	455.60B/412.20A	----	420.40 - 17.30	.7024	----	----	----	----	17 UNCH
4465	----	----	459.50B/416.20A	459.50B/416.20A	----	424.20 - 17.30	.7053	----	----	----	----	1 UNCH
4470	----	----	463.40B/419.90A	463.40B/419.90A	----	427.90 - 17.40	.7083	----	----	----	----	1 UNCH
4475	----	----	467.20B/423.50A	467.20B/423.50A	----	431.70 - 17.40	.7112	----	----	----	----	9 UNCH
4480	----	----	471.20B/427.40A	471.20B/427.40A	----	435.50 - 17.40	.7141	----	----	----	----	1 UNCH
4485	----	----	474.90B/----	474.90B/517.50A	----	439.30 - 17.50	.7169	----	----	----	----	1 UNCH
4490	----	----	478.90B/437.80A	478.90B/437.80A	----	443.10 - 17.50	.7198	----	----	----	----	17 UNCH
4495	----	----	482.90B/441.40A	482.90B/441.40A	----	447.00 - 17.50	.7226	----	----	----	----	35 UNCH
4500	----	----	486.80B/443.60A	486.80B/443.60A	----	450.80 - 17.60	.7254	----	----	----	----	1226 UNCH
4505	----	----	490.80B/----	490.80B/532.80A	----	454.70 - 17.60	.7282	----	----	----	----	1 UNCH
4510	----	----	494.70B/----	494.70B/536.70A	----	458.60 - 17.60	.7310	----	----	----	----	2 UNCH
4515	----	----	498.80B/456.70A	498.80B/456.70A	----	462.50 - 17.60	.7336	----	----	----	----	247 UNCH
4520	----	----	502.80B/460.70A	502.80B/460.70A	----	466.40 - 17.70	.7364	----	----	----	----	25 UNCH
4525	----	----	506.80B/464.70A	506.80B/464.70A	----	470.30 - 17.70	.7391	----	----	----	----	240 UNCH
4530	----	----	510.70B/468.40A	510.70B/468.40A	----	474.20 - 17.80	.7417	----	----	----	----	23 UNCH
4535	----	----	514.90B/472.80A	514.90B/472.80A	----	478.20 - 17.80	.7445	----	----	----	----	102 UNCH
4540	----	----	518.80B/486.30A	518.80B/486.30A	----	482.10 - 17.90	.7471	----	----	----	----	1 UNCH
4545	----	----	523.00B/480.40A	523.00B/480.40A	----	486.10 - 17.90	.7496	----	----	----	----	45 UNCH
4550	----	----	527.10B/484.00A	527.10B/484.00A	----	490.10 - 17.90	.7522	----	----	----	----	19 UNCH
4555	----	----	531.20B/488.30A	531.20B/488.30A	----	494.10 - 17.90	.7548	----	----	----	----	50 UNCH
4570	----	----	543.40B/500.20A	543.40B/500.20A	----	506.10 - 18.10	.7624	----	----	----	----	9 UNCH
4575	----	----	547.70B/503.90A	547.70B/503.90A	----	510.20 - 18.10	.7648	----	----	----	----	5 UNCH
4580	----	----	551.70B/508.30A	551.70B/508.30A	----	514.20 - 18.20	.7673	----	----	----	----	150 UNCH
4585	----	----	555.90B/511.60A	555.90B/511.60A	----	518.30 - 18.20	.7697	----	----	----	----	325 UNCH
4590	----	----	560.20B/516.50A	560.20B/516.50A	----	522.40 - 18.20	.7722	----	----	----	----	3 UNCH
4600	----	----	568.60B/522.20A	568.60B/522.20A	----	530.60 - 18.30	.7769	----	----	----	----	964 UNCH
4605	----	----	572.80B/526.20A	572.80B/526.20A	----	534.70 - 18.40	.7792	----	----	----	----	5 UNCH
4610	----	----	576.90B/530.30A	576.90B/530.30A	----	538.90 - 18.40	.7817	----	----	----	----	3 UNCH
4620	----	----	585.50B/537.80A	585.50B/537.80A	----	547.20 - 18.50	.7862	----	----	----	----	57 UNCH
4625	----	----	590.00B/542.30A	590.00B/542.30A	----	551.30 - 18.60	.7885	----	----	----	----	56 UNCH
4630	----	----	594.00B/546.20A	594.00B/546.20A	----	555.50 - 18.60	.7908	----	----	----	----	3 UNCH
4640	----	----	602.60B/554.90A	602.60B/554.90A	----	563.90 - 18.70	.7951	----	----	----	----	104 UNCH
4650	----	----	611.20B/562.80A	611.20B/562.80A	----	572.30 - 18.80	.7994	----	----	----	----	138 UNCH
4655	----	----	615.50B/567.50A	615.50B/567.50A	----	576.60 - 18.80	.8015	----	----	----	----	1 UNCH
4660	----	----	619.80B/571.70A	619.80B/571.70A	----	580.80 - 18.80	.8036	----	----	----	----	7 UNCH
4665	----	----	624.40B/575.90A	624.40B/575.90A	----	585.00 - 18.90	.8059	----	----	----	----	69 UNCH
4675	----	----	633.10B/584.30A	633.10B/584.30A	----	593.60 - 19.00	.8100	----	----	----	----	10 UNCH
4680	----	----	637.20B/588.40A	637.20B/588.40A	----	597.90 - 19.00	.8119	----	----	----	----	60 UNCH
4700	----	----	654.80B/605.90A	654.80B/605.90A	----	615.10 - 19.20	.8199	----	----	----	----	521 UNCH
4710	----	----	663.80B/614.60A	663.80B/614.60A	----	623.80 - 19.20	.8236	----	----	----	----	1 UNCH
4715	----	----	668.00B/618.90A	668.00B/618.90A	----	628.10 - 19.30	.8255	----	----	----	----	15 UNCH
4720	----	----	672.40B/623.30A	672.40B/623.30A	----	632.50 - 19.30	.8273	----	----	----	----	2 UNCH
4725	----	----	677.10B/627.40A	677.10B/627.40A	----	636.90 - 19.30	.8292	----	----	----	----	127 UNCH
4750	----	----	699.20B/649.60A	699.20B/649.60A	----	658.90 - 19.50	.8380	----	----	----	----	63 UNCH
4755	----	----	703.70B/654.10A	703.70B/654.10A	----	663.30 - 19.50	.8398	----	----	----	----	1 UNCH
4790	----	----	735.50B/685.00A	735.50B/685.00A	----	694.60 - 19.70	.8511	----	----	----	----	60 UNCH
4795	----	----	740.00B/689.70A	740.00B/689.70A	----	699.10 - 19.70	.8527	----	----	----	----	1 UNCH
4800	----	----	744.60B/694.10A	744.60B/694.10A	----	703.60 - 19.70	.8541	----	----	----	----	331 UNCH
4810	----	----	753.60B/703.10A	753.60B/703.10A	----	712.60 - 19.80	.8571	----	----	----	----	56 UNCH
4815	----	----	758.30B/707.60A	758.30B/707.60A	----	717.20 - 19.70	.8587	----	----	----	----	10 UNCH
4820	----	----	762.90B/712.10A	762.90B/712.10A	----	721.70 - 19.80	.8601	----	----	----	----	21 UNCH
4825	----	----	767.40B/716.40A	767.40B/716.40A	----	726.20 - 19.80	.8614	----	----	----	----	112 UNCH
4830	----	----	772.00B/721.10A	772.00B/721.10A	----	730.80 - 19.80	.8630	----	----	----	----	6 UNCH
4835	----	----	776.60B/725.60A	776.60B/725.60A	----	735.40 - 19.80	.8644	----	----	----	----	125 UNCH
4850	----	----	790.30B/739.50A	790.30B/739.50A	----	749.10 - 19.90	.8682	----	----	----	----	13 UNCH
4875	----	----	813.50B/762.40A	813.50B/762.40A	----	772.10 - 19.90	.8747	----	----	----	----	16 UNCH
4880	----	----	818.10B/767.00A	818.10B/767.00A	----	776.70 - 20.00	.8759	----	----	----	----	8 UNCH
4900	----	----	836.80B/785.40A	836.80B/785.40A	----	795.30 - 19.90	.8807	----	----	----	----	111 UNCH
4920	----	----	855.50B/803.80A	855.50B/803.80A	----	813.90 - 20.00	.8851	----	----	----	----	4 UNCH
4925	----	----	860.40B/808.70A	860.40B/808.70A	----	818.60 - 20.00	.8861	----	----	----	----	240 UNCH
4930	----	----	865.10B/813.40A	865.10B/813.40A	----	823.30 - 20.00	.8872	----	----	----	----	1 UNCH
4935	----	----	869.80B/818.00A	869.80B/818.00A	----	828.00 - 20.00	.8883	----	----	----	----	2 UNCH
4940	----	----	874.30B/822.60A	874.30B/822.60A	----	832.70 - 20.00	.8894	----	----	----	----	29 UNCH
4950	----	----	883.80B/831.80A	883.80B/831.80A	----	842.10 - 20.00	.8915	----	----	----	----	24 UNCH
4975	----	----	907.40B/855.20A	907.40B/855.20A	----	865.60 - 20.00	.8963	----	----	----	----	42 UNCH
4980	----	----	912.30B/859.90A	912.30B/859.90A	----	870.30 - 20.10	.8974	----	----	----	----	5 UNCH
4995	----	----	926.40B/874.20A	926.40B/874.20A	----	884.50 - 20.10	.9000	----	----	----	----	32 UNCH
5000	----	----	931.00B/879.00A	931.00B/879.00A	----	889.30 - 20.00	.9008	----	----	----	----	535 UNCH
5020	----	----	950.20B/898.00A	950.20B/898.00A	----	908.30 - 20.00	.9042	----	----	----	----	8 UNCH
5025	----	----	955.10B/902.80A	955.10B/902.80A	----	913.00 - 20.10	.9053	----	----	----	----	210 UNCH
5035	----	----	964.50B/912.30A	964.50B/912.30A	----	922.60 - 20.00	.9068	----	----	----	----	8 UNCH
5050	----	----	979.00B/926.50A	979.00B/926.50A	----	936.90 - 20.10	.9092	----	----	----	----	201 UNCH
5070	----	----	998.00B/945.70A	998.00B/945.70A	----	956.00 - 20.10	.9122	----	----	----	----	2 UNCH
5075	----	----	1,002.80B/950.4	1002.80B/950.40A	----	960.80 - 20.10	.9130	----	----	----	----	100 UNCH
5095	----	----	1,022.10B/969.6	1022.10B/969.60A	----	980.00 - 20.10	.9158	----	----	----	----	6 UNCH
5100	----	----	1,027.00B/974.3	1027.00B/974.30A	----	984.80 - 20.10	.9165	----	----	----	----	6 UNCH
5150	----	----	1,075.20B/1,022	1075.20B/1022.50A	----	1033.00 - 20.20	.9231	----	----	----	----	1 UNCH
5195	----	----	1,118.80B/1,066	1118.80B/1066.00A	----	1076.60 - 20.20	.9284	----	----	----	----	5 UNCH
5200	----	----	1,123.90B/1,070	1123.90B/1070.80A	----	1081.40 - 20.20	.9288	----	----	----	----	33 UNCH
5240	----	----	1,162.80B/1,109	1162.80B/1109.70A	----	1120.30 - 20.20	.9329	----	----	----	----	1 UNCH
5250	----	----	1,172.60B/1,119	1172.60B/1119.40A	----	1130.00 - 20.30	.9341	----	----	----	----	126 UNCH
5290	----	----	1,211.70B/1,158	1211.70B/1158.40A	----	1169.00 - 20.30	.9378	----	----	----	----	1 UNCH
5295	----	----	1,216.60B/1,163	1216.60B/1163.30A	----	1173.90 - 20.30	.9382	----	----	----	----	1 UNCH
5360	----	----	----/1,248.30A	1246.90B/1248.30A	----	1237.50 - 20.30	.9436	----	----	----	----	100 UNCH
5370	----	----	----/1,258.10A	1256.60B/1258.10A	----	1247.30 - 20.30	.9444	----	----	----	----	20 UNCH
5375	----	----	----/1,263.00A	1261.60B/1263.00A	----	1252.20 - 20.30	.9448	----	----	----	----	34 UNCH
5400	----	----	----/1,287.50A	1286.00B/1287.50A	----	1276.70 - 20.30	.9466	----	----	----	----	102 UNCH
5415	----	----	----/1,302.40A	----/1302.40A	----	1291.40 - 20.40	.9478	----	----	----	----	4 UNCH
5460	----	----	----/1,346.70A	----/1346.70A	----	1335.60 - 20.40	.9508	----	----	----	----	200 UNCH
5465	----	----	----	----	----	1340.60 - 20.30	.9511	----	----	----	----	50 UNCH
5480	----	----	----	----	----	1355.30 - 20.40	.9520	----	----	----	----	50 UNCH
5500	----	----	----	----	----	1375.00 - 20.40	.9533	----	----	----	----	32 UNCH
5525	----	----	----	----	----	1399.70 - 20.40	.9549	----	----	----	----	80 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
DEC26												
5600	----	----	----	----	----	1473.70 - 20.40	.9589	----	----	----	----	254 UNCH
5800	----	----	----	----	----	1671.90 - 20.50	.9676	----	----	----	----	25 UNCH
5900	----	----	----	----	----	1771.30 - 20.60	.9712	----	----	----	----	75 UNCH
6000	----	----	----	----	----	1870.80 - 20.70	.9743	----	----	----	----	11 UNCH
10000	----	----	----	----	----	5870.30 - 20.90	1.0000	----	----	200	----	0 UNCH
TOTAL										1305	250	59290+ 695
JAN27												
2625	----	----	----	5.30B/7.50A	----	6.20 - 0.80	.0164	----	----	----	----	1 UNCH
2700	----	----	----	6.50B/8.10A	----	7.30 - 0.80	.0195	----	----	----	----	31 UNCH
2800	----	----	----/9.90A	8.00B/9.90A	----	9.10 - 1.00	.0246	----	----	----	----	15 UNCH
2850	----	----	----/11.10A	9.10B/11.10A	----	10.10 - 1.10	.0275	----	----	----	----	7 UNCH
2900	----	----	----/12.30A	10.30B/12.30A	----	11.30 - 1.20	.0309	----	----	----	----	1 UNCH
3000	----	----	----/15.20A	13.40B/15.20A	----	14.20 - 1.40	.0391	----	----	----	----	49 UNCH
3070	----	----	----/17.70A	16.00B/17.70A	----	16.70 - 1.70	.0461	----	----	----	----	4 UNCH
3095	----	----	----/18.50A	17.10B/18.50A	----	17.70 - 1.80	.0489	----	----	----	----	215 UNCH
3110	----	----	----/19.20A	17.80B/19.20A	----	18.40 - 1.80	.0508	----	----	----	----	4 UNCH
3200	----	----	----/23.60A	24.70B/23.60A	----	23.00 - 2.30	.0633	----	----	----	----	1 UNCH
3250	----	----	----/26.30A	28.30B/26.30A	----	26.00 - 2.80	.0713	----	----	----	----	3 UNCH
3295	----	----	----/29.30A	31.80B/29.30A	----	29.20 - 3.10	.0797	----	----	----	----	5 UNCH
3300	----	----	----/29.70A	32.30B/29.70A	----	29.60 - 3.10	.0807	----	----	----	----	65 UNCH
3370	----	----	39.20B/35.50A	39.20B/35.50A	----	35.20 - 3.80	.0953	----	----	----	----	2 UNCH
3400	----	----	44.10B/38.10A	44.10B/38.10A	----	38.00 - 4.10	.1024	----	----	----	----	325 UNCH
3445	----	----	49.40B/42.60A	49.40B/42.60A	----	42.50 - 4.60	.1137	----	----	----	----	1 UNCH
3500	----	----	56.90B/49.00A	56.90B/49.00A	----	48.90 - 5.20	.1294	----	----	----	----	7 UNCH
3520	----	----	59.90B/51.50A	59.90B/51.50A	----	51.50 - 5.40	.1356	----	----	----	----	1 UNCH
3575	----	----	68.90B/59.20A	68.90B/59.20A	----	59.40 - 5.90	.1540	----	----	----	----	29 UNCH
3585	----	----	70.90B/60.80A	70.90B/60.80A	----	60.90 - 6.10	.1575	----	----	----	----	215 UNCH
3600	----	----	73.50B/63.10A	73.50B/63.10A	----	63.30 - 6.30	.1630	----	----	----	----	107 UNCH
3680	----	----	89.80B/77.20A	89.80B/77.20A	----	77.90 - 7.10	.1950	----	----	----	----	1 UNCH
3685	----	----	91.00B/78.30A	91.00B/78.30A	----	78.90 - 7.20	.1971	----	----	----	----	2 UNCH
3700	----	----	94.30B/81.40A	94.30B/81.40A	----	82.00 - 7.30	.2037	----	----	----	----	56 UNCH
3735	----	----	103.00B/88.50A	103.00B/88.50A	----	89.60 - 7.80	.2195	----	----	----	----	1 UNCH
3740	----	----	104.00B/89.50A	104.00B/89.50A	----	90.70 - 7.90	.2218	----	----	----	----	1 UNCH
3750	----	----	106.60B/91.80A	106.60B/91.80A	----	93.00 - 8.00	.2265	----	----	----	----	1 UNCH
3800	----	----	120.20B/103.80A	120.20B/103.80A	----	105.20 - 8.70	.2509	----	----	----	----	151 UNCH
3850	----	----	135.30B/116.90A	135.30B/116.90A	----	118.80 - 9.40	.2771	----	----	----	----	232 UNCH
3870	----	----	141.60B/122.70A	141.60B/122.70A	----	124.60 - 9.70	.2880	----	----	----	----	10 UNCH
3885	----	----	146.70B/127.20A	146.70B/127.20A	----	129.10 - 10.00	.2963	----	----	----	----	1 UNCH
3890	----	----	148.60B/128.70A	148.60B/128.70A	----	130.70 - 10.00	.2991	----	----	----	----	1 UNCH
3900	----	----	151.90B/131.70A	151.90B/131.70A	----	133.80 - 10.10	.3048	----	----	----	----	4 UNCH
3925	----	----	160.90B/139.80A	160.90B/139.80A	----	141.90 - 10.50	.3192	----	----	----	----	1 UNCH
3950	----	----	170.00B/148.00A	170.00B/148.00A	----	150.40 - 10.90	.3339	----	----	----	----	500 UNCH
3960	----	----	174.00B/151.70A	174.00B/151.70A	----	153.90 - 11.00	.3399	----	----	----	----	22 UNCH
3965	----	----	175.70B/153.30A	175.70B/153.30A	----	155.70 - 11.10	.3430	----	----	----	----	10 UNCH
3980	----	----	181.80B/158.60A	181.80B/158.60A	----	161.20 - 11.30	.3521	----	----	----	----	21 UNCH
3985	----	----	183.80B/160.60A	183.80B/160.60A	----	163.10 - 11.30	.3552	----	----	----	----	1 UNCH
3990	----	----	185.70B/162.50A	185.70B/162.50A	----	164.90 - 11.40	.3582	----	----	----	----	17 UNCH
4000	176.50	176.50	189.90B/165.90A	189.90B/165.90A	----	168.70 - 11.60	.3644	----	----	2	----	212 + 1
4025	----	----	200.30B/175.50A	200.30B/175.50A	----	178.60 - 11.80	.3801	----	----	----	----	3 UNCH
4040	----	----	207.00B/181.50A	207.00B/181.50A	----	184.70 - 12.00	.3896	----	----	----	----	1 UNCH
4050	----	----	211.40B/185.50A	211.40B/185.50A	----	188.80 - 12.20	.3960	----	----	----	----	1 UNCH
4055	----	----	213.70B/187.90A	213.70B/187.90A	----	191.00 - 12.10	.3992	----	----	----	----	1 UNCH
4060	----	----	215.90B/189.60A	215.90B/189.60A	----	193.10 - 12.20	.4024	----	----	----	----	1 UNCH
4070	----	----	220.70B/193.80A	220.70B/193.80A	----	197.40 - 12.30	.4089	----	----	----	----	1 UNCH
4075	----	----	222.80B/195.90A	222.80B/195.90A	----	199.60 - 12.40	.4121	----	----	----	----	10 UNCH
4085	----	----	227.70B/200.80A	227.70B/200.80A	----	204.00 - 12.50	.4186	----	----	----	----	20 UNCH
4100	----	----	234.60B/207.30A	234.60B/207.30A	----	210.80 - 12.70	.4284	----	----	----	----	33 UNCH
4140	----	----	254.60B/225.20A	254.60B/225.20A	----	229.60 - 13.20	.4547	----	----	----	----	20 UNCH
4150	----	----	259.80B/230.00A	259.80B/230.00A	----	234.50 - 13.30	.4613	----	----	----	----	1 UNCH
4180	----	----	275.10B/244.80A	275.10B/244.80A	----	249.60 - 13.70	.4811	----	----	----	----	1 UNCH
4200	----	----	286.60B/255.00A	286.60B/255.00A	----	260.10 - 13.90	.4943	----	----	----	----	8 UNCH
4205	----	----	289.00B/257.60A	289.00B/257.60A	----	262.70 - 14.00	.4976	----	----	----	----	4 UNCH
4210	----	----	291.70B/260.20A	291.70B/260.20A	----	265.40 - 14.00	.5009	----	----	----	----	1 UNCH
4220	----	----	298.00B/265.60A	298.00B/265.60A	----	270.80 - 14.10	.5075	----	----	----	----	1 UNCH
4230	----	----	303.20B/271.10A	303.20B/271.10A	----	276.30 - 14.20	.5141	----	----	----	----	1 UNCH
4250	----	----	314.90B/283.00A	314.90B/283.00A	----	287.50 - 14.50	.5271	----	----	----	----	5 UNCH
4255	----	----	317.90B/286.00A	317.90B/286.00A	----	290.30 - 14.60	.5304	----	----	----	----	19 UNCH
4300	----	----	342.70B/310.60A	342.70B/310.60A	----	316.60 - 15.10	.5594	----	----	----	----	1 UNCH
4350	----	----	375.00B/342.20A	375.00B/342.20A	----	347.50 - 15.60	.5908	----	----	----	----	60 UNCH
4375	----	----	----/358.10A	379.40B/358.10A	----	363.50 - 16.00	.6063	----	----	----	----	15 UNCH
4400	----	----	----/374.20A	394.70B/374.20A	----	380.00 - 16.20	.6213	----	----	----	----	2 UNCH
4445	----	----	----/404.50A	426.00B/404.50A	----	410.60 - 16.60	.6477	----	----	----	----	2 UNCH
4455	----	----	----/411.30A	433.10B/411.30A	----	417.60 - 16.70	.6535	----	----	----	----	1 UNCH
4500	----	----	----/443.00A	465.90B/443.00A	----	449.70 - 17.10	.6785	----	----	----	----	10 UNCH
4505	----	----	----/446.60A	469.60B/446.60A	----	453.30 - 17.20	.6812	----	----	----	----	14 UNCH
4575	----	----	----	427.70B/592.40A	----	505.70 - 17.80	.7174	----	----	----	----	1 UNCH
4585	----	----	----	435.50B/600.10A	----	513.40 - 17.80	.7223	----	----	----	----	1 UNCH
4600	----	----	----	447.20B/611.70A	----	525.10 - 17.90	.7295	----	----	----	----	3 UNCH
4610	----	----	----	455.10B/619.50A	----	532.90 - 18.00	.7342	----	----	----	----	1 UNCH
4620	----	----	----	463.20B/627.30A	----	540.80 - 18.00	.7388	----	----	----	----	1 UNCH
4630	----	----	----	471.40B/635.20A	----	548.70 - 18.10	.7434	----	----	----	----	1 UNCH
4650	----	----	----	488.00B/651.10A	----	564.70 - 18.20	.7524	----	----	----	----	2 UNCH
4660	----	----	----	496.30B/659.00A	----	572.80 - 18.20	.7569	----	----	----	----	4 UNCH
4665	----	----	----	500.40B/663.00A	----	576.80 - 18.30	.7591	----	----	----	----	4 UNCH
4700	----	----	----	530.10B/691.40A	----	605.50 - 18.50	.7738	----	----	----	----	1 UNCH
4710	----	----	----	538.70B/699.50A	----	613.70 - 18.60	.7778	----	----	----	----	4 UNCH
4760	----	----	----	582.10B/741.00A	----	655.70 - 18.90	.7971	----	----	----	----	100 UNCH
4800	----	----	----	617.50B/774.70A	----	690.00 - 19.00	.8111	----	----	----	----	6 UNCH
4805	----	----	----	622.00B/779.00A	----	694.30 - 19.10	.8130	----	----	----	----	1 UNCH
4820	----	----	----	635.50B/791.80A	----	707.40 - 19.10	.8179	----	----	----	----	6 UNCH
4860	----	----	----	671.60B/826.40A	----	742.50 - 19.20	.8305	----	----	----	----	1 UNCH
4880	----	----	----	689.90B/843.90A	----	760.20 - 19.30	.8364	----	----	----	----	1 UNCH
4960	----	----	----	762.60B/915.10A	----	832.20 - 19.60	.8579	----	----	----	----	42 UNCH
4980	----	----	----	780.90B/933.50A	----	850.50 - 19.70	.8627	----	----	----	----	9 UNCH
4990	----	----	----	790.10B/942.70A	----	859.70 - 19.70	.8650	----	----	----	----	1 UNCH
5000	----	----	----	799.40B/951.90A	----	868.90 - 19.70	.8672	----	----	----	----	2 UNCH
5050	----	----	----	845.80B/998.40A	----	915.10 - 19.90	.8777	----	----	----	----	100 UNCH
5085	----	----	----	878.50B/1031.10A	----	947.80 - 19.90	.8844	----	----	----	----	2 UNCH
5150	----	----	----	939.90B/1092.50A	----	1009.10 - 19.90	.8955	----	----	----	----	2 UNCH
5235	----	----	----	----	----	1090.10 - 19.90	.9079	----	----	----	----	2 UNCH
5245	----	----	----	----	----	1099.70 - 19.90	.9090	----	----	----	----	2 UNCH
5300	----	----	----	----	----	1152.50 - 19.90	.9158	----	----	----	----	44 UNCH
5950	----	----	----	----	----	1789.70 - 20.40	.9611	----	----	----	----	1 UNCH
6000	----	----	----	----	----	1839.30 - 20.40	.9630	----	----	----	----	6 UNCH
TOTAL										2		2921+ 1
FEB27												
2800	----	----	----	10.00B/13.10A	----	11.50 - 0.90	.0291	----	----	----	----	12 UNCH
3000	----	----	----	16.70B/19.50A	----	17.80 - 1.50	.0456	----	----	----	----	179 UNCH
3005	----	----	----	17.00B/19.70A	----	18.00 - 1.60	.0461	----	----	----	----	15 UNCH
3100	----	----	----/24.10A	21.70B/24.10A	----	22.40 - 2.00	.0573	----	----	----	----	6 UNCH
3160	----	----	----/27.50A	26.70B/27.50A	----	25.80 - 2.30	.0658	----	----	----	----	2 UNCH
3200	----	----	----/29.00A	29.50B/29.00A	----	28.40 - 2.60	.0722	----	----	----	----	211 UNCH
3250	----	----	----/32.60A	32.90B/32.60A	----	32.00 - 3.00	.0810	----	----	----	----	200 UNCH
3300	----	----	----/37.10A	37.80B/37.10A	----	36.10 - 3.40	.0908	----	----	----	----	2 UNCH
3350	----	----	46.80B/41.20A	46.80B/41.20A	----	40.80 - 3.80	.1018	----	----	----	----	147 UNCH
3400	----	----	52.80B/46.50A	52.80B/46.50A	----	46.10 - 4.30	.1139	----	----	----	----	10 UNCH
3450	----	----	59.80B/52.30A	59.80B/52.30A	----	52.10 - 4.90	.1274	----	----	----	----	7 UNCH
3475	----	----	63.50B/55.50A	63.50B/55.50A	----	55.40 - 5.10	.1346	----	----	----	----	250 UNCH
3500	----	----	67.50B/58.80A	67.50B/58.80A	----	58.90 - 5.40	.1422	----	----	----	----	153 UNCH
3515	----	----	70.00B/61.00A	70.00B/61.00A	----	61.10 - 5.60	.1469	----	----	----	----	3 UNCH
3520	----	----	70.90B/61.80A	70.90B/61.80A	----	61.90 - 5.60	.1486	----	----	----	----	22 UNCH
3540	----	----	74.40B/64.80A	74.40B/64.80A	----	65.00 - 5.80	.1552	----	----	----	----	20 UNCH
3600	----	----	85.90B/74.80A	85.90B/74.80A	----	75.20 - 6.50	.1763	----	----	----	----	54 UNCH
3650	----	----	96.70B/84.20A	96.70B/84.20A	----	84.80 - 7.00	.1955	----	----	----	----	300 UNCH
3660	----	----	98.90B/86.20A	98.90B/86.20A	----	86.80 - 7.20	.1995	----	----	----	----	1 UNCH
3695	----	----	107.30B/93.50A	107.30B/93.50A	----	94.40 - 7.60	.2141	----	----	----	----	8 UNCH
3700	97.50	97.50	108.60B/94.60A	108.60B/94.60A	----	95.50 - 7.60	.2162	----	----	16	576	919 + 465
3725	----	----	115.00B/100.40A	115.00B/100.40A	----	101.30 - 7.90	.2271	----	----	----	----	2 UNCH
3750	----	----	121.70B/106.20A	121.70B/106.20A	----	107.40 - 8.20	.2384	----	----	----	----	1 UNCH
3795	----	----	134.70B/117.70A	134.70B/117.70A	----	119.20 - 8.70	.2597	----	----	----	----	2 UNCH
3800	----	----	136.20B/119.10A	136.20B/119.10A	----	120.60 - 8.80	.2621	----	----	----	----	65 UNCH
3815	----	----	140.70B/123.30A	140.70B/123.30A	----	124.80 - 9.00	.2695	----	----	----	----	10 UNCH
3820	127.80	127.80	142.20B/124.60A	142.20B/124.60A	----	126.30 - 9.00	.2720	----	----	2	----	3 + 2
3850	----	----	151.70B/133.20A	151.70B/133.20A	----	135.10 - 9.40	.2872	----	----	----	----	2 UNCH
3865	----	----	156.50B/137.90A	156.50B/137.90A	----	139.80 - 9.50	.2950	----	----	----	----	1 UNCH
3875	----	----	160.10B/140.80A	160.10B/140.80A	----	142.90 - 9.70	.3002	----	----	----	----	10 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
FEB27												
3880	----	----	162.20B/142.40A	162.20B/142.40A	----	144.50 - 9.70	.3028	----	----	----	----	2 UNCH
3900	----	----	169.10B/148.80A	169.10B/148.80A	----	151.10 - 9.90	.3135	----	----	----	----	22 UNCH
3945	----	----	185.80B/164.20A	185.80B/164.20A	----	166.70 - 10.40	.3382	----	----	----	----	1 UNCH
3950	----	----	187.90B/165.90A	187.90B/165.90A	----	168.50 - 10.50	.3410	----	----	----	----	1 UNCH
3980	----	----	199.50B/176.90A	199.50B/176.90A	----	179.70 - 10.80	.3580	----	----	----	----	1 UNCH
3990	----	----	204.00B/180.60A	204.00B/180.60A	----	183.50 - 11.00	.3637	----	----	----	----	3 UNCH
3995	----	----	206.20B/182.50A	206.20B/182.50A	----	185.50 - 11.00	.3666	----	----	----	----	5 UNCH
4000	----	----	207.60B/184.90A	207.60B/184.90A	----	187.40 - 11.10	.3695	----	----	----	----	183 UNCH
4005	----	----	210.50B/186.40A	210.50B/186.40A	----	189.40 - 11.20	.3724	----	----	----	----	13 UNCH
4025	----	----	218.80B/194.40A	218.80B/194.40A	----	197.50 - 11.40	.3841	----	----	----	----	35 UNCH
4030	----	----	220.70B/196.40A	220.70B/196.40A	----	199.60 - 11.40	.3871	----	----	----	----	30 UNCH
4050	----	----	230.10B/204.70A	230.10B/204.70A	----	208.00 - 11.70	.3989	----	----	----	----	100 UNCH
4070	----	----	239.00B/213.20A	239.00B/213.20A	----	216.70 - 11.90	.4108	----	----	----	----	2 UNCH
4075	----	----	241.70B/215.40A	241.70B/215.40A	----	218.90 - 12.00	.4138	----	----	----	----	5 UNCH
4085	----	----	246.10B/219.80A	246.10B/219.80A	----	223.40 - 12.10	.4198	----	----	----	----	2 UNCH
4100	----	----	253.50B/226.60A	253.50B/226.60A	----	230.20 - 12.30	.4289	----	----	65	----	642 + 65
4120	----	----	263.50B/235.70A	263.50B/235.70A	----	239.60 - 12.50	.4410	----	----	----	----	1 UNCH
4125	----	----	265.90B/238.00A	265.90B/238.00A	----	242.00 - 12.60	.4440	----	----	----	----	1 UNCH
4140	262.40	262.40	273.60B/245.20A	273.60B/245.20A	----	249.30 - 12.70	.4532	----	----	1	----	21 + 1
4145	----	----	276.50B/247.60A	276.50B/247.60A	----	251.70 - 12.80	.4562	----	----	----	----	30 UNCH
4150	249.80	249.80	279.10B/249.80	279.10B/249.80	----	254.20 NEW	.4593	----	----	1	----	1 + 1
4170	----	----	290.00B/259.70A	290.00B/259.70A	----	264.30 - 13.00	.4715	----	----	----	----	1 UNCH
4175	----	----	292.60B/262.20A	292.60B/262.20A	----	266.80 - 13.10	.4745	----	----	----	----	1 UNCH
4200	----	----	304.70B/275.10A	304.70B/275.10A	----	279.90 - 13.40	.4898	----	----	----	----	194 UNCH
4205	----	----	307.50B/277.70A	307.50B/277.70A	----	282.60 - 13.40	.4928	----	----	----	----	8 UNCH
4225	----	----	319.30B/288.40A	319.30B/288.40A	----	293.40 - 13.60	.5049	----	----	----	----	15 UNCH
4250	----	----	333.30B/302.00A	333.30B/302.00A	----	307.30 - 13.90	.5199	----	----	----	----	127 UNCH
4300	----	----	358.50B/330.60A	358.50B/330.60A	----	336.40 - 14.30	.5496	----	----	----	----	104 UNCH
4320	----	----	371.00B/342.50A	371.00B/342.50A	----	348.50 - 14.50	.5613	----	----	----	----	50 UNCH
4325	----	----	374.20B/345.50A	374.20B/345.50A	----	351.50 - 14.60	.5643	----	----	----	----	1 UNCH
4330	----	----	377.40B/348.50A	377.40B/348.50A	----	354.60 - 14.60	.5672	----	----	----	----	6 UNCH
4335	----	----	380.60B/352.90A	380.60B/352.90A	----	357.70 - 14.70	.5701	----	----	----	----	50 UNCH
4370	----	----	403.40B/374.50A	403.40B/374.50A	----	379.80 - 15.00	.5900	----	----	----	----	1 UNCH
4400	----	----	----/393.90A	413.80B/393.90A	----	399.30 - 15.30	.6068	----	----	----	----	54 UNCH
4440	----	----	----/420.30A	440.30B/420.30A	----	426.20 - 15.60	.6285	----	----	----	----	1 UNCH
4500	----	----	----/461.60A	483.10B/461.60A	----	468.20 - 16.10	.6599	----	----	----	----	2 UNCH
4600	----	----	----/534.70A	541.10B/534.70A	----	542.20 - 16.90	.7079	----	----	----	----	17 UNCH
4630	----	----	----	471.00B/666.70A	----	565.30 - 17.20	.7213	----	----	----	----	9 UNCH
4635	----	----	----	474.90B/670.70A	----	569.20 - 17.20	.7236	----	----	----	----	2 UNCH
4650	----	----	----	486.70B/682.40A	----	580.90 - 17.40	.7301	----	----	----	----	1 UNCH
4655	----	----	----	490.60B/686.30A	----	584.90 - 17.30	.7322	----	----	----	----	1 UNCH
4660	----	----	----	494.60B/690.30A	----	588.80 - 17.40	.7343	----	----	----	----	435 UNCH
4665	----	----	----	498.60B/694.20A	----	592.80 - 17.40	.7365	----	----	----	----	3 UNCH
4680	----	----	----	510.50B/706.20A	----	604.70 - 17.60	.7427	----	----	----	----	3 UNCH
4750	----	----	----	567.70B/762.80A	----	661.50 - 18.10	.7701	----	----	----	----	1 UNCH
4755	----	----	----	571.80B/767.00A	----	665.70 - 18.10	.7719	----	----	----	----	1 UNCH
4775	----	----	----	588.60B/783.50A	----	682.30 - 18.20	.7793	----	----	----	----	1 UNCH
4785	----	----	----	597.20B/791.80A	----	690.60 - 18.40	.7828	----	----	----	----	100 UNCH
4800	----	----	----	610.10B/804.40A	----	703.30 - 18.40	.7881	----	----	----	----	60 UNCH
4805	----	----	----	614.40B/808.60A	----	707.50 - 18.40	.7898	----	----	----	----	2 UNCH
4835	----	----	----	640.60B/833.90A	----	733.00 - 18.60	.7998	----	----	----	----	1 UNCH
4840	----	----	----	644.90B/838.10A	----	737.30 - 18.70	.8013	----	----	----	----	1 UNCH
4845	----	----	----	649.30B/842.40A	----	741.60 - 18.70	.8030	----	----	----	----	3 UNCH
4855	----	----	----	658.10B/850.90A	----	750.20 - 18.70	.8062	----	----	----	----	3 UNCH
4900	----	----	----	698.10B/889.80A	----	789.30 - 19.00	.8198	----	----	----	----	4 UNCH
4905	----	----	----	702.50B/894.10A	----	793.70 - 19.00	.8212	----	----	----	----	4 UNCH
4950	----	----	----	743.20B/933.60A	----	833.40 - 19.20	.8337	----	----	----	----	1 UNCH
4955	----	----	----	747.80B/938.00A	----	837.90 - 19.20	.8350	----	----	----	----	1 UNCH
5000	----	----	----	788.40B/978.20A	----	878.30 - 19.30	.8462	----	----	----	----	11 UNCH
5005	----	----	----	792.90B/982.60A	----	882.80 - 19.40	.8475	----	----	----	----	2 UNCH
5050	----	----	----	833.60B/1023.50A	----	923.70 - 19.50	.8576	----	----	----	----	4 UNCH
5055	----	----	----	838.20B/1028.10A	----	928.30 - 19.50	.8587	----	----	----	----	4 UNCH
5100	----	----	----	879.30B/1070.00A	----	969.70 - 19.60	.8679	----	----	----	----	2 UNCH
5150	----	----	----	925.40B/1117.00A	----	1016.10 - 19.70	.8771	----	----	----	----	1 UNCH
5175	----	----	----	948.60B/1140.60A	----	1039.50 - 19.60	.8815	----	----	----	----	125 UNCH
5200	----	----	----	971.90B/1164.40A	----	1062.90 - 19.70	.8856	----	----	----	----	1 UNCH
5250	----	----	----	1018.70B/1212.10A	----	1110.10 - 19.80	.8932	----	----	----	----	15 UNCH
5340	----	----	----	----	----	1195.80 - 19.80	.9052	----	----	----	----	1 UNCH
5520	----	----	----	----	----	1369.30 - 20.00	.9241	----	----	----	----	300 UNCH
5530	----	----	----	----	----	1379.00 - 20.00	.9250	----	----	----	----	100 UNCH
5550	----	----	----	----	----	1398.40 - 20.00	.9267	----	----	----	----	65 UNCH
5565	----	----	----	----	----	1413.00 - 20.00	.9280	----	----	----	----	50 UNCH
TOTAL										85	576	5668 + 534
MAR27												
3300	----	----	45.90B/42.40A	45.90B/42.40A	----	41.20 - 3.20	.0954	----	----	----	----	262 UNCH
3400	----	----	58.10B/51.60A	58.10B/51.60A	----	51.70 - 4.20	.1178	----	----	----	----	403 UNCH
3425	----	----	61.70B/54.80A	61.70B/54.80A	----	54.80 - 4.40	.1242	----	----	----	----	29 UNCH
3450	----	----	65.50B/58.00A	65.50B/58.00A	----	58.00 - 4.70	.1308	----	----	----	----	1 UNCH
3500	----	----	73.40B/65.00A	73.40B/65.00A	----	65.00 - 5.40	.1450	----	----	----	----	407 UNCH
3525	----	----	77.70B/68.80A	77.70B/68.80A	----	68.90 - 5.60	.1526	----	----	----	----	120 UNCH
3540	----	----	80.30B/71.50A	80.30B/71.50A	----	71.30 - 5.80	.1573	----	----	----	----	1 UNCH
3545	----	----	81.20B/72.20A	81.20B/72.20A	----	72.10 - 5.90	.1589	----	----	----	----	1 UNCH
3550	----	----	82.40B/72.80A	82.40B/72.80A	----	72.90 - 6.00	.1605	----	----	----	----	250 UNCH
3565	----	----	85.20B/75.60A	85.20B/75.60A	----	75.50 - 6.10	.1654	----	----	----	----	1 UNCH
3575	----	----	87.00B/77.00A	87.00B/77.00A	----	77.20 - 6.30	.1687	----	----	----	----	20 UNCH
3600	----	----	92.50B/81.70A	92.50B/81.70A	----	81.80 - 6.50	.1773	----	----	----	----	945 UNCH
3650	----	----	103.20B/91.10A	103.20B/91.10A	----	91.60 - 7.10	.1955	----	----	----	----	108 UNCH
3700	103.00	103.00	115.20B/101.60A	115.20B/101.60A	----	102.60 NEW	.2150	----	----	20	----	20 + 20
3740	----	----	125.60B/110.90A	125.60B/110.90A	----	112.10 - 8.00	.2315	----	----	----	----	19 UNCH
3750	----	----	128.60B/113.40A	128.60B/113.40A	----	114.60 - 8.10	.2357	----	----	----	----	10 UNCH
3785	----	----	138.20B/122.30A	138.20B/122.30A	----	123.80 - 8.40	.2511	----	----	----	----	2 UNCH
3850	----	----	158.20B/140.70A	158.20B/140.70A	----	142.40 - 9.10	.2810	----	----	----	----	21 UNCH
3865	----	----	163.00B/145.70A	163.00B/145.70A	----	147.00 - 9.20	.2882	----	----	----	----	25 UNCH
3900	----	----	175.10B/156.20A	175.10B/156.20A	----	158.20 - 9.50	.3053	----	----	----	----	11 UNCH
4000	----	----	213.90B/191.90A	213.90B/191.90A	----	193.90 - 10.50	.3568	----	----	----	----	25 UNCH
4050	----	----	234.50B/211.80A	234.50B/211.80A	----	214.00 - 11.00	.3838	----	----	----	----	1 UNCH
4070	----	----	243.80B/219.30A	243.80B/219.30A	----	222.40 - 11.30	.3948	----	----	----	----	1 UNCH
4100	----	----	257.80B/232.30A	257.80B/232.30A	----	235.50 - 11.60	.4114	----	----	----	----	10 UNCH
4145	----	----	279.80B/253.40A	279.80B/253.40A	----	256.30 - 12.10	.4366	----	----	----	----	1 UNCH
4200	----	----	308.60B/279.50A	308.60B/279.50A	----	283.50 - 12.70	.4677	----	----	----	----	575 UNCH
4215	----	----	316.40B/286.80A	316.40B/286.80A	----	291.30 - 12.80	.4762	----	----	----	----	50 UNCH
4250	----	----	334.60B/305.00A	334.60B/305.00A	----	309.90 - 13.20	.4958	----	----	----	----	5 UNCH
4260	----	----	340.60B/310.40A	340.60B/310.40A	----	315.40 - 13.30	.5014	----	----	----	----	3 UNCH
4270	----	----	346.80B/317.50A	346.80B/317.50A	----	321.00 - 13.40	.5070	----	----	----	----	35 UNCH
4285	----	----	349.20B/325.80A	349.20B/325.80A	----	329.40 - 13.60	.5153	----	----	----	----	100 UNCH
4300	----	----	358.10B/334.20A	358.10B/334.20A	----	338.00 - 13.70	.5236	----	----	----	----	66 UNCH
4325	----	----	373.20B/348.70A	373.20B/348.70A	----	352.60 - 14.00	.5374	----	----	----	----	10 UNCH
4350	----	----	388.60B/364.50A	388.60B/364.50A	----	367.50 - 14.30	.5509	----	----	----	----	20 UNCH
4370	----	----	401.30B/376.50A	401.30B/376.50A	----	379.80 - 14.40	.5617	----	----	----	----	250 UNCH
4375	----	----	404.50B/379.70A	404.50B/379.70A	----	382.90 - 14.50	.5643	----	----	----	----	1 UNCH
4450	----	----	----/426.80A	444.60B/426.80A	----	431.10 - 15.20	.6034	----	----	----	----	40 UNCH
4500	----	----	----/460.00A	478.00B/460.00A	----	464.90 - 15.60	.6283	----	----	----	----	6 UNCH
4525	----	----	----/477.20A	495.60B/477.20A	----	482.30 - 15.80	.6404	----	----	----	----	10 UNCH
4650	----	----	----/567.20A	588.10B/567.20A	----	573.60 - 16.60	.6969	----	----	----	----	3 UNCH
4660	----	----	----/574.70A	593.10B/574.70A	----	581.20 - 16.70	.7012	----	----	----	----	25 UNCH
4680	----	----	----/589.80A	594.00B/589.80A	----	596.50 - 16.80	.7095	----	----	----	----	1 UNCH
4700	----	----	----	501.70B/728.80A	----	612.00 - 16.90	.7176	----	----	----	----	9 UNCH
4710	----	----	----	509.50B/736.60A	----	619.80 - 16.90	.7216	----	----	----	----	2 UNCH
4720	----	----	----	517.40B/744.50A	----	627.60 - 17.00	.7256	----	----	----	----	1 UNCH
4750	----	----	----	541.10B/768.20A	----	651.40 - 17.10	.7371	----	----	----	----	15 UNCH
4810	----	----	----	589.70B/816.60A	----	699.90 - 17.40	.7589	----	----	----	----	21 UNCH
4850	----	----	----	622.80B/849.50A	----	732.90 - 17.70	.7726	----	----	----	----	3 UNCH
4900	----	----	----	664.90B/891.20A	----	774.90 - 17.90	.7887	----	----	----	----	2 UNCH
4905	----	----	----	669.10B/895.50A	----	779.20 - 17.90	.7902	----	----	----	----	2 UNCH
5000	----	----	----	751.40B/976.90A	----	861.20 - 18.40	.8173	----	----	----	----	75 UNCH
TOTAL										20		4024 + 20
APR27												
3200	----	----	----/39.50A	38.30B/39.50A	----	38.20 - 3.40	.0841	----	----	----	----	126 UNCH
3225	----	----	----/41.60A	41.00B/41.60A	----	40.30 - 3.70	.0885	----	----	----	----	65 UNCH
3300	----	----	53.10B/48.70A	53.10B/48.70A	----	47.50 - 4.40	.1033	----	----	----	----	1 UNCH
3400	----	----	66.80B/60.20A	66.80B/60.20A	----	59.60 - 5.00	.1269	----	----	----	----	1 UNCH
3460	----	----	76.30B/68.60A	76.30B/68.60A	----	68.30 - 5.30	.1432	----	----	----	----	1 UNCH
3500	----	----	83.40B/74.90A	83.40B/74.90A	----	74.80 - 5.50	.1550	----	----	25	----	121 UNCH
3545	----	----	92.00B/82.60A	92.00B/82.60A	----	82.70 - 5.80	.1691	----	----	----	----	10 UNCH
3565	----	----	96.30B/86.20A	96.30B/86.20A	----	86.50 - 5.90	.1757	----	----	----	----	20 UNCH
3590	----	----	101.80B/90.90A	101.80B/90.90A	----	91.40 - 6.10	.1842	----	----	----	----	10 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
APR27												
3595	----	----	103.00B/92.30A	103.00B/92.30A	----	92.40 - 6.20	.1859	----	----	----	----	10 UNCH
3600	----	----	103.90B/93.20A	103.90B/93.20A	----	93.40 - 6.30	.1876	----	----	----	----	2 UNCH
3680	----	----	123.10B/110.40A	123.10B/110.40A	----	111.00 - 7.10	.2169	----	----	----	----	20 UNCH
3690	----	----	125.80B/112.30A	125.80B/112.30A	----	113.30 - 7.30	.2207	----	----	----	----	22 UNCH
3700	----	----	128.20B/114.60A	128.20B/114.60A	----	115.80 - 7.40	.2247	----	----	----	----	43 UNCH
3725	----	----	135.00B/121.20A	135.00B/121.20A	----	122.00 - 7.70	.2346	----	----	----	----	3 UNCH
3730	----	----	136.70B/121.90A	136.70B/121.90A	----	123.30 - 7.80	.2367	----	----	----	----	20 UNCH
3735	----	----	138.10B/123.20A	138.10B/123.20A	----	124.60 - 7.80	.2387	----	----	----	----	42 UNCH
3750	----	----	141.90B/127.70A	141.90B/127.70A	----	128.60 - 8.00	.2449	----	----	----	----	37 UNCH
3755	----	----	143.60B/129.00A	143.60B/129.00A	----	129.90 - 8.10	.2470	----	----	----	----	20 UNCH
3780	----	----	151.30B/135.80A	151.30B/135.80A	----	136.80 - 8.30	.2576	----	----	----	----	30 UNCH
3790	----	----	153.60B/138.30A	153.60B/138.30A	----	139.60 - 8.50	.2618	----	----	----	----	20 UNCH
3800	----	----	157.00B/141.20A	157.00B/141.20A	----	142.50 - 8.60	.2662	----	----	----	----	151 UNCH
3815	----	----	161.70B/145.60A	161.70B/145.60A	----	146.90 - 8.70	.2728	----	----	----	----	20 UNCH
3860	----	----	176.90B/159.40A	176.90B/159.40A	----	160.90 - 9.20	.2931	----	----	----	----	20 UNCH
3900	----	----	190.40B/172.40A	190.40B/172.40A	----	174.10 - 9.60	.3117	----	----	----	----	126 UNCH
3980	----	----	221.50B/201.80A	221.50B/201.80A	----	203.10 - 10.50	.3507	----	----	----	----	1 UNCH
4000	----	----	230.70B/209.40A	230.70B/209.40A	----	210.90 - 10.70	.3607	----	----	----	----	152 UNCH
4050	----	----	252.30B/228.70A	252.30B/228.70A	----	231.50 - 11.10	.3862	----	----	----	----	5 UNCH
4080	----	----	265.90B/241.60A	265.90B/241.60A	----	244.50 - 11.50	.4017	----	----	----	----	2 UNCH
4100	----	----	275.50B/251.30A	275.50B/251.30A	----	253.50 - 11.70	.4122	----	----	----	----	273 UNCH
4145	----	----	297.30B/271.10A	297.30B/271.10A	----	274.70 - 12.10	.4359	----	----	----	----	1 UNCH
4160	----	----	305.40B/278.30A	305.40B/278.30A	----	282.00 - 12.20	.4438	----	----	----	----	30 UNCH
4200	----	----	326.40B/297.90A	326.40B/297.90A	----	302.20 - 12.60	.4650	----	----	----	----	107 UNCH
4290	----	----	369.30B/347.70A	369.30B/347.70A	----	351.10 - 13.50	.5121	----	----	----	----	1 UNCH
4300	----	----	375.20B/354.40A	375.20B/354.40A	----	356.80 - 13.60	.5173	----	----	----	----	75 UNCH
4350	----	----	405.60B/383.30A	405.60B/383.30A	----	386.30 - 14.10	.5428	----	----	----	----	1 UNCH
4400	----	----	437.40B/414.00A	437.40B/414.00A	----	417.20 - 14.50	.5677	----	----	----	----	1 UNCH
4440	----	----	463.80B/439.10A	463.80B/439.10A	----	442.90 - 14.80	.5872	----	----	----	----	50 UNCH
4500	----	----	----/478.50A	495.40B/478.50A	----	482.90 - 15.30	.6154	----	----	----	----	1 UNCH
4540	----	----	----/505.60A	523.40B/505.60A	----	510.50 - 15.60	.6336	----	----	----	----	1 UNCH
4575	----	----	----/530.00A	548.50B/530.00A	----	535.30 - 15.80	.6490	----	----	----	----	50 UNCH
4700	----	----	----/621.60A	642.30B/621.60A	----	628.00 - 16.70	.7003	----	----	----	----	1 UNCH
4900	----	----	----	664.30B/918.70A	----	788.30 - 17.90	.7695	----	----	----	----	2 UNCH
4905	----	----	----	668.50B/922.80A	----	792.50 - 17.90	.7709	----	----	----	----	2 UNCH
5000	----	----	----	749.30B/1003.00A	----	873.20 - 18.30	.7979	----	----	----	----	100 UNCH
5060	----	----	----	801.60B/1054.70A	----	925.40 - 18.50	.8132	----	----	----	----	25 UNCH
5200	----	----	----	926.70B/1178.80A	----	1050.30 - 18.90	.8441	----	----	----	----	15 UNCH
TOTAL										25		1837 0
MAY27												
3250	----	----	52.30B/50.50A	52.30B/50.50A	----	47.70 - 3.50	.0969	----	----	----	----	1 UNCH
4000	234.00	234.00	235.70B/217.50A	235.70B/217.50A	----	217.80 - 10.40	.3492	----	----	5	----	6 + 5
4065	----	----	263.70B/242.80A	263.70B/242.80A	----	244.20 - 10.80	.3800	----	----	----	----	20 UNCH
4100	----	----	279.70B/258.40A	279.70B/258.40A	----	259.40 NEW	.3969	----	----	65	----	65 + 65
4270	----	----	359.20B/339.40A	359.20B/339.40A	----	342.30 - 13.40	.4806	----	----	----	----	10 UNCH
4300	----	----	376.00B/357.80A	376.00B/357.80A	----	358.70 - 13.80	.4952	----	----	----	----	5 UNCH
4640	----	----	----	400.50B/760.10A	----	577.90 - 15.70	.6472	----	----	----	----	1 UNCH
TOTAL										70		108 + 70
JUN27												
2000	----	----	----	1.00B/9.10A	----	7.80 + 2.60	.0126	----	----	----	----	2 UNCH
2100	----	----	----	1.70B/10.30A	----	8.20 + 2.00	.0139	----	----	----	----	2 UNCH
2800	----	----	----	15.90B/24.00A	----	21.80 - 1.10	.0432	----	----	----	----	8 UNCH
2900	----	----	----	20.70B/32.90A	----	26.60 - 1.40	.0526	----	----	----	----	1 UNCH
3000	----	----	----	26.90B/38.90A	----	32.60 - 1.70	.0642	----	----	----	----	55 UNCH
3500	----	----	----	86.70B/98.90A	----	89.90 - 6.10	.1638	----	----	----	----	20 UNCH
3625	----	----	----	94.50B/133.40A	----	115.50 - 7.20	.2028	----	----	----	----	450 UNCH
3900	----	----	----	168.50B/204.20A	----	193.90 - 9.70	.3080	----	----	----	----	50 UNCH
4000	----	----	----	195.90B/255.50A	----	230.90 - 10.80	.3518	----	----	----	----	50 UNCH
4285	----	----	----	156.70B/572.20A	----	365.00 - 14.10	.4847	----	----	----	----	100 UNCH
4300	----	----	----	161.60B/583.90A	----	373.30 - 14.20	.4916	----	----	----	----	63 UNCH
4325	----	----	----	186.70B/586.00A	----	387.40 - 14.40	.5032	----	----	----	----	50 UNCH
4375	----	----	----	217.20B/628.30A	----	416.60 - 14.90	.5260	----	----	----	----	25 UNCH
4900	----	----	----	546.40B/1040.40A	----	789.10 - 17.70	.7264	----	----	----	----	1 UNCH
4905	----	----	----	550.50B/1044.20A	----	793.20 - 17.60	.7279	----	----	----	----	1 UNCH
5085	----	----	----	703.00B/1188.50A	----	942.70 - 17.90	.7767	----	----	----	----	150 UNCH
TOTAL												1028 0
DEC27												
3700	----	----	----	----	----	190.80 - 5.10	.2361	----	----	----	----	100 UNCH
3715	----	----	----	----	----	195.30 - 5.10	.2405	----	----	----	----	150 UNCH
3820	----	----	----	----	----	228.50 - 5.80	.2722	----	----	----	----	50 UNCH
4130	----	----	----	----	----	348.60 - 7.80	.3750	----	----	----	----	168 UNCH
4500	----	----	----	----	----	537.30 - 10.40	.5051	----	----	----	----	270 UNCH
4630	----	----	----	----	----	615.20 - 11.20	.5489	----	----	----	----	284 UNCH
4860	----	----	----	----	----	766.80 - 12.70	.6214	----	----	----	----	100 UNCH
5000	----	----	----	----	----	867.00 - 13.50	.6615	----	----	----	----	50 UNCH
5650	----	----	----	----	----	1395.20 - 16.50	.8044	----	----	----	----	200 UNCH
5880	----	----	----	----	----	1600.70 - 17.20	.8389	----	----	----	----	200 UNCH
TOTAL												1572 0
JAN28												
5000	----	----	----	----	----	853.70 - 13.20	.6453	----	----	----	----	1 UNCH
5100	----	----	----	----	----	927.80 - 13.70	.6717	----	----	----	----	1 UNCH
TOTAL												2 0

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
AUG26												
2000	----	----	----	2006.00B/2113.00A	----	2070.80 + 20.60	1.0000	----	----	3	----	0 UNCH
3200	----	----	----	809.00B/910.00A	----	870.80 + 20.60	1.0000	----	----	----	----	1 UNCH
3305	----	----	----	704.40B/804.80A	----	765.80 + 20.60	1.0000	----	----	----	----	1 UNCH
3315	----	----	----	694.40B/794.70A	----	755.80 + 20.60	1.0000	----	----	----	----	1 UNCH
3345	----	----	----	664.50B/764.60A	----	725.80 + 20.60	1.0000	----	----	----	----	1 UNCH
3380	----	----	----	629.40B/729.50A	----	690.80 + 20.60	1.0000	----	----	----	----	1 UNCH
3385	----	----	----	624.60B/724.50A	----	685.80 + 20.60	1.0000	----	----	----	----	1 UNCH
3395	----	----	----	614.60B/714.50A	----	675.80 + 20.60	1.0000	----	----	----	----	1 UNCH
3400	----	----	----	609.50B/709.50A	----	670.80 + 20.60	1.0000	----	----	----	----	1 UNCH
3425	----	----	----	584.60B/684.50A	----	645.80 + 20.60	1.0000	----	----	----	----	1 UNCH
3480	----	----	----	529.70B/629.30A	----	590.80 + 20.60	1.0000	----	----	----	----	1 UNCH
3500	----	----	578.10B/----	578.10B/553.20A	----	570.80 + 20.60	1.0000	----	----	5	----	45 UNCH
3505	----	----	573.10B/----	573.10B/547.80A	----	565.80 + 20.60	1.0000	----	----	----	----	0 - 4
3520	----	----	558.10B/----	558.10B/532.20A	----	550.80 + 20.60	1.0000	----	----	11	----	65 UNCH
3530	----	----	----	479.90B/579.40A	----	540.80 + 20.60	1.0000	----	----	----	----	1 UNCH
3535	----	----	----	474.90B/574.50A	----	535.80 + 20.60	1.0000	----	----	----	----	1 UNCH
3550	----	----	529.90B/----	529.90B/501.00A	----	520.80 + 20.60	1.0000	----	----	----	----	312 UNCH
3565	----	----	----	445.00B/545.10A	----	505.80 + 20.60	1.0000	----	----	----	----	1 UNCH
3595	----	----	----	415.10B/515.90A	----	475.80 + 20.60	1.0000	----	----	----	----	1 UNCH
3600	----	----	481.40B/----	481.40B/450.50A	----	470.80 + 20.60	1.0000	----	----	----	----	1067 UNCH
3610	----	----	468.10B/----	468.10B/443.20A	----	460.80 + 20.60	1.0000	----	----	----	----	6 UNCH
3625	----	----	----	385.30B/487.00A	----	445.80 + 20.50	1.0000	----	----	----	----	1 UNCH
3645	----	----	----	365.30B/467.80A	----	425.80 + 20.40	1.0000	----	----	----	----	1 UNCH
3650	----	----	428.20B/----	428.20B/402.30A	----	420.80 + 20.40	1.0000	----	----	----	----	3 UNCH
3660	----	----	418.20B/----	418.20B/393.10A	----	410.80 + 20.30	1.0000	----	----	----	----	26 UNCH
3670	----	----	----	340.20B/444.10A	----	400.80 + 20.30	1.0000	----	----	----	----	1 UNCH
3675	----	----	409.20B/351.20A	409.20B/351.20A	----	395.80 + 20.30	1.0000	----	----	----	----	1 UNCH
3685	----	----	399.30B/341.40A	399.30B/341.40A	----	385.80 + 20.20	1.0000	----	----	----	----	1 UNCH
3700	----	----	384.30B/326.40A	384.30B/326.40A	----	370.80 + 20.10	.9997	----	----	----	----	81 UNCH
3715	----	----	369.30B/311.60A	369.30B/311.60A	----	355.80 + 20.00	.9994	----	----	----	----	30 UNCH
3720	----	----	364.30B/306.60A	364.30B/306.60A	----	350.90 + 20.10	.9992	----	----	----	----	1 UNCH
3735	----	----	349.40B/291.90A	349.40B/291.90A	----	335.90 + 19.90	.9982	----	----	----	----	1 UNCH
3750	----	----	334.40B/277.00A	334.40B/277.00A	----	320.90 + 19.80	.9981	----	----	----	----	31 UNCH
3755	----	----	329.40B/272.00A	329.40B/272.00A	----	316.00 + 19.80	.9981	----	----	----	----	1 UNCH
3770	----	----	314.50B/257.30A	314.50B/257.30A	----	301.00 + 19.60	.9969	----	----	----	----	32 UNCH
3775	----	----	309.50B/252.40A	309.50B/252.40A	----	296.00 + 19.60	.9969	----	----	----	----	4 UNCH
3780	----	----	304.50B/247.50A	304.50B/247.50A	----	291.10 + 19.60	.9968	----	----	----	----	37 UNCH
3785	----	----	299.60B/242.70A	299.60B/242.70A	----	286.10 + 19.50	.9957	----	----	----	----	1 UNCH
3790	----	----	294.60B/237.70A	294.60B/237.70A	----	281.10 + 19.40	.9956	----	----	----	----	67 UNCH
3795	----	----	289.60B/232.80A	289.60B/232.80A	----	276.20 + 19.40	.9955	----	----	----	----	1 UNCH
3800	279.00	279.00	284.70B/228.00A	284.70B/228.00A	----	271.20 + 19.30	.9943	----	----	1	----	340 UNCH
3810	----	----	274.70B/218.30A	274.70B/218.30A	----	261.30 + 19.20	.9941	----	----	----	----	3 UNCH
3820	----	----	264.80B/208.50A	264.80B/208.50A	----	251.30 + 18.90	.9928	----	----	----	----	3 UNCH
3830	----	----	254.90B/198.80A	254.90B/198.80A	----	241.40 + 18.80	.9913	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
AUG26												
3840	----	----	245.00B/189.20A	245.00B/189.20A	----	231.50 + 18.60	.9909	----	----	----	----	1 UNCH
3845	----	----	239.90B/184.40A	239.90B/184.40A	----	226.50 + 18.50	.9895	----	----	----	----	1 UNCH
3850	----	----	235.10B/179.60A	235.10B/179.60A	----	221.50 + 18.30	.9893	----	----	----	----	14 UNCH
3855	----	----	230.20B/174.90A	230.20B/174.90A	----	216.60 + 18.30	.9878	----	----	----	----	1 UNCH
3875	----	----	210.30B/156.00A	210.30B/156.00A	----	196.80 + 17.70	.9841	----	----	----	----	1 UNCH
3885	----	----	200.60B/146.60A	200.60B/146.60A	----	187.00 + 17.40	.9820	----	----	----	----	15 UNCH
3890	----	----	195.70B/142.20A	195.70B/142.20A	----	182.10 + 17.20	.9802	----	----	----	----	5 UNCH
3895	----	----	190.80B/137.60A	190.80B/137.60A	----	177.20 + 17.00	.9783	----	----	----	----	14 UNCH
3900	182.20	182.20	185.90B/132.90A	185.90B/132.90A	----	172.30 + 16.80	.9764	----	----	1	----	465 UNCH
3910	149.80	149.80	176.10B/124.00A	176.10B/124.00A	----	162.50 + 16.30	.9723	----	----	1	----	2 UNCH
3915	----	----	171.30B/119.40A	171.30B/119.40A	----	157.60 + 16.10	.9688	----	----	----	----	14 UNCH
3920	----	----	166.40B/115.10A	166.40B/115.10A	----	152.70 + 15.80	.9665	----	----	----	----	3 UNCH
3925	----	----	161.50B/110.60A	161.50B/110.60A	----	147.90 + 15.50	.9641	----	----	----	----	21 UNCH
3930	----	----	156.70B/106.20A	156.70B/106.20A	----	143.10 + 15.30	.9602	----	----	----	----	32 UNCH
3935	----	----	151.90B/101.90A	151.90B/101.90A	----	138.20 + 14.90	.9562	----	----	----	----	1 UNCH
3940	----	----	147.10B/97.60A	147.10B/97.60A	----	133.40 + 14.50	.9520	----	----	----	----	16 UNCH
3945	----	----	142.30B/93.40A	142.30B/93.40A	----	128.70 + 14.30	.9477	----	----	----	----	2 UNCH
3950	----	----	137.50B/89.30A	137.50B/89.30A	----	123.90 + 13.80	.9431	----	----	----	----	110 UNCH
3955	----	----	132.60B/85.20A	132.60B/85.20A	----	119.20 + 13.50	.9370	----	----	----	----	17 UNCH
3960	----	----	128.00B/81.20A	128.00B/81.20A	----	114.40 + 13.00	.9306	----	----	----	----	5 UNCH
3965	----	----	123.10B/77.30A	123.10B/77.30A	----	109.80 + 12.60	.9240	----	----	----	----	4 UNCH
3970	----	----	118.50B/73.30A	118.50B/73.30A	----	105.10 + 12.10	.9170	----	----	2	----	16 + 2
3975	97.20	97.20	113.80B/69.50A	113.80B/69.50A	----	100.50 + 11.60	.9084	----	----	1	----	221 + 1
3980	----	----	109.00B/65.80A	109.00B/65.80A	----	95.90 + 11.10	.8995	----	----	----	----	30 UNCH
3985	----	----	104.60B/62.40A	104.60B/62.40A	----	91.40 + 10.60	.8888	----	----	----	----	4 UNCH
3990	----	----	100.00B/58.60A	100.00B/58.60A	----	86.90 + 10.00	.8778	----	----	----	----	24 UNCH
3995	----	----	95.50B/55.30A	95.50B/55.30A	----	82.50 + 9.50	.8650	----	----	----	----	85 UNCH
4000	72.80	72.80	90.90B/51.70A	90.90B/51.70A	----	78.10 + 8.80	.8518	----	----	17	----	1261 - 3
4005	----	----	86.50B/48.30A	86.50B/48.30A	----	73.80 + 8.20	.8369	----	----	----	----	38 UNCH
4010	----	----	82.20B/45.20A	82.20B/45.20A	----	69.50 + 7.50	.8202	----	----	1	----	73 UNCH
4015	----	----	77.80B/42.20A	77.80B/42.20A	----	65.40 + 7.00	.8030	----	----	----	----	15 UNCH
4020	----	----	73.50B/39.20A	73.50B/39.20A	----	61.30 + 6.30	.7840	----	----	50	----	73 + 16
4025	37.80	37.80	69.40B/36.30A	69.40B/36.30A	----	57.30 + 5.60	.7634	----	----	5	----	401 + 2
4030	36.60	36.60	64.80B/33.50	64.80B/33.50	----	53.40 + 4.90	.7402	----	----	6	----	98 + 3
4035	33.80	33.80	61.00B/*31.00A	61.00B/*31.00A	----	49.70 + 4.30	.7165	----	----	25	----	96 + 16
4040	31.20	31.20	57.00B/*28.80A	57.00B/*28.80A	----	46.00 + 3.60	.6911	----	----	53	----	150 + 15
4045	35.50	35.50	53.20B/*26.50A	53.20B/*26.50A	----	42.50 + 3.00	.6637	----	----	7	----	85 + 3
4050	31.70	31.70	49.70B/*24.30A	49.70B/*24.30A	----	39.10 + 2.40	.6350	----	----	153	----	1093 + 44
4055	34.60	34.60	46.20B/*22.30A	46.20B/*22.30A	----	35.90 + 1.80	.6047	----	----	71	----	95 - 30
4060	28.90	28.90	43.00B/*20.40A	43.00B/*20.40A	----	32.80 + 1.20	.5735	----	----	26	----	286 + 2
4065	29.70	29.70	39.50B/*18.60A	39.50B/*18.60A	----	29.90 + 0.70	.5411	----	----	12	----	116 + 2
4070	23.00	23.00	36.60B/*16.90A	36.60B/*16.90A	----	27.10 + 0.20	.5082	----	----	9	----	119 UNCH
4075	18.50	18.50	33.60B/*15.40A	33.60B/*15.40A	----	24.50 - 0.30	.4747	----	----	244	----	457 - 105
4080	22.90	22.90	31.00/*14.00A	31.00/*14.00A	----	22.10 - 0.70	.4411	----	----	49	----	367 + 8
4085	19.80	19.80	28.10B/*12.80A	28.10B/*12.80A	----	19.90 - 1.10	.4079	----	----	32	----	253 + 2
4090	16.60	16.60	25.60B/*11.70A	25.60B/*11.70A	----	17.80 - 1.40	.3750	----	----	77	----	301 + 20
4095	14.80	14.80	23.30B/*10.50A	23.30B/*10.50A	----	15.90 - 1.70	.3430	----	----	14	----	50 - 1
4100	13.90	13.90	21.10B/*9.50A	21.10B/*9.50A	----	14.20 - 1.90	.3124	----	----	918	----	1909 + 284
4105	13.60	13.60	19.00B/*8.40A	19.00B/*8.40A	----	12.70 - 2.00	.2836	----	----	22	----	57 + 9
4110	9.90	9.90	17.10B/*7.40A	17.10B/*7.40A	----	11.30 - 2.10	.2561	----	----	52	----	120 + 35
4115	11.40	11.40	15.40B/*6.50A	15.40B/*6.50A	----	10.00 - 2.20	.2299	----	----	90	----	119 + 45
4120	10.50	10.50	13.80B/*5.70A	13.80B/*5.70A	----	8.80 - 2.40	.2052	----	----	110	----	266 + 40
4125	6.30	6.30	12.30B/*4.90A	12.30B/*4.90A	----	7.80 - 2.40	.1831	----	----	250	----	849 + 93
4130	8.40	8.40	11.00B/*4.30A	11.00B/*4.30A	----	6.90 - 2.40	.1629	----	----	23	----	80 + 1
4135	6.20	6.20	9.80B/*3.80A	9.80B/*3.80A	----	6.10 - 2.30	.1445	----	----	6	----	124 + 3
4140	6.40	6.40	8.70B/*3.40A	8.70B/*3.40A	----	5.40 - 2.30	.1279	----	----	15	----	143 UNCH
4145	5.60	5.60	7.80B/*2.90A	7.80B/*2.90A	----	4.80 - 2.20	.1134	----	----	36	----	96 + 14
4150	3.70	3.70	6.90B/*2.60A	6.90B/*2.60A	----	4.30 - 2.10	.1009	----	----	211	50	2829 + 112
4155	4.80	4.80	6.20B/*2.30A	6.20B/*2.30A	----	3.80 - 2.00	.0888	----	----	31	----	205 + 14
4160	4.30	4.30	5.50B/*2.00A	5.50B/*2.00A	----	3.40 - 1.90	.0788	----	----	62	----	108 + 19
4165	3.60	3.60	3.60/*1.90A	4.90B/*1.90A	----	3.00 - 1.90	.0691	----	----	30	----	327 - 3
4170	3.60	3.60	4.40B/*1.70A	4.40B/*1.70A	----	2.70 - 1.70	.0614	----	----	21	----	293 - 3
4175	3.10	3.10	3.90B/*1.50A	3.90B/*1.50A	----	2.40 - 1.70	.0540	----	----	38	----	352 + 6
4180	3.00	3.00	3.50B/*1.30A	3.50B/*1.30A	----	2.20 - 1.50	.0487	----	----	8	----	95 - 2
4185	----	----	----/*1.20A	3.20B/*1.20A	----	2.00 - 1.40	.0435	----	----	3	----	39 UNCH
4190	1.50	1.50	2.90B/*1.10A	2.90B/*1.10A	----	1.80 - 1.30	.0386	----	----	5	----	138 + 2
4195	1.90	1.90	2.60B/*1.00A	2.60B/*1.00A	----	1.60 - 1.30	.0339	----	----	52	----	93 - 7
4200	2.10	2.10	2.30B/*0.90	2.30B/*0.90	----	1.50 - 1.20	.0311	----	----	123	----	2720 - 52
4205	1.60	1.60	2.10B/*0.80A	2.10B/*0.80A	----	1.40 - 1.10	.0284	----	----	64	----	205 UNCH
4210	1.70	1.70	1.90B/*0.80A	1.90B/*0.80A	----	1.30 - 1.00	.0259	----	----	57	----	245 + 11
4215	1.30	1.30	1.30/*0.70A	1.70B/*0.70A	----	1.20 - 0.90	.0235	----	----	2	----	80 UNCH
4220	1.40	1.40	1.70/*0.70A	1.70/*0.70A	----	1.10 - 0.80	.0211	----	----	92	----	134 + 13
4225	0.90	0.90	0.90/*0.60A	1.40B/*0.60A	----	1.00 - 0.80	.0189	----	----	24	----	454 - 17
4230	----	----	----/*0.60A	1.30B/*0.60A	----	1.00 - 0.70	.0184	----	----	----	----	207 UNCH
4235	0.90	0.90	0.90/*0.50A	1.20B/*0.50A	----	0.90 - 0.60	.0163	----	----	1	----	122 UNCH
4240	----	----	----/*0.50A	1.10B/*0.50A	----	0.90 - 0.50	.0159	----	----	----	----	245 UNCH
4245	----	----	----/*0.50A	1.00B/*0.50A	----	0.80 - 0.50	.0139	----	----	----	----	361 UNCH
4250	1.00	1.00	1.00/*0.40A	1.00/*0.40A	----	0.80 - 0.40	.0136	----	----	53	----	2096 + 6
4255	----	----	----/*0.40A	0.90B/*0.40A	----	0.70 - 0.50	.0117	----	----	----	----	329 UNCH
4260	1.00	1.00	1.00/*0.40A	1.00/*0.40A	----	0.70 - 0.40	.0114	----	----	5	----	490 - 3
4265	----	----	----/*0.40A	0.80B/*0.40A	----	0.70 - 0.30	.0112	----	----	----	----	190 UNCH
4270	0.60	0.60	0.60/*0.40	0.70B/*0.40	----	0.60 - 0.40	.0095	----	----	2	----	126 UNCH
4275	----	----	----/*0.30A	0.70B/*0.30A	----	0.60 - 0.30	.0092	----	----	----	----	217 UNCH
4280	----	----	----/*0.30A	0.60B/*0.30A	----	0.60 - 0.20	.0090	----	----	----	----	301 UNCH
4285	----	----	----/*0.30A	0.60B/*0.30A	----	0.60 - 0.20	.0089	----	----	1	----	165 UNCH
4290	----	----	----/*0.30A	0.60B/*0.30A	----	0.50 - 0.20	.0073	----	----	----	----	478 UNCH
4295	0.30	0.30	0.30/*0.30	0.50B/*0.30	----	0.50 - 0.20	.0071	----	----	2	----	75 - 1
4300	0.50	0.50	0.60B/*0.30A	0.60B/*0.30A	----	0.50 - 0.20	.0070	----	----	6	----	3188 UNCH
4305	----	----	----/*0.30A	0.50B/*0.30A	----	0.50 - 0.10	.0069	----	----	----	----	595 UNCH
4310	----	----	----/*0.20A	0.40B/*0.20A	----	0.50 - 0.10	.0067	----	----	----	----	83 UNCH
4315	----	----	----/*0.20A	0.40B/*0.20A	----	0.40 - 0.20	.0053	----	----	----	----	57 UNCH
4320	----	----	----/*0.20A	0.40B/*0.20A	----	0.40 - 0.10	.0052	----	----	----	----	137 UNCH
4325	----	----	----/*0.20A	0.40B/*0.20A	----	0.40 - 0.10	.0051	----	----	----	----	229 UNCH
4330	0.40	0.40	0.40/*0.20A	0.40/*0.20A	----	0.40 - 0.10	.0050	----	----	1	----	494 UNCH
4335	----	----	----/*0.20A	0.30B/*0.20A	----	0.40 - 0.10	.0050	----	----	----	----	89 UNCH
4340	0.30	0.30	0.30/*0.20A	0.30/*0.20A	----	0.40 UNCH	.0049	----	----	1	----	75 UNCH
4345	----	----	----/*0.20A	0.30B/*0.20A	----	0.40 UNCH	.0048	----	----	----	----	93 UNCH
4350	0.50	0.50	0.50/*0.20	0.50/*0.20	----	0.30 - 0.10	.0035	----	----	4	----	1611 - 2
4355	----	----	----/0.30A	0.30B/0.30A	----	0.30 - 0.10	.0035	----	----	----	----	786 UNCH
4360	0.30	0.30	0.30/0.30	0.30/0.30	----	0.30 - 0.10	.0034	----	----	20	----	478 + 20
4365	----	----	----/0.30A	0.20B/0.30A	----	0.30 - 0.10	.0034	----	----	----	----	48 UNCH
4370	0.30	0.30	0.30/*0.20A	0.30/*0.20A	----	0.30 UNCH	.0033	----	----	20	----	221 - 6
4375	----	----	----/*0.20A	0.20B/*0.20A	----	0.30 UNCH	.0033	----	----	----	----	195 UNCH
4380	----	----	----/0.20A	0.20B/0.20A	----	0.30 UNCH	.0032	----	----	----	----	128 UNCH
4385	----	----	----/0.20A	0.20B/0.20A	----	0.30 UNCH	.0032	----	----	----	----	145 UNCH
4390	----	----	----/*0.20A	0.20B/*0.20A	----	0.30 UNCH	.0031	----	----	----	----	187 UNCH
4395	----	----	----/0.20A	0.20B/0.20A	----	0.30 UNCH	.0031	----	----	----	----	140 UNCH
4400	0.10	0.10	0.10/*0.10	0.20B/*0.10	----	0.20 - 0.10	.0020	----	----	1	----	4603 UNCH
4405	----	----	----/0.20A	0.20B/0.20A	----	0.20 - 0.10	.0020	----	----	----	----	87 UNCH
4410	----	----	----/0.20A	0.20B/0.20A	----	0.20 - 0.10	.0020	----	----	----	----	181 UNCH
4415	----	----	----	0.10B/0.20A	----	0.20 UNCH	.0019	----	----	----	----	69 UNCH
4420	----	----	----	0.10B/0.20A	----	0.20 UNCH	.0019	----	----	----	----	125 UNCH
4425	----	----	----	0.10B/0.20A	----	0.20 UNCH	.0019	----	----	----	----	271 UNCH
4430	----	----	----	0.10B/0.20A	----	0.20 UNCH	.0018	----	----	----	----	195 UNCH
4435	----	----	----	0.10B/0.20A	----	0.20 UNCH	.0018	----	----	----	----	73 UNCH
4440	----	----	----	0.10B/0.20A	----	0.20 UNCH	.0018	----	----	----	----	190 UNCH
4445	----	----	----	0.10B/0.20A	----	0.20 UNCH	.0018	----	----	----	----	85 UNCH
4450	----	----	----/*0.10A	0.10B/*0.10A	----	0.20 UNCH	.0018	----	----	----	----	1212 UNCH
4455	----	----	----	0.10B/0.20A	----	0.20 UNCH	.0017	----	----	----	----	90 UNCH
4460	----	----	----	0.10B/0.20A	----	0.20 UNCH	.0017	----	----	----	----	153 UNCH
4465	----	----	----	0.10B/0.20A	----	0.20 UNCH	.0017	----	----	----	----	103 UNCH
4470	----	----	----	0.10B/0.20A	----	0.20 UNCH	.0017	----	----	----	----	1017 UNCH
4475	----	----	----	0.10B/0.20A	----	0.20 UNCH	.0016	----	----	----	----	298 UNCH
4480	----	----	----	0.10B/0.20A	----	0.20 UNCH	.0016	----	----	----	----	920 UNCH
4485	----	----	----	----/0.30A	----	0.20 UNCH	.0016	----	----	----	----	120 UNCH
4490	----	----	----	----/0.20A	----	0.10 - 0.10	.0008	----	----	----	----	109 UNCH
4495	----	----	----	----/0.20A	----	0.10 - 0.10	.0007	----	----	----	----	95 UNCH
4500	0.20	0.20	0.20/0.10	0.20/0.10	----	0.10 - 0.10	.0006	----	----	11	----	3767 + 9
4505	----	----	----	----/0.20A	----	0.10 - 0.10	.0005	----	----	----	----	88 UNCH
4510	----	----	----/0.10A	----/0.10A	----	0.10 - 0.10	.0004	----	----	----	----	84 UNCH
4515	----	----	----/0.10A	----/0.10A	----	0.10 - 0.10	.0004	----	----	----	----	64 UNCH
4520	----	----	----	----/0.20A	----	0.10 - 0.10	.0003	----	----	----	----	77 UNCH
4525	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.10	.0003	----	----	----	----	594 UNCH
4530	----	----	----	----/0.20A	----	0.10 - 0.10	.0002	----	----	----	----	67 UNCH
4535	----	----	----	----/0.20A	----	0.10 - 0.10	.0002	----	----	----	----	70 UNCH
4540	----	----	----	----/0.20A	----	0.10 - 0.10	.0002	----	----	----	----	84 UNCH
4545	----	----	----	----/0.20A	----	0.10 - 0.10	.0001	----	----	----	----	131 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG CALL — COMEX GOLD OPTIONS

AUG26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4550	----	----	----/0.10A	----/0.10A	----	0.10 - 0.10	.0001	----	----	----	----	1418 UNCH
4555	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.10 - 0.10	.0001	----	----	2	----	115 + 1
4560	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.10	.0001	----	----	----	----	396 UNCH
4565	----	----	----	----/0.20A	----	0.10 - 0.10	.0001	----	----	----	----	37 UNCH
4570	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.10 - 0.10	.0001	----	----	2	----	280 UNCH
4575	0.30	0.30	0.30/*0.10	0.30/*0.10	----	0.10 - 0.10	.0000	----	----	2	----	87 UNCH
4580	----	----	----/*0.10A	0.10B/*0.10A	----	0.10 - 0.10	.0000	----	----	----	----	335 UNCH
4585	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.10 - 0.10	.0000	----	----	15	----	103 UNCH
4590	----	----	----	----/0.20A	----	0.10 - 0.10	.0000	----	----	----	----	84 UNCH
4595	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.10	.0000	----	----	----	----	334 UNCH
4600	----	----	----	0.10B/*0.10A	----	0.10 UNCH	.0000	----	----	----	----	2179 UNCH
4605	----	----	----	----/*0.20A	----	0.10 UNCH	.0000	----	----	----	----	21 UNCH
4610	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	89 UNCH
4615	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	57 UNCH
4620	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	68 UNCH
4625	----	----	----	0.10B/*0.10A	----	0.10 UNCH	.0000	----	----	----	----	415 UNCH
4630	----	----	----	----/*0.10A	----	0.10 UNCH	.0000	----	----	----	----	284 UNCH
4635	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	52 UNCH
4640	----	----	----	----/*0.10A	----	0.10 UNCH	.0000	----	----	----	----	315 UNCH
4645	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	29 UNCH
4650	----	----	----	0.10B/0.10A	----	0.10 UNCH	.0000	----	----	----	----	823 UNCH
4655	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	36 UNCH
4660	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	71 UNCH
4665	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	51 UNCH
4670	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	87 UNCH
4675	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.10 UNCH	----	----	----	1	----	164 + 1
4680	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	58 UNCH
4685	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	253 UNCH
4690	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	60 UNCH
4695	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	25 UNCH
4700	0.10	0.10	0.10/0.10	0.10/0.10	----	0.10 UNCH	----	----	----	50	----	4900 UNCH
4705	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	151 UNCH
4710	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	83 UNCH
4715	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	16 UNCH
4720	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	169 UNCH
4725	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	167 UNCH
4730	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	115 UNCH
4735	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	71 UNCH
4740	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	50 UNCH
4745	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	114 UNCH
4750	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	854 UNCH
4755	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	58 UNCH
4760	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	50 UNCH
4765	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	17 UNCH
4770	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	289 UNCH
4775	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	327 UNCH
4780	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	153 UNCH
4785	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	107 UNCH
4790	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	75 UNCH
4795	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	349 UNCH
4800	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	4136 UNCH
4805	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	44 UNCH
4810	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	213 UNCH
4815	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	64 UNCH
4820	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	161 UNCH
4825	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	450 UNCH
4830	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	118 UNCH
4835	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	138 UNCH
4840	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	30 UNCH
4845	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	39 UNCH
4850	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	735 UNCH
4855	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	27 UNCH
4860	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	35 UNCH
4865	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	45 UNCH
4870	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	76 UNCH
4875	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	270 UNCH
4880	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	144 UNCH
4885	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	64 UNCH
4890	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	55 UNCH
4895	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	92 UNCH
4900	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	901 UNCH
4905	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	28 UNCH
4910	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	18 UNCH
4915	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	44 UNCH
4920	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	28 UNCH
4925	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	299 UNCH
4930	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	45 UNCH
4935	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	22 UNCH
4940	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	54 UNCH
4945	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	87 UNCH
4950	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	727 UNCH
4955	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	29 UNCH
4960	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	48 UNCH
4965	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	134 UNCH
4970	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	37 UNCH
4975	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	29 UNCH
4980	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	20 UNCH
4985	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	49 UNCH
4990	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	26 UNCH
4995	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	14 UNCH
5000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	2993 UNCH
5005	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	34 UNCH
5010	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	8 UNCH
5015	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	42 UNCH
5020	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	104 UNCH
5025	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	374 UNCH
5030	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	232 UNCH
5035	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	73 UNCH
5040	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	35 UNCH
5045	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	44 UNCH
5050	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	455 UNCH
5055	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	22 UNCH
5060	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	49 UNCH
5065	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	45 UNCH
5070	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	59 UNCH
5075	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	309 UNCH
5080	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	42 UNCH
5085	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	170 UNCH
5090	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	57 UNCH
5095	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	11 UNCH
5100	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	5166 UNCH
5105	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	21 UNCH
5110	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	20 UNCH
5115	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	32 UNCH
5120	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	384 UNCH
5125	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	359 UNCH
5130	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	16 UNCH
5135	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	34 UNCH
5140	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	35 UNCH
5145	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	24 UNCH
5150	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	130 UNCH
5155	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	30 UNCH
5160	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	80 UNCH
5165	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	20 UNCH
5170	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	15 UNCH
5175	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	377 UNCH
5180	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
5185	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
5190	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	40 UNCH
5195	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	42 UNCH
5200	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	2851 UNCH
5205	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	6 UNCH
5210	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	8 UNCH
5215	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	15 UNCH
5220	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	302 UNCH
5225	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	62 UNCH
5230	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	14 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 23

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG CALL		COMEX GOLD OPTIONS												
AUG26														
5235	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	15	UNCH
5240	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	40	UNCH
5245	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	18	UNCH
5250	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	694	UNCH
5255	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	907	UNCH
5260	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	35	UNCH
5265	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	18	UNCH
5270	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	152	UNCH
5275	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	24	UNCH
5280	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	210	UNCH
5285	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	32	UNCH
5290	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	25	UNCH
5295	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	14	UNCH
5300	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	1243	UNCH
5305	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	17	UNCH
5310	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	111	UNCH
5315	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	16	UNCH
5320	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	23	UNCH
5325	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	42	UNCH
5330	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	27	UNCH
5335	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	3	UNCH
5340	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
5345	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	32	UNCH
5350	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	8001	UNCH
5355	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
5360	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	123	UNCH
5365	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	65	UNCH
5370	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	8008	UNCH
5375	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	254	UNCH
5380	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	45	UNCH
5385	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
5390	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	3	UNCH
5395	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	9	UNCH
5400	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	2463	UNCH
5405	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	10	UNCH
5410	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	28	UNCH
5415	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
5420	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	13	UNCH
5425	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	28	UNCH
5430	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	15	UNCH
5435	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	51	UNCH
5440	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	106	UNCH
5445	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	17	UNCH
5450	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	221	UNCH
5455	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	23	UNCH
5460	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	12	UNCH
5465	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	88	UNCH
5470	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	14	UNCH
5475	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	6	UNCH
5480	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	14	UNCH
5485	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	26	UNCH
5490	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	9	UNCH
5495	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	19	UNCH
5500	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	2410	UNCH
5505	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	16	UNCH
5510	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	9	UNCH
5515	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	51	UNCH
5520	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	10	UNCH
5525	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	2259	UNCH
5530	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	12	UNCH
5535	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	15	UNCH
5540	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	9	UNCH
5545	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	48	UNCH
5550	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	139	UNCH
5555	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
5560	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	6	UNCH
5565	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	50	UNCH
5570	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	26	UNCH
5575	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	6	UNCH
5580	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	61	UNCH
5590	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	2	UNCH
5595	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	33	UNCH
5600	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	1148	UNCH
5605	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	12	UNCH
5610	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	47	UNCH
5615	----	----	----	----/20.80A	----	0.10	UNCH	----	----	----	----	----	3	UNCH
5620	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	43	UNCH
5625	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	6	UNCH
5630	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	24	UNCH
5635	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	2	UNCH
5640	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	23	UNCH
5650	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	602	UNCH
5660	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	37	UNCH
5670	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	10	UNCH
5675	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	3	UNCH
5680	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	7	UNCH
5690	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	17	UNCH
5700	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	1937	UNCH
5710	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	11	UNCH
5720	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	19	UNCH
5725	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
5730	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	15	UNCH
5750	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	841	UNCH
5775	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	20	UNCH
5800	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	1024	UNCH
5825	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	134	UNCH
5850	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	172	UNCH
5875	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	35	UNCH
5900	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	1503	UNCH
5925	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	24	UNCH
5950	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	31	UNCH
6000	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	4462	UNCH
6100	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	808	UNCH
6200	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	1366	UNCH
6250	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	8	UNCH
6300	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	115	UNCH
6400	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	61	UNCH
6500	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	1397	UNCH
6600	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	219	UNCH
6700	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	350	UNCH
6800	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	43	UNCH
6900	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	50	UNCH
7000	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	1009	UNCH
7500	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	833	UNCH
8000	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	702	UNCH
8500	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	130	UNCH
9000	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	127	UNCH
9500	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	316	UNCH
10000	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	398	UNCH
TOTAL											3421	50	140152 +	635
SEP26														
3100	----	----	986.30B/----	986.30B/988.30A	----	999.00	+ 20.60	.9948	----	----	----	----	144	UNCH
3150	----	----	936.50B/----	936.50B/938.30A	----	949.10	+ 20.50	.9934	----	----	----	----	50	UNCH
3400	----	----	713.80B/657.10A	713.80B/657.10A	----	700.90	+ 19.60	.9793	----	----	----	----	131	UNCH
3500	----	----	615.90B/560.10A	615.90B/560.10A	----	602.90	+ 18.90	.9668	----	----	----	----	37	UNCH
3515	----	----	601.30B/545.80A	601.30B/545.80A	----	588.30	+ 18.80	.9643	----	----	----	----	1	UNCH
3520	----	----	596.40B/541.00A	596.40B/541.00A	----	583.40	+ 18.70	.9636	----	----	----	----	9	UNCH
3600	----	----	519.20B/465.30A	519.20B/465.30A	----	506.10	+ 17.70	.9463	----	----	----	----	1	UNCH
3650	----	----	471.50B/419.00A	471.50B/419.00A	----	458.60	+ 17.00	.9314	----	----	----	----	45	UNCH
3700	----	----	424.60B/373.70A	424.60B/373.70A	----	411.80	+ 16.10	.9125	----	----	----	----	51	UNCH
3785	----	----	347.10B/299.90A	347.10B/299.90A	----	334.90	+ 14.30	.8671	----	----	----	----	18	UNCH
3800	----	----	333.90B/287.50A	333.90B/287.50A	----	321.70	+ 13.90	.8571	----	----	----	----	1	UNCH
3850	----	----	290.80B/247.20A	290.80B/247.20A	----	278.90	+ 12.50	.8192	----	----	----	----	1	UNCH
3875	----	----	269.80B/228.00A	269.80B/228.00A	----	258.30	+ 11.80	.7972	----	----	----	----	1	UNCH
3890	----	----	254.30B/216.60A	254.30B/216.60A	----	246.20	+ 11.40	.7828	----	----	----	----	9	UNCH
3900	----	----	246.20B/209.20A	246.20B/209.20A	----	238.30	+ 11.10	.7730	----	----	----	----	6	UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
SEP26												
3920	----	----	232.70B/194.80A	232.70B/194.80A	----	222.70 + 10.50	.7521	----	----	----	----	16 UNCH
3925	----	----	226.90B/191.40A	226.90B/191.40A	----	218.90 + 10.40	.7467	----	----	----	----	10 UNCH
3950	----	----	205.70B/174.20A	205.70B/174.20A	----	200.10 + 9.60	.7184	----	----	----	----	2 UNCH
3955	----	----	202.30B/170.70A	202.30B/170.70A	----	196.50 + 9.50	.7123	----	----	----	----	1 UNCH
3965	----	----	197.40B/164.30A	197.40B/164.30A	----	189.30 + 9.20	.7003	----	----	----	----	8 UNCH
3975	----	----	192.00B/157.50A	192.00B/157.50A	----	182.20 + 8.80	.6878	----	----	----	----	15 UNCH
3980	----	----	188.30B/154.30A	188.30B/154.30A	----	178.70 + 8.70	.6815	----	----	----	----	14 UNCH
3985	----	----	184.80B/151.20A	184.80B/151.20A	----	175.20 + 8.50	.6751	----	----	----	----	15 UNCH
3990	----	----	180.90B/148.20A	180.90B/148.20A	----	171.80 + 8.40	.6685	----	----	----	----	15 UNCH
3995	----	----	177.60B/145.00A	177.60B/145.00A	----	168.40 + 8.20	.6621	----	----	----	----	13 UNCH
4000	170.00	170.00	174.00B/141.80A	174.00B/141.80A	----	165.00 + 8.00	.6553	----	----	1	----	118 - 1
4005	----	----	171.20B/138.90A	171.20B/138.90A	----	161.70 + 7.90	.6487	----	----	----	----	94 UNCH
4010	----	----	167.90B/135.90A	167.90B/135.90A	----	158.40 + 7.70	.6419	----	----	----	----	27 UNCH
4015	----	----	164.50B/133.00A	164.50B/133.00A	----	155.10 + 7.60	.6351	----	----	----	----	7 UNCH
4020	----	----	161.20B/130.10A	161.20B/130.10A	----	151.90 + 7.40	.6282	----	----	----	----	105 UNCH
4025	----	----	157.90B/127.20A	157.90B/127.20A	----	148.70 + 7.30	.6212	----	----	----	----	187 UNCH
4030	----	----	154.70B/124.40A	154.70B/124.40A	----	145.50 + 7.10	.6142	----	----	----	----	17 UNCH
4035	----	----	151.50B/121.70A	151.50B/121.70A	----	142.40 + 6.90	.6071	----	----	----	----	36 UNCH
4040	----	----	148.30B/119.00A	148.30B/119.00A	----	139.30 + 6.70	.5999	----	----	----	----	165 UNCH
4045	----	----	145.20B/116.10A	145.20B/116.10A	----	136.30 + 6.60	.5927	----	----	----	----	12 UNCH
4050	117.60	117.60	142.40B/113.30A	142.40B/113.30A	----	133.20 + 6.40	.5855	----	----	15	130	615 - 42
4055	112.00	112.00	139.20B/110.80A	139.20B/110.80A	----	130.30 + 6.30	.5782	----	----	2	----	31 UNCH
4060	----	----	136.20B/108.30A	136.20B/108.30A	----	127.30 + 6.10	.5708	----	----	5	----	13 UNCH
4065	----	----	133.20B/105.60A	133.20B/105.60A	----	124.40 + 5.90	.5634	----	----	----	----	47 UNCH
4070	----	----	130.20B/103.30A	130.20B/103.30A	----	121.60 + 5.80	.5560	----	----	----	----	13 UNCH
4075	109.80	109.80	127.30B/100.80A	127.30B/100.80A	----	118.80 + 5.70	.5485	----	----	28	----	185 - 1
4080	----	----	124.50B/98.30A	124.50B/98.30A	----	116.00 + 5.50	.5410	----	----	14	----	220 + 11
4085	107.60	107.60	121.60B/96.00A	121.60B/96.00A	----	113.30 + 5.40	.5334	----	----	13	----	55 + 7
4090	103.00	103.00	118.80B/93.40A	118.80B/93.40A	----	110.60 + 5.20	.5258	----	----	2	----	26 UNCH
4095	104.30	104.30	116.10B/91.30A	116.10B/91.30A	----	107.90 + 5.00	.5182	----	----	1	----	98 UNCH
4100	99.50	99.50	113.50B/89.00A	113.50B/89.00A	----	105.30 + 4.90	.5106	----	----	32	----	1271 + 22
4105	102.50	102.50	110.70B/86.80A	110.70B/86.80A	----	102.70 + 4.70	.5029	----	----	3	----	18 + 2
4110	98.30	98.30	108.10B/84.60A	108.10B/84.60A	----	100.20 + 4.60	.4953	----	----	9	----	372 + 7
4115	97.70	97.70	105.50B/82.40A	105.50B/82.40A	----	97.70 + 4.50	.4876	----	----	10	----	51 + 10
4120	89.90	89.90	102.90B/80.20A	102.90B/80.20A	----	95.30 + 4.40	.4799	----	----	2	----	167 - 2
4125	87.60	87.60	100.50B/78.20A	100.50B/78.20A	----	92.80 + 4.20	.4722	----	----	22	----	92 - 2
4130	78.80	78.80	98.00B/76.10A	98.00B/76.10A	----	90.50 + 4.10	.4645	----	----	8	----	133 - 7
4135	----	----	95.60B/74.10A	95.60B/74.10A	----	88.20 + 4.00	.4569	----	----	----	----	63 UNCH
4140	81.00	81.00	93.10B/72.10A	93.10B/72.10A	----	85.90 + 3.90	.4492	----	----	1	----	56 UNCH
4145	----	----	90.80B/70.20A	90.80B/70.20A	----	83.60 + 3.70	.4415	----	----	----	----	26 UNCH
4150	69.70	69.70	88.50B/68.30A	88.50B/68.30A	----	81.40 + 3.60	.4338	----	----	70	----	1168 - 9
4155	74.70	74.70	86.20B/66.50A	86.20B/66.50A	----	79.30 + 3.50	.4262	----	----	2	----	48 UNCH
4160	77.20	77.20	84.00B/64.70A	84.00B/64.70A	----	77.20 + 3.40	.4186	----	----	7	----	52 + 6
4165	70.70	70.70	81.80B/62.90A	81.80B/62.90A	----	75.10 + 3.30	.4110	----	----	1	----	31 UNCH
4170	62.60	62.60	79.60B/61.10A	79.60B/61.10A	----	73.10 + 3.20	.4035	----	----	9	----	17 + 8
4175	----	----	77.50B/59.40A	77.50B/59.40A	----	71.10 + 3.10	.3960	----	----	----	----	287 UNCH
4180	68.00	68.00	75.50B/57.80A	75.50B/57.80A	----	69.10 + 2.90	.3885	----	----	31	----	416 + 1
4185	63.90	63.90	73.40B/56.20A	73.40B/56.20A	----	67.20 + 2.80	.3810	----	----	8	----	76 + 5
4190	61.40	61.40	71.50B/54.60A	71.50B/54.60A	----	65.30 + 2.70	.3736	----	----	1	----	44 + 1
4195	----	----	69.50B/53.10A	69.50B/53.10A	----	63.50 + 2.60	.3663	----	----	----	----	16 UNCH
4200	58.00	58.00	67.60B/51.60A	67.60B/51.60A	----	61.70 + 2.50	.3590	----	----	66	----	1542 + 34
4205	56.30	56.30	65.70B/50.10A	65.70B/50.10A	----	59.90 + 2.40	.3516	----	----	6	----	26 + 5
4210	----	----	63.90B/48.70A	63.90B/48.70A	----	58.20 + 2.30	.3445	----	----	----	----	19 UNCH
4215	----	----	62.10B/47.30A	62.10B/47.30A	----	56.50 + 2.20	.3373	----	----	----	----	14 UNCH
4220	50.90	50.90	60.40B/45.90A	60.40B/45.90A	----	54.90 + 2.10	.3303	----	----	6	----	182 + 6
4225	----	----	58.60B/44.60A	58.60B/44.60A	----	53.30 + 2.00	.3233	----	----	8	----	117 UNCH
4230	----	----	57.00B/43.30A	57.00B/43.30A	----	51.70 + 1.90	.3162	----	----	----	----	33 UNCH
4235	50.50	50.50	55.30B/42.00A	55.30B/42.00A	----	50.20 + 1.80	.3094	----	----	6	----	18 + 6
4240	----	----	53.70B/40.70A	53.70B/40.70A	----	48.70 + 1.70	.3026	----	----	----	----	221 UNCH
4245	----	----	52.20B/39.50A	52.20B/39.50A	----	47.30 + 1.70	.2960	----	----	3	----	76 UNCH
4250	45.80	45.80	50.70B/38.40A	50.70B/38.40A	----	45.80 + 1.60	.2892	----	----	172	----	1456 - 65
4255	----	----	49.20B/37.20A	49.20B/37.20A	----	44.50 + 1.60	.2828	----	----	----	----	24 UNCH
4260	----	----	47.70B/36.10A	47.70B/36.10A	----	43.10 + 1.40	.2762	----	----	----	----	61 UNCH
4265	----	----	46.30B/35.00A	46.30B/35.00A	----	41.80 + 1.40	.2698	----	----	----	----	81 UNCH
4270	----	----	44.90B/34.00A	44.90B/34.00A	----	40.50 + 1.30	.2635	----	----	----	----	399 UNCH
4275	38.40	38.40	43.50B/33.00A	43.50B/33.00A	----	39.30 + 1.20	.2574	----	----	119	----	171 + 67
4280	36.00	36.00	42.20B/32.00A	42.20B/32.00A	----	38.10 + 1.20	.2513	----	----	3	----	32 + 1
4285	34.90	34.90	41.00B/31.00A	41.00B/31.00A	----	36.90 + 1.10	.2452	----	----	2	----	12 + 1
4290	33.80	33.80	39.70B/30.10A	39.70B/30.10A	----	35.70 + 1.00	.2391	----	----	4	----	36 + 1
4295	32.80	32.80	38.50B/29.20A	38.50B/29.20A	----	34.60 + 0.90	.2332	----	----	41	----	169 + 31
4300	30.60	30.60	37.30B/28.00	37.30B/28.00	----	33.50 + 0.90	.2274	----	----	268	300	2207 - 77
4305	----	----	36.20B/27.40A	36.20B/27.40A	----	32.50 + 0.80	.2220	----	----	----	----	77 UNCH
4310	----	----	35.10B/26.50A	35.10B/26.50A	----	31.50 + 0.80	.2165	----	----	----	----	74 UNCH
4315	----	----	34.00B/25.70A	34.00B/25.70A	----	30.50 + 0.80	.2110	----	----	----	----	49 UNCH
4320	31.50	31.50	32.90B/25.00A	32.90B/25.00A	----	29.50 + 0.70	.2055	----	----	5	----	228 UNCH
4325	----	----	31.90B/24.20A	31.90B/24.20A	----	28.60 + 0.60	.2004	----	----	----	----	211 UNCH
4330	27.10	27.10	30.90B/23.50A	30.90B/23.50A	----	27.70 + 0.60	.1953	----	----	28	----	121 + 27
4335	26.20	26.20	29.90B/22.70A	29.90B/22.70A	----	26.80 + 0.50	.1901	----	----	1	----	21 UNCH
4340	26.10	26.10	29.00B/22.00A	29.00B/22.00A	----	25.90 + 0.40	.1850	----	----	1	----	42 + 1
4345	21.60	21.60	28.10B/21.30A	28.10B/21.30A	----	25.10 + 0.40	.1803	----	----	27	----	24 + 17
4350	23.80	23.80	27.20B/20.70A	27.20B/20.70A	----	24.30 + 0.40	.1755	----	----	99	----	967 + 31
4355	23.40	23.40	26.40B/20.10A	26.40B/20.10A	----	23.50 + 0.30	.1708	----	----	2	----	29 UNCH
4360	24.20	24.20	25.50B/19.50A	25.50B/19.50A	----	22.80 + 0.30	.1665	----	----	8	----	71 + 4
4365	21.70	21.70	24.70B/18.90A	24.70B/18.90A	----	22.00 + 0.20	.1617	----	----	29	----	45 + 26
4370	21.50	21.50	24.00B/18.40A	24.00B/18.40A	----	21.30 + 0.20	.1574	----	----	30	----	161 - 3
4375	17.50	17.50	23.20B/*17.50	23.20B/*17.50	----	20.70 + 0.30	.1535	----	----	8	----	422 UNCH
4380	20.40	20.40	22.50B/*17.20A	22.50B/*17.20A	----	20.00 + 0.20	.1492	----	----	3	----	72 - 2
4385	17.50	17.50	21.80B/*16.70A	21.80B/*16.70A	----	19.40 + 0.20	.1453	----	----	30	----	144 + 28
4390	16.10	16.10	21.10B/*16.10	21.10B/*16.10	----	18.70 + 0.10	.1410	----	----	30	----	239 + 20
4395	----	----	20.40B/*15.70A	20.40B/*15.70A	----	18.10 UNCH	.1372	----	----	----	----	124 UNCH
4400	15.70	15.70	19.80B/*15.30A	19.80B/*15.30A	----	17.60 + 0.10	.1337	----	----	111	----	1733 + 2
4405	----	----	19.20B/*14.80A	19.20B/*14.80A	----	17.00 UNCH	.1299	----	----	----	----	108 UNCH
4410	16.40	16.40	18.60B/*14.40A	18.60B/*14.40A	----	16.50 UNCH	.1265	----	----	8	----	59 + 6
4415	15.90	15.90	18.00B/*13.90A	18.00B/*13.90A	----	16.00 UNCH	.1231	----	----	14	----	110 + 10
4420	15.40	15.40	17.40B/*13.50A	17.40B/*13.50A	----	15.50 UNCH	.1198	----	----	5	----	19 + 5
4425	----	----	16.90B/*13.10A	16.90B/*13.10A	----	15.00 UNCH	.1164	----	----	1	----	106 UNCH
4430	----	----	16.40B/*12.80A	16.40B/*12.80A	----	14.50 - 0.10	.1131	----	----	----	----	16 UNCH
4435	----	----	15.90B/*12.40A	15.90B/*12.40A	----	14.10 UNCH	.1102	----	----	3	----	62 UNCH
4440	----	----	15.40B/*12.10A	15.40B/*12.10A	----	13.60 - 0.10	.1069	----	----	----	----	18 UNCH
4445	----	----	14.90B/*11.70A	14.90B/*11.70A	----	13.20 - 0.10	.1041	----	----	----	----	26 UNCH
4450	13.60	13.60	14.50B/*11.40A	14.50B/*11.40A	----	12.80 - 0.10	.1012	----	----	6	----	393 + 3
4455	----	----	14.00B/*11.10A	14.00B/*11.10A	----	12.40 - 0.10	.0984	----	----	1	----	19 UNCH
4460	----	----	13.60B/*10.80A	13.60B/*10.80A	----	12.00 - 0.20	.0956	----	----	10	----	40 + 8
4465	11.60	11.60	13.20B/*10.50A	13.20B/*10.50A	----	11.70 - 0.10	.0933	----	----	11	----	41 + 9
4470	----	----	12.80B/*10.20A	12.80B/*10.20A	----	11.30 - 0.20	.0906	----	----	2	----	47 + 2
4475	----	----	12.40B/*9.80A	12.40B/*9.80A	----	11.00 - 0.20	.0883	----	----	----	----	102 UNCH
4480	----	----	12.00B/*9.60A	12.00B/*9.60A	----	10.70 - 0.10	.0860	----	----	----	----	13 UNCH
4485	----	----	11.70B/*9.30A	11.70B/*9.30A	----	10.30 - 0.20	.0833	----	----	----	----	18 UNCH
4490	10.00	10.00	11.30B/*9.10A	11.30B/*9.10A	----	10.00 - 0.20	.0811	----	----	5	----	77 UNCH
4495	----	----	11.00B/*8.80A	11.00B/*8.80A	----	9.70 - 0.20	.0788	----	----	----	----	125 UNCH
4500	8.50	8.50	10.70B/*8.50	10.70B/*8.50	----	9.50 - 0.20	.0772	----	----	62	----	2805 - 191
4505	----	----	10.30B/*8.30A	10.30B/*8.30A	----	9.20 - 0.20	.0750	----	----	----	----	176 UNCH
4510	----	----	10.00B/*8.20A	10.00B/*8.20A	----	8.90 - 0.20	.0728	----	----	----	----	23 UNCH
4515	----	----	9.70B/*8.00A	9.70B/*8.00A	----	8.70 - 0.20	.0711	----	----	----	----	40 UNCH
4520	----	----	9.50B/*7.70A	9.50B/*7.70A	----	8.40 - 0.20	.0690	----	----	----	----	85 UNCH
4525	----	----	9.20B/*7.60A	9.20B/*7.60A	----	8.20 - 0.20	.0673	----	----	----	----	130 UNCH
4530	8.10	8.10	8.90B/*7.30A	8.90B/*7.30A	----	8.00 - 0.20	.0657	----	----	14	----	96 + 14
4535	7.70	7.70	8.70B/*7.10A	8.70B/*7.10A	----	7.70 - 0.30	.0636	----	----	5	----	109 + 3
4540	----	----	8.40B/*6.90A	8.40B/*6.90A	----	7.50 - 0.20	.0620	----	----	----	----	24 UNCH
4545	----	----	8.20B/*6.70A	8.20B/*6.70A	----	7.30 - 0.20	.0604	----	----	----	----	114 UNCH
4550	6.90	6.90	7.90B/*6.50A	7.90B/*6.50A	----	7.10 - 0.20	.0588	----	----	37	----	1296 - 8
4555	----	----	7.70B/*6.30A	7.70B/*6.30A	----	6.90 - 0.30	.0573	----	----	----	----	112 UNCH
4560	----	----	7.50B/*6.20A	7.50B/*6.20A	----	6.70 - 0.30	.0557	----	----	----	----	57 UNCH
4565	----	----	7.30B/*6.00A	7.30B/*6.00A	----	6.60 - 0.20	.0548	----	----	----	----	23 UNCH
4570	6.60	6.60	7.10B/*5.90A	7.10B/*5.90A	----	6.40 - 0.20	.0532	----	----	16	----	89 + 11
4575	6.40	6.40	6.90B/*5.70A	6.90B/*5.70A	----	6.20 - 0.20	.0517	----	----	3	----	192 UNCH
4580	6.20	6.20	6.70B/*5.60A	6.70B/*5.60A	----	6.10 - 0.20	.0508	----	----	2	----	27 UNCH
4585	6.10	6.10	6.50B/*5.40A	6.50B/*5.40A	----	5.90 - 0.20	.0492	----	----	2	----	37 UNCH
4590	5.90	5.90	6.40B/*5.30A	6.40B/*5.30A	----	5.80 - 0.20	.0483	----	----	2	----	24 UNCH
4595	5.80	5.80	6.20B/*5.10A	6.20B/*5.10A	----	5.60 - 0.20	.0468	----	----	5	----	52 + 1
4600	5.10	5.10	6.00B/*5.00A	6.00B/*5.00A	----	5.50 - 0.20	.0459	----	----	11	----	2726 - 1
4605	5.30	5.30	5.90B/*4.90A	5.90B/*4.90A	----	5.30 - 0.20	.0444	----	----	1	----	60 - 1
4610	4.80	4.80	5.70B/*4.70A	5.70B/*4.70A	----	5.20 - 0.20	.0435	----	----	2	----	53 UNCH
4615	5.20	5.20	5.60B/*4.60A	5.60B/*4.60A	----	5.10 - 0.20	.0427	----	----	52	----	90 + 50
4620	4.90	4.90	5.40B/*4.60A	5.40B/*4.60A	----	5.00 - 0.20	.0418	----	----	4	----	478 + 4
4625	4.90	4.90	5.30B/*4.50A	5.30B/*4.50A	----	4.80 - 0.20	.0403	----	----	4	----	31 + 2
4630	4.80	4.80	5.20B/*4.40A	5.20B/*4.40A	----	4.70 - 0.20	.0394	----	----	2	----	69 + 2

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
SEP26												
4635	4.80	4.80	5.00B/*4.30A	5.00B/*4.30A	----	4.60 - 0.20	.0386	----	----	2	----	73 UNCH
4640	----	----	4.90B/*4.20A	4.90B/*4.20A	----	4.50 - 0.20	.0377	----	----	----	----	13 UNCH
4645	----	----	4.80B/*4.10A	4.80B/*4.10A	----	4.40 - 0.20	.0369	----	----	----	----	13 UNCH
4650	3.90	3.90	4.70B/*3.90	4.70B/*3.90	----	4.30 - 0.20	.0360	----	----	4	----	673 - 4
4655	----	----	4.50B/*3.90A	4.50B/*3.90A	----	4.20 - 0.20	.0352	----	----	----	----	12 UNCH
4660	----	----	4.40B/*3.80A	4.40B/*3.80A	----	4.10 - 0.20	.0344	----	----	----	----	44 UNCH
4665	3.80	3.80	4.30B/*3.70A	4.30B/*3.70A	----	4.00 - 0.20	.0336	----	----	15	----	54 + 15
4670	4.00	4.00	4.20B/*3.60A	4.20B/*3.60A	----	3.90 - 0.20	.0327	----	----	18	----	25 + 7
4675	----	----	4.10B/*3.60A	4.10B/*3.60A	----	3.80 - 0.20	.0319	----	----	----	----	81 UNCH
4680	----	----	4.00B/*3.50A	4.00B/*3.50A	----	3.80 - 0.10	.0317	----	----	----	----	99 UNCH
4685	3.60	3.60	3.90B/*3.40A	3.90B/*3.40A	----	3.70 - 0.10	.0309	----	----	1	----	61 - 1
4690	3.40	3.40	3.40/*3.30	3.80B/*3.30	----	3.60 - 0.20	.0301	----	----	29	----	32 + 9
4695	----	----	3.80B/*3.20A	3.80B/*3.20A	----	3.50 - 0.20	.0293	----	----	----	----	8 UNCH
4700	3.20	3.20	3.70B/*3.20	3.70B/*3.20	----	3.40 - 0.20	.0285	----	----	10	----	2164 - 7
4705	----	----	3.60B/*3.10A	3.60B/*3.10A	----	3.40 - 0.10	.0284	----	----	----	----	105 UNCH
4710	----	----	----/*3.10A	3.50B/*3.10A	----	3.30 - 0.20	.0276	----	----	----	----	57 UNCH
4715	----	----	----/*3.00A	3.40B/*3.00A	----	3.20 - 0.20	.0268	----	----	----	----	13 UNCH
4720	----	----	----/*2.90A	3.30B/*2.90A	----	3.20 - 0.10	.0266	----	----	----	----	66 UNCH
4725	----	----	3.30B/*2.90A	3.30B/*2.90A	----	3.10 - 0.10	.0259	----	----	----	----	72 UNCH
4730	----	----	----/*2.80A	3.20B/*2.80A	----	3.10 - 0.10	.0257	----	----	----	----	157 UNCH
4735	----	----	----/*2.80A	3.10B/*2.80A	----	3.00 - 0.10	.0249	----	----	----	----	353 UNCH
4740	----	----	----/*2.70A	3.10B/*2.70A	----	2.90 - 0.20	.0242	----	----	----	----	6 UNCH
4745	----	----	----/*2.70A	3.00B/*2.70A	----	2.90 - 0.10	.0240	----	----	----	----	12 UNCH
4750	----	----	----/*2.60A	2.90B/*2.60A	----	2.80 - 0.10	.0233	----	----	----	----	1693 UNCH
4755	2.90	2.90	2.90/*2.60A	2.90/*2.60A	----	2.80 - 0.10	.0232	----	----	2	----	21 - 1
4760	----	----	----/*2.50A	2.80B/*2.50A	----	2.70 - 0.10	.0224	----	----	----	----	133 UNCH
4765	----	----	----/*2.50A	2.80B/*2.50A	----	2.70 - 0.10	.0223	----	----	----	----	12 UNCH
4770	----	----	----/*2.50A	2.70B/*2.50A	----	2.60 - 0.10	.0215	----	----	----	----	27 UNCH
4775	2.50	2.50	2.60B/*2.40A	2.60B/*2.40A	----	2.60 - 0.10	.0214	----	----	5	----	347 - 2
4780	----	----	----/*2.40A	2.60B/*2.40A	----	2.50 - 0.10	.0207	----	----	----	----	26 UNCH
4785	----	----	----/*2.30A	2.50B/*2.30A	----	2.50 - 0.10	.0206	----	----	----	----	11 UNCH
4790	----	----	----/*2.30A	2.50B/*2.30A	----	2.40 - 0.10	.0198	----	----	----	----	62 UNCH
4795	----	----	----/*2.30A	2.40B/*2.30A	----	2.40 - 0.10	.0197	----	----	----	----	18 UNCH
4800	2.20	2.20	2.50/*2.20	2.50/*2.20	----	2.30 - 0.20	.0190	----	----	34	----	2129 - 31
4805	----	----	----/*2.20A	2.40B/*2.20A	----	2.30 - 0.10	.0189	----	----	----	----	28 UNCH
4810	2.30	2.30	2.30/*2.20A	2.30/*2.20A	----	2.30 - 0.10	.0188	----	----	1	----	27 UNCH
4815	----	----	----/*2.10A	2.30B/*2.10A	----	2.20 - 0.10	.0181	----	----	----	----	29 UNCH
4820	----	----	----/*2.10A	2.20B/*2.10A	----	2.20 - 0.10	.0180	----	----	2	----	149 UNCH
4825	----	----	----/*2.10A	2.20B/*2.10A	----	2.20 - 0.10	.0179	----	----	----	----	362 UNCH
4830	----	----	----/*2.00A	2.20B/*2.00A	----	2.10 - 0.10	.0172	----	----	----	----	20 UNCH
4835	----	----	----/*2.00A	2.10B/*2.00A	----	2.10 - 0.10	.0171	----	----	----	----	11 UNCH
4840	----	----	----/*2.00A	2.10B/*2.00A	----	2.00 - 0.20	.0164	----	----	----	----	62 UNCH
4845	----	----	----/*1.90A	2.10B/*1.90A	----	2.00 - 0.10	.0163	----	----	----	----	16 UNCH
4850	----	----	----/*1.90A	2.00B/*1.90A	----	2.00 - 0.10	.0162	----	----	2	----	158 UNCH
4855	----	----	----/*1.90A	2.00B/*1.90A	----	1.90 - 0.20	.0155	----	----	----	----	29 UNCH
4860	----	----	----/*1.90A	2.00B/*1.90A	----	1.90 - 0.10	.0154	----	----	----	----	10 UNCH
4865	----	----	----/*1.80A	1.90B/*1.80A	----	1.90 - 0.10	.0153	----	----	----	----	36 UNCH
4870	----	----	----/*1.80A	1.90B/*1.80A	----	1.90 - 0.10	.0153	----	----	1	----	17 UNCH
4875	1.80	1.80	1.90B/*1.80	1.90B/*1.80	----	1.80 - 0.10	.0146	----	----	1	----	184 UNCH
4880	----	----	----/*1.80A	1.80B/*1.80A	----	1.80 - 0.10	.0145	----	----	----	----	31 UNCH
4885	----	----	----/*1.70A	1.80B/*1.70A	----	1.80 - 0.10	.0144	----	----	----	----	59 UNCH
4890	----	----	----/*1.70A	1.80B/*1.70A	----	1.70 - 0.10	.0137	----	----	----	----	207 UNCH
4895	----	----	----/*1.70A	1.70B/*1.70A	----	1.70 - 0.10	.0137	----	----	----	----	25 UNCH
4900	1.60	1.60	1.60/*1.60	1.70B/*1.60	----	1.70 - 0.10	.0136	----	----	1	----	619 - 1
4905	----	----	----/*1.60A	1.70B/*1.60A	----	1.70 - 0.10	.0135	----	----	----	----	104 UNCH
4910	----	----	----/*1.60A	1.70B/*1.60A	----	1.60 - 0.10	.0128	----	----	----	----	22 UNCH
4915	----	----	----/*1.60A	1.60B/*1.60A	----	1.60 - 0.10	.0128	----	----	----	----	71 UNCH
4920	----	----	----/*1.60A	1.60B/*1.60A	----	1.60 - 0.10	.0127	----	----	----	----	69 UNCH
4925	----	----	----/*1.60A	1.60B/*1.60A	----	1.60 - 0.10	.0127	----	----	----	----	118 UNCH
4930	----	----	----/*1.50A	1.60B/*1.50A	----	1.50 - 0.10	.0120	----	----	1	----	5 UNCH
4935	----	----	----/*1.50A	1.50B/*1.50A	----	1.50 - 0.10	.0119	----	----	----	----	20 UNCH
4940	----	----	----/*1.50A	1.50B/*1.50A	----	1.50 - 0.10	.0119	----	----	----	----	24 UNCH
4945	----	----	----/*1.50A	1.50B/*1.50A	----	1.50 - 0.10	.0118	----	----	----	----	16 UNCH
4950	----	----	----/*1.50A	1.50B/*1.50A	----	1.40 - 0.20	.0111	----	----	----	----	240 UNCH
4955	----	----	----	1.50B/*1.50A	----	1.40 - 0.10	.0111	----	----	----	----	1 UNCH
4960	----	----	----/*1.40A	1.40B/*1.40A	----	1.40 - 0.10	.0111	----	----	----	----	149 UNCH
4965	----	----	----/*1.40A	1.40B/*1.40A	----	1.40 - 0.10	.0110	----	----	----	----	39 UNCH
4970	----	----	----/*1.40A	1.40B/*1.40A	----	1.40 - 0.10	.0110	----	----	----	----	59 UNCH
4975	----	----	----/*1.40A	1.40B/*1.40A	----	1.30 - 0.20	.0103	----	----	----	----	343 UNCH
4980	----	----	----	1.40B/*1.40A	----	1.30 - 0.10	.0102	----	----	----	----	11 UNCH
4985	----	----	----/*1.30A	1.30B/*1.30A	----	1.30 - 0.10	.0102	----	----	----	----	11 UNCH
4990	----	----	----/*1.30A	1.30B/*1.30A	----	1.30 - 0.10	.0102	----	----	----	----	1 UNCH
4995	----	----	----/*1.30A	1.30B/*1.30A	----	1.30 - 0.10	.0101	----	----	----	----	23 UNCH
5000	1.40	1.40	1.50/*1.30A	1.50/*1.30A	----	1.30 - 0.10	.0101	----	----	32	----	1578 UNCH
5005	----	----	----/*1.30A	1.30B/*1.30A	----	1.20 - 0.20	.0094	----	----	----	----	6 UNCH
5010	----	----	----	1.30B/*1.30A	----	1.20 - 0.10	.0094	----	----	----	----	15 UNCH
5015	----	----	----	1.20B/*1.30A	----	1.20 - 0.10	.0093	----	----	----	----	4 UNCH
5020	----	----	----/*1.20A	1.20B/*1.20A	----	1.20 - 0.10	.0093	----	----	----	----	3 UNCH
5030	----	----	----/*1.20A	1.20B/*1.20A	----	1.20 - 0.10	.0092	----	----	----	----	6 UNCH
5040	----	----	----	1.20B/*1.20A	----	1.10 - 0.10	.0085	----	----	----	----	54 UNCH
5045	----	----	----	1.10B/*1.20A	----	1.10 - 0.10	.0085	----	----	----	----	3 UNCH
5050	----	----	----	1.10B/*1.20A	----	1.10 - 0.10	.0085	----	----	----	----	440 UNCH
5055	----	----	----	1.10B/1.20A	----	1.10 - 0.10	.0084	----	----	----	----	6 UNCH
5060	----	----	----/*1.10A	1.10B/*1.10A	----	1.10 - 0.10	.0084	----	----	----	----	48 UNCH
5070	----	----	----/*1.10A	1.10B/*1.10A	----	1.10 - 0.10	.0083	----	----	----	----	14 UNCH
5075	0.90	0.90	0.90/*0.90	1.00B/*0.90	----	1.00 - 0.20	.0077	----	----	1	----	10 UNCH
5080	----	----	----	1.10B/*1.10A	----	1.00 - 0.10	.0076	----	----	----	----	14 UNCH
5085	----	----	----	1.00B/*1.10A	----	1.00 - 0.10	.0076	----	----	----	----	8 UNCH
5090	----	----	----	1.00B/*1.10A	----	1.00 - 0.10	.0076	----	----	----	----	3 UNCH
5095	----	----	----	1.00B/1.10A	----	1.00 - 0.10	.0076	----	----	----	----	17 UNCH
5100	----	----	----	1.00B/1.10A	----	1.00 - 0.10	.0075	----	----	----	----	548 UNCH
5105	----	----	----	1.00B/1.10A	----	1.00 - 0.10	.0075	----	----	----	----	5 UNCH
5110	----	----	----/*1.00A	1.00B/*1.00A	----	1.00 - 0.10	.0075	----	----	----	----	7 UNCH
5115	----	----	----/*1.00A	1.00B/*1.00A	----	1.00 - 0.10	.0075	----	----	----	----	11 UNCH
5120	----	----	----	1.00B/*1.00A	----	1.00 UNCH	.0074	----	----	----	----	6 UNCH
5130	----	----	----	1.00B/*1.00A	----	0.90 - 0.10	.0068	----	----	----	----	4 UNCH
5135	----	----	----	0.90B/*1.00A	----	0.90 - 0.10	.0067	----	----	----	----	50 UNCH
5140	----	----	----	0.90B/1.00A	----	0.90 - 0.10	.0067	----	----	----	----	2 UNCH
5145	----	----	----	0.90B/1.00A	----	0.90 - 0.10	.0067	----	----	----	----	2 UNCH
5150	----	----	----	0.90B/1.00A	----	0.90 - 0.10	.0067	----	----	----	----	361 UNCH
5155	----	----	----	0.90B/1.00A	----	0.90 - 0.10	.0066	----	----	----	----	2 UNCH
5160	----	----	----/*0.90A	0.90B/*0.90A	----	0.90 - 0.10	.0066	----	----	----	----	22 UNCH
5165	----	----	----/*0.90A	0.90B/*0.90A	----	0.90 - 0.10	.0066	----	----	----	----	40 UNCH
5170	----	----	----	0.90B/*0.90A	----	0.90 UNCH	.0066	----	----	----	----	10 UNCH
5175	----	----	----	0.90B/*0.90A	----	0.90 UNCH	.0066	----	----	----	----	16 UNCH
5180	----	----	----	0.90B/*0.90A	----	0.90 UNCH	.0065	----	----	----	----	9 UNCH
5185	----	----	----	0.80B/*0.90A	----	0.90 UNCH	.0065	----	----	----	----	5 UNCH
5190	----	----	----	0.80B/0.90A	----	0.90 UNCH	.0065	----	----	----	----	10014 UNCH
5195	----	----	----	0.80B/0.90A	----	0.80 - 0.10	.0059	----	----	----	----	50 UNCH
5200	0.90	0.90	0.90/0.90	0.90/0.90	----	0.80 - 0.10	.0058	----	----	1	----	10238 + 1
5205	----	----	----	0.80B/0.90A	----	0.80 - 0.10	.0058	----	----	----	----	4 UNCH
5210	----	----	----	0.80B/0.90A	----	0.80 - 0.10	.0058	----	----	----	----	4 UNCH
5215	----	----	----	0.80B/0.90A	----	0.80 - 0.10	.0058	----	----	----	----	23 UNCH
5230	----	----	----	0.80B/*0.80A	----	0.80 UNCH	.0057	----	----	----	----	414 UNCH
5235	----	----	----	0.70B/*0.80A	----	0.80 UNCH	.0057	----	----	----	----	1 UNCH
5240	----	----	----	0.70B/*0.80A	----	0.80 UNCH	.0057	----	----	----	----	3 UNCH
5245	----	----	----	0.70B/*0.80A	----	0.80 UNCH	.0057	----	----	----	----	72 UNCH
5250	----	----	----	0.70B/*0.80A	----	0.80 UNCH	.0057	----	----	----	----	688 UNCH
5255	----	----	----	0.70B/0.80A	----	0.80 UNCH	.0056	----	----	----	----	8 UNCH
5265	----	----	----	0.70B/0.80A	----	0.70 - 0.10	.0050	----	----	----	----	24 UNCH
5270	----	----	----	0.70B/0.80A	----	0.70 - 0.10	.0050	----	----	----	----	7 UNCH
5275	----	----	----	0.70B/0.80A	----	0.70 - 0.10	.0050	----	----	----	----	206 UNCH
5280	----	----	----	0.70B/0.80A	----	0.70 - 0.10	.0050	----	----	----	----	9 UNCH
5290	----	----	----	0.70B/0.80A	----	0.70 - 0.10	.0049	----	----	----	----	9 UNCH
5295	----	----	----	0.70B/0.80A	----	0.70 - 0.10	.0049	----	----	----	----	10 UNCH
5300	----	----	----	0.70B/0.80A	----	0.70 - 0.10	.0049	----	----	----	----	1072 UNCH
5305	----	----	----	0.70B/0.80A	----	0.70 UNCH	.0049	----	----	----	----	11 UNCH
5310	----	----	----	0.60B/*0.70A	----	0.70 UNCH	.0049	----	----	----	----	7 UNCH
5315	----	----	----	0.60B/*0.70A	----	0.70 UNCH	.0049	----	----	----	----	7 UNCH
5320	----	----	----	0.60B/*0.70A	----	0.70 UNCH	.0048	----	----	----	----	25 UNCH
5325	----	----	----	0.60B/*0.70A	----	0.70 UNCH	.0048	----	----	----	----	17 UNCH
5330	----	----	----	0.60B/*0.70A	----	0.70 UNCH	.0048	----	----	----	----	44 UNCH
5335	----	----	----	0.60B/0.70A	----	0.60 - 0.10	.0042	----	----	----	----	4 UNCH
5340	----	----	----	0.60B/0.70A	----	0.60 - 0.10	.0042	----	----	----	----	8 UNCH
5350	----	----	----	0.60B/0.70A	----	0.60 - 0.10	.0042	----	----	----	----	335 UNCH
5355	----	----	----	0.60B/0.70A	----	0.60 - 0.10	.0042	----	----	----	----	22 UNCH
5360	----	----	----	0.60B/0.70A	----	0.60 - 0.10	.0042	----	----	----	----	6 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
SEP26												
5365	----	----	----	0.60B/0.70A	----	0.60 - 0.10	.0041	----	----	----	----	22 UNCH
5370	----	----	----	0.60B/0.70A	----	0.60 - 0.10	.0041	----	----	----	----	20 UNCH
5375	----	----	----	0.60B/0.70A	----	0.60 UNCH	.0041	----	----	----	----	15 UNCH
5380	----	----	----	0.60B/0.70A	----	0.60 UNCH	.0041	----	----	----	----	17 UNCH
5385	----	----	----	0.60B/0.70A	----	0.60 UNCH	.0041	----	----	----	----	13 UNCH
5390	----	----	----	0.60B/0.70A	----	0.60 UNCH	.0041	----	----	----	----	3 UNCH
5395	----	----	----	0.50B/0.70A	----	0.60 UNCH	.0041	----	----	----	----	4 UNCH
5400	----	----	----	0.50B/0.70A	----	0.60 UNCH	.0041	----	----	----	----	2366 UNCH
5405	----	----	----	0.50B/0.70A	----	0.60 UNCH	.0040	----	----	----	----	19 UNCH
5420	----	----	----	0.50B/0.70A	----	0.50 - 0.10	.0034	----	----	----	----	92 UNCH
5425	----	----	----	0.50B/*0.60A	----	0.50 - 0.10	.0034	----	----	----	----	54 UNCH
5430	----	----	----	0.50B/0.60A	----	0.50 - 0.10	.0034	----	----	----	----	3 UNCH
5435	----	----	----	0.50B/0.60A	----	0.50 - 0.10	.0034	----	----	----	----	6 UNCH
5440	----	----	----	0.50B/0.60A	----	0.50 - 0.10	.0034	----	----	----	----	15 UNCH
5450	----	----	----	0.50B/0.60A	----	0.50 - 0.10	.0034	----	----	----	----	30 UNCH
5455	----	----	----	0.50B/0.60A	----	0.50 - 0.10	.0034	----	----	----	----	39 UNCH
5460	----	----	----	0.50B/0.60A	----	0.50 - 0.10	.0034	----	----	----	----	38 UNCH
5465	----	----	----	0.50B/0.60A	----	0.50 UNCH	.0034	----	----	----	----	1 UNCH
5470	----	----	----	0.50B/0.60A	----	0.50 UNCH	.0033	----	----	----	----	4 UNCH
5475	----	----	----	0.50B/0.60A	----	0.50 UNCH	.0033	----	----	----	----	29 UNCH
5480	----	----	----	0.50B/0.60A	----	0.50 UNCH	.0033	----	----	----	----	2 UNCH
5485	----	----	----	0.50B/0.60A	----	0.50 UNCH	.0033	----	----	----	----	19 UNCH
5490	----	----	----	0.50B/0.60A	----	0.50 UNCH	.0033	----	----	----	----	1 UNCH
5500	0.40	0.40	0.40/*0.40	0.50B/*0.40	----	0.50 UNCH	.0033	----	----	2	----	3063 UNCH
5505	----	----	----	0.40B/0.60A	----	0.50 UNCH	.0033	----	----	----	----	5 UNCH
5510	----	----	----	0.40B/0.60A	----	0.50 UNCH	.0033	----	----	----	----	9 UNCH
5515	----	----	----	0.40B/0.60A	----	0.50 UNCH	.0033	----	----	----	----	5 UNCH
5520	----	----	----	0.40B/0.60A	----	0.50 UNCH	.0033	----	----	----	----	1 UNCH
5525	----	----	----	0.40B/0.60A	----	0.50 UNCH	.0032	----	----	----	----	7 UNCH
5530	----	----	----	0.40B/0.60A	----	0.50 UNCH	.0032	----	----	----	----	20 UNCH
5535	----	----	----	0.40B/0.60A	----	0.50 UNCH	.0032	----	----	----	----	1 UNCH
5540	----	----	----	0.40B/0.60A	----	0.50 UNCH	.0032	----	----	----	----	19 UNCH
5550	----	----	----	0.40B/0.60A	----	0.50 UNCH	.0032	----	----	----	----	46 UNCH
5555	----	----	----	0.40B/0.60A	----	0.50 UNCH	.0032	----	----	----	----	6 UNCH
5560	----	----	----	0.40B/0.60A	----	0.50 UNCH	.0032	----	----	----	----	2 UNCH
5575	----	----	----	0.40B/0.50A	----	0.50 UNCH	.0032	----	----	----	----	6 UNCH
5590	----	----	----	0.40B/0.50A	----	0.50 UNCH	.0031	----	----	----	----	26 UNCH
5595	----	----	----	0.40B/0.50A	----	0.50 UNCH	.0031	----	----	----	----	9 UNCH
5600	----	----	----	0.40B/0.50A	----	0.40 - 0.10	.0026	----	----	----	----	841 UNCH
5605	----	----	----	0.40B/0.50A	----	0.40 UNCH	.0026	----	----	----	----	3 UNCH
5610	----	----	----	0.40B/0.50A	----	0.40 UNCH	.0026	----	----	----	----	53 UNCH
5615	----	----	----	0.40B/0.50A	----	0.40 UNCH	.0026	----	----	----	----	2 UNCH
5620	----	----	----	0.40B/0.50A	----	0.40 UNCH	.0026	----	----	----	----	21 UNCH
5625	----	----	----	0.40B/0.50A	----	0.40 UNCH	.0025	----	----	----	----	7 UNCH
5635	----	----	----	0.40B/0.50A	----	0.40 UNCH	.0025	----	----	----	----	12 UNCH
5645	----	----	----	0.30B/0.50A	----	0.40 UNCH	.0025	----	----	----	----	6 UNCH
5650	----	----	----	0.30B/0.50A	----	0.40 UNCH	.0025	----	----	----	----	745 UNCH
5655	----	----	----	0.30B/0.50A	----	0.40 UNCH	.0025	----	----	----	----	5 UNCH
5660	----	----	----	0.30B/0.50A	----	0.40 UNCH	.0025	----	----	----	----	1 UNCH
5665	----	----	----	0.30B/0.50A	----	0.40 UNCH	.0025	----	----	----	----	3 UNCH
5670	----	----	----	0.30B/0.50A	----	0.40 UNCH	.0025	----	----	----	----	2 UNCH
5675	0.50	0.50	0.50/0.50	0.50/0.50	----	0.40 UNCH	.0025	----	----	2	----	11 + 2
5680	----	----	----	0.30B/0.50A	----	0.40 UNCH	.0025	----	----	----	----	5 UNCH
5690	----	----	----	0.30B/0.50A	----	0.40 UNCH	.0025	----	----	----	----	7 UNCH
5700	----	----	----	0.30B/0.50A	----	0.40 UNCH	.0025	----	----	----	----	1004 UNCH
5710	----	----	----	0.30B/0.50A	----	0.40 UNCH	.0025	----	----	----	----	3 UNCH
5725	----	----	----	0.30B/*0.40A	----	0.40 UNCH	.0024	----	----	----	----	6 UNCH
5730	----	----	----	0.30B/*0.40A	----	0.40 UNCH	.0024	----	----	----	----	3 UNCH
5740	----	----	----	0.30B/*0.40A	----	0.40 UNCH	.0024	----	----	----	----	7 UNCH
5750	----	----	----	0.30B/0.40A	----	0.40 UNCH	.0024	----	----	----	----	202 UNCH
5760	----	----	----	0.30B/*0.40A	----	0.40 UNCH	.0024	----	----	----	----	1 UNCH
5770	----	----	----	0.30B/*0.40A	----	0.40 UNCH	.0024	----	----	----	----	4 UNCH
5775	----	----	----	0.30B/*0.40A	----	0.40 UNCH	.0024	----	----	----	----	167 UNCH
5800	----	----	----	0.30B/0.40A	----	0.40 UNCH	.0024	----	----	----	----	642 UNCH
5825	----	----	----	0.20B/0.40A	----	0.30 - 0.10	.0018	----	----	----	----	76 UNCH
5850	----	----	----	0.20B/0.40A	----	0.30 - 0.10	.0018	----	----	----	----	455 UNCH
5875	----	----	----	0.20B/0.40A	----	0.30 - 0.10	.0018	----	----	----	----	3 UNCH
5900	----	----	----	0.20B/0.40A	----	0.30 - 0.10	.0018	----	----	----	----	843 UNCH
5925	----	----	----/*0.30A	0.20B/*0.30A	----	0.30 - 0.10	.0017	----	----	----	----	7 UNCH
5950	----	----	----/*0.30A	0.20B/*0.30A	----	0.30 - 0.10	.0017	----	----	----	----	52 UNCH
6000	----	----	----	0.20B/*0.30A	----	0.30 UNCH	.0017	----	----	18	----	1387 UNCH
6050	----	----	----	0.20B/*0.30A	----	0.30 UNCH	.0017	----	----	----	----	6 UNCH
6075	----	----	----	0.20B/*0.30A	----	0.30 UNCH	.0016	----	----	----	----	6 UNCH
6100	----	----	----	0.10B/*0.30A	----	0.30 UNCH	.0016	----	----	----	----	183 UNCH
6200	0.30	0.30	0.30/0.30	0.30/0.30	----	0.20 - 0.10	.0011	----	----	2	----	248 - 2
6250	----	----	----	0.10B/0.30A	----	0.20 - 0.10	.0011	----	----	----	----	11 UNCH
6300	----	----	----	0.10B/0.30A	----	0.20 - 0.10	.0011	----	----	----	----	182 UNCH
6400	----	----	----	0.10B/0.30A	----	0.20 - 0.10	.0010	----	----	----	----	228 UNCH
6500	----	----	----	0.10B/*0.20A	----	0.20 UNCH	.0010	----	----	----	----	556 UNCH
6550	----	----	----	----/0.20A	----	0.20 UNCH	.0010	----	----	----	----	3 UNCH
6600	----	----	----	----/0.20A	----	0.20 UNCH	.0010	----	----	----	----	217 UNCH
6650	----	----	----	----/0.20A	----	0.20 UNCH	.0010	----	----	----	----	11 UNCH
6700	----	----	----	----/0.20A	----	0.20 UNCH	.0009	----	----	----	----	11 UNCH
6750	----	----	----	----/0.20A	----	0.20 UNCH	.0009	----	----	----	----	11 UNCH
6775	----	----	----	0.10B/0.20A	----	0.20 UNCH	.0009	----	----	----	----	104 UNCH
6800	----	----	----	0.10B/0.30A	----	0.20 UNCH	.0009	----	----	----	----	174 UNCH
7000	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.20 UNCH	.0009	----	----	10	----	628 + 7
8000	----	----	----	----/0.10A	----	0.10 UNCH	.0004	----	----	----	----	837 UNCH
TOTAL										1900	430	84043 + 98
OCT26												
2850	----	----	----	----	----	1248.90 + 20.70	.9925	----	----	76	----	0 UNCH
2950	----	----	1,135.70B/----	1135.70B/1139.10A	----	1149.20 + 20.60	.9890	----	----	76	----	254 + 76
3000	----	----	1,085.90B/----	1085.90B/1089.10A	----	1099.50 + 20.50	.9870	----	----	----	----	30 UNCH
3050	----	----	1,036.50B/----	1036.50B/1039.50A	----	1049.80 + 20.30	.9849	----	----	----	----	25 UNCH
3340	----	----	777.30B/723.10A	777.30B/723.10A	----	764.90 + 18.90	.9592	----	----	----	----	1 UNCH
3425	----	----	695.70B/642.40A	695.70B/642.40A	----	683.20 + 18.20	.9449	----	----	----	----	1 UNCH
3500	----	----	624.70B/572.60A	624.70B/572.60A	----	612.20 + 17.30	.9276	----	----	----	----	6 UNCH
3600	----	----	532.00B/482.60A	532.00B/482.60A	----	519.80 + 15.90	.8960	----	----	----	----	16 UNCH
3615	----	----	518.40B/469.40A	518.40B/469.40A	----	506.30 + 15.80	.8905	----	----	----	----	2 UNCH
3800	----	----	359.00B/317.20A	359.00B/317.20A	----	347.80 + 12.40	.7920	----	----	----	----	2 UNCH
3825	----	----	----/298.40A	255.80B/298.40A	----	328.10 + 12.00	.7743	----	----	----	----	1 UNCH
3875	----	----	----/262.50A	217.20B/262.50A	----	290.00 + 10.90	.7355	----	----	----	----	1 UNCH
3890	----	----	----/252.10A	264.20B/252.10A	----	278.90 + 10.60	.7230	----	----	----	----	1 UNCH
3900	----	----	280.60B/245.20A	280.60B/245.20A	----	271.70 + 10.40	.7145	----	----	----	----	46 UNCH
3910	----	----	263.50B/238.60A	263.50B/238.60A	----	264.50 + 10.10	.7059	----	----	----	----	1 UNCH
3940	----	----	252.50B/219.20A	252.50B/219.20A	----	243.60 + 9.50	.6789	----	----	----	----	1 UNCH
3945	----	----	249.00B/215.70A	249.00B/215.70A	----	240.20 + 9.40	.6743	----	----	----	----	2 UNCH
3950	----	----	245.80B/212.40A	245.80B/212.40A	----	236.80 + 9.30	.6696	----	----	----	----	100 UNCH
3960	----	----	238.80B/206.30A	238.80B/206.30A	----	230.10 + 9.00	.6602	----	----	----	----	11 UNCH
3975	----	----	229.10B/197.00A	229.10B/197.00A	----	220.30 + 8.70	.6458	----	----	----	----	1 UNCH
3980	----	----	226.00B/193.90A	226.00B/193.90A	----	217.10 + 8.70	.6408	----	----	----	----	11 UNCH
3990	----	----	219.30B/188.00A	219.30B/188.00A	----	210.70 + 8.40	.6310	----	----	----	----	1 UNCH
4000	----	----	213.30B/182.20A	213.30B/182.20A	----	204.40 + 8.20	.6210	----	----	----	----	115 UNCH
4015	----	----	203.70B/173.80A	203.70B/173.80A	----	195.20 + 7.90	.6059	----	----	----	----	7 UNCH
4020	----	----	200.60B/171.00A	200.60B/171.00A	----	192.20 + 7.80	.6007	----	----	----	----	13 UNCH
4025	----	----	197.80B/168.30A	197.80B/168.30A	----	189.20 + 7.60	.5956	----	----	----	----	85 UNCH
4030	169.20	169.20	194.90B/165.60A	194.90B/165.60A	----	186.30 + 7.60	.5904	----	----	2	----	73 + 2
4035	----	----	192.00B/162.90A	192.00B/162.90A	----	183.30 + 7.40	.5852	----	----	----	----	1 UNCH
4040	----	----	189.00B/160.20A	189.00B/160.20A	----	180.50 + 7.40	.5800	----	----	----	----	3 UNCH
4045	----	----	186.10B/157.60A	186.10B/157.60A	----	177.60 + 7.30	.5747	----	----	----	----	16 UNCH
4050	----	----	183.20B/154.80A	183.20B/154.80A	----	174.80 + 7.20	.5695	----	----	----	----	14 UNCH
4055	----	----	180.30B/152.30A	180.30B/152.30A	----	171.90 + 7.00	.5642	----	----	----	----	2 UNCH
4060	----	----	177.50B/149.80A	177.50B/149.80A	----	169.20 + 7.00	.5589	----	----	----	----	129 UNCH
4065	153.90	153.90	174.60B/147.20A	174.60B/147.20A	----	166.40 + 6.90	.5536	----	----	2	----	25 + 1
4070	146.90	146.90	171.80B/144.80A	171.80B/144.80A	----	163.70 + 6.80	.5482	----	----	1	----	14 + 1
4075	151.90	151.90	169.00B/142.20A	169.00B/142.20A	----	161.00 + 6.70	.5429	----	----	3	----	27 + 1
4080	----	----	166.30B/139.80A	166.30B/139.80A	----	158.30 + 6.60	.5375	----	----	2	----	31 + 2
4085	----	----	163.60B/137.50A	163.60B/137.50A	----	155.70 + 6.50	.5322	----	----	----	----	3 UNCH
4090	137.10	137.10	160.90B/135.10A	160.90B/135.10A	----	153.10 + 6.50	.5268	----	----	12	----	115 + 7
4095	----	----	158.30B/132.80A	158.30B/132.80A	----	150.50 + 6.30	.5214	----	----	----	----	3 UNCH
4100	132.60	132.60	155.70B/130.50A	155.70B/130.50A	----	147.90 + 6.20	.5160	----	----	17	----	729 - 2
4105	----	----	153.00B/128.20A	153.00B/128.20A	----	145.40 + 6.10	.5106	----	----	----	----	109 UNCH
4110	127.80	127.80	150.50B/126.10A	150.50B/126.10A	----	142.90 + 6.00	.5051	----	----	1	----	10 + 1
4115	----	----	147.90B/123.90A	147.90B/123.90A	----	140.40 + 5.90	.4997	----	----	----	----	8 UNCH
4120	128.00	128.00	145.40B/121.60A	145.40B/121.60A	----	138.00 + 5.80	.4943	----	----	2	----	26 - 1
4125	----	----	142.90B/119.40A	142.90B/119.40A	----	135.60 + 5.80	.4889	----	----	----	----	22 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
OCT26												
4130	----	----	140.50B/117.40A	140.50B/117.40A	----	133.20 + 5.60	.4835	----	----	----	----	22 UNCH
4135	----	----	138.10B/115.30A	138.10B/115.30A	----	130.80 + 5.50	.4780	----	----	----	----	109 UNCH
4140	----	----	135.70B/113.30A	135.70B/113.30A	----	128.50 + 5.40	.4726	----	----	----	----	4 UNCH
4145	----	----	133.30B/111.00A	133.30B/111.00A	----	126.20 + 5.30	.4672	----	----	----	----	4 UNCH
4150	109.40	109.40	131.00B/109.00A	131.00B/109.00A	----	124.00 + 5.30	.4618	----	----	46	----	165 - 30
4155	118.50	118.50	128.70B/107.20A	128.70B/107.20A	----	121.70 + 5.10	.4564	----	----	7	----	43 - 6
4160	119.60	119.60	126.40B/105.10A	126.40B/105.10A	----	119.50 + 5.10	.4510	----	----	7	----	25 - 3
4165	----	----	124.10B/103.20A	124.10B/103.20A	----	117.40 + 5.00	.4457	----	----	----	----	47 UNCH
4170	----	----	121.80B/101.30A	121.80B/101.30A	----	115.20 + 4.90	.4403	----	----	----	----	8 UNCH
4175	----	----	119.60B/99.40A	119.60B/99.40A	----	113.10 + 4.80	.4349	----	----	----	----	20 UNCH
4180	----	----	117.50B/97.50A	117.50B/97.50A	----	111.00 + 4.70	.4295	----	----	----	----	74 UNCH
4185	----	----	115.30B/95.70A	115.30B/95.70A	----	109.00 + 4.70	.4243	----	----	----	----	24 UNCH
4190	----	----	113.20B/93.90A	113.20B/93.90A	----	106.90 + 4.50	.4189	----	----	----	----	22 UNCH
4195	----	----	111.20B/92.10A	111.20B/92.10A	----	104.90 + 4.50	.4136	----	----	----	----	5 UNCH
4200	95.40	95.40	109.20B/90.40A	109.20B/90.40A	----	103.00 + 4.50	.4084	----	----	6	----	1518 + 1
4205	100.20	100.20	107.10B/88.70A	107.10B/88.70A	----	101.00 + 4.30	.4031	----	----	3	----	59 + 2
4210	----	----	105.10B/87.00A	105.10B/87.00A	----	99.10 + 4.20	.3978	----	----	2	----	21 + 2
4215	----	----	103.10B/85.30A	103.10B/85.30A	----	97.30 + 4.30	.3927	----	----	----	----	9 UNCH
4220	----	----	101.20B/83.60A	101.20B/83.60A	----	95.40 + 4.10	.3874	----	----	1	----	34 UNCH
4225	----	----	99.20B/82.00A	99.20B/82.00A	----	93.60 + 4.10	.3823	----	----	----	----	45 UNCH
4230	87.00	87.00	97.40B/80.40A	97.40B/80.40A	----	91.80 + 4.00	.3772	----	----	3	----	31 UNCH
4235	----	----	95.50B/78.90A	95.50B/78.90A	----	90.00 + 3.90	.3720	----	----	----	----	39 UNCH
4240	----	----	93.70B/77.30A	93.70B/77.30A	----	88.30 + 3.90	.3670	----	----	----	----	8 UNCH
4245	----	----	91.90B/76.00A	91.90B/76.00A	----	86.60 + 3.80	.3619	----	----	----	----	44 UNCH
4250	78.40	78.40	90.10B/74.40A	90.10B/74.40A	----	84.90 + 3.80	.3569	----	----	2	----	291 + 2
4255	----	----	88.40B/72.90A	88.40B/72.90A	----	83.20 + 3.70	.3518	----	----	----	----	57 UNCH
4260	----	----	86.70B/71.50A	86.70B/71.50A	----	81.60 + 3.60	.3469	----	----	----	----	42 UNCH
4265	----	----	85.00B/70.10A	85.00B/70.10A	----	80.00 + 3.60	.3420	----	----	----	----	41 UNCH
4270	----	----	83.30B/68.70A	83.30B/68.70A	----	78.40 + 3.50	.3371	----	----	----	----	213 UNCH
4275	----	----	81.70B/67.40A	81.70B/67.40A	----	76.80 + 3.40	.3321	----	----	----	----	45 UNCH
4280	----	----	80.10B/66.00A	80.10B/66.00A	----	75.30 + 3.30	.3274	----	----	----	----	66 UNCH
4285	----	----	78.50B/64.70A	78.50B/64.70A	----	73.80 + 3.30	.3226	----	----	----	----	53 UNCH
4290	----	----	77.00B/63.50A	77.00B/63.50A	----	72.30 + 3.20	.3178	----	----	----	----	22 UNCH
4295	----	----	75.40B/62.20A	75.40B/62.20A	----	70.80 + 3.10	.3130	----	----	----	----	49 UNCH
4300	65.00	65.00	73.90B/61.00A	73.90B/61.00A	----	69.40 + 3.10	.3083	----	----	256	----	2647 + 244
4305	----	----	72.40B/59.80A	72.40B/59.80A	----	68.00 + 3.00	.3037	----	----	----	----	1 UNCH
4310	----	----	71.00B/58.60A	71.00B/58.60A	----	66.60 + 2.90	.2991	----	----	----	----	115 UNCH
4315	----	----	69.50B/57.40A	69.50B/57.40A	----	65.30 + 2.90	.2946	----	----	----	----	202 UNCH
4320	----	----	68.10B/56.20A	68.10B/56.20A	----	63.90 + 2.80	.2899	----	----	----	----	21 UNCH
4325	----	----	66.70B/55.10A	66.70B/55.10A	----	62.60 + 2.70	.2855	----	----	4	----	14 UNCH
4330	60.70	60.70	65.40B/54.00A	65.40B/54.00A	----	61.30 + 2.70	.2810	----	----	1	----	39 + 1
4335	----	----	64.10B/52.90A	64.10B/52.90A	----	60.10 + 2.70	.2767	----	----	----	----	7 UNCH
4340	58.50	58.50	62.80B/51.80A	62.80B/51.80A	----	58.80 + 2.50	.2723	----	----	2	----	19 UNCH
4345	----	----	61.50B/50.80A	61.50B/50.80A	----	57.60 + 2.50	.2680	----	----	----	----	27 UNCH
4350	55.70	55.70	60.20B/49.70A	60.20B/49.70A	----	56.40 + 2.40	.2637	----	----	18	----	1281 + 9
4355	54.70	54.70	59.00B/48.70A	59.00B/48.70A	----	55.20 + 2.30	.2594	----	----	1	----	45 UNCH
4360	55.30	55.30	57.80B/47.70A	57.80B/47.70A	----	54.10 + 2.30	.2553	----	----	1	----	56 + 1
4365	52.50	52.50	56.60B/46.70A	56.60B/46.70A	----	53.00 + 2.30	.2512	----	----	2	----	46 + 1
4370	----	----	55.50B/45.70A	55.50B/45.70A	----	51.90 + 2.30	.2472	----	----	----	----	25 UNCH
4375	----	----	54.30B/44.80A	54.30B/44.80A	----	50.80 + 2.20	.2431	----	----	1	----	108 - 1
4380	----	----	53.20B/43.90A	53.20B/43.90A	----	49.70 + 2.10	.2390	----	----	----	----	48 UNCH
4385	----	----	52.10B/43.00A	52.10B/43.00A	----	48.70 + 2.10	.2352	----	----	3	----	134 + 1
4390	49.30	49.30	51.00B/42.10A	51.00B/42.10A	----	47.70 + 2.00	.2313	----	----	1	----	41 + 1
4395	----	----	50.00B/41.30A	50.00B/41.30A	----	46.70 + 2.00	.2275	----	----	----	----	41 UNCH
4400	45.00	45.00	48.90B/40.40A	48.90B/40.40A	----	45.70 + 1.90	.2236	----	----	75	----	1038 - 32
4405	----	----	47.90B/39.60A	47.90B/39.60A	----	44.70 + 1.80	.2198	----	----	1	----	29 + 1
4410	----	----	46.90B/38.80A	46.90B/38.80A	----	43.80 + 1.80	.2162	----	----	----	----	57 UNCH
4415	----	----	45.90B/38.00A	45.90B/38.00A	----	42.90 + 1.80	.2126	----	----	----	----	107 UNCH
4420	----	----	45.00B/37.20A	45.00B/37.20A	----	42.00 + 1.70	.2090	----	----	1	----	300 + 1
4425	40.90	40.90	44.00B/36.50A	44.00B/36.50A	----	41.10 + 1.70	.2054	----	----	1	----	91 - 1
4430	----	----	43.10B/35.70A	43.10B/35.70A	----	40.20 + 1.60	.2018	----	----	----	----	25 UNCH
4435	39.00	39.00	42.20B/35.10A	42.20B/35.10A	----	39.40 + 1.60	.1985	----	----	2	----	54 + 2
4440	----	----	41.30B/34.40A	41.30B/34.40A	----	38.60 + 1.60	.1951	----	----	----	----	3 UNCH
4445	----	----	40.50B/33.60A	40.50B/33.60A	----	37.80 + 1.60	.1918	----	----	----	----	17 UNCH
4450	----	----	39.60B/32.90A	39.60B/32.90A	----	37.00 + 1.50	.1885	----	----	----	----	2054 UNCH
4455	36.10	36.10	38.80B/32.30A	38.80B/32.30A	----	36.20 + 1.50	.1852	----	----	1	----	22 - 1
4460	----	----	38.00B/31.60A	38.00B/31.60A	----	35.40 + 1.40	.1819	----	----	----	----	12 UNCH
4465	34.30	34.30	37.20B/31.00A	37.20B/31.00A	----	34.70 + 1.40	.1788	----	----	1	----	22 + 1
4470	----	----	36.40B/30.40A	36.40B/30.40A	----	34.00 + 1.40	.1758	----	----	----	----	106 UNCH
4475	----	----	35.70B/29.80A	35.70B/29.80A	----	33.30 + 1.30	.1728	----	----	----	----	62 UNCH
4480	32.40	32.40	34.90B/29.20A	34.90B/29.20A	----	32.60 + 1.30	.1697	----	----	1	----	74 - 1
4485	31.60	31.60	34.20B/28.60A	34.20B/28.60A	----	31.90 + 1.20	.1667	----	----	3	----	13 + 2
4490	31.00	31.00	33.50B/28.00A	33.50B/28.00A	----	31.20 + 1.20	.1637	----	----	2	----	416 + 1
4495	30.40	30.40	32.80B/27.50A	32.80B/27.50A	----	30.60 + 1.20	.1610	----	----	6	----	169 + 5
4500	28.50	28.50	32.10B/26.90A	32.10B/26.90A	----	30.00 + 1.20	.1582	----	----	44	----	4007 + 16
4505	27.50	27.50	31.50B/26.40A	31.50B/26.40A	----	29.30 + 1.10	.1552	----	----	7	----	99 UNCH
4510	28.60	28.60	30.80B/25.90A	30.80B/25.90A	----	28.70 + 1.00	.1525	----	----	1	----	64 UNCH
4515	27.90	27.90	30.20B/25.50A	30.20B/25.50A	----	28.10 + 1.00	.1498	----	----	2	----	14 + 2
4520	----	----	29.60B/25.00A	29.60B/25.00A	----	27.60 + 1.10	.1474	----	----	19	----	29 + 17
4525	----	----	29.00B/24.40A	29.00B/24.40A	----	27.00 + 1.00	.1447	----	----	----	----	53 UNCH
4530	----	----	28.40B/24.10A	28.40B/24.10A	----	26.50 + 1.00	.1423	----	----	----	----	5 UNCH
4535	----	----	27.80B/23.60A	27.80B/23.60A	----	25.90 + 0.90	.1397	----	----	----	----	74 UNCH
4540	----	----	27.20B/23.10A	27.20B/23.10A	----	25.40 + 0.90	.1373	----	----	----	----	58 UNCH
4545	----	----	26.70B/22.60A	26.70B/22.60A	----	24.90 + 0.90	.1349	----	----	----	----	12 UNCH
4550	----	----	26.20B/22.30A	26.20B/22.30A	----	24.40 + 0.90	.1326	----	----	89	----	787 - 15
4555	22.40	22.40	25.60B/21.90A	25.60B/21.90A	----	23.90 + 0.80	.1302	----	----	1	----	17 + 1
4560	----	----	25.10B/21.50A	25.10B/21.50A	----	23.40 + 0.80	.1279	----	----	----	----	40 UNCH
4565	----	----	24.60B/21.10A	24.60B/21.10A	----	23.00 + 0.80	.1258	----	----	----	----	36 UNCH
4570	----	----	24.10B/20.70A	24.10B/20.70A	----	22.50 + 0.80	.1235	----	----	----	----	25 UNCH
4575	----	----	23.70B/20.20A	23.70B/20.20A	----	22.10 + 0.80	.1215	----	----	----	----	16 UNCH
4580	----	----	23.20B/19.80A	23.20B/19.80A	----	21.60 + 0.70	.1192	----	----	----	----	83 UNCH
4585	----	----	22.70B/19.60A	22.70B/19.60A	----	21.20 + 0.70	.1172	----	----	----	----	22 UNCH
4590	----	----	22.30B/19.10A	22.30B/19.10A	----	20.80 + 0.70	.1152	----	----	----	----	65 UNCH
4595	20.30	20.30	21.90B/18.90A	21.90B/18.90A	----	20.40 + 0.70	.1132	----	----	1	----	30 + 1
4600	20.00	20.00	21.40B/*18.40A	21.40B/*18.40A	----	20.00 + 0.60	.1112	----	----	59	----	6447 + 9
4605	----	----	21.00B/*18.10A	21.00B/*18.10A	----	19.60 + 0.60	.1093	----	----	----	----	18 UNCH
4610	----	----	20.60B/17.90A	20.60B/17.90A	----	19.20 + 0.50	.1073	----	----	----	----	22 UNCH
4615	----	----	20.20B/*17.50A	20.20B/*17.50A	----	18.90 + 0.60	.1057	----	----	----	----	38 UNCH
4620	----	----	19.80B/17.30A	19.80B/17.30A	----	18.50 + 0.50	.1037	----	----	1	----	16 + 1
4625	----	----	19.50B/17.00A	19.50B/17.00A	----	18.20 + 0.60	.1021	----	----	1	----	189 + 1
4630	----	----	19.10B/16.70A	19.10B/16.70A	----	17.80 + 0.50	.1002	----	----	----	----	61 UNCH
4635	----	----	18.70B/16.40A	18.70B/16.40A	----	17.50 + 0.50	.0986	----	----	----	----	9 UNCH
4640	16.20	16.20	18.40B/16.10A	18.40B/16.10A	----	17.20 + 0.50	.0970	----	----	515	----	1003 + 499
4645	----	----	18.00B/*15.70A	18.00B/*15.70A	----	16.90 + 0.50	.0955	----	----	----	----	9 UNCH
4650	----	----	17.70B/15.40A	17.70B/15.40A	----	16.60 + 0.50	.0939	----	----	----	----	651 UNCH
4655	----	----	17.40B/15.20A	17.40B/15.20A	----	16.30 + 0.50	.0923	----	----	----	----	8 UNCH
4660	----	----	17.10B/*14.90A	17.10B/*14.90A	----	16.00 + 0.40	.0908	----	----	1	----	6 + 1
4665	----	----	16.80B/14.80A	16.80B/14.80A	----	15.70 + 0.40	.0892	----	----	----	----	31 UNCH
4670	----	----	16.40B/14.40A	16.40B/14.40A	----	15.40 + 0.40	.0877	----	----	----	----	34 UNCH
4675	----	----	16.10B/14.30A	16.10B/14.30A	----	15.10 + 0.30	.0861	----	----	----	----	12 UNCH
4680	----	----	15.90B/14.00A	15.90B/14.00A	----	14.90 + 0.40	.0850	----	----	----	----	7 UNCH
4685	----	----	15.60B/13.70A	15.60B/13.70A	----	14.60 + 0.30	.0834	----	----	----	----	8 UNCH
4690	----	----	15.30B/13.50A	15.30B/13.50A	----	14.40 + 0.40	.0823	----	----	----	----	15 UNCH
4695	----	----	15.00B/13.30A	15.00B/13.30A	----	14.10 + 0.30	.0808	----	----	----	----	13 UNCH
4700	----	----	14.80B/13.10A	14.80B/13.10A	----	13.90 + 0.40	.0796	----	----	77	----	2101 - 39
4705	----	----	14.50B/12.90A	14.50B/12.90A	----	13.70 + 0.40	.0785	----	----	1	----	19 + 1
4710	----	----	14.20B/12.70A	14.20B/12.70A	----	13.40 + 0.30	.0770	----	----	----	----	84 UNCH
4715	----	----	14.00B/12.50A	14.00B/12.50A	----	13.20 + 0.30	.0758	----	----	----	----	3 UNCH
4720	----	----	13.80B/12.20A	13.80B/12.20A	----	13.00 + 0.30	.0747	----	----	----	----	3 UNCH
4725	----	----	13.50B/12.00A	13.50B/12.00A	----	12.80 + 0.40	.0736	----	----	----	----	309 UNCH
4730	----	----	13.30B/11.80A	13.30B/11.80A	----	12.60 + 0.40	.0725	----	----	----	----	74 UNCH
4735	----	----	13.10B/11.60A	13.10B/11.60A	----	12.40 + 0.40	.0714	----	----	----	----	2 UNCH
4740	----	----	12.80B/11.50A	12.80B/11.50A	----	12.20 + 0.40	.0703	----	----	----	----	1 UNCH
4745	----	----	12.60B/11.30A	12.60B/11.30A	----	12.00 + 0.30	.0692	----	----	----	----	12 UNCH
4750	----	----	12.40B/11.10A	12.40B/11.10A	----	11.80 + 0.30	.0681	----	----	61	----	3825 + 61
4755	----	----	12.20B/10.90A	12.20B/10.90A	----	11.60 + 0.30	.0670	----	----	----	----	99 UNCH
4760	----	----	12.00B/10.70A	12.00B/10.70A	----	11.40 + 0.30	.0659	----	----	----	----	4 UNCH
4765	----	----	11.80B/10.50A	11.80B/10.50A	----	11.30 + 0.40	.0652	----	----	----	----	25 UNCH
4770	----	----	11.60B/10.40A	11.60B/10.40A	----	11.10 + 0.30	.0641	----	----	----	----	4 UNCH
4775	11.00	11.00	11.40B/10.20A	11.40B/10.20A	----	10.90 + 0.30	.0631	----	----	5	----	35 + 4
4780	----	----	11.20B/10.10A	11.20B/10.10A	----	10.70 + 0.30	.0620	----	----	----	----	75 UNCH
4785	10.50	10.50	11.10B/9.90A	11.10B/9.90A	----	10.60 + 0.30	.0613	----	----	1	----	6 + 1
4790	----	----	10.90B/*9.70A	10.90B/*9.70A	----	10.40 + 0.30	.0602	----	----	----	----	30 UNCH
4795	----	----	10.70B/9.60A	10.70B/9.60A	----	10.20 + 0.30	.0592	----	----	----	----	8 UNCH
4800	9.80	9.80	10.50B/9.40A	10.50B/9.40A	----	10.10 + 0.30	.0585	----	----	7	360	3002 + 360
4805	----	----	10.40B/9.30A	10.40B/9.30A	----	9.90 + 0.20	.0575	----	----	----	----	301 UNCH
4810	----	----	10.20B/9.20A	10.20B/9.20A	----	9.80 + 0.30	.0568	----	----	----	----	11 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
OCT26												
4815	9.00	9.00	10.10B/9.00	10.10B/9.00	----	9.60 + 0.20	.0558	----	----	2	----	44 UNCH
4820	8.90	8.90	9.90B/8.90	9.90B/8.90	----	9.50 + 0.30	.0551	----	----	9	----	18 + 9
4825	----	----	9.70B/8.80A	9.70B/8.80A	----	9.30 + 0.20	.0541	----	----	----	----	115 UNCH
4830	----	----	9.60B/8.60A	9.60B/8.60A	----	9.20 + 0.20	.0535	----	----	----	----	62 UNCH
4835	----	----	9.40B/8.50A	9.40B/8.50A	----	9.10 + 0.30	.0528	----	----	----	----	9 UNCH
4840	9.00	9.00	9.30B/8.40A	9.30B/8.40A	----	8.90 + 0.20	.0518	----	----	8	----	10 + 7
4845	----	----	9.20B/8.30A	9.20B/8.30A	----	8.80 + 0.20	.0512	----	----	----	----	16 UNCH
4850	8.50	8.50	9.00B/*8.10A	9.00B/*8.10A	----	8.60 + 0.10	.0501	----	----	2	----	116 UNCH
4855	----	----	8.90B/8.00A	8.90B/8.00A	----	8.50 + 0.20	.0495	----	----	----	----	2 UNCH
4860	----	----	8.80B/7.90A	8.80B/7.90A	----	8.40 + 0.20	.0489	----	----	----	----	107 UNCH
4865	8.30	8.30	8.60B/7.80A	8.60B/7.80A	----	8.30 + 0.20	.0483	----	----	1	----	5 + 1
4870	8.00	8.00	8.50B/7.70	8.50B/7.70	----	8.10 + 0.10	.0473	----	----	18	----	26 + 18
4875	----	----	8.40B/7.60A	8.40B/7.60A	----	8.00 + 0.10	.0467	----	----	----	----	5 UNCH
4880	----	----	8.30B/7.40A	8.30B/7.40A	----	7.90 + 0.10	.0461	----	----	----	----	5 UNCH
4885	7.50	7.50	8.10B/*7.30A	8.10B/*7.30A	----	7.80 + 0.10	.0455	----	----	3	----	55 UNCH
4890	----	----	8.00B/7.20A	8.00B/7.20A	----	7.70 + 0.10	.0449	----	----	----	----	5 UNCH
4895	7.30	7.30	7.90B/7.10A	7.90B/7.10A	----	7.60 + 0.10	.0443	----	----	5	----	10 + 5
4900	7.20	7.20	7.80B/7.00A	7.80B/7.00A	----	7.50 + 0.10	.0437	----	----	43	----	2425 + 38
4905	7.30	7.30	7.70B/6.90A	7.70B/6.90A	----	7.40 + 0.10	.0431	----	----	9	----	48 + 9
4910	7.20	7.20	7.60B/6.80A	7.60B/6.80A	----	7.30 + 0.10	.0425	----	----	8	----	13 + 8
4915	7.10	7.10	7.50B/6.80A	7.50B/6.80A	----	7.20 + 0.10	.0419	----	----	4	----	18 + 4
4920	7.00	7.00	7.40B/6.80A	7.40B/6.80A	----	7.10 + 0.10	.0413	----	----	2	----	35 + 2
4925	6.90	6.90	7.30B/6.70A	7.30B/6.70A	----	7.00 + 0.10	.0408	----	----	6	----	27 + 2
4930	----	----	7.20B/6.70A	7.20B/6.70A	----	6.90 + 0.10	.0402	----	----	----	----	33 UNCH
4935	----	----	7.10B/6.60A	7.10B/6.60A	----	6.80 + 0.10	.0396	----	----	----	----	6 UNCH
4940	6.90	6.90	7.00B/6.50A	7.00B/6.50A	----	6.80 NEW	.0395	----	----	2	----	2 + 2
4945	----	----	6.90B/6.40A	6.90B/6.40A	----	6.70 + 0.20	.0389	----	----	----	----	5 UNCH
4950	----	----	6.80B/6.30A	6.80B/6.30A	----	6.60 + 0.10	.0383	----	----	----	----	1800 UNCH
4955	----	----	6.70B/6.30A	6.70B/6.30A	----	6.50 + 0.10	.0378	----	----	----	----	17 UNCH
4960	----	----	6.60B/6.20A	6.60B/6.20A	----	6.40 + 0.10	.0372	----	----	----	----	32 UNCH
4965	----	----	6.50B/6.10A	6.50B/6.10A	----	6.40 + 0.20	.0371	----	----	----	----	11 UNCH
4970	----	----	6.40B/6.00A	6.40B/6.00A	----	6.30 + 0.20	.0365	----	----	----	----	31 UNCH
4975	----	----	6.40B/6.00A	6.40B/6.00A	----	6.20 + 0.10	.0359	----	----	----	----	2 UNCH
4980	----	----	6.30B/5.90A	6.30B/5.90A	----	6.20 + 0.20	.0358	----	----	----	----	12 UNCH
4985	----	----	6.20B/5.80A	6.20B/5.80A	----	6.10 + 0.20	.0353	----	----	----	----	9 UNCH
4990	----	----	6.10B/5.70A	6.10B/5.70A	----	6.00 + 0.20	.0347	----	----	----	----	11 UNCH
4995	----	----	6.00B/5.70A	6.00B/5.70A	----	6.00 + 0.20	.0346	----	----	----	----	3 UNCH
5000	5.70	5.70	6.00B/5.60A	6.00B/5.60A	----	5.90 + 0.20	.0340	----	----	35	----	3239 + 12
5005	----	----	5.90B/5.50A	5.90B/5.50A	----	5.80 + 0.20	.0335	----	----	----	----	4 UNCH
5010	----	----	5.80B/5.50A	5.80B/5.50A	----	5.80 + 0.20	.0334	----	----	----	----	5 UNCH
5015	----	----	5.70B/5.40A	5.70B/5.40A	----	5.70 + 0.20	.0328	----	----	----	----	5 UNCH
5025	----	----	5.60B/5.30A	5.60B/5.30A	----	5.60 + 0.20	.0322	----	----	----	----	16 UNCH
5030	----	----	5.50B/5.20A	5.50B/5.20A	----	5.50 + 0.20	.0316	----	----	----	----	114 UNCH
5035	----	----	5.50B/5.10A	5.50B/5.10A	----	5.50 + 0.20	.0315	----	----	----	----	15 UNCH
5040	----	----	5.40B/5.10A	5.40B/5.10A	----	5.40 + 0.20	.0310	----	----	----	----	4 UNCH
5045	----	----	5.30B/5.00A	5.30B/5.00A	----	5.30 + 0.20	.0305	----	----	----	----	13 UNCH
5050	----	----	5.30B/5.00A	5.30B/5.00A	----	5.30 + 0.20	.0304	----	----	2	----	372 + 2
5055	----	----	5.20B/4.90A	5.20B/4.90A	----	5.20 + 0.20	.0298	----	----	----	----	6 UNCH
5060	----	----	5.10B/4.90A	5.10B/4.90A	----	5.20 + 0.20	.0297	----	----	----	----	21 UNCH
5065	----	----	5.10B/4.80A	5.10B/4.80A	----	5.10 + 0.20	.0292	----	----	----	----	5 UNCH
5075	----	----	5.00B/4.70A	5.00B/4.70A	----	5.00 + 0.20	.0286	----	----	----	----	7 UNCH
5080	----	----	4.90B/4.60A	4.90B/4.60A	----	4.90 + 0.10	.0281	----	----	----	----	123 UNCH
5085	----	----	4.90B/4.60A	4.90B/4.60A	----	4.90 + 0.20	.0280	----	----	----	----	4 UNCH
5090	----	----	4.80B/4.50A	4.80B/4.50A	----	4.80 + 0.10	.0275	----	----	----	----	1 UNCH
5095	----	----	4.80B/4.50A	4.80B/4.50A	----	4.70 + 0.10	.0269	----	----	----	----	11 UNCH
5100	4.60	4.60	4.80/4.40A	4.80/4.40A	----	4.70 + 0.10	.0268	----	----	8	----	1025 UNCH
5105	----	----	4.60B/4.40A	4.60B/4.40A	----	4.60 + 0.10	.0263	----	----	----	----	8 UNCH
5110	----	----	4.60B/4.40A	4.60B/4.40A	----	4.60 + 0.10	.0262	----	----	----	----	3 UNCH
5115	----	----	4.50B/4.30A	4.50B/4.30A	----	4.50 + 0.10	.0257	----	----	----	----	20 UNCH
5120	----	----	4.50B/4.30A	4.50B/4.30A	----	4.50 + 0.10	.0256	----	----	----	----	12 UNCH
5125	----	----	4.40B/4.20A	4.40B/4.20A	----	4.40 + 0.10	.0251	----	----	----	----	3 UNCH
5130	----	----	4.40B/4.20A	4.40B/4.20A	----	4.30 UNCH	.0246	----	----	----	----	7 UNCH
5135	----	----	4.30B/----	4.30B/4.20A	----	4.30 + 0.10	.0245	----	----	----	----	5 UNCH
5140	----	----	4.30B/4.10A	4.30B/4.10A	----	4.20 UNCH	.0240	----	----	----	----	5 UNCH
5145	----	----	4.30B/----	4.30B/4.10A	----	4.20 + 0.10	.0240	----	----	----	----	1 UNCH
5150	----	----	4.20B/4.00A	4.20B/4.00A	----	4.10 UNCH	.0234	----	----	----	----	616 UNCH
5155	----	----	4.20B/4.00A	4.20B/4.00A	----	4.10 UNCH	.0234	----	----	----	----	3 UNCH
5160	----	----	4.10B/3.90A	4.10B/3.90A	----	4.00 UNCH	.0229	----	----	----	----	8 UNCH
5170	----	----	4.00B/----	4.00B/3.90A	----	3.90 UNCH	.0223	----	----	----	----	15 UNCH
5175	----	----	4.00B/3.80A	4.00B/3.80A	----	3.90 UNCH	.0222	----	----	----	----	1 UNCH
5180	----	----	4.00B/3.80A	4.00B/3.80A	----	3.90 UNCH	.0222	----	----	----	----	8 UNCH
5185	----	----	3.90B/3.70A	3.90B/3.70A	----	3.80 UNCH	.0217	----	----	----	----	8 UNCH
5195	----	----	----/3.70A	3.80B/3.70A	----	3.70 - 0.10	.0211	----	----	----	----	120 UNCH
5200	----	----	3.80B/3.60A	3.80B/3.60A	----	3.70 UNCH	.0210	----	----	----	----	1440 UNCH
5205	----	----	3.80B/3.60A	3.80B/3.60A	----	3.70 UNCH	.0210	----	----	----	----	3 UNCH
5220	----	----	3.70B/3.50A	3.70B/3.50A	----	3.60 UNCH	.0203	----	----	----	----	1 UNCH
5225	----	----	----/3.50A	3.60B/3.50A	----	3.50 - 0.10	.0198	----	----	----	----	2 UNCH
5240	----	----	----/3.40A	3.50B/3.40A	----	3.40 - 0.10	.0192	----	----	----	----	1 UNCH
5250	----	----	----/3.30A	3.40B/3.30A	----	3.40 UNCH	.0191	----	----	----	----	1094 UNCH
5255	----	----	----/3.30A	3.40B/3.30A	----	3.40 UNCH	.0191	----	----	----	----	6 UNCH
5270	----	----	----/3.20A	3.30B/3.20A	----	3.30 UNCH	.0185	----	----	----	----	4 UNCH
5275	----	----	----/3.20A	3.30B/3.20A	----	3.30 UNCH	.0184	----	----	----	----	36 UNCH
5300	3.30	3.30	3.30/3.10A	3.30/3.10A	----	3.20 + 0.10	.0177	----	----	2	----	1088 + 1
5305	----	----	----	3.10B/3.10A	----	3.10 UNCH	.0173	----	----	----	----	1 UNCH
5310	----	----	----/3.00A	3.10B/3.00A	----	3.10 UNCH	.0172	----	----	----	----	4 UNCH
5315	----	----	----/3.00A	3.10B/3.00A	----	3.10 UNCH	.0172	----	----	----	----	14 UNCH
5320	----	----	----	3.00B/3.00A	----	3.10 + 0.10	.0171	----	----	----	----	2 UNCH
5325	----	----	----	3.00B/3.00A	----	3.10 + 0.10	.0171	----	----	----	----	9 UNCH
5330	----	----	----/2.90A	3.00B/2.90A	----	3.00 UNCH	.0166	----	----	----	----	13 UNCH
5340	----	----	----	2.90B/2.90A	----	3.00 + 0.10	.0165	----	----	----	----	15 UNCH
5345	----	----	----	2.90B/2.90A	----	3.00 + 0.10	.0165	----	----	----	----	157 UNCH
5350	----	----	----	2.90B/2.90A	----	2.90 UNCH	.0160	----	----	----	----	5 UNCH
5355	----	----	----/2.80A	2.90B/2.80A	----	2.90 UNCH	.0160	----	----	----	----	32 UNCH
5365	----	----	----	2.80B/2.80A	----	2.90 + 0.10	.0159	----	----	----	----	1 UNCH
5390	----	----	----	2.70B/2.70A	----	2.80 + 0.10	.0152	----	----	----	----	3 UNCH
5395	----	----	----	2.70B/2.70A	----	2.80 + 0.10	.0152	----	----	----	----	15 UNCH
5400	----	----	----/2.60A	2.70B/2.60A	----	2.70 UNCH	.0147	----	----	----	----	660 UNCH
5405	----	----	----/2.60A	2.60B/2.60A	----	2.70 UNCH	.0147	----	----	----	----	10 UNCH
5410	----	----	----	2.60B/2.60A	----	2.70 + 0.10	.0147	----	----	----	----	1 UNCH
5420	----	----	----	2.60B/2.70A	----	2.70 + 0.10	.0146	----	----	----	----	2 UNCH
5430	----	----	----	2.50B/2.60A	----	2.60 UNCH	.0141	----	----	----	----	4 UNCH
5435	----	----	----	2.50B/2.60A	----	2.60 UNCH	.0141	----	----	----	----	231 UNCH
5440	----	----	----	2.50B/2.60A	----	2.60 + 0.10	.0140	----	----	----	----	5 UNCH
5450	----	----	----	2.50B/2.50A	----	2.50 UNCH	.0135	----	----	----	----	71 UNCH
5455	----	----	----	2.50B/2.50A	----	2.50 UNCH	.0135	----	----	----	----	175 UNCH
5460	----	----	----	2.40B/2.50A	----	2.50 UNCH	.0135	----	----	----	----	3 UNCH
5470	----	----	----	2.40B/2.50A	----	2.50 UNCH	.0134	----	----	----	----	1 UNCH
5475	----	----	----	2.40B/2.50A	----	2.40 UNCH	.0129	----	----	----	----	1 UNCH
5480	----	----	----	2.40B/2.40A	----	2.40 UNCH	.0129	----	----	----	----	2 UNCH
5485	----	----	----	2.30B/2.40A	----	2.40 UNCH	.0129	----	----	----	----	26 UNCH
5500	----	----	----	2.30B/2.40A	----	2.30 - 0.10	.0124	----	----	----	----	3353 UNCH
5510	----	----	----/2.30A	2.30B/2.30A	----	2.30 - 0.10	.0123	----	----	----	----	25 UNCH
5515	----	----	----	2.30B/2.30A	----	2.30 UNCH	.0123	----	----	----	----	1 UNCH
5540	----	----	----/2.20A	2.20B/2.20A	----	2.20 - 0.10	.0117	----	----	----	----	5 UNCH
5545	----	----	----/2.20A	2.20B/2.20A	----	2.20 - 0.10	.0117	----	----	----	----	5 UNCH
5550	----	----	----/2.20A	2.20B/2.20A	----	2.20 - 0.10	.0117	----	----	----	----	291 UNCH
5570	----	----	----	2.10B/2.20A	----	2.20 UNCH	.0115	----	----	----	----	1 UNCH
5575	----	----	----/2.10A	2.10B/2.10A	----	2.10 - 0.10	.0111	----	----	----	----	4 UNCH
5585	----	----	----/2.10A	2.00B/2.10A	----	2.10 - 0.10	.0111	----	----	----	----	7 UNCH
5590	----	----	----	2.00B/2.10A	----	2.10 UNCH	.0110	----	----	----	----	7 UNCH
5600	----	----	----	2.00B/2.10A	----	2.10 UNCH	.0110	----	----	----	----	231 UNCH
5605	----	----	----	2.00B/2.10A	----	2.10 UNCH	.0110	----	----	----	----	1 UNCH
5610	----	----	----/2.00A	2.00B/2.00A	----	2.10 UNCH	.0109	----	----	----	----	1 UNCH
5615	----	----	----/2.00A	2.00B/2.00A	----	2.10 UNCH	.0109	----	----	----	----	5 UNCH
5640	----	----	----	1.90B/2.00A	----	2.00 UNCH	.0104	----	----	----	----	2 UNCH
5650	1.80	1.80	1.80/1.80	1.90B/1.80	----	2.00 UNCH	.0103	----	----	1	----	418 + 1
5655	----	----	----/1.90A	1.90B/1.90A	----	2.00 UNCH	.0103	----	----	----	----	2 UNCH
5660	----	----	----	1.90B/1.90A	----	2.00 + 0.10	.0103	----	----	----	----	1 UNCH
5675	----	----	----	1.80B/1.90A	----	2.00 + 0.10	.0102	----	----	----	----	3 UNCH
5680	----	----	----	1.80B/1.90A	----	1.90 UNCH	.0098	----	----	----	----	1 UNCH
5700	----	----	----	1.80B/1.80A	----	1.90 + 0.10	.0097	----	----	----	----	220 UNCH
5710	----	----	----	1.80B/1.80A	----	1.90 + 0.10	.0097	----	----	----	----	7 UNCH
5720	----	----	----	1.70B/1.80A	----	1.80 UNCH	.0092	----	----	----	----	87 UNCH
5725	----	----	----	1.70B/1.80A	----	1.80 UNCH	.0092	----	----	----	----	2 UNCH
5730	----	----	----	1.70B/1.80A	----	1.80 UNCH	.0092	----	----	----	----	3 UNCH
5740	----	----	----	1.70B/1.70A	----	1.80 + 0.10	.0091	----	----	----	----	4 UNCH
5750	----	----	----	1.70B/1.70A	----	1.80 + 0.10	.0091	----	----	----	----	1606 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
OCT26												
5760	----	----	----	1.70B/1.70A	----	1.70 UNCH	.0087	----	----	----	----	2 UNCH
5770	----	----	----	1.60B/1.70A	----	1.70 UNCH	.0086	----	----	----	----	4 UNCH
5775	----	----	----	1.60B/1.70A	----	1.70 UNCH	.0086	----	----	----	----	52 UNCH
5800	----	----	----	1.60B/1.60A	----	1.60 UNCH	.0081	----	----	----	----	561 UNCH
5825	----	----	----	1.60B/1.60A	----	1.60 UNCH	.0080	----	----	----	----	96 UNCH
5850	----	----	----	1.50B/1.50A	----	1.50 UNCH	.0075	----	----	----	----	14 UNCH
5875	----	----	----	1.50B/1.50A	----	1.50 UNCH	.0075	----	----	----	----	16 UNCH
5900	----	----	----	1.40B/1.50A	----	1.40 UNCH	.0070	----	----	3	----	301 UNCH
5925	----	----	----	1.40B/1.40A	----	1.40 UNCH	.0069	----	----	----	----	3 UNCH
5950	----	----	----	1.40B/1.40A	----	1.40 UNCH	.0069	----	----	----	----	3 UNCH
6000	----	----	----	1.30B/1.30A	----	1.30 UNCH	.0064	----	----	----	----	3323 UNCH
6100	----	----	----	1.20B/1.20A	----	1.20 UNCH	.0058	----	----	----	----	82 UNCH
6200	----	----	----	1.10B/1.10A	----	1.10 UNCH	.0052	----	----	----	----	142 UNCH
6250	----	----	----	1.00B/1.10A	----	1.00 - 0.10	.0047	----	----	----	----	19 UNCH
6300	----	----	----/1.00A	1.00B/1.00A	----	1.00 - 0.10	.0046	----	----	----	----	889 UNCH
6400	----	----	----	0.90B/1.00A	----	0.90 - 0.10	.0041	----	----	----	----	1910 UNCH
6500	----	----	----	0.90B/0.90A	----	0.90 UNCH	.0040	----	----	----	----	4070 UNCH
6800	----	----	----	0.70B/0.80A	----	0.70 - 0.10	.0030	----	----	----	----	1475 UNCH
6900	----	----	----	0.60B/0.70A	----	0.60 - 0.10	.0026	----	----	----	----	201 UNCH
7000	0.70	0.70	0.70/0.70	0.70/0.70	----	0.60 - 0.10	.0025	----	----	1	----	1743 UNCH
7500	----	----	----	0.40B/0.60A	----	0.40 - 0.10	.0016	----	----	13	----	17 UNCH
8000	----	----	----	0.30B/0.50A	----	0.30 - 0.20	.0011	----	----	----	----	365 UNCH
8500	----	----	----	0.20B/0.40A	----	0.20 - 0.10	.0007	----	----	----	----	323 UNCH
9000	----	----	----	0.20B/*0.30A	----	0.20 - 0.10	.0007	----	----	----	----	161 UNCH
9500	----	----	----	0.10B/0.30A	----	0.20 UNCH	.0006	----	----	----	----	435 UNCH
13000	----	----	----	0.10B/0.20A	----	0.10 UNCH	.0002	----	----	----	----	1058 UNCH
TOTAL										1735	360	78786 + 1333
NOV26												
3390	----	----	766.60B/715.50A	766.60B/715.50A	----	755.00 + 17.50	.9280	----	----	----	----	1 UNCH
3400	----	----	757.30B/706.30A	757.30B/706.30A	----	745.60 + 17.30	.9259	----	----	----	----	3 UNCH
3445	----	----	715.40B/665.20A	715.40B/665.20A	----	703.80 + 16.90	.9154	----	----	----	----	1 UNCH
3500	----	----	664.90B/615.70A	664.90B/615.70A	----	653.40 + 16.30	.9006	----	----	----	----	1 UNCH
3600	----	----	575.20B/528.80A	575.20B/528.80A	----	564.10 + 15.00	.8675	----	----	----	----	3 UNCH
3700	----	----	489.70B/446.20A	489.70B/446.20A	----	478.80 + 13.60	.8243	----	----	----	----	3 UNCH
3800	----	----	405.80B/369.00A	405.80B/369.00A	----	398.60 + 12.00	.7705	----	----	----	----	3 UNCH
3900	----	----	331.50B/298.80A	331.50B/298.80A	----	324.70 + 10.40	.7053	----	----	----	----	3 UNCH
3940	----	----	305.80B/272.80A	305.80B/272.80A	----	297.20 + 9.80	.6762	----	----	----	----	12 UNCH
3950	----	----	299.00B/266.10A	299.00B/266.10A	----	290.50 + 9.60	.6687	----	----	----	----	1 UNCH
3960	----	----	292.30B/260.00A	292.30B/260.00A	----	283.90 + 9.40	.6610	----	----	----	----	1 UNCH
4000	----	----	266.50B/235.70A	266.50B/235.70A	----	258.30 + 8.70	.6298	----	----	----	----	35 UNCH
4005	----	----	263.20B/232.60A	263.20B/232.60A	----	255.20 + 8.60	.6258	----	----	----	----	1 UNCH
4010	----	----	260.10B/229.80A	260.10B/229.80A	----	252.10 + 8.50	.6218	----	----	----	----	1 UNCH
4030	----	----	248.10B/218.40A	248.10B/218.40A	----	240.00 + 8.10	.6055	----	----	----	----	187 UNCH
4035	----	----	245.60B/215.80A	245.60B/215.80A	----	237.00 + 8.00	.6014	----	----	----	----	2 UNCH
4040	----	----	242.10B/213.10A	242.10B/213.10A	----	234.10 + 7.90	.5973	----	----	----	----	2 UNCH
4045	----	----	239.90B/210.20A	239.90B/210.20A	----	231.20 + 7.90	.5931	----	----	----	----	1 UNCH
4050	----	----	237.00B/207.50A	237.00B/207.50A	----	228.30 + 7.80	.5890	----	----	----	----	328 UNCH
4060	----	----	231.10B/202.20A	231.10B/202.20A	----	222.50 + 7.50	.5806	----	----	----	----	1 UNCH
4065	----	----	228.30B/199.50A	228.30B/199.50A	----	219.70 + 7.50	.5764	----	----	----	----	15 UNCH
4070	----	----	225.40B/197.00A	225.40B/197.00A	----	216.90 + 7.40	.5722	----	----	----	----	5 UNCH
4075	----	----	222.60B/194.30A	222.60B/194.30A	----	214.10 + 7.30	.5680	----	----	----	----	8 UNCH
4080	----	----	219.80B/191.90A	219.80B/191.90A	----	211.40 + 7.30	.5637	----	----	----	----	40 UNCH
4085	----	----	217.00B/189.30A	217.00B/189.30A	----	208.60 + 7.10	.5595	----	----	----	----	14 UNCH
4090	----	----	214.20B/186.70A	214.20B/186.70A	----	205.90 + 7.10	.5552	----	----	----	----	2 UNCH
4095	----	----	211.50B/184.30A	211.50B/184.30A	----	203.20 + 7.00	.5509	----	----	----	----	12 UNCH
4100	----	----	208.80B/181.80A	208.80B/181.80A	----	200.60 + 7.00	.5467	----	----	----	----	342 UNCH
4105	----	----	206.10B/179.30A	206.10B/179.30A	----	198.00 + 6.90	.5424	----	----	----	----	3 UNCH
4110	----	----	203.40B/177.00A	203.40B/177.00A	----	195.30 + 6.70	.5381	----	----	----	----	12 UNCH
4115	----	----	200.80B/174.50A	200.80B/174.50A	----	192.80 + 6.80	.5338	----	----	----	----	2 UNCH
4120	----	----	198.20B/172.00A	198.20B/172.00A	----	190.20 + 6.60	.5295	----	----	----	----	9 UNCH
4125	----	----	195.60B/169.60A	195.60B/169.60A	----	187.70 + 6.60	.5252	----	----	----	----	107 UNCH
4130	----	----	193.00B/167.30A	193.00B/167.30A	----	185.10 + 6.50	.5208	----	----	----	----	12 UNCH
4135	----	----	190.40B/165.00A	190.40B/165.00A	----	182.70 + 6.50	.5165	----	----	----	----	54 UNCH
4140	176.20	176.20	187.90B/162.80A	187.90B/162.80A	----	180.20 + 6.40	.5122	----	----	7	----	8 + 5
4145	----	----	185.40B/160.50A	185.40B/160.50A	----	177.80 + 6.30	.5079	----	----	----	----	2 UNCH
4150	175.20	175.20	182.90B/158.30A	182.90B/158.30A	----	175.30 + 6.20	.5036	----	----	243	----	474 - 17
4155	----	----	180.40B/156.10A	180.40B/156.10A	----	172.90 + 6.10	.4993	----	----	----	----	20 UNCH
4170	164.90	164.90	173.20B/149.80A	173.20B/149.80A	----	165.90 + 5.90	.4863	----	----	3	----	5 + 1
4175	----	----	170.80B/147.70A	170.80B/147.70A	----	163.60 + 5.90	.4820	----	----	----	----	11 UNCH
4180	158.30	158.30	168.50B/145.70A	168.50B/145.70A	----	161.40 NEW	.4777	----	----	2	----	2 + 2
4185	158.80	158.80	166.20B/143.50A	166.20B/143.50A	----	159.10 + 5.70	.4734	----	----	1	----	1 + 1
4190	155.00	155.00	163.90B/141.50A	163.90B/141.50A	----	156.90 + 5.70	.4691	----	----	1	----	4 + 1
4195	152.30	152.30	161.60B/139.80A	161.60B/139.80A	----	154.70 + 5.60	.4648	----	----	1	----	22 - 1
4200	152.30	152.30	159.40B/137.50A	159.40B/137.50A	----	152.50 + 5.50	.4606	----	----	103	----	240 + 41
4205	150.60	150.60	157.10B/135.70A	157.10B/135.70A	----	150.40 + 5.50	.4563	----	----	3	----	12 - 1
4210	146.20	146.20	154.90B/133.60A	154.90B/133.60A	----	148.20 + 5.40	.4520	----	----	2	----	105 + 1
4220	----	----	150.60B/129.90A	150.60B/129.90A	----	144.10 + 5.30	.4435	----	----	----	----	1 UNCH
4225	----	----	148.50B/128.00A	148.50B/128.00A	----	142.00 + 5.20	.4393	----	----	----	----	148 UNCH
4230	----	----	146.40B/126.20A	146.40B/126.20A	----	140.00 + 5.20	.4351	----	----	----	----	3 UNCH
4235	----	----	144.30B/124.30A	144.30B/124.30A	----	138.00 + 5.20	.4309	----	----	----	----	8 UNCH
4240	----	----	142.20B/122.60A	142.20B/122.60A	----	136.00 + 5.10	.4267	----	----	----	----	2 UNCH
4245	----	----	140.20B/120.80A	140.20B/120.80A	----	134.00 + 5.00	.4224	----	----	----	----	11 UNCH
4250	----	----	138.20B/119.10A	138.20B/119.10A	----	132.10 + 5.00	.4183	----	----	1	----	315 UNCH
4255	----	----	136.20B/117.30A	136.20B/117.30A	----	130.20 + 4.90	.4141	----	----	----	----	1 UNCH
4260	----	----	134.20B/115.60A	134.20B/115.60A	----	128.30 + 4.90	.4100	----	----	----	----	4 UNCH
4265	----	----	132.20B/113.90A	132.20B/113.90A	----	126.40 + 4.80	.4058	----	----	----	----	1 UNCH
4270	----	----	130.30B/112.20A	130.30B/112.20A	----	124.50 + 4.70	.4017	----	----	----	----	1 UNCH
4275	----	----	128.40B/110.60A	128.40B/110.60A	----	122.70 + 4.60	.3976	----	----	----	----	76 UNCH
4280	----	----	126.50B/109.00A	126.50B/109.00A	----	120.90 + 4.60	.3935	----	----	----	----	1 UNCH
4285	----	----	124.70B/107.30A	124.70B/107.30A	----	119.10 + 4.50	.3894	----	----	----	----	2 UNCH
4290	----	----	122.80B/105.70A	122.80B/105.70A	----	117.40 + 4.50	.3854	----	----	----	----	2 UNCH
4295	----	----	121.00B/104.10A	121.00B/104.10A	----	115.60 + 4.40	.3814	----	----	----	----	12 UNCH
4300	----	----	119.20B/102.70A	119.20B/102.70A	----	113.90 + 4.40	.3774	----	----	1	----	393 + 1
4305	111.00	111.00	117.50B/101.10A	117.50B/101.10A	----	112.20 + 4.30	.3734	----	----	2	----	5 + 2
4310	----	----	115.70B/99.60A	115.70B/99.60A	----	110.50 + 4.20	.3694	----	----	1	----	4 + 1
4315	----	----	114.00B/98.10A	114.00B/98.10A	----	108.80 + 4.10	.3653	----	----	----	----	2 UNCH
4320	101.60	101.60	112.30B/96.60A	112.30B/96.60A	----	107.20 + 4.10	.3614	----	----	1	----	2 + 1
4325	----	----	110.60B/95.10A	110.60B/95.10A	----	105.60 + 4.10	.3575	----	----	----	----	1 UNCH
4330	----	----	108.90B/93.70A	108.90B/93.70A	----	104.00 + 4.00	.3536	----	----	----	----	2 UNCH
4335	----	----	107.30B/92.30A	107.30B/92.30A	----	102.40 + 3.90	.3497	----	----	----	----	3 UNCH
4345	----	----	104.10B/89.50A	104.10B/89.50A	----	99.30 + 3.80	.3420	----	----	1	----	2 + 1
4350	----	----	102.50B/88.20A	102.50B/88.20A	----	97.80 + 3.80	.3382	----	----	63	----	226 + 62
4355	----	----	101.00B/86.80A	101.00B/86.80A	----	96.30 + 3.70	.3344	----	----	----	----	1 UNCH
4360	----	----	99.40B/85.50A	99.40B/85.50A	----	94.80 + 3.60	.3306	----	----	----	----	1 UNCH
4370	----	----	96.40B/82.90A	96.40B/82.90A	----	91.90 + 3.50	.3232	----	----	----	----	24 UNCH
4375	----	----	95.00B/81.60A	95.00B/81.60A	----	90.50 + 3.50	.3195	----	----	----	----	24 UNCH
4380	----	----	93.50B/80.50A	93.50B/80.50A	----	89.10 + 3.40	.3158	----	----	----	----	5 UNCH
4385	----	----	92.10B/79.20A	92.10B/79.20A	----	87.70 + 3.40	.3121	----	----	----	----	1 UNCH
4400	----	----	88.00B/75.70A	88.00B/75.70A	----	83.70 + 3.20	.3014	----	----	157	----	447 + 104
4405	----	----	86.50B/74.40A	86.50B/74.40A	----	82.40 + 3.20	.2978	----	----	----	----	2 UNCH
4410	----	----	85.20B/73.40A	85.20B/73.40A	----	81.10 + 3.10	.2943	----	----	----	----	5 UNCH
4415	80.50	80.50	83.90B/72.10A	83.90B/72.10A	----	79.80 NEW	.2907	----	----	11	----	11 + 11
4420	77.70	77.70	82.60B/71.00A	82.60B/71.00A	----	78.60 + 3.00	.2874	----	----	6	----	9 + 5
4425	----	----	81.30B/69.90A	81.30B/69.90A	----	77.40 + 3.00	.2840	----	----	----	----	19 UNCH
4430	76.70	76.70	80.10B/68.90A	80.10B/68.90A	----	76.20 + 2.90	.2806	----	----	1	----	3 + 1
4435	72.40	72.40	78.80B/67.90A	78.80B/67.90A	----	75.00 NEW	.2772	----	----	1	----	1 + 1
4440	73.90	73.90	77.60B/66.80A	77.60B/66.80A	----	73.80 + 2.80	.2738	----	----	13	----	15 + 12
4445	----	----	76.40B/65.80A	76.40B/65.80A	----	72.70 + 2.80	.2706	----	----	----	----	53 UNCH
4450	71.50	71.50	75.20B/64.80A	75.20B/64.80A	----	71.50 + 2.70	.2672	----	----	4	----	129 - 1
4455	----	----	74.00B/63.80A	74.00B/63.80A	----	70.40 + 2.70	.2640	----	----	----	----	20 UNCH
4460	----	----	72.90B/62.80A	72.90B/62.80A	----	69.30 + 2.60	.2607	----	----	----	----	24 UNCH
4465	----	----	71.80B/62.00A	71.80B/62.00A	----	68.20 + 2.60	.2575	----	----	----	----	47 UNCH
4470	----	----	70.60B/60.80A	70.60B/60.80A	----	67.20 + 2.60	.2545	----	----	----	----	29 UNCH
4475	----	----	69.50B/59.80A	69.50B/59.80A	----	66.10 + 2.50	.2513	----	----	----	----	22 UNCH
4480	----	----	68.50B/59.00A	68.50B/59.00A	----	65.10 + 2.50	.2482	----	----	----	----	16 UNCH
4485	----	----	67.40B/58.10A	67.40B/58.10A	----	64.10 + 2.50	.2452	----	----	----	----	26 UNCH
4490	----	----	66.40B/57.20A	66.40B/57.20A	----	63.10 + 2.40	.2421	----	----	----	----	25 UNCH
4495	----	----	65.30B/56.20A	65.30B/56.20A	----	62.10 + 2.40	.2391	----	----	----	----	3 UNCH
4500	----	----	64.30B/55.60A	64.30B/55.60A	----	61.10 + 2.30	.2361	----	----	227	----	221 - 152
4505	----	----	63.30B/54.50A	63.30B/54.50A	----	60.20 + 2.30	.2332	----	----	----	----	21 UNCH
4510	----	----	62.30B/53.90A	62.30B/53.90A	----	59.30 + 2.30	.2304	----	----	----	----	1 UNCH
4515	----	----	61.40B/53.00A	61.40B/53.00A	----	58.30 + 2.20	.2273	----	----	----	----	21 UNCH
4520	----	----	60.40B/52.30A	60.40B/52.30A	----	57.40 + 2.20	.2245	----	----	----	----	1 UNCH
4525	----	----	59.50B/51.50A	59.50B/51.50A	----	56.50 + 2.10	.2216	----	----	----	----	7 UNCH
4530	----	----	58.60B/50.70A	58.60B/50.70A	----	55.70 + 2.20	.2190	----	----	----	----	1 UNCH
4535	----	----	57.70B/49.90A	57.70B/49.90A	----	54.80 + 2.10	.2162	----	----	----	----	56 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 30

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
NOV26												
4540	----	----	56.80B/49.10A	56.80B/49.10A	----	53.90 + 2.00	.2133	----	----	----	----	65 UNCH
4550	----	----	55.10B/47.60A	55.10B/47.60A	----	52.30 + 2.00	.2081	----	----	----	----	176 UNCH
4555	----	----	54.20B/47.00A	54.20B/47.00A	----	51.50 + 2.00	.2054	----	----	----	----	21 UNCH
4560	----	----	53.40B/46.20A	53.40B/46.20A	----	50.70 + 1.90	.2028	----	----	----	----	24 UNCH
4565	----	----	52.50B/45.50A	52.50B/45.50A	----	49.90 + 1.90	.2002	----	----	----	----	1 UNCH
4570	----	----	51.70B/44.90A	51.70B/44.90A	----	49.10 + 1.80	.1976	----	----	----	----	1 UNCH
4575	----	----	50.90B/44.10A	50.90B/44.10A	----	48.40 + 1.80	.1952	----	----	----	----	31 UNCH
4580	----	----	50.10B/43.40A	50.10B/43.40A	----	47.60 + 1.80	.1926	----	----	----	----	44 UNCH
4585	----	----	49.40B/42.80A	49.40B/42.80A	----	46.90 + 1.70	.1902	----	----	----	----	59 UNCH
4590	----	----	48.60B/42.20A	48.60B/42.20A	----	46.20 + 1.70	.1878	----	----	----	----	41 UNCH
4595	----	----	47.90B/41.60A	47.90B/41.60A	----	45.50 + 1.70	.1854	----	----	----	----	6 UNCH
4600	44.70	44.70	47.20B/40.90A	47.20B/40.90A	----	44.80 + 1.70	.1830	----	----	273	----	1016 + 29
4605	----	----	46.40B/40.30A	46.40B/40.30A	----	44.10 + 1.60	.1806	----	----	----	----	24 UNCH
4610	----	----	45.80B/39.70A	45.80B/39.70A	----	43.40 + 1.60	.1782	----	----	----	----	5 UNCH
4615	----	----	45.10B/39.10A	45.10B/39.10A	----	42.70 + 1.50	.1759	----	----	----	----	37 UNCH
4625	----	----	43.70B/38.00A	43.70B/38.00A	----	41.50 + 1.50	.1716	----	----	----	----	2 UNCH
4630	----	----	43.10B/37.60A	43.10B/37.60A	----	40.80 + 1.40	.1692	----	----	----	----	72 UNCH
4635	37.50	37.50	42.40B/36.90A	42.40B/36.90A	----	40.20 + 1.40	.1671	----	----	50	----	52 + 50
4640	36.60	36.60	41.80B/36.50A	41.80B/36.50A	----	39.60 + 1.40	.1649	----	----	150	----	164 + 150
4645	37.40	37.40	41.20B/36.00A	41.20B/36.00A	----	39.00 NEW	.1628	----	----	75	----	75 + 75
4650	37.10	37.10	40.50B/35.30A	40.50B/35.30A	----	38.50 + 1.40	.1609	----	----	2	----	176 UNCH
4655	----	----	40.00B/34.80A	40.00B/34.80A	----	37.90 + 1.30	.1588	----	----	----	----	31 UNCH
4660	----	----	39.30B/34.40A	39.30B/34.40A	----	37.30 + 1.20	.1567	----	----	----	----	16 UNCH
4665	----	----	38.80B/33.90A	38.80B/33.90A	----	36.80 + 1.30	.1548	----	----	----	----	27 UNCH
4670	----	----	38.20B/33.40A	38.20B/33.40A	----	36.20 + 1.20	.1527	----	----	----	----	16 UNCH
4675	----	----	37.70B/33.20A	37.70B/33.20A	----	35.70 + 1.20	.1508	----	----	----	----	300 UNCH
4680	----	----	37.10B/32.50A	37.10B/32.50A	----	35.20 + 1.20	.1489	----	----	----	----	43 UNCH
4685	----	----	36.60B/32.10A	36.60B/32.10A	----	34.70 + 1.20	.1471	----	----	----	----	2 UNCH
4690	32.60	32.60	36.00B/31.60A	36.00B/31.60A	----	34.20 + 1.20	.1452	----	----	5	----	32 UNCH
4695	----	----	35.50B/31.30A	35.50B/31.30A	----	33.70 + 1.10	.1434	----	----	----	----	5 UNCH
4700	----	----	35.00B/31.00A	35.00B/31.00A	----	33.20 + 1.10	.1415	----	----	164	----	213 + 109
4705	----	----	34.50B/30.50A	34.50B/30.50A	----	32.70 + 1.00	.1397	----	----	----	----	2 UNCH
4710	----	----	34.00B/29.90A	34.00B/29.90A	----	32.30 + 1.10	.1381	----	----	----	----	16 UNCH
4715	----	----	33.50B/29.50A	33.50B/29.50A	----	31.80 + 1.00	.1362	----	----	----	----	4 UNCH
4720	----	----	33.10B/29.10A	33.10B/29.10A	----	31.40 + 1.10	.1346	----	----	----	----	9 UNCH
4725	----	----	32.60B/29.00A	32.60B/29.00A	----	30.90 + 1.00	.1328	----	----	----	----	10 UNCH
4735	----	----	31.70B/28.10A	31.70B/28.10A	----	30.10 + 1.00	.1297	----	----	----	----	8 UNCH
4750	----	----	30.30B/27.00A	30.30B/27.00A	----	28.90 + 1.00	.1250	----	----	----	----	573 UNCH
4755	----	----	29.90B/26.60A	29.90B/26.60A	----	28.50 + 1.00	.1234	----	----	----	----	6 UNCH
4760	----	----	29.50B/26.30A	29.50B/26.30A	----	28.10 + 0.90	.1219	----	----	----	----	6 UNCH
4770	----	----	28.70B/25.50A	28.70B/25.50A	----	27.40 + 0.90	.1191	----	----	----	----	20 UNCH
4775	----	----	28.30B/25.20A	28.30B/25.20A	----	27.00 + 0.90	.1175	----	----	----	----	33 UNCH
4780	----	----	28.00B/25.00A	28.00B/25.00A	----	26.60 + 0.80	.1160	----	----	----	----	206 UNCH
4785	----	----	27.60B/24.60A	27.60B/24.60A	----	26.30 + 0.90	.1147	----	----	----	----	16 UNCH
4790	----	----	27.20B/24.30A	27.20B/24.30A	----	26.00 + 0.90	.1135	----	----	----	----	10 UNCH
4795	----	----	26.80B/24.10A	26.80B/24.10A	----	25.60 + 0.80	.1119	----	----	----	----	2 UNCH
4800	----	----	26.50B/23.90A	26.50B/23.90A	----	25.30 + 0.80	.1107	----	----	----	----	404 UNCH
4805	----	----	26.10B/23.50A	26.10B/23.50A	----	25.00 + 0.90	.1094	----	----	----	----	25 UNCH
4815	----	----	25.50B/23.00A	25.50B/23.00A	----	24.30 + 0.80	.1067	----	----	----	----	17 UNCH
4820	----	----	25.10B/22.60A	25.10B/22.60A	----	24.00 + 0.80	.1055	----	----	----	----	2 UNCH
4825	----	----	24.80B/22.30A	24.80B/22.30A	----	23.70 + 0.80	.1042	----	----	----	----	1 UNCH
4835	----	----	24.20B/21.80A	24.20B/21.80A	----	23.10 + 0.70	.1018	----	----	----	----	1 UNCH
4840	----	----	23.90B/21.60A	23.90B/21.60A	----	22.80 + 0.70	.1006	----	----	----	----	17 UNCH
4845	----	----	23.60B/21.30A	23.60B/21.30A	----	22.60 + 0.80	.0996	----	----	----	----	2 UNCH
4850	----	----	23.30B/21.00A	23.30B/21.00A	----	22.30 + 0.70	.0984	----	----	157	----	207 + 157
4855	----	----	23.00B/20.80A	23.00B/20.80A	----	22.00 + 0.70	.0972	----	----	----	----	10 UNCH
4875	----	----	21.80B/19.90A	21.80B/19.90A	----	21.00 + 0.70	.0930	----	----	1	----	5 UNCH
4880	----	----	21.60B/19.70A	21.60B/19.70A	----	20.70 + 0.60	.0918	----	----	----	----	7 UNCH
4900	----	----	20.50B/18.80A	20.50B/18.80A	----	19.80 + 0.70	.0879	----	----	----	----	1319 UNCH
4915	----	----	19.80B/18.20A	19.80B/18.20A	----	19.10 + 0.60	.0849	----	----	----	----	1 UNCH
4925	----	----	19.40B/17.80A	19.40B/17.80A	----	18.70 + 0.60	.0832	----	----	----	----	1 UNCH
4930	----	----	19.10B/17.60A	19.10B/17.60A	----	18.50 + 0.60	.0823	----	----	----	----	4 UNCH
4935	----	----	18.90B/17.50A	18.90B/17.50A	----	18.30 + 0.60	.0814	----	----	----	----	25 UNCH
4945	----	----	18.50B/17.10A	18.50B/17.10A	----	17.90 + 0.60	.0797	----	----	----	----	4 UNCH
4950	----	----	18.30B/16.90A	18.30B/16.90A	----	17.70 + 0.60	.0788	----	----	----	----	312 UNCH
4965	----	----	17.70B/16.40A	17.70B/16.40A	----	17.10 + 0.60	.0763	----	----	----	----	1 UNCH
4970	----	----	17.50B/16.20A	17.50B/16.20A	----	16.90 + 0.50	.0754	----	----	----	----	10 UNCH
4975	----	----	17.30B/16.10A	17.30B/16.10A	----	16.70 + 0.50	.0746	----	----	----	----	4 UNCH
4990	15.90	15.90	16.70B/15.60A	16.70B/15.60A	----	16.20 + 0.50	.0723	----	----	9	----	13 + 8
4995	----	----	16.50B/15.40A	16.50B/15.40A	----	16.00 + 0.50	.0715	----	----	----	----	1 UNCH
5000	16.00	16.00	16.30B/15.30A	16.30B/15.30A	----	15.90 + 0.50	.0710	----	----	225	----	538 + 208
5005	----	----	16.20B/15.10A	16.20B/15.10A	----	15.70 + 0.50	.0701	----	----	----	----	4 UNCH
5010	----	----	16.00B/15.00A	16.00B/15.00A	----	15.60 + 0.50	.0696	----	----	----	----	4 UNCH
5015	----	----	15.80B/14.80A	15.80B/14.80A	----	15.40 + 0.50	.0688	----	----	----	----	2 UNCH
5020	----	----	15.70B/----	15.70B/14.70A	----	15.20 + 0.50	.0679	----	----	----	----	30 UNCH
5025	----	----	15.50B/----	15.50B/14.60A	----	15.10 + 0.50	.0674	----	----	----	----	2 UNCH
5030	----	----	15.30B/14.40A	15.30B/14.40A	----	14.90 + 0.40	.0666	----	----	----	----	3 UNCH
5040	----	----	15.00B/14.10A	15.00B/14.10A	----	14.60 + 0.40	.0653	----	----	----	----	4 UNCH
5045	----	----	14.90B/----	14.90B/14.00A	----	14.50 + 0.50	.0647	----	----	----	----	15 UNCH
5050	----	----	14.70B/----	14.70B/13.90A	----	14.40 + 0.50	.0642	----	----	----	----	138 UNCH
5060	----	----	14.40B/----	14.40B/13.60A	----	14.10 + 0.50	.0629	----	----	----	----	2 UNCH
5065	----	----	14.30B/----	14.30B/13.50A	----	13.90 + 0.40	.0621	----	----	----	----	1 UNCH
5075	----	----	14.00B/----	14.00B/13.30A	----	13.70 + 0.50	.0611	----	----	----	----	7 UNCH
5080	----	----	13.80B/----	13.80B/13.10A	----	13.50 + 0.40	.0603	----	----	----	----	4 UNCH
5085	13.10	13.10	13.70B/13.10	13.70B/13.00A	----	13.40 + 0.40	.0598	----	----	2	----	6 + 2
5090	13.00	13.00	13.60B/13.00	13.60B/12.90A	----	13.30 + 0.40	.0593	----	----	1	----	3 + 1
5095	----	----	13.40B/----	13.40B/12.80A	----	13.20 + 0.50	.0588	----	----	----	----	3 UNCH
5100	----	----	13.30B/----	13.30B/12.60A	----	13.00 + 0.40	.0580	----	----	----	----	1671 UNCH
5110	----	----	13.00B/----	13.00B/12.40A	----	12.80 + 0.40	.0571	----	----	----	----	30 UNCH
5115	12.40	12.40	12.90B/12.40	12.90B/12.30A	----	12.70 + 0.40	.0566	----	----	6	----	7 + 3
5120	12.30	12.30	12.80B/12.30	12.80B/12.20A	----	12.60 + 0.50	.0561	----	----	1	----	55 UNCH
5125	12.20	12.20	12.70B/12.20	12.70B/12.10A	----	12.40 + 0.40	.0553	----	----	22	----	26 + 22
5145	----	----	12.20B/----	12.20B/11.70A	----	12.00 + 0.40	.0534	----	----	----	----	8 UNCH
5150	----	----	12.10B/----	12.10B/11.50A	----	11.90 + 0.40	.0530	----	----	----	----	110 UNCH
5155	----	----	12.00B/----	12.00B/11.50A	----	11.80 + 0.40	.0525	----	----	----	----	4 UNCH
5175	----	----	11.50B/----	11.50B/11.10A	----	11.40 + 0.40	.0507	----	----	----	----	12 UNCH
5180	----	----	11.40B/----	11.40B/11.00A	----	11.30 + 0.40	.0502	----	----	----	----	5 UNCH
5185	11.00	11.00	11.30B/11.00	11.30B/11.00	----	11.20 + 0.40	.0498	----	----	1	----	2 + 1
5190	10.90	10.90	11.20B/10.90	11.20B/10.80A	----	11.10 + 0.40	.0493	----	----	1	----	3 + 1
5195	10.80	10.80	11.10B/10.80	11.10B/10.70A	----	11.00 + 0.40	.0489	----	----	2	----	6 + 2
5200	10.70	10.70	11.00B/10.70	11.00B/10.60A	----	10.90 + 0.40	.0484	----	----	3	----	1551 - 3
5215	----	----	10.80B/----	10.80B/10.40A	----	10.60 + 0.30	.0471	----	----	----	----	1 UNCH
5230	10.20	10.20	10.50B/10.20	10.50B/10.10A	----	10.30 + 0.30	.0457	----	----	1	----	1 + 1
5235	10.10	10.10	10.40B/10.10	10.40B/10.00A	----	10.20 + 0.30	.0453	----	----	2	----	4 + 2
5250	----	----	10.10B/----	10.10B/9.90A	----	10.00 + 0.30	.0443	----	----	----	----	210 UNCH
5260	9.70	9.70	10.00B/9.70	10.00B/9.70	----	9.80 NEW	.0434	----	----	1	----	1 + 1
5275	----	----	9.70B/----	9.70B/9.50A	----	9.60 + 0.30	.0424	----	----	----	----	1 UNCH
5285	----	----	9.50B/----	9.50B/9.30A	----	9.40 + 0.30	.0416	----	----	----	----	2 UNCH
5290	----	----	9.50B/----	9.50B/9.20A	----	9.40 + 0.30	.0415	----	----	----	----	7 UNCH
5300	----	----	9.30B/----	9.30B/9.10A	----	9.20 + 0.30	.0406	----	----	----	----	350 UNCH
5325	----	----	9.00B/----	9.00B/8.70A	----	8.80 + 0.20	.0388	----	----	----	----	4 UNCH
5330	----	----	8.90B/----	8.90B/8.70A	----	8.80 + 0.30	.0387	----	----	----	----	1 UNCH
5350	----	----	8.60B/----	8.60B/8.40A	----	8.50 + 0.30	.0374	----	----	----	----	4 UNCH
5370	----	----	8.30B/----	8.30B/8.20A	----	8.30 + 0.30	.0364	----	----	----	----	5 UNCH
5380	----	----	8.20B/----	8.20B/8.10A	----	8.10 + 0.20	.0356	----	----	----	----	2 UNCH
5400	----	----	8.00B/----	8.00B/7.90A	----	7.90 + 0.20	.0346	----	----	----	----	236 UNCH
5420	----	----	7.70B/----	7.70B/7.60A	----	7.70 + 0.30	.0336	----	----	----	----	14 UNCH
5450	----	----	7.40B/----	7.40B/7.40A	----	7.40 + 0.30	.0322	----	----	----	----	460 UNCH
5460	----	----	7.30B/----	7.30B/7.20A	----	7.30 + 0.30	.0317	----	----	----	----	10 UNCH
5500	----	----	6.90B/----	6.90B/6.90A	----	6.90 + 0.20	.0299	----	----	156	----	593 + 124
5520	----	----	6.70B/----	6.70B/6.70A	----	6.70 + 0.20	.0290	----	----	----	----	2 UNCH
5530	----	----	6.60B/----	6.60B/6.60A	----	6.60 + 0.20	.0285	----	----	----	----	1 UNCH
5535	----	----	6.60B/----	6.60B/6.60A	----	6.60 + 0.20	.0284	----	----	----	----	1 UNCH
5540	----	----	6.50B/----	6.50B/6.50A	----	6.50 + 0.20	.0281	----	----	----	----	2 UNCH
5545	----	----	6.50B/----	6.50B/6.50A	----	6.50 + 0.20	.0280	----	----	----	----	1 UNCH
5550	----	----	6.50B/----	6.50B/6.50A	----	6.40 + 0.10	.0276	----	----	----	----	17 UNCH
5555	----	----	6.40B/----	6.40B/6.40A	----	6.40 + 0.20	.0276	----	----	----	----	3 UNCH
5560	----	----	6.40B/----	6.40B/6.40A	----	6.40 + 0.20	.0275	----	----	----	----	4 UNCH
5565	----	----	6.30B/----	6.30B/6.30A	----	6.30 + 0.10	.0271	----	----	----	----	8 UNCH
5570	----	----	6.30B/----	6.30B/6.30A	----	6.30 + 0.20	.0271	----	----	----	----	20 UNCH
5575	----	----	6.20B/----	6.20B/6.30A	----	6.20 + 0.10	.0267	----	----	----	----	86 UNCH
5580	----	----	6.20B/----	6.20B/6.20A	----	6.20 + 0.20	.0266	----	----	----	----	2 UNCH
5595	----	----	6.10B/----	6.10B/6.10A	----	6.10 + 0.20	.0261	----	----	----	----	2 UNCH
5600	----	----	6.10B/----	6.10B/6.10A	----	6.10 + 0.20	.0261	----	----	----	----	96 UNCH
5605	----	----	6.00B/----	6.00B/6.00A	----	6.00 + 0.10	.0257	----	----	----	----	3 UNCH
5615	----	----	5.90B/----	5.90B/6.00A	----	5.90 + 0.10	.0253	----	----	----	----	2 UNCH
5620	----	----	5.90B/----	5.90B/5.90A	----	5.90 + 0.10	.0252	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
NOV26												
5625	----	----	5.90B/----	5.90B/5.90A	----	5.90 + 0.20	.0252	----	----	----	----	3 UNCH
5645	5.70	5.70	5.70/5.70	5.70/5.70	----	5.70 NEW	.0243	----	----	15	----	15 + 15
5650	5.60	5.60	5.70B/5.60	5.70B/5.60	----	5.70 + 0.10	.0243	----	----	1	----	5 + 1
5655	----	----	5.70B/----	5.70B/5.70A	----	5.70 + 0.20	.0242	----	----	----	----	1 UNCH
5660	----	----	5.60B/----	5.60B/5.70A	----	5.60 + 0.10	.0238	----	----	----	----	1 UNCH
5665	----	----	5.60B/----	5.60B/5.60A	----	5.60 + 0.10	.0238	----	----	----	----	1 UNCH
5670	----	----	5.60B/----	5.60B/5.60A	----	5.60 + 0.20	.0237	----	----	----	----	2 UNCH
5675	----	----	5.50B/----	5.50B/5.60A	----	5.50 + 0.10	.0234	----	----	----	----	2 UNCH
5680	5.40	5.40	5.50B/5.40	5.50B/5.40	----	5.50 + 0.10	.0233	----	----	7	----	46 + 7
5685	----	----	5.50B/----	5.50B/5.50A	----	5.50 + 0.10	.0233	----	----	----	----	5 UNCH
5690	----	----	5.40B/----	5.40B/5.50A	----	5.50 + 0.20	.0232	----	----	----	----	18 UNCH
5695	----	----	5.40B/----	5.40B/5.40A	----	5.40 + 0.10	.0229	----	----	----	----	15 UNCH
5700	----	----	5.40B/----	5.40B/5.40A	----	5.40 + 0.10	.0228	----	----	----	----	56 UNCH
5710	----	----	5.30B/----	5.30B/5.30A	----	5.30 + 0.10	.0224	----	----	----	----	1 UNCH
5750	----	----	5.10B/----	5.10B/5.10A	----	5.10 + 0.10	.0214	----	----	----	----	16 UNCH
5770	4.90	4.90	5.00B/4.90	5.00B/4.90	----	5.00 NEW	.0209	----	----	7	----	7 + 7
5800	----	----	----	4.80B/4.90A	----	4.80 UNCH	.0201	----	----	----	----	103 UNCH
5810	----	----	4.80B/----	4.80B/4.90A	----	4.80 + 0.10	.0200	----	----	----	----	1 UNCH
5825	----	----	----	4.70B/4.80A	----	4.70 UNCH	.0196	----	----	----	----	3 UNCH
5850	----	----	4.60B/----	4.60B/4.70A	----	4.60 + 0.10	.0191	----	----	----	----	1 UNCH
5900	----	----	----	4.30B/4.40A	----	4.40 + 0.10	.0181	----	----	----	----	258 UNCH
5925	----	----	----	4.20B/4.30A	----	4.30 UNCH	.0176	----	----	----	----	7 UNCH
5975	----	----	----	4.00B/4.20A	----	4.10 UNCH	.0167	----	----	----	----	3 UNCH
6000	----	----	----	4.00B/4.10A	----	4.00 UNCH	.0162	----	----	78	----	622 + 66
6100	----	----	----	3.60B/3.80A	----	3.70 UNCH	.0148	----	----	----	----	8 UNCH
6200	----	----	----	3.30B/3.50A	----	3.40 - 0.10	.0134	----	----	----	----	3 UNCH
6250	----	----	----	3.20B/3.30A	----	3.30 UNCH	.0129	----	----	----	----	10 UNCH
6300	----	----	----	3.10B/3.20A	----	3.20 UNCH	.0124	----	----	----	----	6 UNCH
6400	3.00	3.00	3.00/3.00	3.00/3.00	----	2.90 - 0.20	.0112	----	----	2	----	130 UNCH
6500	----	----	----/2.80A	2.70B/2.80A	----	2.80 - 0.10	.0106	----	----	254	----	1764 + 229
8000	1.40	1.40	1.50/1.40	1.50/1.40	----	1.20 - 0.20	.0039	----	----	2	----	946 UNCH
9000	----	----	----	0.90B/1.00A	----	0.90 - 0.10	.0027	----	----	254	----	1556 + 254
20000	----	----	----	----/0.20A	----	0.10 UNCH	.0002	----	----	----	----	1294 UNCH
TOTAL										2786		24065 + 1604
DEC26												
2500	----	----	----	----	----	1629.70 + 20.90	.9919	----	----	900	----	606 UNCH
2900	----	----	1,243.00B/1,188	1243.00B/1188.80A	----	1231.70 + 20.00	.9745	----	----	----	----	55 UNCH
3000	----	----	1,144.70B/1,091	1144.70B/1091.50A	----	1133.70 + 19.70	.9670	----	----	----	----	69 UNCH
3235	----	----	918.10B/867.70A	918.10B/867.70A	----	907.40 + 18.30	.9389	----	----	----	----	1 UNCH
3300	----	----	856.90B/807.10A	856.90B/807.10A	----	846.30 + 17.80	.9274	----	----	----	----	1 UNCH
3395	----	----	769.00B/720.90A	769.00B/720.90A	----	758.50 + 16.90	.9070	----	----	----	----	1 UNCH
3405	----	----	759.80B/711.90A	759.80B/711.90A	----	749.30 + 16.80	.9046	----	----	----	----	1 UNCH
3500	----	----	674.60B/628.30A	674.60B/628.30A	----	664.10 + 15.70	.8780	----	----	----	----	3 UNCH
3550	----	----	630.80B/585.80A	630.80B/585.80A	----	620.50 + 15.20	.8614	----	----	----	----	2 UNCH
3570	----	----	613.60B/569.00A	613.60B/569.00A	----	603.30 + 15.00	.8543	----	----	----	----	1 UNCH
3600	----	----	588.00B/544.30A	588.00B/544.30A	----	577.80 + 14.60	.8429	----	----	----	----	2 UNCH
3800	----	----	425.40B/390.60A	425.40B/390.60A	----	418.60 + 11.70	.7476	----	----	----	----	3 UNCH
3840	----	----	----/362.80A	312.00B/362.80A	----	389.40 + 11.10	.7244	----	----	----	----	1 UNCH
3860	----	----	367.90B/349.20A	367.90B/349.20A	----	375.20 + 10.80	.7123	----	----	----	----	1 UNCH
3900	----	----	356.20B/323.30A	356.20B/323.30A	----	347.60 + 10.30	.6871	----	----	----	----	3 UNCH
3935	----	----	332.80B/300.60A	332.80B/300.60A	----	324.50 + 10.00	.6641	----	----	----	----	11 UNCH
3955	----	----	319.60B/288.40A	319.60B/288.40A	----	311.60 + 9.70	.6507	----	----	----	----	1 UNCH
3960	----	----	316.40B/285.40A	316.40B/285.40A	----	308.40 + 9.60	.6472	----	----	----	----	1 UNCH
3985	----	----	301.40B/269.70A	301.40B/269.70A	----	292.80 + 9.00	.6299	----	----	----	----	12 UNCH
3995	----	----	294.50B/264.30A	294.50B/264.30A	----	286.70 + 8.80	.6229	----	----	----	----	1 UNCH
4000	279.50	279.50	292.00B/261.40A	292.00B/261.40A	----	283.70 + 8.70	.6194	----	----	144	----	237 + 125
4005	----	----	288.60B/258.50A	288.60B/258.50A	----	280.70 + 8.70	.6158	----	----	----	----	1 UNCH
4030	----	----	273.90B/244.80A	273.90B/244.80A	----	266.00 + 8.40	.5979	----	----	----	----	13 UNCH
4040	----	----	268.70B/239.30A	268.70B/239.30A	----	260.20 + 8.20	.5907	----	----	----	----	41 UNCH
4045	----	----	265.80B/236.80A	265.80B/236.80A	----	257.40 + 8.20	.5870	----	----	----	----	2 UNCH
4050	----	----	263.00B/234.00A	263.00B/234.00A	----	254.60 + 8.20	.5833	----	----	----	----	973 UNCH
4060	----	----	257.30B/228.90A	257.30B/228.90A	----	249.00 + 8.00	.5760	----	----	----	----	107 UNCH
4065	----	----	254.60B/226.40A	254.60B/226.40A	----	246.30 + 8.00	.5723	----	----	----	----	15 UNCH
4070	----	----	251.80B/223.80A	251.80B/223.80A	----	243.50 + 7.80	.5686	----	----	----	----	9 UNCH
4075	----	----	249.10B/221.30A	249.10B/221.30A	----	240.80 + 7.70	.5649	----	----	----	----	7 UNCH
4080	----	----	246.30B/218.80A	246.30B/218.80A	----	238.10 + 7.70	.5612	----	----	87	----	111 + 84
4085	----	----	243.60B/216.30A	243.60B/216.30A	----	235.50 + 7.60	.5575	----	----	----	----	7 UNCH
4090	----	----	240.90B/213.90A	240.90B/213.90A	----	232.80 + 7.50	.5538	----	----	----	----	32 UNCH
4100	218.10	218.10	235.70B/209.00A	235.70B/209.00A	----	227.60 + 7.30	.5464	----	----	287	----	1043 + 238
4105	----	----	233.00B/206.20A	233.00B/206.20A	----	225.00 + 7.20	.5426	----	----	----	----	13 UNCH
4110	217.00	217.00	230.30B/204.20A	230.30B/204.20A	----	222.40 + 7.10	.5389	----	----	18	----	37 + 9
4115	----	----	227.70B/201.80A	227.70B/201.80A	----	219.90 + 7.10	.5351	----	----	----	----	10 UNCH
4120	214.10	214.10	225.10B/199.50A	225.10B/199.50A	----	217.40 + 7.00	.5314	----	----	15	----	34 - 3
4125	----	----	222.60B/197.30A	222.60B/197.30A	----	214.90 + 6.90	.5276	----	----	----	----	18 UNCH
4130	213.90	213.90	220.10B/194.60A	220.10B/194.60A	----	212.40 + 6.80	.5239	----	----	6	----	25 - 1
4135	202.00	202.00	217.60B/192.30A	217.60B/192.30A	----	209.90 + 6.70	.5201	----	----	3	----	8 + 3
4140	----	----	215.10B/189.90A	215.10B/189.90A	----	207.50 + 6.60	.5164	----	----	6	----	55 UNCH
4145	201.20	201.20	212.60B/187.60A	212.60B/187.60A	----	205.10 + 6.50	.5126	----	----	8	----	12 + 7
4150	188.30	188.30	210.20B/185.60A	210.20B/185.60A	----	202.70 + 6.50	.5089	----	----	88	----	289 - 55
4155	200.10	200.10	207.80B/183.20A	207.80B/183.20A	----	200.30 + 6.40	.5051	----	----	6	----	18 + 6
4160	199.80	199.80	205.40B/181.00A	205.40B/181.00A	----	198.00 + 6.30	.5014	----	----	6	----	91 + 3
4165	----	----	203.00B/179.00A	203.00B/179.00A	----	195.60 + 6.20	.4976	----	----	----	----	17 UNCH
4170	198.10	198.10	200.60B/176.80A	200.60B/176.80A	----	193.30 + 6.10	.4939	----	----	1	----	9 + 1
4175	177.60	177.60	198.40B/174.70A	198.40B/174.70A	----	191.00 + 6.00	.4901	----	----	1	----	827 - 1
4180	----	----	195.90B/172.60A	195.90B/172.60A	----	188.80 + 6.00	.4864	----	----	----	----	11 UNCH
4185	----	----	193.60B/170.50A	193.60B/170.50A	----	186.50 + 5.90	.4826	----	----	----	----	3 UNCH
4190	----	----	191.40B/168.50A	191.40B/168.50A	----	184.30 + 5.90	.4789	----	----	15	----	358 + 6
4195	174.90	174.90	189.10B/166.50A	189.10B/166.50A	----	182.10 + 5.80	.4752	----	----	3	----	1 - 2
4200	169.00	169.00	187.00B/164.40A	187.00B/164.40A	----	179.90 + 5.70	.4715	----	----	35	----	951 UNCH
4205	177.50	177.50	184.60B/162.40A	184.60B/162.40A	----	177.80 + 5.70	.4678	----	----	3	----	8 UNCH
4210	178.30	178.30	182.40B/160.50A	182.40B/160.50A	----	175.60 + 5.60	.4641	----	----	3	----	13 - 2
4220	----	----	178.10B/156.60A	178.10B/156.60A	----	171.40 + 5.50	.4567	----	----	----	----	15 UNCH
4225	----	----	175.90B/154.70A	175.90B/154.70A	----	169.30 + 5.40	.4530	----	----	2	----	324 UNCH
4230	----	----	173.80B/152.80A	173.80B/152.80A	----	167.30 + 5.40	.4493	----	----	----	----	15 UNCH
4235	----	----	171.70B/151.00A	171.70B/151.00A	----	165.20 + 5.30	.4456	----	----	----	----	10 UNCH
4240	----	----	169.60B/149.20A	169.60B/149.20A	----	163.20 + 5.30	.4420	----	----	----	----	21 UNCH
4245	----	----	167.60B/147.40A	167.60B/147.40A	----	161.20 + 5.20	.4383	----	----	----	----	212 UNCH
4250	----	----	165.70B/145.50A	165.70B/145.50A	----	159.20 + 5.10	.4347	----	----	----	----	742 UNCH
4255	----	----	163.60B/143.80A	163.60B/143.80A	----	157.30 + 5.10	.4310	----	----	----	----	52 UNCH
4260	----	----	161.60B/141.90A	161.60B/141.90A	----	155.40 + 5.10	.4274	----	----	----	----	155 UNCH
4270	----	----	157.60B/138.50A	157.60B/138.50A	----	151.60 + 5.00	.4202	----	----	----	----	8 UNCH
4280	----	----	153.80B/135.10A	153.80B/135.10A	----	147.80 + 4.80	.4130	----	----	----	----	49 UNCH
4290	----	----	150.00B/131.70A	150.00B/131.70A	----	144.20 + 4.80	.4060	----	----	----	----	22 UNCH
4295	----	----	148.10B/130.10A	148.10B/130.10A	----	142.40 + 4.70	.4024	----	----	----	----	2 UNCH
4300	134.40	134.40	146.40B/128.40A	146.40B/128.40A	----	140.60 + 4.60	.3989	----	----	2	----	1363 UNCH
4305	----	----	144.50B/126.90A	144.50B/126.90A	----	138.90 + 4.60	.3954	----	----	----	----	27 UNCH
4310	----	----	142.70B/125.20A	142.70B/125.20A	----	137.10 + 4.50	.3919	----	----	----	----	25 UNCH
4315	----	----	140.90B/123.70A	140.90B/123.70A	----	135.40 + 4.50	.3884	----	----	----	----	1 UNCH
4320	----	----	139.10B/122.20A	139.10B/122.20A	----	133.70 + 4.40	.3849	----	----	----	----	86 UNCH
4330	----	----	135.70B/119.10A	135.70B/119.10A	----	130.40 + 4.40	.3781	----	----	----	----	5 UNCH
4335	----	----	134.00B/117.60A	134.00B/117.60A	----	128.70 + 4.30	.3746	----	----	----	----	30 UNCH
4350	----	----	129.00B/113.20A	129.00B/113.20A	----	123.90 + 4.20	.3645	----	----	4	----	1622 + 3
4360	----	----	125.70B/110.30A	125.70B/110.30A	----	120.80 + 4.10	.3578	----	----	----	----	1 UNCH
4370	----	----	122.50B/107.60A	122.50B/107.60A	----	117.70 + 4.00	.3511	----	----	----	----	20 UNCH
4375	----	----	121.10B/106.20A	121.10B/106.20A	----	116.20 + 4.00	.3478	----	----	----	----	342 UNCH
4380	----	----	119.40B/104.80A	119.40B/104.80A	----	114.80 + 4.00	.3446	----	----	----	----	45 UNCH
4385	----	----	117.90B/103.50A	117.90B/103.50A	----	113.30 + 3.90	.3413	----	----	----	----	5 UNCH
4390	----	----	116.40B/102.20A	116.40B/102.20A	----	111.80 + 3.90	.3381	----	----	----	----	2 UNCH
4395	----	----	114.90B/100.80A	114.90B/100.80A	----	110.40 + 3.90	.3349	----	----	----	----	75 UNCH
4400	----	----	113.50B/99.50A	113.50B/99.50A	----	109.00 + 3.80	.3317	----	----	164	----	1521 + 163
4405	----	----	112.00B/98.30A	112.00B/98.30A	----	107.60 + 3.80	.3285	----	----	----	----	2 UNCH
4410	----	----	110.60B/97.00A	110.60B/97.00A	----	106.20 + 3.70	.3253	----	----	----	----	4 UNCH
4415	----	----	109.10B/95.80A	109.10B/95.80A	----	104.90 + 3.80	.3223	----	----	----	----	44 UNCH
4420	99.50	99.50	107.70B/94.50A	107.70B/94.50A	----	103.50 + 3.70	.3191	----	----	3	----	8 + 3
4425	----	----	106.30B/93.30A	106.30B/93.30A	----	102.20 + 3.70	.3160	----	----	----	----	9 UNCH
4430	----	----	105.00B/92.10A	105.00B/92.10A	----	100.90 + 3.70	.3130	----	----	----	----	5 UNCH
4435	----	----	103.60B/90.90A	103.60B/90.90A	----	99.60 + 3.60	.3099	----	----	----	----	4 UNCH
4440	----	----	102.30B/89.80A	102.30B/89.80A	----	98.30 + 3.60	.3069	----	----	----	----	19 UNCH
4445	----	----	101.00B/88.60A	101.00B/88.60A	----	97.00 + 3.50	.3038	----	----	----	----	3 UNCH
4450	92.20	92.20	99.60B/87.40A	99.60B/87.40A	----	95.70 + 3.50	.3008	----	----	3	----	171 + 3
4460	----	----	97.10B/85.20A	97.10B/85.20A	----	93.30 + 3.50	.2949	----	----	----	----	47 UNCH
4465	92.60	92.60	95.80B/84.10A	95.80B/84.10A	----	92.10 + 3.40	.2920	----	----	1	----	11 + 1
4470	----	----	94.60B/83.00A	94.60B/83.00A	----	90.90 + 3.40	.2890	----	----	----	----	9 UNCH
4475	90.20	90.20	93.40B/82.00A	93.40B/82.00A	----	89.70 + 3.30	.2861	----	----	25	----	32 + 21
4480	----	----	92.20B/80.90A	92.20B/80.90A	----	88.50 + 3.30	.2832	----	----	----	----	1 UNCH
4485	----	----	91.00B/79.90A	91.00B/79.90A	----	87.40 + 3.30	.2804	----	----	----	----	11 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
DEC26												
4490	----	----	89.80B/78.90A	89.80B/78.90A	----	86.20 + 3.20	.2775	----	----	----	----	7 UNCH
4495	83.60	83.60	88.60B/77.80A	88.60B/77.80A	----	85.10 + 3.20	.2747	----	----	3	----	10 + 3
4500	82.40	82.40	87.60B/76.80A	87.60B/76.80A	----	84.00 + 3.10	.2719	----	----	702	----	8261 + 644
4510	82.20	82.20	85.30A/74.90A	85.30A/74.90A	----	81.80 + 3.10	.2664	----	----	1	----	5021 + 1
4520	----	----	83.00B/73.00A	83.00B/73.00A	----	79.70 + 3.00	.2610	----	----	----	----	1 UNCH
4525	----	----	81.90B/72.00A	81.90B/72.00A	----	78.70 + 3.00	.2583	----	----	----	----	26 UNCH
4530	76.20	76.20	80.90B/71.10A	80.90B/71.10A	----	77.70 + 3.00	.2557	----	----	2	----	5 + 2
4535	----	----	79.80B/70.10A	79.80B/70.10A	----	76.60 + 2.90	.2529	----	----	----	----	4 UNCH
4540	----	----	78.80B/69.20A	78.80B/69.20A	----	75.60 + 2.80	.2503	----	----	----	----	15 UNCH
4545	----	----	77.80B/68.60A	77.80B/68.60A	----	74.70 + 2.90	.2478	----	----	----	----	45 UNCH
4550	----	----	76.80B/67.50A	76.80B/67.50A	----	73.70 + 2.80	.2452	----	----	----	----	457 UNCH
4560	----	----	74.80B/65.90A	74.80B/65.90A	----	71.80 + 2.80	.2401	----	----	----	----	134 UNCH
4565	----	----	73.80B/64.90A	73.80B/64.90A	----	70.80 + 2.70	.2375	----	----	----	----	13 UNCH
4570	----	----	72.90B/64.10A	72.90B/64.10A	----	69.90 + 2.60	.2351	----	----	----	----	13 UNCH
4575	----	----	72.00B/63.40A	72.00B/63.40A	----	69.00 + 2.60	.2326	----	----	----	----	205 UNCH
4580	----	----	71.00B/62.40A	71.00B/62.40A	----	68.10 + 2.60	.2302	----	----	----	----	179 UNCH
4585	----	----	70.10B/61.80A	70.10B/61.80A	----	67.20 + 2.50	.2277	----	----	----	----	325 UNCH
4590	----	----	69.20B/61.00A	69.20B/61.00A	----	66.30 + 2.50	.2253	----	----	----	----	21 UNCH
4595	----	----	68.30B/60.20A	68.30B/60.20A	----	65.50 + 2.50	.2230	----	----	----	----	2 UNCH
4600	59.00	59.00	67.50B/59.00	67.50B/59.00	----	64.60 + 2.40	.2206	----	----	1244	----	5094 + 684
4605	----	----	66.50B/58.70A	66.50B/58.70A	----	63.80 + 2.40	.2183	----	----	----	----	8 UNCH
4610	----	----	65.70B/58.00A	65.70B/58.00A	----	62.90 + 2.30	.2159	----	----	----	----	3 UNCH
4615	----	----	64.90B/57.20A	64.90B/57.20A	----	62.10 + 2.30	.2136	----	----	----	----	41 UNCH
4620	----	----	64.00B/56.40A	64.00B/56.40A	----	61.30 + 2.20	.2113	----	----	----	----	6 UNCH
4625	----	----	63.20B/55.70A	63.20B/55.70A	----	60.50 + 2.20	.2091	----	----	----	----	81 UNCH
4630	----	----	62.40B/55.00A	62.40B/55.00A	----	59.70 + 2.10	.2068	----	----	----	----	22 UNCH
4635	----	----	61.60B/54.40A	61.60B/54.40A	----	59.00 + 2.10	.2047	----	----	----	----	3 UNCH
4640	----	----	60.80B/53.70A	60.80B/53.70A	----	58.20 + 2.10	.2025	----	----	----	----	103 UNCH
4645	----	----	60.00B/53.10A	60.00B/53.10A	----	57.40 + 2.00	.2002	----	----	----	----	3 UNCH
4650	----	----	59.40B/52.30A	59.40B/52.30A	----	56.70 + 2.00	.1982	----	----	----	----	637 UNCH
4655	----	----	58.50B/51.50A	58.50B/51.50A	----	56.00 + 2.00	.1961	----	----	----	----	1 UNCH
4660	----	----	57.80B/51.10A	57.80B/51.10A	----	55.30 + 1.90	.1940	----	----	----	----	4 UNCH
4665	----	----	57.10B/50.40A	57.10B/50.40A	----	54.50 + 1.80	.1918	----	----	----	----	1 UNCH
4670	----	----	56.30B/49.70A	56.30B/49.70A	----	53.80 + 1.80	.1897	----	----	----	----	7 UNCH
4675	----	----	55.60B/49.20A	55.60B/49.20A	----	53.10 + 1.70	.1877	----	----	----	----	83 UNCH
4680	----	----	54.90B/48.40A	54.90B/48.40A	----	52.50 + 1.70	.1858	----	----	----	----	167 UNCH
4685	----	----	54.20B/47.90A	54.20B/47.90A	----	51.80 + 1.70	.1837	----	----	----	----	2 UNCH
4695	----	----	52.90B/46.80A	52.90B/46.80A	----	50.50 + 1.60	.1798	----	----	----	----	1 UNCH
4700	----	----	52.30B/46.30A	52.30B/46.30A	----	49.80 + 1.50	.1778	----	----	1038	----	2761 + 976
4705	----	----	51.60B/45.80A	51.60B/45.80A	----	49.20 + 1.50	.1760	----	----	----	----	4 UNCH
4710	----	----	51.00B/45.30A	51.00B/45.30A	----	48.60 + 1.50	.1741	----	----	----	----	14 UNCH
4715	----	----	50.30B/44.70A	50.30B/44.70A	----	48.00 + 1.50	.1723	----	----	----	----	88 UNCH
4720	----	----	49.70B/43.90A	49.70B/43.90A	----	47.40 + 1.40	.1704	----	----	----	----	83 UNCH
4725	----	----	49.10B/43.50A	49.10B/43.50A	----	46.80 + 1.40	.1686	----	----	----	----	142 UNCH
4730	----	----	48.50B/43.00A	48.50B/43.00A	----	46.20 + 1.40	.1668	----	----	----	----	20 UNCH
4735	----	----	47.90B/42.60A	47.90B/42.60A	----	45.60 + 1.30	.1649	----	----	----	----	1 UNCH
4740	----	----	47.30B/42.30A	47.30B/42.30A	----	45.10 + 1.30	.1633	----	----	----	----	1 UNCH
4745	----	----	46.70B/41.80A	46.70B/41.80A	----	44.50 + 1.30	.1615	----	----	----	----	1 UNCH
4750	42.10	42.10	46.20B/41.30A	46.20B/41.30A	----	44.00 + 1.30	.1598	----	----	2	----	840 UNCH
4755	----	----	45.60B/40.80A	45.60B/40.80A	----	43.40 + 1.20	.1580	----	----	----	----	10 UNCH
4760	----	----	45.10B/40.50A	45.10B/40.50A	----	42.90 + 1.20	.1564	----	----	----	----	41 UNCH
4765	----	----	44.50B/39.90A	44.50B/39.90A	----	42.40 + 1.20	.1548	----	----	----	----	37 UNCH
4770	----	----	44.00B/39.60A	44.00B/39.60A	----	41.90 + 1.20	.1532	----	----	----	----	1 UNCH
4775	----	----	43.50B/39.00A	43.50B/39.00A	----	41.40 + 1.20	.1516	----	----	----	----	3 UNCH
4780	----	----	43.00B/38.70A	43.00B/38.70A	----	40.90 + 1.10	.1500	----	----	----	----	7 UNCH
4790	----	----	41.90B/37.70A	41.90B/37.70A	----	39.90 + 1.10	.1468	----	----	----	----	21 UNCH
4795	----	----	41.50B/37.40A	41.50B/37.40A	----	39.40 + 1.00	.1452	----	----	----	----	10 UNCH
4800	----	----	41.00B/37.00A	41.00B/37.00A	----	39.00 + 1.10	.1438	----	----	51	----	3278 - 1
4805	----	----	40.50B/36.60A	40.50B/36.60A	----	38.50 + 1.00	.1422	----	----	----	----	4 UNCH
4810	----	----	40.00B/36.20A	40.00B/36.20A	----	38.10 + 1.00	.1409	----	----	----	----	62 UNCH
4815	----	----	39.60B/35.80A	39.60B/35.80A	----	37.60 + 1.00	.1393	----	----	----	----	25 UNCH
4820	----	----	39.10B/35.40A	39.10B/35.40A	----	37.20 + 1.00	.1379	----	----	----	----	114 UNCH
4825	----	----	38.60B/35.00A	38.60B/35.00A	----	36.80 + 1.00	.1366	----	----	----	----	109 UNCH
4830	----	----	38.20B/34.50A	38.20B/34.50A	----	36.30 + 0.90	.1350	----	----	----	----	2 UNCH
4835	----	----	37.80B/34.10A	37.80B/34.10A	----	35.90 + 0.90	.1337	----	----	----	----	137 UNCH
4840	----	----	37.30B/33.90A	37.30B/33.90A	----	35.50 + 0.90	.1323	----	----	----	----	12 UNCH
4845	----	----	36.90B/33.40A	36.90B/33.40A	----	35.10 + 0.90	.1310	----	----	----	----	15 UNCH
4850	----	----	36.50B/33.10A	36.50B/33.10A	----	34.80 + 0.90	.1298	----	----	44	----	857 + 44
4855	----	----	36.10B/32.70A	36.10B/32.70A	----	34.40 + 0.90	.1285	----	----	----	----	3 UNCH
4860	----	----	35.70B/32.50A	35.70B/32.50A	----	34.00 + 0.90	.1272	----	----	----	----	4 UNCH
4865	----	----	35.30B/32.00A	35.30B/32.00A	----	33.60 + 0.80	.1258	----	----	----	----	3 UNCH
4870	----	----	34.90B/31.80A	34.90B/31.80A	----	33.30 + 0.90	.1247	----	----	----	----	24 UNCH
4875	----	----	34.50B/31.50A	34.50B/31.50A	----	32.90 + 0.80	.1234	----	----	----	----	6 UNCH
4880	----	----	34.10B/31.00A	34.10B/31.00A	----	32.60 + 0.90	.1223	----	----	----	----	4 UNCH
4885	----	----	33.70B/30.70A	33.70B/30.70A	----	32.20 + 0.80	.1210	----	----	----	----	4 UNCH
4890	----	----	33.40B/30.40A	33.40B/30.40A	----	31.90 + 0.90	.1199	----	----	----	----	17 UNCH
4895	----	----	33.00B/30.20A	33.00B/30.20A	----	31.50 + 0.80	.1186	----	----	----	----	200 UNCH
4900	31.90	31.90	32.60B/29.80A	32.60B/29.80A	----	31.20 + 0.80	.1175	----	----	5	----	4212 UNCH
4905	----	----	32.30B/29.60A	32.30B/29.60A	----	30.90 + 0.80	.1164	----	----	----	----	18 UNCH
4910	----	----	31.90B/29.20A	31.90B/29.20A	----	30.60 + 0.80	.1153	----	----	----	----	2008 UNCH
4915	----	----	31.60B/28.90A	31.60B/28.90A	----	30.30 + 0.80	.1143	----	----	----	----	19 UNCH
4925	----	----	30.90B/28.50A	30.90B/28.50A	----	29.70 + 0.80	.1121	----	----	----	----	279 UNCH
4930	----	----	30.60B/28.10A	30.60B/28.10A	----	29.40 + 0.80	.1111	----	----	----	----	8 UNCH
4935	----	----	30.30B/27.80A	30.30B/27.80A	----	29.10 + 0.80	.1100	----	----	----	----	1 UNCH
4940	----	----	30.00B/27.50A	30.00B/27.50A	----	28.80 + 0.80	.1090	----	----	----	----	3 UNCH
4950	----	----	29.40B/27.00A	29.40B/27.00A	----	28.20 + 0.80	.1068	----	----	----	----	128 UNCH
4955	----	----	29.00B/26.90A	29.00B/26.90A	----	27.90 + 0.70	.1058	----	----	----	----	10 UNCH
4960	----	----	28.80B/26.50A	28.80B/26.50A	----	27.70 + 0.80	.1050	----	----	----	----	22 UNCH
4975	26.90	26.90	27.90B/25.90A	27.90B/25.90A	----	26.90 + 0.80	.1021	----	----	12	----	68 + 12
4980	----	----	27.60B/25.60A	27.60B/25.60A	----	26.60 + 0.70	.1011	----	----	----	----	12 UNCH
4985	----	----	27.30B/25.40A	27.30B/25.40A	----	26.40 + 0.80	.1003	----	----	----	----	6 UNCH
5000	24.50	24.50	26.50B/24.50	26.50B/24.50	----	25.70 + 0.80	.0977	----	----	2086	----	4125 + 379
5005	----	----	26.30B/24.50A	26.30B/24.50A	----	25.40 + 0.70	.0966	----	----	----	----	27 UNCH
5015	----	----	25.80B/24.10A	25.80B/24.10A	----	25.00 + 0.80	.0951	----	----	----	----	21 UNCH
5020	----	----	25.50B/23.80A	25.50B/23.80A	----	24.80 + 0.80	.0943	----	----	----	----	14 UNCH
5025	----	----	25.30B/23.60A	25.30B/23.60A	----	24.50 + 0.70	.0933	----	----	----	----	263 UNCH
5030	----	----	25.10B/23.40A	25.10B/23.40A	----	24.30 + 0.70	.0925	----	----	----	----	1 UNCH
5040	----	----	24.60B/23.00A	24.60B/23.00A	----	23.90 + 0.70	.0910	----	----	----	----	2 UNCH
5045	----	----	24.40B/22.80A	24.40B/22.80A	----	23.70 + 0.70	.0902	----	----	----	----	1 UNCH
5050	----	----	24.10B/22.60A	24.10B/22.60A	----	23.50 + 0.70	.0895	----	----	21	----	262 + 21
5055	----	----	23.90B/22.50A	23.90B/22.50A	----	23.30 + 0.70	.0887	----	----	----	----	3 UNCH
5060	----	----	23.70B/22.30A	23.70B/22.30A	----	23.10 + 0.70	.0880	----	----	----	----	12 UNCH
5070	----	----	23.30B/21.90A	23.30B/21.90A	----	22.70 + 0.70	.0865	----	----	----	----	13 UNCH
5075	----	----	23.10B/21.70A	23.10B/21.70A	----	22.50 + 0.70	.0857	----	----	----	----	66 UNCH
5090	----	----	22.40B/----	22.40B/21.20A	----	21.90 + 0.70	.0835	----	----	----	----	17 UNCH
5100	----	----	22.10B/----	22.10B/20.90A	----	21.60 + 0.70	.0823	----	----	25	----	892 UNCH
5105	----	----	21.90B/----	21.90B/20.70A	----	21.40 + 0.70	.0816	----	----	----	----	29 UNCH
5110	----	----	21.70B/20.50A	21.70B/20.50A	----	21.20 + 0.60	.0808	----	----	----	----	38 UNCH
5115	----	----	21.50B/----	21.50B/20.40A	----	21.10 + 0.70	.0804	----	----	----	----	1 UNCH
5120	----	----	21.30B/----	21.30B/20.20A	----	20.90 + 0.70	.0796	----	----	----	----	1 UNCH
5125	----	----	21.10B/20.00A	21.10B/20.00A	----	20.70 + 0.60	.0789	----	----	----	----	70 UNCH
5135	----	----	20.80B/----	20.80B/19.70A	----	20.40 + 0.70	.0777	----	----	----	----	3 UNCH
5140	----	----	20.60B/----	20.60B/19.60A	----	20.20 + 0.60	.0770	----	----	----	----	12 UNCH
5145	----	----	20.40B/----	20.40B/19.40A	----	20.10 + 0.70	.0765	----	----	----	----	27 UNCH
5150	----	----	20.30B/----	20.30B/19.30A	----	19.90 + 0.60	.0758	----	----	----	----	43 UNCH
5155	----	----	20.10B/----	20.10B/19.20A	----	19.80 + 0.70	.0754	----	----	----	----	5 UNCH
5160	----	----	19.90B/----	19.90B/19.00A	----	19.60 + 0.60	.0746	----	----	----	----	12 UNCH
5165	19.40	19.40	19.80B/19.40	19.80B/18.90A	----	19.50 + 0.70	.0742	----	----	3	----	4 + 3
5170	----	----	19.60B/----	19.60B/18.70A	----	19.30 + 0.60	.0735	----	----	----	----	4 UNCH
5175	----	----	19.40B/----	19.40B/18.60A	----	19.20 + 0.60	.0730	----	----	----	----	102 UNCH
5180	----	----	19.30B/----	19.30B/18.50A	----	19.00 + 0.60	.0723	----	----	----	----	13 UNCH
5190	----	----	19.00B/----	19.00B/18.20A	----	18.80 + 0.70	.0714	----	----	----	----	12 UNCH
5195	----	----	18.80B/----	18.80B/18.10A	----	18.60 + 0.60	.0707	----	----	----	----	19 UNCH
5200	----	----	18.70B/----	18.70B/17.90A	----	18.50 + 0.60	.0703	----	----	8	----	1684 + 8
5210	----	----	18.40B/----	18.40B/17.70A	----	18.20 + 0.60	.0692	----	----	----	----	30 UNCH
5215	----	----	18.30B/----	18.30B/17.60A	----	18.10 + 0.60	.0687	----	----	----	----	14 UNCH
5220	----	----	18.10B/----	18.10B/17.40A	----	18.00 + 0.60	.0683	----	----	----	----	8 UNCH
5225	----	----	18.00B/----	18.00B/17.30A	----	17.80 + 0.60	.0676	----	----	----	----	11 UNCH
5230	----	----	17.80B/----	17.80B/17.20A	----	17.70 + 0.60	.0672	----	----	----	----	1 UNCH
5235	----	----	17.70B/----	17.70B/17.10A	----	17.60 + 0.60	.0667	----	----	----	----	1 UNCH
5240	----	----	17.60B/----	17.60B/17.00A	----	17.50 + 0.60	.0663	----	----	----	----	1 UNCH
5245	----	----	17.40B/----	17.40B/16.80A	----	17.30 + 0.60	.0656	----	----	----	----	19 UNCH
5250	----	----	17.30B/----	17.30B/16.70A	----	17.20 + 0.60	.0652	----	----	----	----	1247 UNCH
5255	----	----	17.20B/----	17.20B/16.60A	----	17.10 + 0.60	.0648	----	----	----	----	6 UNCH
5260	----	----	17.10B/----	17.10B/16.50A	----	17.00 + 0.60	.0644	----	----	----	----	2 UNCH
5265	----	----	16.90B/----	16.90B/16.40A	----	16.90 + 0.60	.0639	----	----	----	----	7 UNCH
5270	----	----	16.80B/----	16.80B/16.30A	----	16.80 + 0.60	.0635	----	----	----	----	13 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
DEC26												
5275	----	----	16.70B/----	16.70B/16.20A	----	16.60 + 0.50	.0629	----	----	----	----	24 UNCH
5280	----	----	16.60B/----	16.60B/16.10A	----	16.50 + 0.60	.0624	----	----	----	----	23 UNCH
5285	----	----	16.50B/----	16.50B/16.00A	----	16.40 + 0.60	.0620	----	----	----	----	1 UNCH
5290	----	----	16.30B/----	16.30B/15.90A	----	16.30 + 0.60	.0616	----	----	----	----	2 UNCH
5295	----	----	16.20B/----	16.20B/15.80A	----	16.20 + 0.60	.0612	----	----	----	----	2 UNCH
5300	----	----	16.10B/----	16.10B/15.70A	----	16.10 + 0.60	.0608	----	----	----	----	1043 UNCH
5305	----	----	16.00B/----	16.00B/15.60A	----	16.00 + 0.60	.0604	----	----	----	----	5 UNCH
5310	----	----	15.90B/----	15.90B/15.50A	----	15.90 + 0.60	.0600	----	----	----	----	4 UNCH
5315	----	----	15.80B/----	15.80B/15.40A	----	15.80 + 0.60	.0596	----	----	----	----	4 UNCH
5320	----	----	15.70B/----	15.70B/15.30A	----	15.70 + 0.60	.0592	----	----	----	----	5 UNCH
5325	15.50	15.50	15.60B/15.50	15.60B/15.20A	----	15.60 + 0.60	.0588	----	----	3	----	17 + 2
5330	----	----	15.40B/----	15.40B/15.10A	----	15.50 + 0.60	.0584	----	----	----	----	6 UNCH
5335	----	----	15.30B/----	15.30B/15.00A	----	15.40 + 0.60	.0580	----	----	----	----	41 UNCH
5340	----	----	15.20B/----	15.20B/14.90A	----	15.30 + 0.60	.0576	----	----	----	----	7 UNCH
5345	----	----	15.10B/----	15.10B/14.80A	----	15.20 + 0.60	.0572	----	----	----	----	5 UNCH
5350	----	----	15.00B/----	15.00B/14.70A	----	15.10 + 0.60	.0568	----	----	----	----	459 UNCH
5355	----	----	14.90B/----	14.90B/14.60A	----	15.00 + 0.60	.0564	----	----	----	----	4 UNCH
5360	----	----	14.80B/----	14.80B/14.50A	----	14.90 + 0.60	.0560	----	----	----	----	107 UNCH
5365	----	----	14.70B/----	14.70B/14.50A	----	14.80 + 0.60	.0556	----	----	----	----	22 UNCH
5370	----	----	14.60B/----	14.60B/14.40A	----	14.70 + 0.60	.0552	----	----	----	----	38 UNCH
5375	----	----	14.50B/----	14.50B/14.30A	----	14.60 + 0.60	.0548	----	----	----	----	2 UNCH
5380	----	----	14.40B/----	14.40B/14.20A	----	14.50 + 0.60	.0544	----	----	----	----	3 UNCH
5385	14.10	14.10	14.30B/14.10	14.30B/14.10	----	14.40 + 0.50	.0541	----	----	6	----	8 + 6
5390	----	----	14.30B/----	14.30B/14.00A	----	14.30 + 0.50	.0537	----	----	----	----	203 UNCH
5395	----	----	14.20B/----	14.20B/13.90A	----	14.30 + 0.60	.0535	----	----	----	----	3 UNCH
5400	----	----	14.10B/----	14.10B/13.90A	----	14.20 + 0.60	.0532	----	----	----	----	2258 UNCH
5405	----	----	14.00B/----	14.00B/13.80A	----	14.10 + 0.60	.0528	----	----	----	----	1 UNCH
5425	----	----	13.60B/----	13.60B/13.50A	----	13.70 + 0.50	.0513	----	----	----	----	200 UNCH
5430	----	----	13.50B/----	13.50B/13.40A	----	13.70 + 0.60	.0511	----	----	----	----	10 UNCH
5445	13.90	13.90	13.90/13.80	13.90/13.10A	----	13.40 NEW	.0500	----	----	2	----	2 + 2
5450	----	----	13.20B/----	13.20B/13.10A	----	13.30 + 0.50	.0496	----	----	----	----	440 UNCH
5455	----	----	13.10B/----	13.10B/13.00A	----	13.30 + 0.60	.0495	----	----	----	----	15 UNCH
5460	----	----	13.10B/----	13.10B/12.90A	----	13.20 + 0.60	.0492	----	----	----	----	39 UNCH
5465	----	----	13.00B/----	13.00B/12.80A	----	13.10 + 0.60	.0488	----	----	----	----	53 UNCH
5470	----	----	12.90B/----	12.90B/12.80A	----	13.00 + 0.50	.0484	----	----	----	----	1 UNCH
5475	----	----	12.80B/----	12.80B/12.70A	----	13.00 + 0.60	.0483	----	----	----	----	572 UNCH
5480	----	----	12.70B/----	12.70B/12.60A	----	12.90 + 0.60	.0480	----	----	----	----	50 UNCH
5485	12.50	12.50	12.70B/12.50	12.70B/12.50	----	12.80 NEW	.0476	----	----	1	----	1 + 1
5500	12.10	12.10	12.50B/12.10	12.50B/12.10	----	12.60 + 0.60	.0468	----	----	3689	----	10757 + 3512
5505	----	----	12.40B/----	12.40B/12.30A	----	12.50 + 0.60	.0464	----	----	----	----	2 UNCH
5510	----	----	12.30B/----	12.30B/12.20A	----	12.40 + 0.50	.0460	----	----	----	----	4 UNCH
5520	12.00	12.00	12.10B/12.00	12.10B/12.00	----	12.30 NEW	.0456	----	----	18	----	18 + 18
5525	----	----	12.10B/----	12.10B/12.00A	----	12.20 + 0.50	.0452	----	----	----	----	92 UNCH
5540	----	----	11.90B/----	11.90B/11.70A	----	12.00 + 0.50	.0444	----	----	----	----	1 UNCH
5550	----	----	11.70B/----	11.70B/11.70A	----	11.90 + 0.60	.0440	----	----	----	----	414 UNCH
5570	----	----	11.50B/----	11.50B/11.40A	----	11.70 + 0.60	.0431	----	----	----	----	198 UNCH
5575	----	----	11.40B/----	11.40B/11.40A	----	11.60 + 0.60	.0427	----	----	----	----	10 UNCH
5600	----	----	11.10B/----	11.10B/11.10A	----	11.30 + 0.60	.0415	----	----	----	----	2712 UNCH
5605	----	----	11.00B/----	11.00B/11.00A	----	11.20 + 0.50	.0412	----	----	----	----	15 UNCH
5630	----	----	10.70B/----	10.70B/10.70A	----	10.90 + 0.50	.0400	----	----	----	----	1 UNCH
5650	----	----	10.50B/----	10.50B/10.50A	----	10.70 + 0.50	.0391	----	----	----	----	306 UNCH
5660	----	----	10.40B/----	10.40B/10.40A	----	10.60 + 0.50	.0387	----	----	----	----	17 UNCH
5665	----	----	10.30B/----	10.30B/10.30A	----	10.60 + 0.60	.0387	----	----	----	----	1 UNCH
5670	----	----	10.30B/----	10.30B/10.30A	----	10.50 + 0.50	.0383	----	----	----	----	2 UNCH
5675	----	----	10.20B/----	10.20B/10.30A	----	10.50 + 0.60	.0382	----	----	----	----	20 UNCH
5680	----	----	10.20B/----	10.20B/10.20A	----	10.40 + 0.50	.0379	----	----	----	----	41 UNCH
5685	----	----	10.10B/----	10.10B/10.20A	----	10.40 + 0.60	.0378	----	----	----	----	18 UNCH
5690	----	----	10.10B/----	10.10B/10.10A	----	10.30 + 0.50	.0375	----	----	----	----	27 UNCH
5695	----	----	10.00B/----	10.00B/10.00A	----	10.30 + 0.60	.0374	----	----	----	----	1 UNCH
5700	9.70	9.70	10.00B/9.70	10.00B/9.70	----	10.20 + 0.50	.0371	----	----	1	----	424 - 1
5705	9.70	9.70	9.90B/9.70	9.90B/9.70	----	10.20 + 0.60	.0370	----	----	1	----	6 + 1
5710	----	----	9.90B/----	9.90B/9.90A	----	10.10 + 0.50	.0367	----	----	----	----	6 UNCH
5750	----	----	9.50B/----	9.50B/9.50A	----	9.70 + 0.50	.0351	----	----	----	----	338 UNCH
5770	----	----	9.30B/----	9.30B/9.30A	----	9.60 + 0.60	.0346	----	----	----	----	11 UNCH
5775	----	----	9.30B/----	9.30B/9.30A	----	9.50 + 0.50	.0343	----	----	----	----	2 UNCH
5780	----	----	9.20B/----	9.20B/9.30A	----	9.50 + 0.50	.0342	----	----	----	----	3 UNCH
5790	8.90	8.90	9.10B/8.90	9.10B/8.90	----	9.40 NEW	.0338	----	----	1	----	1 + 1
5800	----	----	9.00B/----	9.00B/9.10A	----	9.30 + 0.50	.0334	----	----	----	----	2180 UNCH
5810	----	----	8.90B/----	8.90B/9.00A	----	9.20 + 0.50	.0330	----	----	----	----	56 UNCH
5825	----	----	8.80B/----	8.80B/8.90A	----	9.10 + 0.50	.0326	----	----	----	----	4 UNCH
5850	----	----	8.60B/----	8.60B/8.70A	----	8.90 + 0.50	.0318	----	----	----	----	51 UNCH
5875	----	----	8.40B/----	8.40B/8.50A	----	8.70 + 0.50	.0310	----	----	----	----	9 UNCH
5900	8.10	8.10	8.20/8.00	8.20/8.00	----	8.50 + 0.50	.0302	----	----	23	----	1544 + 9
5925	7.90	7.90	8.00B/7.90	8.00B/7.90	----	8.30 NEW	.0294	----	----	6	----	6 + 6
5950	----	----	7.90B/----	7.90B/8.00A	----	8.20 + 0.50	.0289	----	----	----	----	27 UNCH
6000	7.60	7.60	7.80B/7.50	7.80B/7.50	----	7.80 + 0.40	.0274	----	----	3181	----	18126 + 1368
6050	----	----	7.20B/----	7.20B/7.40A	----	7.50 + 0.40	.0262	----	----	----	----	1 UNCH
6100	----	----	6.90B/----	6.90B/7.10A	----	7.20 + 0.40	.0251	----	----	----	----	146 UNCH
6150	----	----	----	6.60B/6.80A	----	6.90 + 0.30	.0239	----	----	8	----	54 + 2
6200	----	----	6.40B/----	6.40B/6.60A	----	6.60 + 0.30	.0228	----	----	----	----	3208 UNCH
6250	----	----	----	6.10B/6.30A	----	6.30 + 0.20	.0217	----	----	----	----	75 UNCH
6300	----	----	----	5.90B/6.10A	----	6.10 + 0.20	.0209	----	----	----	----	838 UNCH
6400	----	----	----	5.50B/5.70A	----	5.60 + 0.10	.0190	----	----	----	----	973 UNCH
6500	5.40	5.40	5.40/5.30A	5.40/5.30A	----	5.20 + 0.10	.0175	----	----	236	----	6232 - 29
6750	4.20	4.20	4.30B/4.20	4.30B/4.20	----	4.40 UNCH	.0145	----	----	2	----	105 UNCH
6775	----	----	----	4.20B/4.40A	----	4.30 UNCH	.0141	----	----	----	----	165 UNCH
6800	----	----	----	4.20B/4.40A	----	4.20 - 0.10	.0138	----	----	----	----	1817 UNCH
6900	----	----	----	3.90B/4.10A	----	4.00 UNCH	.0130	----	----	6	----	114 + 2
7000	----	----	----	3.70B/3.90A	----	3.70 - 0.10	.0120	----	----	138	----	6230 + 38
7100	----	----	----	3.50B/3.70A	----	3.50 - 0.10	.0112	----	----	----	----	15 UNCH
7130	----	----	----	3.40B/3.60A	----	3.50 - 0.10	.0112	----	----	----	----	200 UNCH
7150	----	----	----	3.40B/3.60A	----	3.40 - 0.20	.0109	----	----	----	----	1 UNCH
7175	----	----	----	3.40B/3.50A	----	3.40 - 0.10	.0108	----	----	----	----	125 UNCH
7200	----	----	----	3.30B/3.50A	----	3.40 - 0.10	.0108	----	----	----	----	1 UNCH
7250	----	----	----	3.20B/3.40A	----	3.30 - 0.10	.0104	----	----	----	----	228 UNCH
7500	3.00	3.00	3.00/3.00	3.00/3.00	----	2.90 - 0.20	.0090	----	----	57	----	2569 - 40
8000	----	----	----	2.30B/2.50A	----	2.40 - 0.10	.0071	----	----	2953	----	25012 + 2680
8125	----	----	----	2.20B/2.40A	----	2.30 - 0.10	.0068	----	----	----	----	802 UNCH
8500	----	----	----/*2.10A	2.00B/2.10A	----	2.00 - 0.20	.0057	----	----	8	----	312 - 8
8630	----	----	----/*2.00A	1.90B/2.00A	----	1.90 - 0.20	.0054	----	----	----	----	400 UNCH
8725	----	----	----/*2.00A	1.90B/2.00A	----	1.90 - 0.20	.0054	----	----	----	----	250 UNCH
8775	----	----	----	1.80B/2.00A	----	1.90 - 0.10	.0053	----	----	----	----	26 UNCH
9000	2.10	2.10	2.10/1.90A	2.10/1.90A	----	1.80 - 0.20	.0050	----	----	3	----	592 - 3
9500	----	----	----	1.60B/1.80A	----	1.70 - 0.10	.0045	----	----	6	----	997 + 6
9900	----	----	----	1.50B/1.70A	----	1.60 - 0.10	.0041	----	----	----	----	30 UNCH
10000	1.50	1.50	1.50/1.50	1.50/1.50	----	1.60 - 0.10	.0041	----	----	262	----	13868 + 146
11000	----	----	----	1.20B/1.40A	----	1.40 UNCH	.0034	----	----	6	----	791 UNCH
13000	----	----	----	0.90B/1.20A	----	1.00 - 0.10	.0022	----	----	----	----	630 UNCH
15000	0.90	0.90	0.90/0.80	0.90/0.80	----	0.90 - 0.10	.0019	----	----	407	----	34673 + 163
17000	----	----	----	0.60B/0.80A	----	0.70 UNCH	.0014	----	----	----	----	29 UNCH
19000	----	----	----	0.30B/0.70A	----	0.50 UNCH	.0010	----	----	----	----	352 UNCH
20000	----	----	----	0.30B/0.50A	----	0.40 UNCH	.0008	----	----	153	----	36696 + 153
21000	----	----	----	0.10B/0.70A	----	0.40 + 0.10	.0007	----	----	----	----	31 UNCH
24000	----	----	----	----/0.50A	----	0.30 UNCH	.0005	----	----	----	----	127 UNCH
TOTAL										18263		241133+ 11423
JAN27												
2850	----	----	----	----	----	1314.30 + 19.90	.9724	----	----	----	----	6 UNCH
2900	----	----	----	----	----	1265.30 + 19.80	.9687	----	----	----	----	1 UNCH
4000	----	----	336.40B/308.40A	336.40B/308.40A	----	329.00 + 8.90	.6320	----	----	----	----	327 UNCH
4010	----	----	330.30B/302.70A	330.30B/302.70A	----	323.00 + 8.80	.6257	----	----	----	----	1 UNCH
4070	----	----	296.00B/268.70A	296.00B/268.70A	----	288.50 + 8.00	.5875	----	----	----	----	1 UNCH
4110	----	----	274.30B/247.60A	274.30B/247.60A	----	267.00 + 7.60	.5614	----	----	----	----	1 UNCH
4130	----	----	263.60B/239.00A	263.60B/239.00A	----	256.70 + 7.40	.5482	----	----	----	----	1 UNCH
4140	----	----	258.50B/233.30A	258.50B/233.30A	----	251.60 + 7.20	.5416	----	----	----	----	1 UNCH
4150	----	----	253.20B/228.50A	253.20B/228.50A	----	246.70 + 7.20	.5350	----	----	3	----	6 + 3
4160	----	----	248.40B/224.00A	248.40B/224.00A	----	241.80 + 7.10	.5284	----	----	----	----	198 UNCH
4165	238.50	238.50	245.90B/222.30A	245.90B/222.30A	----	239.30 NEW	.5251	----	----	1	----	1 + 1
4170	240.50	240.50	243.50B/218.90A	243.50B/218.90A	----	236.90 + 6.90	.5218	----	----	2	----	3 + 2
4190	----	----	233.60B/209.80A	233.60B/209.80A	----	227.50 + 6.70	.5086	----	----	----	----	1 UNCH
4200	----	----	229.00B/205.60A	229.00B/205.60A	----	222.90 + 6.60	.5020	----	----	----	----	16 UNCH
4220	----	----	220.50B/197.00A	220.50B/197.00A	----	213.80 + 6.30	.4888	----	----	----	----	1 UNCH
4250	----	----	206.90B/185.20A	206.90B/185.20A	----	200.90 + 6.00	.4692	----	----	----	----	598 UNCH
4260	----	----	202.80B/181.20A	202.80B/181.20A	----	196.70 + 5.90	.4627	----	----	----	----	2 UNCH
4280	----	----	194.30B/173.80A	194.30B/173.80A	----	188.50 + 5.60	.4498	----	----	----	----	2 UNCH
4290	----	----	190.30B/170.10A	190.30B/170.10A	----	184.50 + 5.40	.4434	----	----	----	----	1 UNCH
4300	----	----	186.60B/166.60A	186.60B/166.60A	----	180.60 + 5.30	.4370	----	----	----	----	8 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JAN27												
4305	----	----	184.30B/164.80A	184.30B/164.80A	----	178.70 + 5.30	.4338	----	----	----	----	10 UNCH
4365	----	----	162.40B/144.60A	162.40B/144.60A	----	156.80 + 4.60	.3963	----	----	----	----	1 UNCH
4370	----	----	160.40B/143.20A	160.40B/143.20A	----	155.10 + 4.50	.3932	----	----	----	----	1 UNCH
4400	----	----	150.20B/134.20A	150.20B/134.20A	----	145.20 + 4.30	.3751	----	----	----	----	69 UNCH
4500	----	----	120.60B/107.80A	120.60B/107.80A	----	116.00 + 3.30	.3181	----	----	----	----	445 UNCH
4550	----	----	107.60B/96.60A	107.60B/96.60A	----	103.60 + 2.90	.2918	----	----	----	----	1 UNCH
4570	----	----	102.90B/92.30A	102.90B/92.30A	----	99.00 + 2.70	.2818	----	----	----	----	12 UNCH
4575	----	----	101.70B/91.30A	101.70B/91.30A	----	97.90 + 2.70	.2793	----	----	----	----	1 UNCH
4600	----	----	96.30B/86.30A	96.30B/86.30A	----	92.50 + 2.50	.2672	----	----	----	----	370 UNCH
4625	----	----	90.90B/81.70A	90.90B/81.70A	----	87.50 + 2.50	.2557	----	----	----	----	100 UNCH
4650	----	----	86.00B/77.40A	86.00B/77.40A	----	82.70 + 2.30	.2444	----	----	----	----	81 UNCH
4675	80.50	80.50	81.30B/73.60A	81.30B/73.60A	----	78.20 NEW	.2336	----	----	6	----	6 + 6
4680	77.60	77.60	80.40B/72.50A	80.40B/72.50A	----	77.30 NEW	.2315	----	----	3	----	3 + 3
4690	----	----	78.50B/70.80A	78.50B/70.80A	----	75.60 + 2.10	.2273	----	----	----	----	3 UNCH
4695	----	----	77.80B/70.00A	77.80B/70.00A	----	74.70 + 2.00	.2252	----	----	----	----	3 UNCH
4700	74.90	74.90	76.90B/69.70A	76.90B/69.70A	----	73.90 + 2.00	.2232	----	----	1	----	8 UNCH
4710	----	----	75.10B/67.90A	75.10B/67.90A	----	72.30 + 1.90	.2192	----	----	----	----	3 UNCH
4725	----	----	72.60B/65.90A	72.60B/65.90A	----	69.90 + 1.80	.2132	----	----	----	----	8 UNCH
4740	----	----	70.30B/63.40A	70.30B/63.40A	----	67.70 + 1.80	.2076	----	----	----	----	4 UNCH
4750	----	----	68.70B/62.30A	68.70B/62.30A	----	66.20 + 1.80	.2038	----	----	----	----	24 UNCH
4760	----	----	67.20B/60.70A	67.20B/60.70A	----	64.70 + 1.60	.2000	----	----	----	----	104 UNCH
4765	----	----	66.60B/60.40A	66.60B/60.40A	----	64.00 + 1.60	.1982	----	----	----	----	6 UNCH
4775	----	----	65.20B/59.20A	65.20B/59.20A	----	62.70 + 1.60	.1947	----	----	----	----	1 UNCH
4800	----	----	61.60B/56.10A	61.60B/56.10A	----	59.40 + 1.50	.1860	----	----	----	----	246 UNCH
4805	----	----	61.00B/55.60A	61.00B/55.60A	----	58.70 + 1.40	.1842	----	----	----	----	1 UNCH
4835	----	----	57.20B/52.20A	57.20B/52.20A	----	55.10 + 1.30	.1745	----	----	----	----	2 UNCH
4850	----	----	55.50B/50.50A	55.50B/50.50A	----	53.40 + 1.30	.1698	----	----	----	----	56 UNCH
4875	----	----	52.60B/----	52.60B/49.70A	----	50.70 + 1.20	.1624	----	----	----	----	6 UNCH
4885	----	----	51.60B/----	51.60B/48.60A	----	49.70 + 1.20	.1595	----	----	----	----	22 UNCH
4900	----	----	50.00B/----	50.00B/47.30A	----	48.20 + 1.10	.1553	----	----	135	----	174 + 122
4905	----	----	49.50B/----	49.50B/46.70A	----	47.70 + 1.10	.1539	----	----	----	----	2 UNCH
4915	----	----	48.50B/----	48.50B/46.20A	----	46.80 + 1.10	.1513	----	----	----	----	87 UNCH
4920	----	----	48.00B/----	48.00B/45.60A	----	46.30 + 1.10	.1499	----	----	----	----	1 UNCH
4935	----	----	46.40B/----	46.40B/44.30A	----	44.90 + 1.00	.1459	----	----	----	----	1 UNCH
4945	----	----	45.60B/----	45.60B/43.50A	----	44.10 + 1.00	.1435	----	----	----	----	1 UNCH
4950	42.50	42.50	45.10B/42.50	45.10B/42.50	----	43.60 + 0.90	.1421	----	----	1	----	16 UNCH
4955	42.60	42.60	44.60B/42.60	44.60B/42.60	----	43.20 NEW	.1409	----	----	1	----	1 + 1
4960	----	----	44.30B/----	44.30B/42.40A	----	42.80 + 0.90	.1398	----	----	----	----	1 UNCH
5000	39.80	39.80	42.70/39.00	42.70/39.00	----	39.70 + 0.80	.1305	----	----	139	----	702 - 32
5005	----	----	40.30B/----	40.30B/38.90A	----	39.30 + 0.80	.1294	----	----	----	----	1 UNCH
5025	----	----	38.90B/----	38.90B/37.60A	----	37.90 + 0.70	.1251	----	----	----	----	5 UNCH
5035	----	----	38.10B/----	38.10B/36.90A	----	37.30 + 0.80	.1232	----	----	----	----	30 UNCH
5050	----	----	37.10B/----	37.10B/36.00A	----	36.30 + 0.70	.1202	----	----	----	----	124 UNCH
5060	----	----	36.60B/----	36.60B/35.40A	----	35.70 + 0.80	.1183	----	----	----	----	40 UNCH
5075	----	----	35.50B/----	35.50B/34.50A	----	34.80 + 0.70	.1155	----	----	----	----	2 UNCH
5085	----	----	35.00B/----	35.00B/34.10A	----	34.20 + 0.70	.1136	----	----	----	----	30 UNCH
5100	----	----	34.00B/----	34.00B/33.20A	----	33.30 + 0.60	.1108	----	----	----	----	140 UNCH
5115	----	----	33.40B/----	33.40B/32.40A	----	32.50 + 0.60	.1083	----	----	----	----	25 UNCH
5125	----	----	32.80B/----	32.80B/31.80A	----	32.00 + 0.60	.1067	----	----	----	----	50 UNCH
5130	----	----	32.50B/----	32.50B/31.70A	----	31.80 + 0.70	.1060	----	----	----	----	1 UNCH
5135	----	----	32.20B/----	32.20B/31.40A	----	31.50 + 0.60	.1051	----	----	----	----	25 UNCH
5150	----	----	31.40B/----	31.40B/30.60A	----	30.80 + 0.70	.1028	----	----	----	----	102 UNCH
5175	----	----	30.20B/----	30.20B/29.60A	----	29.60 + 0.60	.0989	----	----	----	----	150 UNCH
5195	----	----	29.30B/----	29.30B/28.80A	----	28.70 + 0.60	.0960	----	----	----	----	5 UNCH
5200	----	----	29.00B/----	29.00B/28.50A	----	28.50 + 0.60	.0953	----	----	----	----	13 UNCH
5230	----	----	27.70B/----	27.70B/27.80A	----	27.30 + 0.60	.0913	----	----	----	----	1 UNCH
5250	----	----	26.80B/----	26.80B/27.20A	----	26.60 + 0.70	.0889	----	----	----	----	7 UNCH
5300	----	----	24.40B/----	24.40B/25.30A	----	24.80 + 0.70	.0829	----	----	----	----	2 UNCH
5350	----	----	22.70B/----	22.70B/23.90A	----	23.20 + 0.70	.0775	----	----	----	----	3 UNCH
5380	----	----	21.80B/----	21.80B/23.00A	----	22.40 + 0.80	.0747	----	----	----	----	3 UNCH
5400	----	----	21.20B/----	21.20B/22.40A	----	21.80 + 0.70	.0727	----	----	----	----	106 UNCH
5440	----	----	----	19.40B/21.60A	----	20.80 + 0.70	.0692	----	----	----	----	2 UNCH
5450	----	----	----	19.10B/21.40A	----	20.50 + 0.70	.0683	----	----	----	----	9 UNCH
5490	----	----	----	18.20B/20.40A	----	19.60 + 0.70	.0651	----	----	----	----	10 UNCH
5500	----	----	----	18.00B/20.20A	----	19.40 + 0.70	.0644	----	----	----	----	760 UNCH
5550	----	----	----	16.80B/19.20A	----	18.30 + 0.70	.0606	----	----	----	----	4 UNCH
5555	----	----	----	16.70B/19.10A	----	18.20 + 0.70	.0603	----	----	----	----	2 UNCH
5560	----	----	----	16.60B/19.00A	----	18.10 + 0.70	.0599	----	----	----	----	1 UNCH
5600	----	----	----	15.80B/18.20A	----	17.30 + 0.60	.0572	----	----	----	----	226 UNCH
5650	----	----	----	15.00B/17.40A	----	16.50 + 0.70	.0543	----	----	----	----	3 UNCH
5700	----	----	----	14.20B/16.60A	----	15.60 + 0.50	.0512	----	----	----	----	3 UNCH
5820	----	----	----	12.70B/14.90A	----	14.00 + 0.60	.0455	----	----	----	----	7 UNCH
5850	----	----	----	12.30B/14.60A	----	13.60 + 0.50	.0441	----	----	----	----	3 UNCH
5900	----	----	----	11.70B/14.00A	----	13.00 + 0.50	.0420	----	----	----	----	5 UNCH
5950	----	----	----	11.10B/13.50A	----	12.50 + 0.50	.0401	----	----	----	----	1 UNCH
6000	13.00	13.00	13.00/13.00	13.00/12.90A	----	12.00 + 0.50	.0384	----	----	5	----	332 + 5
6025	----	----	----	10.50B/12.70A	----	11.70 + 0.40	.0374	----	----	----	----	1 UNCH
6250	----	----	----	8.80B/10.90A	----	10.00 + 0.50	.0312	----	----	----	----	1 UNCH
6300	----	----	----	8.60B/10.70A	----	9.60 + 0.50	.0299	----	----	----	----	508 UNCH
6500	----	----	----	7.10B/9.60A	----	8.50 + 0.50	.0259	----	----	----	----	92 UNCH
20000	0.80	0.80	0.80/*0.80	0.80/*0.80	----	0.80 UNCH	.0015	----	----	1	----	118 UNCH
TOTAL										298		6712 + 111
FEB27												
4000	----	----	353.90B/328.10A	353.90B/328.10A	----	347.40 + 9.30	.6263	----	----	----	----	3 UNCH
4100	----	----	298.60B/272.20A	298.60B/272.20A	----	291.60 + 8.10	.5669	----	----	----	----	207 UNCH
4140	----	----	277.50B/252.90A	277.50B/252.90A	----	271.20 + 7.60	.5425	----	----	----	----	2 UNCH
4150	----	----	272.80B/248.80A	272.80B/248.80A	----	266.30 + 7.50	.5364	----	----	----	----	100 UNCH
4165	----	----	265.10B/242.00A	265.10B/242.00A	----	259.10 + 7.40	.5273	----	----	----	----	1 UNCH
4170	----	----	263.00B/239.30A	263.00B/239.30A	----	256.70 + 7.40	.5242	----	----	----	----	20 UNCH
4175	----	----	260.50B/237.10A	260.50B/237.10A	----	254.30 + 7.30	.5212	----	----	----	----	1 UNCH
4200	----	----	248.50B/225.40A	248.50B/225.40A	----	242.70 + 7.00	.5060	----	----	----	----	72 UNCH
4205	----	----	246.40B/223.30A	246.40B/223.30A	----	240.50 + 7.00	.5030	----	----	----	----	7 UNCH
4220	----	----	239.60B/216.90A	239.60B/216.90A	----	233.80 + 6.80	.4939	----	----	----	----	1 UNCH
4225	----	----	237.90B/214.90A	237.90B/214.90A	----	231.60 + 6.80	.4908	----	----	5	----	5 + 5
4250	----	----	227.00B/204.80A	227.00B/204.80A	----	220.90 + 6.60	.4758	----	----	----	----	126 UNCH
4255	----	----	225.10B/202.90A	225.10B/202.90A	----	218.80 + 6.50	.4728	----	----	----	----	10 UNCH
4260	----	----	222.80B/201.00A	222.80B/201.00A	----	216.70 + 6.40	.4698	----	----	----	----	10 UNCH
4270	----	----	218.70B/197.30A	218.70B/197.30A	----	212.60 + 6.30	.4639	----	----	----	----	10 UNCH
4285	----	----	212.40B/191.60A	212.40B/191.60A	----	206.60 + 6.20	.4550	----	----	----	----	50 UNCH
4300	----	----	206.60B/186.30A	206.60B/186.30A	----	200.70 + 6.10	.4461	----	----	----	----	105 UNCH
4325	----	----	196.80B/177.30A	196.80B/177.30A	----	191.20 + 5.80	.4315	----	----	----	----	1 UNCH
4350	----	----	187.40B/169.20A	187.40B/169.20A	----	182.10 + 5.60	.4171	----	----	----	----	2 UNCH
4390	----	----	173.50B/156.20A	173.50B/156.20A	----	168.30 + 5.20	.3946	----	----	----	----	1 UNCH
4400	----	----	169.60B/153.20A	169.60B/153.20A	----	165.00 + 5.10	.3890	----	----	----	----	12 UNCH
4440	----	----	157.20B/141.70A	157.20B/141.70A	----	152.50 + 4.90	.3673	----	----	----	----	1 UNCH
4450	----	----	154.20B/138.90A	154.20B/138.90A	----	149.50 + 4.80	.3620	----	----	----	----	119 UNCH
4475	----	----	146.50B/132.20A	146.50B/132.20A	----	142.20 + 4.50	.3489	----	----	----	----	2 UNCH
4500	125.00	125.00	139.50B/125.00	139.50B/125.00	----	135.20 + 4.30	.3361	----	----	1	----	336 UNCH
4505	----	----	138.10B/124.60A	138.10B/124.60A	----	133.90 + 4.30	.3336	----	----	----	----	1 UNCH
4565	----	----	122.30B/110.70A	122.30B/110.70A	----	118.70 + 3.80	.3044	----	----	----	----	2 UNCH
4600	----	----	113.80B/103.10A	113.80B/103.10A	----	110.60 + 3.50	.2882	----	----	110	1416	1765 + 1512
4615	101.30	101.30	110.40B/100.20A	110.40B/100.20A	----	107.30 + 3.40	.2815	----	----	2	----	122 UNCH
4630	----	----	107.00B/97.10A	107.00B/97.10A	----	104.10 + 3.30	.2748	----	----	----	----	1 UNCH
4640	----	----	105.00B/95.30A	105.00B/95.30A	----	102.00 + 3.20	.2705	----	----	----	----	5 UNCH
4650	----	----	102.80B/93.40A	102.80B/93.40A	----	99.90 + 3.10	.2661	----	----	----	----	6 UNCH
4660	----	----	100.80B/91.60A	100.80B/91.60A	----	97.90 + 3.00	.2619	----	----	----	----	130 UNCH
4675	----	----	97.80B/88.90A	97.80B/88.90A	----	95.00 + 2.90	.2557	----	----	----	----	1 UNCH
4700	----	----	92.90B/84.70A	92.90B/84.70A	----	90.30 + 2.70	.2455	----	----	----	----	26 UNCH
4710	----	----	91.00B/83.00A	91.00B/83.00A	----	88.50 + 2.70	.2416	----	----	----	----	6 UNCH
4730	----	----	87.40B/79.80A	87.40B/79.80A	----	85.00 + 2.50	.2338	----	----	----	----	20 UNCH
4750	----	----	84.10B/76.80A	84.10B/76.80A	----	81.70 + 2.40	.2264	----	----	----	----	522 UNCH
4785	----	----	78.40B/71.80A	78.40B/71.80A	----	76.20 + 2.20	.2138	----	----	----	----	100 UNCH
4790	----	----	77.50B/71.10A	77.50B/71.10A	----	75.40 + 2.10	.2120	----	----	----	----	19 UNCH
4795	----	----	76.90B/70.50A	76.90B/70.50A	----	74.70 + 2.10	.2103	----	----	----	----	26 UNCH
4800	----	----	76.00B/69.80A	76.00B/69.80A	----	73.90 + 2.00	.2085	----	----	217	840	1152 + 1004
4830	----	----	71.70B/65.90A	71.70B/65.90A	----	69.70 + 1.90	.1985	----	----	----	----	29 UNCH
4835	----	----	71.00B/65.40A	71.00B/65.40A	----	69.00 + 1.80	.1969	----	----	----	----	19 UNCH
4850	----	----	69.00B/63.50A	69.00B/63.50A	----	67.00 + 1.70	.1921	----	----	----	----	61 UNCH
4860	----	----	67.60B/62.20A	67.60B/62.20A	----	65.80 + 1.70	.1891	----	----	----	----	12 UNCH
4900	----	----	62.70B/57.80A	62.70B/57.80A	----	60.90 + 1.50	.1770	----	----	----	----	17 UNCH
4950	----	----	57.00B/----	57.00B/54.60A	----	55.50 + 1.30	.1634	----	----	----	----	1 UNCH
5000	----	----	52.00B/----	52.00B/50.20A	----	50.80 + 1.20	.1510	----	----	107	----	1452 + 107
5005	----	----	51.50B/----	51.50B/49.80A	----	50.30 + 1.10	.1498	----	----	----	----	20 UNCH
5030	----	----	49.40B/----	49.40B/47.70A	----	48.20 + 1.10	.1441	----	----	----	----	1 UNCH
5045	----	----	48.10B/----	48.10B/46.50A	----	47.00 + 1.10	.1409	----	----	----	----	50 UNCH
5050	----	----	47.70B/----	47.70B/46.10A	----	46.60 + 1.00	.1398	----	----	----	----	112 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 35

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
FEB27												
5075	----	----	45.70B/----	45.70B/44.30A	----	44.70 + 1.00	.1346	----	----	----	----	152 UNCH
5100	----	----	43.80B/----	43.80B/42.60A	----	42.90 + 0.90	.1296	----	----	----	----	202 UNCH
5150	----	----	40.30B/----	40.30B/39.50A	----	39.70 + 0.90	.1206	----	----	----	----	1 UNCH
5175	----	----	38.80B/----	38.80B/38.00A	----	38.20 + 0.90	.1163	----	----	----	----	126 UNCH
5200	----	----	37.30B/----	37.30B/36.70A	----	36.80 + 0.90	.1123	----	----	----	----	493 UNCH
5230	----	----	35.80B/----	35.80B/35.10A	----	35.30 + 0.90	.1078	----	----	----	----	12 UNCH
5240	----	----	35.20B/----	35.20B/34.70A	----	34.80 + 0.90	.1064	----	----	----	----	1 UNCH
5250	----	----	34.70B/----	34.70B/34.20A	----	34.30 + 0.90	.1049	----	----	----	----	520 UNCH
5270	----	----	33.60B/----	33.60B/33.20A	----	33.40 + 0.90	.1022	----	----	----	----	7 UNCH
5280	----	----	33.20B/----	33.20B/32.80A	----	32.90 + 0.90	.1008	----	----	----	----	9 UNCH
5295	----	----	32.50B/----	32.50B/32.10A	----	32.20 + 0.80	.0987	----	----	----	----	30 UNCH
5300	----	----	32.30B/----	32.30B/31.90A	----	32.00 + 0.80	.0981	----	----	----	----	622 UNCH
5330	30.50	30.50	30.90B/30.50	30.90B/30.50	----	30.80 NEW	.0945	----	----	1	----	1 + 1
5350	----	----	30.10B/----	30.10B/30.50A	----	30.00 + 0.80	.0920	----	----	----	----	260 UNCH
5375	----	----	28.90B/----	28.90B/30.40A	----	29.10 + 0.90	.0893	----	----	----	----	1 UNCH
5400	----	----	----	26.80B/29.40A	----	28.20 + 0.80	.0865	----	----	----	----	221 UNCH
5450	----	----	----	25.00B/27.80A	----	26.50 + 0.70	.0813	----	----	----	----	150 UNCH
5500	----	----	----	23.40B/26.40A	----	25.00 + 0.70	.0767	----	----	175	----	1310 UNCH
5510	----	----	----	23.10B/26.10A	----	24.70 + 0.70	.0758	----	----	----	----	1 UNCH
5520	----	----	----	22.80B/25.80A	----	24.50 + 0.70	.0751	----	----	----	----	300 UNCH
5530	----	----	----	22.50B/25.60A	----	24.20 + 0.70	.0742	----	----	----	----	100 UNCH
5540	----	----	----	22.20B/25.30A	----	23.90 + 0.60	.0732	----	----	----	----	1 UNCH
5550	----	----	----	21.90B/25.10A	----	23.70 + 0.70	.0726	----	----	----	----	73 UNCH
5600	----	----	----	20.60B/23.80A	----	22.40 + 0.60	.0685	----	----	----	----	9 UNCH
5700	----	----	----	18.30B/21.60A	----	20.30 + 0.50	.0618	----	----	----	----	1 UNCH
5750	----	----	----	17.30B/20.80A	----	19.40 + 0.50	.0588	----	----	----	----	200 UNCH
5900	----	----	----	14.90B/18.40A	----	17.00 + 0.50	.0510	----	----	----	----	17 UNCH
5950	----	----	----	14.20B/17.60A	----	16.30 + 0.50	.0488	----	----	----	----	24 UNCH
6000	----	----	----	13.50B/17.10A	----	15.60 + 0.40	.0466	----	----	----	----	1616 UNCH
6025	----	----	----	13.30B/16.70A	----	15.30 + 0.40	.0456	----	----	----	----	4 UNCH
6100	----	----	----	12.50B/16.00A	----	14.50 + 0.50	.0429	----	----	----	----	4 UNCH
6300	----	----	----	10.70B/14.10A	----	12.60 + 0.60	.0367	----	----	----	----	1 UNCH
6500	----	----	----	9.30B/12.60A	----	11.20 + 0.60	.0320	----	----	----	----	1759 UNCH
6900	----	----	----	7.30B/10.40A	----	9.60 + 0.80	.0262	----	----	----	----	533 UNCH
7000	----	----	----	7.30B/9.90A	----	9.30 + 0.70	.0251	----	----	175	----	658 + 175
7100	----	----	----	6.70B/9.50A	----	9.10 + 0.80	.0242	----	----	----	----	9 UNCH
7500	----	----	----	6.70B/8.20A	----	8.10 + 0.60	.0207	----	----	----	----	202 UNCH
7700	----	----	----	5.00B/7.80A	----	7.50 + 0.50	.0189	----	----	----	----	1 UNCH
7900	----	----	----	4.60B/7.20A	----	6.90 + 0.40	.0172	----	----	----	----	501 UNCH
8000	----	----	----	4.30B/6.90A	----	6.60 + 0.40	.0164	----	----	----	----	703 UNCH
9000	4.50	4.50	#4.50/*4.50	4.50/4.50	----	3.90 - 0.20	.0096	----	----	1	----	81 + 1
TOTAL										794	2,256	17798 + 2805
MAR27												
4100	----	----	335.40B/308.10A	335.40B/308.10A	----	328.10 + 8.40	.5838	----	----	----	----	12 UNCH
4195	----	----	286.50B/262.90A	286.50B/262.90A	----	280.10 + 7.40	.5303	----	----	----	----	10 UNCH
4200	----	----	284.00B/259.90A	284.00B/259.90A	----	277.70 + 7.30	.5274	----	----	----	----	51 UNCH
4210	----	----	279.20B/255.80A	279.20B/255.80A	----	273.00 + 7.20	.5218	----	----	----	----	1 UNCH
4215	----	----	276.90B/253.60A	276.90B/253.60A	----	270.70 + 7.10	.5190	----	----	----	----	2 UNCH
4220	----	----	274.70B/250.90A	274.70B/250.90A	----	268.40 + 7.10	.5162	----	----	----	----	2 UNCH
4300	----	----	240.20B/218.50A	240.20B/218.50A	----	233.80 + 6.20	.4715	----	----	----	----	190 UNCH
4350	----	----	220.20B/200.20A	220.20B/200.20A	----	214.20 + 5.70	.4443	----	----	----	----	20 UNCH
4400	----	----	201.60B/183.20A	201.60B/183.20A	----	196.10 + 5.20	.4177	----	----	----	----	321 UNCH
4450	----	----	184.40B/167.70A	184.40B/167.70A	----	179.40 + 4.80	.3919	----	----	----	----	241 UNCH
4495	----	----	170.00B/154.80A	170.00B/154.80A	----	165.50 + 4.50	.3695	----	----	----	----	1 UNCH
4500	----	----	168.40B/153.40A	168.40B/153.40A	----	164.00 + 4.40	.3671	----	----	----	----	13 UNCH
4550	----	----	153.90B/140.40A	153.90B/140.40A	----	149.80 + 4.00	.3432	----	----	----	----	241 UNCH
4580	----	----	145.70B/133.00A	145.70B/133.00A	----	141.90 + 3.80	.3294	----	----	----	----	29 UNCH
4590	----	----	143.00B/130.60A	143.00B/130.60A	----	139.30 + 3.70	.3248	----	----	----	----	20 UNCH
4600	----	----	140.50B/128.20A	140.50B/128.20A	----	136.80 + 3.70	.3204	----	----	----	----	47 UNCH
4605	----	----	139.10B/127.20A	139.10B/127.20A	----	135.60 + 3.70	.3182	----	----	----	----	34 UNCH
4610	----	----	137.90B/126.00A	137.90B/126.00A	----	134.30 + 3.60	.3159	----	----	----	----	4 UNCH
4650	----	----	128.30B/117.30A	128.30B/117.30A	----	124.90 + 3.40	.2987	----	----	----	----	1 UNCH
4660	----	----	125.80B/115.10A	125.80B/115.10A	----	122.60 + 3.30	.2944	----	----	----	----	2 UNCH
4670	----	----	123.60B/113.20A	123.60B/113.20A	----	120.40 + 3.30	.2903	----	----	----	----	3 UNCH
4675	----	----	122.50B/112.10A	122.50B/112.10A	----	119.30 + 3.20	.2882	----	----	----	----	2 UNCH
4680	----	----	121.40B/110.80A	121.40B/110.80A	----	118.20 + 3.20	.2862	----	----	----	----	2 UNCH
4685	----	----	120.30B/110.10A	120.30B/110.10A	----	117.20 + 3.20	.2842	----	----	----	----	1 UNCH
4705	----	----	115.90B/106.10A	115.90B/106.10A	----	113.00 + 3.10	.2761	----	----	----	----	19 UNCH
4710	----	----	115.00B/105.20A	115.00B/105.20A	----	111.90 + 3.00	.2741	----	----	----	----	21 UNCH
4750	----	----	106.80B/98.10A	106.80B/98.10A	----	104.10 + 2.90	.2587	----	----	----	----	50 UNCH
4765	----	----	104.00B/95.40A	104.00B/95.40A	----	101.30 + 2.80	.2531	----	----	----	----	51 UNCH
4770	----	----	103.10B/94.60A	103.10B/94.60A	----	100.40 + 2.80	.2513	----	----	----	----	50 UNCH
4775	----	----	102.10B/93.70A	102.10B/93.70A	----	99.50 + 2.80	.2495	----	----	----	----	1 UNCH
4800	----	----	97.50B/89.50A	97.50B/89.50A	----	95.10 + 2.70	.2405	----	----	----	----	125 UNCH
4820	----	----	94.20B/86.20A	94.20B/86.20A	----	91.70 + 2.60	.2335	----	----	----	----	20 UNCH
4950	----	----	74.80B/69.00A	74.80B/69.00A	----	72.80 + 1.90	.1927	----	----	----	----	2 UNCH
4995	----	----	69.30B/64.00A	69.30B/64.00A	----	67.40 + 1.70	.1805	----	----	----	----	72 UNCH
5000	----	----	68.70B/63.30A	68.70B/63.30A	----	66.90 + 1.70	.1793	----	----	----	----	3159 UNCH
5010	----	----	67.50B/62.40A	67.50B/62.40A	----	65.70 + 1.60	.1765	----	----	----	----	16 UNCH
5105	----	----	57.50B/----	57.50B/55.90A	----	56.30 + 1.20	.1542	----	----	----	----	5 UNCH
5125	----	----	55.50B/----	55.50B/54.20A	----	54.50 + 1.10	.1498	----	----	----	----	21 UNCH
5150	----	----	53.30B/----	53.30B/52.30A	----	52.50 + 1.10	.1448	----	----	----	----	1 UNCH
5200	----	----	49.30B/----	49.30B/48.70A	----	48.70 + 0.90	.1352	----	----	----	----	17 UNCH
5220	----	----	47.70B/----	47.70B/47.20A	----	47.30 + 0.90	.1317	----	----	----	----	13 UNCH
5250	----	----	45.50B/----	45.50B/45.40A	----	45.30 + 0.80	.1265	----	----	----	----	50 UNCH
5285	----	----	43.30B/----	43.30B/43.30A	----	43.10 + 0.70	.1208	----	----	----	----	5 UNCH
5300	----	----	42.50B/----	42.50B/42.60A	----	42.30 + 0.80	.1186	----	----	----	----	5 UNCH
5305	----	----	42.20B/----	42.20B/42.30A	----	42.00 + 0.70	.1179	----	----	----	----	2 UNCH
5400	----	----	37.10B/----	37.10B/37.50A	----	37.10 + 0.60	.1047	----	----	----	----	9 UNCH
5445	----	----	35.00B/----	35.00B/35.70A	----	35.20 + 0.70	.0994	----	----	----	----	1 UNCH
5450	----	----	34.80B/----	34.80B/35.50A	----	35.00 + 0.70	.0989	----	----	----	----	50 UNCH
5500	----	----	32.40B/----	32.40B/33.50A	----	33.00 + 0.70	.0933	----	----	----	----	728 UNCH
5510	----	----	32.00B/----	32.00B/33.40A	----	32.60 + 0.70	.0922	----	----	----	----	0 UNCH
5600	----	----	----	26.90B/32.20A	----	29.60 + 0.70	.0837	----	----	----	----	910 UNCH
5635	----	----	----	25.70B/31.20A	----	28.50 + 0.70	.0806	----	----	----	----	2 UNCH
5650	----	----	----	25.20B/30.80A	----	28.10 + 0.70	.0794	----	----	----	----	6 UNCH
5670	----	----	----	24.60B/30.20A	----	27.50 + 0.70	.0777	----	----	----	----	1 UNCH
5700	----	----	----	23.70B/29.40A	----	26.70 + 0.70	.0754	----	----	----	----	11 UNCH
5790	----	----	----	21.30B/27.20A	----	24.50 + 0.70	.0690	----	----	----	----	44 UNCH
5820	----	----	----	20.60B/26.60A	----	23.80 + 0.70	.0670	----	----	----	----	1 UNCH
5850	----	----	----	19.90B/25.90A	----	23.20 + 0.70	.0652	----	----	----	----	253 UNCH
5900	----	----	----	18.90B/24.90A	----	22.20 + 0.70	.0622	----	----	----	----	9 UNCH
5950	----	----	----	17.90B/24.00A	----	21.30 + 0.70	.0596	----	----	----	----	14 UNCH
5975	----	----	----	17.50B/23.60A	----	20.80 + 0.70	.0581	----	----	----	----	7 UNCH
6250	----	----	----	13.70B/19.70A	----	17.00 + 0.70	.0467	----	----	----	----	10 UNCH
6300	----	----	----	13.10B/19.10A	----	16.40 + 0.70	.0449	----	----	----	----	370 UNCH
6500	----	----	----	11.30B/17.10A	----	14.50 + 0.60	.0391	----	----	----	----	528 UNCH
TOTAL												7909 0
APR27												
3000	----	----	----	----	----	1204.40 + 18.80	.9433	----	----	----	----	1 UNCH
4125	----	----	339.70B/313.20A	339.70B/313.20A	----	332.90 + 8.00	.5692	----	----	----	----	92 UNCH
4150	----	----	326.90B/301.50A	326.90B/301.50A	----	320.40 + 7.80	.5560	----	----	----	----	1 UNCH
4200	----	----	302.50B/278.80A	302.50B/278.80A	----	296.40 + 7.30	.5296	----	----	----	----	100 UNCH
4210	----	----	297.70B/274.40A	297.70B/274.40A	----	291.80 + 7.20	.5243	----	----	----	----	5 UNCH
4250	----	----	279.70B/257.20A	279.70B/257.20A	----	273.90 + 6.80	.5033	----	----	----	----	1 UNCH
4270	----	----	270.90B/249.10A	270.90B/249.10A	----	265.40 + 6.70	.4928	----	----	----	----	1 UNCH
4300	----	----	258.90B/237.30A	258.90B/237.30A	----	252.90 + 6.30	.4773	----	----	----	----	305 UNCH
4350	----	----	239.10B/219.10A	239.10B/219.10A	----	233.40 + 6.00	.4518	----	----	----	----	104 UNCH
4375	----	----	229.70B/210.30A	229.70B/210.30A	----	224.10 + 5.70	.4393	----	----	----	----	40 UNCH
4400	----	----	220.50B/202.00A	220.50B/202.00A	----	215.10 + 5.40	.4269	----	----	----	----	6 UNCH
4410	----	----	216.90B/198.80A	216.90B/198.80A	----	211.70 + 5.40	.4220	----	----	----	----	1 UNCH
4420	----	----	213.30B/195.50A	213.30B/195.50A	----	208.20 + 5.30	.4171	----	----	----	----	31 UNCH
4440	----	----	206.40B/189.30A	206.40B/189.30A	----	201.50 + 5.10	.4075	----	----	----	----	50 UNCH
4485	----	----	191.80B/175.90A	191.80B/175.90A	----	187.20 + 4.80	.3863	----	----	----	----	1 UNCH
4500	----	----	187.00B/171.60A	187.00B/171.60A	----	182.60 + 4.70	.3793	----	----	----	----	5 UNCH
4515	----	----	182.40B/167.40A	182.40B/167.40A	----	178.10 + 4.50	.3725	----	----	----	----	31 UNCH
4565	----	----	167.90B/154.40A	167.90B/154.40A	----	164.00 + 4.20	.3502	----	----	----	----	21 UNCH
4575	----	----	165.10B/151.90A	165.10B/151.90A	----	161.30 + 4.10	.3459	----	----	----	----	50 UNCH
4595	----	----	159.70B/147.00A	159.70B/147.00A	----	156.00 + 3.90	.3373	----	----	----	----	1 UNCH
4600	----	----	158.40B/145.80A	158.40B/145.80A	----	154.70 + 3.90	.3351	----	----	----	----	15 UNCH
4605	----	----	157.10B/144.60A	157.10B/144.60A	----	153.40 + 3.80	.3330	----	----	----	----	20 UNCH
4615	----	----	154.50B/142.20A	154.50B/142.20A	----	150.90 + 3.80	.3288	----	----	----	----	50 UNCH
4625	147.10	147.10	152.00B/139.90A	152.00B/139.90A	----	148.40 NEW	.3247	----	----	10	----	10 + 10
4640	----	----	148.20B/136.50A	148.20B/136.50A	----	144.80 + 3.70	.3186	----	----	----	----	10 UNCH
4650	----	----	145.80B/134.30A	145.80B/134.30A	----	142.40 + 3.60	.3145	----	----	20	----	31 + 20
4665	----	----	142.20B/131.10A	142.20B/131.10A	----	138.90 + 3.50	.3085	----	----	----	----	20 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
APR27												
4690	----	----	136.50B/125.90A	136.50B/125.90A	----	133.20 + 3.30	.2986	----	----	----	----	11 UNCH
4695	----	----	135.20B/124.80A	135.20B/124.80A	----	132.10 + 3.30	.2967	----	----	----	----	40 UNCH
4700	----	----	134.20B/123.90A	134.20B/123.90A	----	131.00 + 3.20	.2948	----	----	----	----	58 UNCH
4710	----	----	131.90B/121.80A	131.90B/121.80A	----	128.90 + 3.20	.2910	----	----	----	----	2 UNCH
4715	----	----	130.80B/120.70A	130.80B/120.70A	----	127.80 + 3.20	.2891	----	----	----	----	63 UNCH
4725	----	----	128.70B/118.80A	128.70B/118.80A	----	125.70 + 3.10	.2853	----	----	----	----	1 UNCH
4750	----	----	123.60B/114.10A	123.60B/114.10A	----	120.60 + 3.00	.2761	----	----	----	----	51 UNCH
4760	----	----	121.50B/112.20A	121.50B/112.20A	----	118.60 + 2.90	.2725	----	----	----	----	2 UNCH
4765	----	----	120.40B/111.40A	120.40B/111.40A	----	117.60 + 2.80	.2707	----	----	----	----	2 UNCH
4785	----	----	116.50B/107.80A	116.50B/107.80A	----	113.80 + 2.70	.2636	----	----	----	----	39 UNCH
4800	----	----	113.80B/105.20A	113.80B/105.20A	----	111.10 + 2.70	.2585	----	----	----	----	152 UNCH
4885	----	----	99.10B/91.80A	99.10B/91.80A	----	96.70 + 2.30	.2308	----	----	----	----	31 UNCH
4900	----	----	96.70B/89.70A	96.70B/89.70A	----	94.30 + 2.10	.2262	----	----	----	----	15 UNCH
4930	----	----	92.10B/85.50A	92.10B/85.50A	----	89.90 + 2.00	.2173	----	----	----	----	1 UNCH
5000	----	----	82.50B/76.70A	82.50B/76.70A	----	80.50 + 1.80	.1980	----	----	----	----	185 UNCH
5050	----	----	76.30B/71.00A	76.30B/71.00A	----	74.50 + 1.60	.1853	----	----	----	----	24 UNCH
5060	----	----	75.20B/69.90A	75.20B/69.90A	----	73.40 + 1.60	.1829	----	----	----	----	25 UNCH
5130	----	----	67.60B/----	67.60B/65.20A	----	66.10 + 1.40	.1669	----	----	----	----	18 UNCH
5150	----	----	65.40B/----	65.40B/63.30A	----	64.20 + 1.40	.1627	----	----	----	----	101 UNCH
5180	----	----	62.40B/----	62.40B/61.00A	----	61.40 + 1.20	.1565	----	----	----	----	18 UNCH
5200	----	----	60.60B/----	60.60B/59.30A	----	59.70 + 1.20	.1526	----	----	----	----	151 UNCH
5215	----	----	59.40B/----	59.40B/58.20A	----	58.50 + 1.20	.1498	----	----	----	----	29 UNCH
5220	----	----	58.90B/----	58.90B/57.70A	----	58.10 + 1.20	.1488	----	----	----	----	1 UNCH
5230	----	----	58.10B/----	58.10B/56.90A	----	57.30 + 1.20	.1470	----	----	----	----	3 UNCH
5250	----	----	56.30B/----	56.30B/55.50A	----	55.70 + 1.10	.1433	----	----	----	----	2 UNCH
5300	----	----	52.50B/----	52.50B/52.10A	----	52.10 + 1.00	.1348	----	----	----	----	27 UNCH
5350	----	----	49.20B/----	49.20B/48.90A	----	48.90 + 1.00	.1271	----	----	----	----	2 UNCH
5400	----	----	46.10B/----	46.10B/46.20A	----	45.90 + 0.90	.1198	----	----	----	----	278 UNCH
5425	----	----	44.60B/----	44.60B/44.80A	----	44.60 + 0.90	.1165	----	----	----	----	2 UNCH
5430	----	----	44.30B/----	44.30B/44.60A	----	44.30 + 0.90	.1158	----	----	----	----	2 UNCH
5500	----	----	40.60B/----	40.60B/41.20A	----	40.90 + 0.90	.1073	----	----	----	----	778 UNCH
5550	----	----	38.30B/----	38.30B/39.00A	----	38.70 + 0.90	.1017	----	----	----	----	5 UNCH
5570	----	----	37.40B/----	37.40B/38.20A	----	37.80 + 0.80	.0994	----	----	----	----	1 UNCH
5575	----	----	37.20B/----	37.20B/38.10A	----	37.60 + 0.80	.0989	----	----	----	----	1 UNCH
5600	----	----	----	35.80B/37.20A	----	36.70 + 0.80	.0965	----	----	----	----	302 UNCH
5625	----	----	----	34.80B/36.20A	----	35.70 + 0.80	.0940	----	----	----	----	2 UNCH
5700	----	----	----	30.20B/35.90A	----	33.20 + 0.80	.0873	----	----	----	----	2 UNCH
5800	----	----	----	26.90B/33.00A	----	30.20 + 0.80	.0794	----	----	----	----	50 UNCH
5820	----	----	----	26.30B/32.50A	----	29.60 + 0.70	.0778	----	----	----	----	1 UNCH
5900	----	----	----	24.10B/30.50A	----	27.40 + 0.70	.0721	----	----	----	----	1 UNCH
5950	----	----	----	22.90B/29.50A	----	26.20 + 0.60	.0689	----	----	----	----	1 UNCH
6000	----	----	----	21.80B/28.40A	----	25.10 + 0.60	.0659	----	----	----	----	99 UNCH
TOTAL										30		3582 + 30
MAY27												
4000	----	----	----/420.80A	407.70B/420.80A	----	440.00 + 9.30	.6448	----	----	----	----	1 UNCH
4250	291.50	291.50	312.50B/291.00	312.50B/291.00	----	309.20 NEW	.5231	----	----	12	----	12 + 12
4505	----	----	216.50B/200.60A	216.50B/200.60A	----	212.20 + 4.80	.4035	----	----	----	----	9 UNCH
4520	----	----	211.60B/196.20A	211.60B/196.20A	----	207.50 + 4.70	.3969	----	----	----	----	1 UNCH
4555	----	----	200.80B/186.20A	200.80B/186.20A	----	196.90 + 4.50	.3819	----	----	----	----	9 UNCH
4700	----	----	161.30B/150.10A	161.30B/150.10A	----	158.40 + 3.80	.3238	----	----	----	----	6 UNCH
4855	----	----	127.60B/119.10A	127.60B/119.10A	----	125.70 + 3.10	.2697	----	----	----	----	2 UNCH
4970	----	----	107.60B/100.80A	107.60B/100.80A	----	106.10 + 2.60	.2348	----	----	----	----	9 UNCH
5000	----	----	102.90B/96.60A	102.90B/96.60A	----	101.60 + 2.50	.2265	----	----	----	----	2 UNCH
5170	----	----	80.70B/----	80.70B/78.60A	----	79.70 + 1.70	.1844	----	----	----	----	20 UNCH
5220	----	----	75.30B/----	75.30B/73.70A	----	74.30 + 1.40	.1736	----	----	----	----	39 UNCH
5365	----	----	----	59.80B/63.40A	----	61.40 + 0.90	.1466	----	----	----	----	3 UNCH
5395	----	----	----	57.50B/61.20A	----	59.10 + 0.80	.1417	----	----	----	----	1 UNCH
5400	----	----	----	57.10B/60.80A	----	58.80 + 0.80	.1410	----	----	----	----	9 UNCH
5515	----	----	----	49.20B/53.30A	----	51.30 + 0.50	.1243	----	----	----	----	1 UNCH
5850	----	----	----	35.20B/39.00A	----	36.80 + 0.40	.0900	----	----	----	----	50 UNCH
6000	----	----	----	26.70B/38.00A	----	32.50 + 0.50	.0794	----	----	----	----	76 UNCH
TOTAL										12		250 + 12
JUN27												
4100	----	----	----	157.40B/635.60A	----	397.00 + 7.70	.5957	----	----	----	----	1 UNCH
4200	----	----	----	227.40B/467.00A	----	346.70 + 6.50	.5486	----	----	----	----	10 UNCH
4285	----	----	----	180.20B/420.60A	----	308.30 + 5.60	.5086	----	----	----	----	100 UNCH
4300	----	----	----	173.80B/414.60A	----	302.00 + 5.50	.5017	----	----	----	----	65 UNCH
4325	----	----	----	184.30B/*360.80A	----	291.60 + 5.20	.4901	----	----	----	----	50 UNCH
4375	----	----	----	169.10B/*334.30A	----	272.00 + 4.90	.4673	----	----	----	----	25 UNCH
4800	----	----	----	133.70B/*157.70A	----	149.70 + 2.50	.2993	----	----	----	----	51 UNCH
5000	----	----	----	101.10B/126.40A	----	114.10 + 2.10	.2397	----	----	----	----	688 UNCH
5085	----	----	----	96.60B/120.60A	----	102.10 + 2.00	.2182	----	----	----	----	150 UNCH
5500	----	----	----	55.80B/124.00A	----	63.20 + 2.70	.1420	----	----	175	----	215 + 175
5975	----	----	----	33.00B/44.70A	----	39.50 + 1.30	.0911	----	----	----	----	1 UNCH
6000	----	----	----	32.10B/43.90A	----	38.60 + 1.20	.0891	----	----	----	----	1 UNCH
6050	----	----	----	30.50B/42.50A	----	37.00 + 1.00	.0855	----	----	----	----	1 UNCH
6100	----	----	----	29.10B/41.10A	----	35.50 + 0.90	.0820	----	----	----	----	1 UNCH
7000	----	----	----	14.20B/26.50A	----	23.60 + 2.60	.0510	----	----	175	----	258 + 74
7500	----	----	----	10.60B/22.50A	----	21.80 + 4.20	.0445	----	----	----	----	453 UNCH
8000	----	----	----	14.00B/19.70A	----	19.20 + 4.20	.0379	----	----	----	----	184 UNCH
9000	----	----	----	5.50B/15.90A	----	10.80 + 0.20	.0218	----	----	----	----	87 UNCH
9500	----	----	----	4.50B/14.60A	----	9.10 + 0.20	.0182	----	----	----	----	1 UNCH
10000	----	----	----	3.80B/13.50A	----	7.80 + 0.20	.0155	----	----	----	----	22 UNCH
TOTAL										350		2364 + 249
DEC27												
4500	----	----	----	----	----	369.30 + 8.80	.4848	----	----	----	----	75 UNCH
4860	----	----	----	----	----	250.70 + 6.60	.3691	----	----	----	----	100 UNCH
5000	----	----	----	----	----	215.20 + 5.90	.3293	----	----	----	----	50 UNCH
5650	----	----	----	----	----	108.20 + 3.40	.1895	----	----	----	----	200 UNCH
5700	----	----	----	----	----	102.90 + 3.20	.1816	----	----	----	----	150 UNCH
5800	----	----	----	----	----	93.40 + 2.90	.1671	----	----	----	----	200 UNCH
5880	----	----	----	----	----	86.60 + 2.70	.1565	----	----	----	----	125 UNCH
6300	----	----	----	----	----	60.20 + 2.00	.1129	----	----	----	----	18 UNCH
7500	----	----	----	----	----	28.80 + 1.00	.0549	----	----	----	----	170 UNCH
7800	----	----	----	----	----	25.30 + 0.80	.0480	----	----	----	----	284 UNCH
10000	----	----	----	----	----	16.10 + 0.40	.0274	----	----	----	----	103 UNCH
10500	----	----	----	----	----	14.40 + 0.30	.0243	----	----	----	----	10 UNCH
TOTAL												1485 0
DEC28												
5000	----	----	----	----	----	413.20 + 7.80	.4361	----	----	----	----	50 UNCH
5750	----	----	----	----	----	243.60 + 5.20	.2904	----	----	----	----	100 UNCH
TOTAL												150 0

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
MMG MON		MICRO GOLD WEEKLY MONDAY OPTION WEE										
JUL26												
3850	----	----	----	----	----	0.30 - 1.40	.0032	----	----	----	----	1 UNCH
3875	----	----	----	----	----	0.40 - 1.90	.0049	----	----	----	----	1 UNCH
4200	----	----	----	----	----	0.60 - 0.70	.0116	----	----	----	----	3 UNCH
TOTAL												5 0

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWW WED		GOLD WEEKLY WEDNESDAY OPTION WEEK5										
JUL26												
3500	----	----	----	----/*0.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
3600	----	----	0.40B/*0.20A	0.40B/*0.20A	----	0.10 - 0.20	.0002	----	----	----	----	30 UNCH
3625	----	----	----/0.20A	0.40B/0.20A	----	0.10 - 0.30	.0004	----	----	----	----	5 UNCH
3700	----	----	1.00B/*0.30A	1.00B/*0.30A	----	0.20 - 0.50	.0018	----	----	----	----	3 UNCH
3725	----	----	1.30B/*0.40A	1.30B/*0.40A	----	0.30 - 0.60	.0029	----	----	----	----	1 UNCH
3750	1.60	1.60	1.60/*0.40	1.60/*0.40	----	0.40 - 0.80	.0041	----	----	40	----	89 - 3
3775	----	----	2.10B/*0.60A	2.10B/*0.60A	----	0.50 - 1.00	.0054	----	----	----	----	20 UNCH
3800	----	----	2.50B/0.70A	2.50B/0.70A	----	0.70 - 1.30	.0080	----	----	----	----	47 UNCH
3805	0.80	0.80	#2.70B/*0.80	2.70B/*0.80	----	0.70 NEW	.0081	----	----	3	----	3 + 3
3810	2.40	2.40	#2.80B/*0.80A	2.80B/*0.80A	----	0.70 NEW	.0082	----	----	4	----	4 + 4
3825	----	----	3.30B/0.90A	3.30B/0.90A	----	0.80 - 1.70	.0098	----	----	----	----	269 UNCH
3830	----	----	#3.40B/*1.00A	3.40B/*1.00A	----	0.90 NEW	.0110	----	----	1	----	1 + 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 37

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWW WED		GOLD WEEKLY WEDNESDAY OPTION WEEK5										
JUL26												
3850	1.70	1.70	4.20B/1.10A	4.20B/1.10A	----	1.10 - 2.10	.0142	----	----	3	----	37 UNCH
3860	2.40	2.40	#4.60B/*1.30A	4.60B/*1.30A	----	1.20 NEW	.0159	----	----	1	----	1 + 1
3865	----	----	4.90B/1.30A	4.90B/1.30A	----	1.20 - 2.50	.0162	----	----	----	----	1 UNCH
3875	2.70	2.70	5.30B/1.40	5.30B/1.40	----	1.40 - 2.70	.0192	----	----	18	----	174 + 7
3880	5.50	5.50	#5.60B/*1.60A	5.60B/1.60A	----	1.50 - 2.80	.0208	----	----	30	----	29 + 15
3900	4.50	4.50	7.10B/1.70	7.10B/1.70	----	1.80 - 3.50	.0263	----	----	11	----	48 - 9
3900	----	----	213.80B/160.50A	213.80B/160.50A	----	200.70 + 17.30	.9735	----	----	----	----	0 UNCH
3905	2.10	2.10	#7.40B/*2.00A	7.40B/2.00A	----	1.90 NEW	.0281	----	----	2	----	2 + 2
3915	2.40	2.40	#8.30B/*2.30A	8.30B/2.30A	----	2.20 NEW	.0331	----	----	4	----	4 + 4
3920	2.60	2.60	#8.90B/*2.40A	8.90B/2.40A	----	2.30 NEW	.0351	----	----	2	----	2 + 2
3925	9.40	9.40	9.40/2.50A	9.40/2.50A	----	2.50 - 4.50	.0384	----	----	4	----	75 + 3
3935	5.20	5.20	10.60B/*2.90A	10.60B/2.90A	----	2.80 - 5.10	.0441	----	----	1	----	29 + 1
3940	3.20	3.20	11.20B/*3.10A	11.20B/3.10A	----	3.00 - 5.30	.0476	----	----	1	----	6 UNCH
3950	6.20	6.20	12.60B/3.40	12.60B/3.40	----	3.40 - 6.00	.0551	----	----	44	----	72 + 24
3955	6.30	6.30	13.30B/*3.70A	13.30B/3.70A	----	3.60 - 6.30	.0591	----	----	2	----	4 + 2
3960	7.30	7.30	14.10B/*4.00A	14.10B/4.00A	----	3.90 - 6.60	.0643	----	----	20	----	19 + 15
3965	7.80	7.80	#15.00B/*4.20A	15.00B/4.20A	----	4.10 NEW	.0686	----	----	12	----	11 + 11
3970	7.60	7.60	#15.80B/*4.50A	15.80B/4.50A	----	4.40 NEW	.0742	----	----	26	----	26 + 26
3975	10.70	10.70	16.80B/4.90A	16.80B/4.90A	----	4.70 - 7.80	.0800	----	----	59	----	69 + 46
3975	----	----	141.80B/95.50A	141.80B/95.50A	----	128.60 + 13.00	.9198	----	----	----	----	1 UNCH
3980	9.30	9.30	#17.80B/*5.20A	#17.80B/5.20A	----	5.10 NEW	.0872	----	----	72	----	70 + 70
3985	6.90	6.90	18.70B/*5.60A	18.70B/5.60A	----	5.50 - 8.60	.0945	----	----	109	----	108 + 106
3990	20.20	20.20	#20.20/6.00	#20.20/6.00	----	5.90 - 9.10	.1021	----	----	4	----	5 + 1
3995	6.90	6.90	#21.10B/*6.50A	#21.10B/6.50A	----	6.30 NEW	.1100	----	----	6	----	6 + 6
4000	----	----	118.70B/76.20A	118.70B/76.20A	----	105.70 + 10.80	.8806	----	----	----	----	4 UNCH
4000	17.50	17.50	22.20B/6.90A	22.20B/6.90A	----	6.80 - 10.00	.1192	----	----	21	----	144 + 4
4005	12.60	12.60	#23.80B/*7.30A	#23.80B/7.30A	----	7.40 NEW	.1299	----	----	31	----	29 + 29
4010	23.00	23.00	#25.10B/*7.90A	#25.10B/7.90A	----	8.00 - 10.90	.1407	----	----	1	----	11 + 1
4015	24.00	24.00	#26.50B/*8.40A	#26.50B/8.40A	----	8.60 - 11.50	.1520	----	----	102	----	28 + 24
4020	27.20	27.20	#28.30B/9.00A	#28.30B/9.00A	----	9.30 - 12.00	.1646	----	----	20	----	19 + 14
4025	----	----	96.50B/58.50A	96.50B/58.50A	----	84.00 + 8.30	.8213	----	----	1	----	10 + 1
4025	16.00	16.00	29.80B/9.70A	29.80B/9.70A	----	10.10 - 12.50	.1785	----	----	18	----	82 + 15
4030	29.00	29.00	#31.40B/*10.40A	#31.40B/10.40A	----	11.00 - 13.00	.1936	----	----	14	----	20 + 13
4035	----	----	#33.20B/*11.10A	#33.20B/11.10A	----	11.90 NEW	.2092	----	----	10	----	3 + 3
4035	----	----	#87.80B/*51.80A	87.80B/*51.80A	----	75.70 NEW	.7906	----	----	10	----	3 + 3
4040	33.50	33.50	#35.40B/*12.00A	#35.40B/12.00A	----	12.90 NEW	.2260	----	----	32	----	12 + 12
4045	----	----	#37.30B/*12.90A	#37.30B/12.90A	----	13.90 - 14.60	.2432	----	----	----	----	1 UNCH
4050	36.30	36.30	39.70B/13.80	39.70B/13.80	----	15.10 - 15.10	.2623	----	----	49	----	85 - 8
4050	----	----	72.70B/43.20A	72.70B/43.20A	----	64.00 + 5.70	.7374	----	----	1	----	68 UNCH
4055	38.10	38.10	#42.00B/*14.90A	#42.00B/14.90A	----	16.40 - 15.60	.2826	----	----	25	----	5 + 2
4060	64.00	64.00	#67.20B/*37.90A	67.20B/*37.90A	----	56.60 NEW	.6966	----	----	10	----	4 + 4
4060	32.70	32.70	#44.40B/*16.10A	#44.40B/16.10A	----	17.70 - 16.20	.3032	----	----	19	----	16 - 3
4065	----	----	#46.80B/*17.30A	#46.80B/17.30A	----	19.20 - 16.70	.3255	----	----	----	----	3 UNCH
4070	49.50	49.50	#49.50/*18.60A	#49.50/18.60A	----	20.80 - 17.20	.3486	----	----	10	----	21 UNCH
4075	43.00	43.00	51.60B/19.90A	51.60B/19.90A	----	22.50 - 17.70	.3725	----	----	16	----	32 + 1
4075	36.70	36.70	56.40B/*30.80A	56.40B/*30.80A	----	46.40 + 3.20	.6273	----	----	1	----	52 + 1
4080	32.80	32.80	#53.00B/*28.50A	53.00B/*28.50A	----	43.20 + 2.70	.6026	----	----	8	----	3 + 2
4080	28.40	28.40	#54.40B/*21.50A	#54.40B/21.50A	----	24.30 - 18.10	.3972	----	----	28	----	14 + 6
4085	----	----	#49.00B/*26.60A	49.00B/*26.60A	----	40.10 + 2.20	.5772	----	----	7	----	8 + 7
4085	24.50	24.50	#57.40B/23.10A	#57.40B/23.10A	----	26.20 - 18.60	.4226	----	----	1	----	13 + 1
4090	----	----	#60.40B/*24.80A	#60.40B/24.80A	----	28.30 - 19.10	.4487	----	----	5	----	4 + 1
4090	35.10	35.10	#46.70B/*24.50A	46.70B/*24.50A	----	37.20 + 1.70	.5510	----	----	13	----	11 + 5
4095	38.60	38.60	#63.60B/*26.70A	#63.60B/26.70A	----	30.50 - 19.50	.4753	----	----	6	----	8 + 6
4095	25.00	25.00	#43.60B/*22.70A	43.60B/*22.70A	----	34.40 + 1.30	.5245	----	----	47	----	14 - 12
4100	40.10	40.10	66.90B/28.70A	66.90B/28.70A	----	32.80 - 19.90	.5022	----	----	38	----	98 + 16
4100	23.50	23.50	40.70B/*20.90A	40.70B/*20.90A	----	31.70 + 0.90	.4975	----	----	99	----	696 - 5
4105	21.00	21.00	#37.80B/*19.20A	37.80B/*19.20A	----	29.20 + 0.50	.4704	----	----	14	----	5 - 2
4105	----	----	#70.30B/*30.80A	#70.30B/30.80A	----	35.20 - 20.40	.5294	----	----	1	----	2 + 1
4110	17.40	17.40	#35.00B/*17.40	35.00B/*17.40	----	26.80 NEW	.4433	----	----	36	----	10 + 10
4115	24.30	24.30	32.50B/*16.50A	32.50B/*16.50A	----	24.50 - 0.20	.4161	----	----	6	----	2 + 1
4115	----	----	#77.50B/35.60A	#77.50B/35.60A	----	40.60 - 21.00	.5837	----	----	----	----	0 UNCH
4120	16.80	16.80	30.00B/*15.20A	30.00B/*15.20A	----	22.40 - 0.50	.3894	----	----	6	----	6 - 1
4120	----	----	#81.10B/38.10A	#81.10B/38.10A	----	43.50 - 21.30	.6104	----	----	2	----	7 + 2
4125	----	----	84.90B/40.60A	84.90B/40.60A	----	46.50 - 21.60	.6368	----	----	----	----	32 UNCH
4125	15.30	15.30	27.70B/*14.00A	27.70B/*14.00A	----	20.40 - 0.80	.3630	----	----	63	----	114 + 14
4130	13.50	13.50	#25.40B/*12.80A	25.40B/*12.80A	----	18.60 - 1.10	.3375	----	----	53	----	22 + 15
4130	----	----	#88.80B/*43.50A	#88.80B/43.50A	----	49.70 - 21.80	.6623	----	----	----	----	1 UNCH
4135	13.20	13.20	23.40B/*11.80A	23.40B/*11.80A	----	16.90 - 1.30	.3126	----	----	89	----	65 UNCH
4135	----	----	#92.80B/*46.90A	#92.80B/46.90A	----	53.00 NEW	.6872	----	----	5	----	5 + 5
4140	12.20	12.20	21.40B/*10.80A	21.40B/*10.80A	----	15.40 - 1.40	.2891	----	----	12	----	9 + 3
4145	10.50	10.50	#19.60B/*9.80A	19.60B/*9.80A	----	13.90 - 1.60	.2658	----	----	3	----	3 + 1
4150	12.90	12.90	17.90B/*8.90A	17.90B/*8.90A	----	12.60 - 1.80	.2442	----	----	14	----	164 - 10
4150	----	----	105.20B/56.30A	105.20B/56.30A	----	63.70 - 22.50	.7556	----	----	----	----	43 UNCH
4160	----	----	#14.90B/*7.10A	14.90B/*7.10A	----	10.30 - 2.00	.2044	----	----	----	----	3 UNCH
4160	----	----	#114.10B/*68.00	#114.10B/68.00A	----	71.40 - 22.70	.7954	----	----	----	----	2 UNCH
4165	10.30	10.30	13.50/*6.30A	13.50/*6.30A	----	9.30 - 2.00	.1863	----	----	11	----	8 - 7
4170	6.30	6.30	#12.20B/*5.70A	12.20B/*5.70A	----	8.40 - 2.10	.1695	----	----	6	----	22 + 5
4175	6.30	6.30	11.10B/*5.00A	11.10B/*5.00A	----	7.60 - 2.10	.1542	----	----	55	----	102 + 19
4175	----	----	127.30B/74.40A	127.30B/74.40A	----	83.70 - 22.80	.8456	----	----	----	----	13 UNCH
4180	7.10	7.10	10.00B/*4.50A	10.00B/*4.50A	----	6.80 - 2.20	.1391	----	----	18	----	18 + 10
4185	6.70	6.70	9.10B/*4.10A	9.10B/*4.10A	----	6.20 - 2.10	.1268	----	----	7	----	65 + 7
4190	4.80	4.80	8.20B/*3.60A	8.20B/*3.60A	----	5.60 - 2.10	.1147	----	----	3	----	10 + 3
4195	5.90	5.90	7.50B/*3.30A	7.50B/*3.30A	----	5.10 - 2.00	.1043	----	----	8	----	20 + 7
4200	----	----	150.50B/95.30A	150.50B/95.30A	----	105.60 - 22.80	.9057	----	----	----	----	4 UNCH
4200	5.20	5.20	6.80B/*3.00A	6.80B/*3.00A	----	4.60 - 2.00	.0941	----	----	39	----	202 + 28
4210	3.90	3.90	5.60B/*2.40A	5.60B/*2.40A	----	3.80 - 1.90	.0772	----	----	22	----	32 + 19
4215	4.10	4.10	#5.10B/*2.20A	5.10B/*2.20A	----	3.40 NEW	.0691	----	----	11	----	7 + 7
4220	3.00	3.00	4.60B/*2.00A	4.60B/*2.00A	----	3.10 - 1.80	.0626	----	----	31	----	45 + 31
4225	2.80	2.80	4.30/*1.80A	4.30/*1.80A	----	2.80 - 1.80	.0563	----	----	86	----	80 - 15
4235	----	----	----/*1.50A	3.50B/*1.50A	----	2.40 - 1.60	.0473	----	----	----	----	13 UNCH
4240	2.80	2.80	#3.20B/*1.40A	3.20B/*1.40A	----	2.20 NEW	.0430	----	----	4	----	4 + 4
4245	----	----	----/*1.30A	2.90B/*1.30A	----	2.00 - 1.40	.0388	----	----	----	----	9 UNCH
4250	1.90	1.90	2.60B/*1.20A	2.60B/*1.20A	----	1.80 - 1.40	.0347	----	----	4	----	57 - 1
4270	1.80	1.80	#1.90B/*0.80A	1.90B/*0.80A	----	1.30 NEW	.0240	----	----	20	----	20 + 20
4275	----	----	----/*0.80A	1.70B/*0.80A	----	1.30 - 1.00	.0234	----	----	----	----	49 UNCH
4280	1.20	1.20	1.20/*0.70A	1.60B/*0.70A	----	1.20 - 1.00	.0214	----	----	14	----	109 + 9
4285	----	----	----/*0.70A	1.50B/*0.70A	----	1.10 - 1.00	.0194	----	----	----	----	4 UNCH
4300	1.10	1.10	1.10/*0.60A	1.20B/*0.60A	----	0.90 - 0.80	.0153	----	----	2	----	104 - 1
4320	0.40	0.40	#0.40/*0.40	1.00B/*0.40	----	0.70 NEW	.0113	----	----	10	----	10 + 10
4325	0.60	0.60	0.60/*0.40A	0.90B/*0.40A	----	0.70 - 0.60	.0111	----	----	4	----	71 - 4
4345	0.30	0.30	#0.30/*0.30	0.70B/*0.30	----	0.60 NEW	.0089	----	----	10	----	10 + 10
4350	0.50	0.50	0.50/*0.30A	0.70B/*0.30A	----	0.50 - 0.50	.0074	----	----	3	----	16 UNCH
4365	0.20	0.20	#0.20/*0.20	0.50B/*0.20	----	0.50 NEW	.0070	----	----	1	----	1 + 1
4375	0.30	0.30	0.30/*0.20A	0.50B/*0.20A	----	0.40 - 0.40	.0055	----	----	20	----	26 - 10
4380	0.40	0.40	#0.40/*0.20A	0.40/*0.20A	----	0.40 NEW	.0055	----	----	2	----	2 + 2
4400	0.30	0.30	0.30/*0.20	0.30/*0.20	----	0.30 - 0.30	.0039	----	----	60	----	46 - 40
4425	0.30	0.30	0.30/*0.20	0.30/*0.20	----	0.30 - 0.20	.0036	----	----	26	----	72 + 17
4475	----	----	----/*0.30A	----/*0.30A	----	0.20 - 0.20	.0021	----	----	----	----	2 UNCH
4500	----	----	----/*0.20A	0.10B/*0.20A	----	0.10 - 0.20	.0009	----	----	----	----	12 UNCH
4525	----	----	----	----/*0.30A	----	0.10 - 0.20	.0004	----	----	----	----	1 UNCH
4550	----	----	----	----/0.30A	----	0.10 - 0.20	.0002	----	----	----	----	98 UNCH
4600	----	----	----	----/*0.30A	----	0.10 - 0.10	.0000	----	----	----	----	6 UNCH
4700	----	----	----	----/0.30A	----	0.10 - 0.10	----	----	----	----	----	31 UNCH
4750	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	4 UNCH
4800	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	8 UNCH
TOTAL										1903		4701 + 651
AUG26												
3300	----	----	----	0.20B/0.50A	----	0.20 - 0.20	.0014	----	----	----	----	50 UNCH
3500	----	----	----/2.20A	2.60B/2.20A	----	1.80 - 0.90	.0139	----	----	----	----	3 UNCH
3600	7.20	7.20	#7.20/*5.80A	#7.30B/*5.80A	----	5.60 NEW	.0395	----	----	4	----	4 + 4
3600	----	----	----/1.40A	1.70B/1.40A	----	1.20 - 0.90	.0109	----	----	----	----	2 UNCH
3600	----	----	----/3.70A	4.90B/3.70A	----	3.40 - 1.50	.0267	----	----	----	----	4 UNCH
3625	----	----	5.80B/4.20A	5.80B/4.20A	----	3.90 - 1.80	.0309	----	----	----	----	2 UNCH
3650	----	----	----/1.80A	2.70B/1.80A	----	1.60 - 1.30	.0151	----	----	----	----	2 UNCH
3700	----	----	9.90B/6.10A	9.90B/6.10A	----	6.10 - 2.80	.0489	----	----	----	----	1 UNCH
3700	----	----	----/2.40A	4.00B/2.40A	----	2.20 - 1.80	.0216	----	----	----	----	5 UNCH
3725	----	----	11.50B/7.10A	11.50B/7.10A	----	7.10 - 3.30	.0570	----	----	----	----	4 UNCH
3725	----	----	5.30B/2.90A	5.30B/2.90A	----	2.70 - 2.00	.0267	----	----	----	----	2 UNCH
3750	----	----	#18.10B/*12.90A	#18.10B/*12.90A	----	13.00 - 4.70	.0905	----	----	----	----	1 UNCH
3750	----	----	13.80B/8.30A	13.80B/8.30A	----	8.30 - 3.80	.0667	----	----	----	----	3 UNCH
3750	----	----	6.40B/3.40A	6.40B/3.40A	----	3.20 - 2.40	.0322	----	----	----	----	3 UNCH
3775	----	----	#21.00B/*14.80A	#21.00B/*14.80A	----	15.00 - 5.20	.1038	----	----	----	----	1 UNCH
3775	----	----	16.20B/9.70A	16.20B/9.70A	----	9.70 - 4.40	.0779	----	----	----	----	1 UNCH
3775	----	----	7.70B/4.10A	7.70B/4.10A	----	3.90 - 2.90	.0396	----	----	----	----	2 UNCH
3800	----	----	9.70B/4.90A	9.70B/4.90A	----	4.70 - 3.50	.0483	----	----	----	----	5 UNCH
3825	----	----	11.90B/6.00A	11.90B/6.00A	----	5.80 - 4.10	.0599	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

GWW WED — GOLD WEEKLY WEDNESDAY OPTION WEEK2

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
AUG26												
3850	----	----	25.90B/15.60A	25.90B/15.60A	----	15.90 - 6.40	.1254	----	----	----	----	2 UNCH
3875	----	----	17.60B/8.90A	17.60B/8.90A	----	8.90 - 5.80	.0919	----	----	----	----	6 UNCH
3900	13.80	13.80	21.30B/10.90A	21.30B/10.90A	----	11.10 - 6.70	.1138	----	----	19	----	26 + 17
3900	----	----	35.20B/21.40A	35.20B/21.40A	----	22.20 - 8.20	.1709	----	----	----	----	2 UNCH
3950	----	----	47.70B/29.70A	47.70B/29.70A	----	31.20 - 10.10	.2308	----	----	----	----	49 UNCH
3975	----	----	37.90B/20.30A	37.90B/20.30A	----	21.70 - 10.20	.2118	----	----	----	----	5 UNCH
3975	----	----	55.30B/34.90A	55.30B/34.90A	----	36.90 - 11.10	.2664	----	----	----	----	2 UNCH
4000	----	----	64.10B/41.10A	64.10B/41.10A	----	43.50 - 12.20	.3055	----	----	----	----	20 UNCH
4000	----	----	45.70B/25.10A	45.70B/25.10A	----	27.00 - 11.60	.2567	----	----	10	----	112 + 6
4025	----	----	133.00B/104.10A	133.00B/104.10A	----	125.00 + 7.50	.6512	----	----	----	----	4 UNCH
4025	----	----	55.00B/31.00A	55.00B/31.00A	----	33.50 - 13.00	.3083	----	----	----	----	29 UNCH
4050	----	----	65.70B/38.10A	65.70B/38.10A	----	41.40 - 14.30	.3662	----	----	----	----	71 UNCH
4050	----	----	99.50B/69.40A	99.50B/69.40A	----	90.20 + 6.40	.6335	----	----	----	----	10 UNCH
4050	----	----	116.10B/88.80A	116.10B/88.80A	----	108.80 + 6.40	.6054	----	----	----	----	2 UNCH
4075	----	----	75.00B/46.70A	75.00B/46.70A	----	50.80 - 15.70	.4291	----	----	----	----	26 UNCH
4075	----	----	83.40B/57.10A	83.40B/57.10A	----	74.60 NEW	.5705	----	----	2	----	1 + 1
4075	----	----	94.90B/65.80A	94.90B/65.80A	----	70.00 - 15.50	.4423	----	----	1	----	2 + 1
4075	----	----	102.10B/76.10A	102.10B/76.10A	----	93.90 + 5.30	.5571	----	----	----	----	16 UNCH
4100	----	----	88.00B/64.80A	88.00B/64.80A	----	80.20 + 4.30	.5071	----	----	----	----	111 UNCH
4100	----	----	105.90B/76.50A	105.90B/76.50A	----	81.30 - 16.50	.4923	----	----	1	----	3 UNCH
4100	----	----	88.50B/56.90A	88.50B/56.90A	----	61.80 - 17.00	.4956	----	----	----	----	8 UNCH
4100	----	----	68.70B/45.90A	68.70B/45.90A	----	60.70 + 3.70	.5040	----	----	----	----	154 UNCH
4125	----	----	120.60B/88.60A	120.60B/88.60A	----	94.00 - 17.30	.5432	----	----	----	----	31 UNCH
4125	----	----	55.70B/36.50A	55.70B/36.50A	----	48.60 + 2.60	.4360	----	----	1	----	4 + 1
4125	----	----	75.00B/54.40A	75.00B/54.40A	----	67.90 + 3.40	.4563	----	----	----	----	8 UNCH
4150	----	----	136.40B/101.70A	136.40B/101.70A	----	107.90 - 18.20	.5938	----	----	----	----	10 UNCH
4150	----	----	121.10B/82.60A	121.10B/82.60A	----	89.20 NEW	.6306	----	----	1	----	1 + 1
4150	60.40	60.40	63.30B/45.40A	63.30B/45.40A	----	56.90 + 2.60	.4056	----	----	20	----	30 + 18
4150	----	----	44.40B/28.90A	44.40B/28.90A	----	38.20 + 1.50	.3690	----	----	----	----	107 UNCH
4175	----	----	139.60B/98.40A	139.60B/98.40A	----	105.50 - 20.20	.6943	----	----	----	----	9 UNCH
4175	----	----	52.90B/37.70A	52.90B/37.70A	----	47.30 + 1.90	.3564	----	----	----	----	29 UNCH
4175	----	----	34.80B/*22.50A	34.80B/*22.50A	----	29.50 + 0.60	.3053	----	----	----	----	10 UNCH
4200	----	----	27.00B/*17.50A	27.00B/*17.50A	----	22.50 - 0.10	.2473	----	----	----	----	16 UNCH
4200	----	----	43.70B/31.20A	43.70B/31.20A	----	38.90 + 1.30	.3092	----	----	----	----	24 UNCH
4225	----	----	35.90B/25.50A	35.90B/25.50A	----	31.80 + 0.80	.2654	----	----	----	----	5 UNCH
4225	14.20	14.20	20.60B/*13.90A	20.60B/*13.90A	----	17.00 - 0.50	.1968	----	----	2	----	8 + 2
4250	----	----	29.30B/20.90A	29.30B/20.90A	----	25.80 + 0.30	.2252	----	----	----	----	153 UNCH
4250	10.30	10.30	15.70B/*10.30	15.70B/*10.30	----	12.80 - 0.80	.1544	----	----	4	----	58 + 2
4275	----	----	11.90B/*7.90A	11.90B/*7.90A	----	9.70 - 0.90	.1205	----	----	----	----	8 UNCH
4300	6.50	6.50	9.00B/*6.00A	9.00B/*6.00A	----	7.30 - 1.00	.0930	----	----	1	----	9 + 1
4300	----	----	19.20B/14.60A	19.20B/14.60A	----	16.90 - 0.20	.1587	----	----	----	----	2 UNCH
4325	----	----	15.60B/*11.70A	15.60B/*11.70A	----	13.70 - 0.30	.1323	----	----	----	----	12 UNCH
4325	5.00	5.00	6.80B/*4.60A	6.80B/*4.60A	----	5.60 - 0.90	.0722	----	----	1	----	3 UNCH
4350	----	----	----/*3.50A	5.20B/*3.50A	----	4.40 - 0.80	.0569	----	----	----	----	1 UNCH
4350	----	----	12.60B/*9.90A	12.60B/*9.90A	----	11.10 - 0.40	.1098	----	----	----	----	6 UNCH
4375	----	----	10.30B/*8.00A	10.30B/*8.00A	----	9.00 - 0.50	.0908	----	----	----	----	22 UNCH
4375	----	----	----/*2.80A	4.00B/*2.80A	----	3.40 - 0.80	.0442	----	----	----	----	32 UNCH
4400	----	----	----/*2.30A	3.10B/*2.30A	----	2.70 - 0.70	.0349	----	----	1	----	28 UNCH
4400	----	----	8.40B/*6.60A	8.40B/*6.60A	----	7.40 - 0.50	.0757	----	----	----	----	19 UNCH
4425	----	----	6.80B/*5.40A	6.80B/*5.40A	----	6.10 - 0.50	.0630	----	----	----	----	2 UNCH
4425	----	----	----/*1.90A	2.40B/*1.90A	----	2.20 - 0.70	.0281	----	----	----	----	3 UNCH
4450	4.60	4.60	5.50B/*4.50A	5.50B/*4.50A	----	5.10 - 0.40	.0529	----	----	2	----	5 + 2
4475	----	----	----/*3.80A	4.50B/*3.80A	----	4.30 - 0.40	.0447	----	----	----	----	22 UNCH
4475	----	----	----/*1.40A	1.50B/*1.40A	----	1.50 - 0.50	.0187	----	----	----	----	1 UNCH
4500	----	----	----/*1.20A	1.20B/*1.20A	----	1.30 - 0.50	.0158	----	----	----	----	10 UNCH
4575	4.50	4.50	#4.50/*4.30A	#4.50/*4.30A	----	3.90 NEW	.0364	----	----	5	----	5 + 5
4600	----	----	----/*0.80A	0.60B/*0.80A	----	0.70 - 0.40	.0079	----	----	1	----	9 UNCH
4600	----	----	----	1.60B/*2.30A	----	1.80 - 0.30	.0188	----	----	----	----	2 UNCH
4800	----	----	----	----/*0.60A	----	0.30 - 0.30	.0029	----	----	----	----	8 UNCH
4900	----	----	----	----/0.50A	----	0.30 - 0.20	.0026	----	----	----	----	16 UNCH
5500	----	----	----	----/0.40A	----	0.20 - 0.20	.0011	----	----	----	----	5 UNCH
TOTAL										76		1490 + 61

GWT TUE — GOLD WEEKLY TUESDAY OPTION Week4

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
AUG26												
3000	----	----	----	0.20B/3.20A	----	0.30 - 0.10	.0018	----	----	----	----	2 UNCH
3250	----	----	----	0.90B/3.40A	----	0.70 - 0.40	.0048	----	----	----	----	2 UNCH
3300	----	----	----	2.20B/*2.90A	----	1.50 - 0.70	.0098	----	----	----	----	1 UNCH
3400	----	----	----/*1.40A	0.90B/1.40A	----	0.90 - 0.60	.0068	----	----	----	----	1 UNCH
3500	----	----	----/*0.70A	0.60B/0.70A	----	0.40 - 0.40	.0035	----	----	----	----	3 UNCH
3500	----	----	4.30B/3.60A	4.30B/3.60A	----	2.90 - 1.30	.0208	----	----	----	----	5 UNCH
3500	1.50	1.50	1.50/*1.50	1.90B/*1.50	----	1.50 - 1.00	.0119	----	----	1	----	18 UNCH
3600	----	----	----/2.90A	4.10B/2.90A	----	2.70 - 1.50	.0223	----	----	----	----	12 UNCH
3600	----	----	11.50B/*8.00A	11.50B/*8.00A	----	7.80 - 2.70	.0504	----	----	----	----	1 UNCH
3600	----	----	----/1.10A	1.30B/1.10A	----	0.90 - 0.90	.0084	----	----	----	----	3 UNCH
3600	----	----	8.20B/5.40A	8.20B/5.40A	----	5.30 - 2.00	.0379	----	----	----	----	9 UNCH
3625	----	----	9.40B/5.90A	9.40B/5.90A	----	6.10 - 2.30	.0436	----	----	----	----	61 UNCH
3625	----	----	----/3.50A	4.80B/3.50A	----	3.10 - 1.70	.0258	----	----	----	----	6 UNCH
3650	----	----	10.80B/6.80A	10.80B/6.80A	----	6.90 - 2.70	.0496	----	----	----	----	3 UNCH
3650	----	----	----/1.50A	2.20B/1.50A	----	1.30 - 1.20	.0125	----	----	----	----	5 UNCH
3650	----	----	5.70B/4.00A	5.70B/4.00A	----	3.60 - 2.00	.0302	----	----	----	----	37 UNCH
3675	4.60	4.60	7.20B/4.40A	7.20B/4.40A	----	4.20 - 2.30	.0355	----	----	2	----	4 + 2
3675	----	----	12.20B/7.80A	12.20B/7.80A	----	7.90 - 3.10	.0569	----	----	----	----	3 UNCH
3700	----	----	8.40B/5.00A	8.40B/5.00A	----	4.90 - 2.60	.0416	----	----	----	----	6 UNCH
3700	13.40	13.40	#19.50B/*13.20A	#19.50B/13.20A	----	13.30 NEW	.0844	----	----	2	----	2 + 2
3700	----	----	14.20B/9.00A	14.20B/9.00A	----	9.10 - 3.50	.0654	----	----	----	----	10 UNCH
3700	----	----	----/2.00A	3.20B/2.00A	----	1.80 - 1.60	.0181	----	----	----	----	9 UNCH
3725	----	----	16.50B/10.40A	16.50B/10.40A	----	10.50 - 3.90	.0752	----	----	----	----	2 UNCH
3725	----	----	#22.30B/*14.80A	#22.30B/14.80A	----	15.20 - 4.70	.0958	----	----	----	----	1 UNCH
3725	----	----	9.90B/5.90A	9.90B/5.90A	----	5.70 - 3.10	.0488	----	----	----	----	2 UNCH
3725	----	----	4.10B/2.30A	4.10B/2.30A	----	2.20 - 1.80	.0224	----	----	----	----	5 UNCH
3750	2.80	2.80	5.20B/2.70	5.20B/2.70	----	2.60 - 2.20	.0271	----	----	11	----	15 + 11
3750	8.60	8.60	12.00B/6.90A	12.00B/6.90A	----	6.80 - 3.50	.0581	----	----	2	----	11 + 2
3750	----	----	19.00B/11.90A	19.00B/11.90A	----	12.00 - 4.60	.0860	----	----	----	----	4 UNCH
3750	----	----	#25.30B/*17.00A	#25.30B/17.00A	----	17.40 NEW	.1087	----	----	1	----	1 + 1
3775	----	----	#28.70B/*19.30A	#28.70B/19.30A	----	19.80 NEW	.1228	----	----	1	----	1 + 1
3775	3.40	3.40	6.50B/3.40	6.50B/3.40	----	3.20 - 2.60	.0338	----	----	7	----	8 + 7
3775	----	----	14.00B/8.10A	14.00B/8.10A	----	8.00 - 4.10	.0684	----	----	----	----	47 UNCH
3775	----	----	21.90B/13.80A	21.90B/13.80A	----	13.90 - 5.10	.0990	----	----	11	----	20 + 9
3800	----	----	#32.60B/21.90A	#32.60B/21.90A	----	22.60 - 6.40	.1387	----	----	1	----	2 + 1
3800	----	----	8.10B/4.10A	8.10B/4.10A	----	3.90 - 3.20	.0417	----	----	----	----	10 UNCH
3800	11.90	11.90	16.60B/9.40	16.60B/9.40	----	9.50 - 4.70	.0811	----	----	3	----	187 + 3
3800	----	----	25.20B/15.90A	25.20B/15.90A	----	16.10 - 5.80	.1138	----	----	----	----	3 UNCH
3825	----	----	#37.10B/24.90A	#37.10B/24.90A	----	25.80 - 7.10	.1565	----	----	----	----	1 UNCH
3825	----	----	19.70B/11.20A	19.70B/11.20A	----	11.30 - 5.50	.0960	----	----	----	----	6 UNCH
3825	----	----	10.20B/5.00A	10.20B/5.00A	----	4.90 - 3.80	.0526	----	----	----	----	7 UNCH
3825	----	----	29.00B/18.40A	29.00B/18.40A	----	18.70 - 6.50	.1309	----	----	----	----	1 UNCH
3850	----	----	23.10B/13.30A	23.10B/13.30A	----	13.50 - 6.30	.1137	----	----	----	----	3 UNCH
3850	----	----	#41.90B/28.40A	#41.90B/28.40A	----	29.50 NEW	.1765	----	----	1	----	1 + 1
3850	----	----	12.50B/6.20A	12.50B/6.20A	----	6.10 - 4.50	.0658	----	----	----	----	6 UNCH
3850	----	----	33.40B/21.30A	33.40B/21.30A	----	21.80 - 7.20	.1506	----	----	----	----	23 UNCH
3875	----	----	15.50B/7.60A	15.50B/7.60A	----	7.60 - 5.40	.0823	----	----	----	----	16 UNCH
3875	29.30	29.30	38.30B/24.60A	38.30B/24.60A	----	25.40 NEW	.1727	----	----	2	----	2 + 2
3875	----	----	27.10B/15.80A	27.10B/15.80A	----	16.10 - 7.20	.1344	----	----	----	----	12 UNCH
3900	----	----	31.90B/18.70A	31.90B/18.70A	----	19.30 - 8.10	.1588	----	----	----	----	6 UNCH
3900	12.80	12.80	19.20B/9.50A	19.20B/9.50A	----	9.50 - 6.50	.1028	----	----	6	----	34 + 3
3900	----	----	43.80B/28.50A	43.80B/28.50A	----	29.60 - 8.70	.1977	----	----	5	----	17 + 4
3925	----	----	23.30B/11.70A	23.30B/11.70A	----	12.00 - 7.60	.1288	----	----	----	----	5 UNCH
3925	----	----	37.50B/22.20A	37.50B/22.20A	----	23.10 - 9.10	.1868	----	----	----	----	13 UNCH
3950	----	----	28.60B/14.60A	28.60B/14.60A	----	15.20 - 8.80	.1608	----	----	----	----	2 UNCH
3950	----	----	44.00B/26.40A	44.00B/26.40A	----	27.60 - 10.20	.2188	----	----	----	----	7 UNCH
3950	----	----	57.40B/38.10A	57.40B/38.10A	----	39.90 - 10.50	.2556	----	----	----	----	20 UNCH
3975	54.80	54.80	#76.80B/*54.10A	#76.80B/54.10A	----	56.70 NEW	.3083	----	----	1	----	1 + 1
3975	----	----	51.30B/31.40A	51.30B/31.40A	----	32.90 - 11.40	.2550	----	----	----	----	10 UNCH
3975	----	----	65.40B/44.00A	65.40B/44.00A	----	46.20 - 11.50	.2889	----	----	----	----	31 UNCH
3975	----	----	34.80B/18.20A	34.80B/18.20A	----	19.20 - 10.10	.1994	----	----	10	----	12 UNCH
4000	----	----	59.80B/37.30A	59.80B/37.30A	----	39.30 - 12.40	.2957	----	----	----	----	43 UNCH
4000	----	----	#86.10B/*61.50A	#86.10B/61.50A	----	64.30 - 12.50	.3411	----	----	----	----	1 UNCH
4000	----	----	42.70B/22.60A	42.70B/22.60A	----	24.30 - 11.50	.2456	----	----	----	----	4 UNCH
4000	----	----	74.50B/50.80A	74.50B/50.80A	----	53.40 - 12.40	.3249	----	----	----	----	53 UNCH
4000	----	----	157.00B/130.00A	157.00B/130.00A	----	152.10 + 8.40	.6744	----	----	----	----	1 UNCH
4025	----	----	113.20B/80.90A	113.20B/80.90A	----	104.40 + 7.90	.7009	----	----	----	----	174 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

GWT TUE — GOLD WEEKLY TUESDAY OPTION Week1

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
AUG26												
4025	----	----	51.70B/28.30A	51.70B/28.30A	----	30.50 - 12.90	.2987	----	----	----	----	7 UNCH
4025	47.40	47.40	69.70B/44.10A	69.70B/44.10A	----	46.70 - 13.50	.3403	----	----	2	----	7 + 2
4025	----	----	140.10B/114.90A	140.10B/114.90A	----	135.20 + 7.30	.6359	----	----	----	----	2 UNCH
4025	----	----	84.70B/58.40A	84.70B/58.40A	----	61.50 - 13.40	.3634	----	----	----	----	22 UNCH
4050	----	----	80.80B/52.10A	80.80B/52.10A	----	55.30 - 14.60	.3886	----	----	----	130	139 + 115
4050	----	----	62.50B/35.30A	62.50B/35.30A	----	38.20 - 14.40	.3593	----	----	----	----	70 UNCH
4050	----	----	112.40B/84.60A	112.40B/84.60A	----	104.10 NEW	.6109	----	----	----	130	130 + 130
4050	----	----	96.70B/66.10A	96.70B/66.10A	----	87.10 + 6.50	.6404	----	----	----	----	4 UNCH
4050	----	----	95.90B/67.00A	95.90B/67.00A	----	70.60 - 14.40	.4041	----	----	----	----	22 UNCH
4050	110.10	110.10	123.90B/99.80A	123.90B/99.80A	----	119.40 + 6.40	.5952	----	----	1	----	12 UNCH
4075	90.10	90.10	97.20B/71.80A	97.20B/71.80A	----	89.00 NEW	.5597	----	----	3	----	3 + 3
4075	----	----	80.20B/53.70A	80.20B/53.70A	----	71.40 + 5.00	.5739	----	----	----	----	8 UNCH
4075	----	----	71.40B/43.70A	71.40B/43.70A	----	47.50 - 15.80	.4257	----	----	----	----	13 UNCH
4075	69.20	69.20	91.40B/61.30A	91.40B/61.30A	----	65.10 - 15.80	.4398	----	----	17	----	19 + 13
4075	----	----	105.20B/76.70A	105.20B/76.70A	----	80.80 - 15.30	.4467	----	----	----	----	21 UNCH
4075	----	----	112.70B/87.10A	112.70B/87.10A	----	104.70 + 5.50	.5526	----	----	----	----	10 UNCH
4100	----	----	85.30B/53.80A	85.30B/53.80A	----	58.60 - 17.10	.4962	----	----	----	----	1 UNCH
4100	----	----	83.00B/60.60A	83.00B/60.60A	----	75.30 + 4.00	.5064	----	----	----	----	107 UNCH
4100	----	----	#110.70B/*87.40	110.70B/*87.40A	----	103.10 + 5.10	.5103	----	----	----	----	5 UNCH
4100	----	----	65.50B/42.70A	65.50B/42.70A	----	57.50 + 3.70	.5034	----	----	52	----	62 - 38
4100	----	----	119.20B/87.40A	119.20B/87.40A	----	92.20 - 16.20	.4906	----	----	----	----	4 UNCH
4100	----	----	101.70B/71.90A	101.70B/71.90A	----	76.40 - 16.70	.4931	----	----	----	----	9 UNCH
4100	----	----	98.60B/75.60A	98.60B/75.60A	----	91.10 + 4.60	.5087	----	----	----	----	14 UNCH
4125	----	----	101.00B/65.80A	101.00B/65.80A	----	71.40 - 18.40	.5682	----	----	----	----	10 UNCH
4125	----	----	116.50B/83.80A	116.50B/83.80A	----	89.10 - 17.60	.5473	----	----	----	----	17 UNCH
4125	----	----	70.10B/50.50A	70.10B/50.50A	----	63.00 + 3.10	.4521	----	----	----	----	12 UNCH
4125	----	----	131.70B/99.30A	131.70B/99.30A	----	104.70 - 17.00	.5352	----	----	----	----	1 UNCH
4125	----	----	52.50B/33.60A	52.50B/33.60A	----	45.40 + 2.50	.4314	----	----	----	----	33 UNCH
4150	----	----	118.40B/79.70A	118.40B/79.70A	----	86.20 - 19.40	.6391	----	----	----	----	11 UNCH
4150	----	----	#85.80B/*67.00A	85.80B/*67.00A	----	79.30 + 3.70	.4319	----	----	----	----	1 UNCH
4150	----	----	73.80B/55.50A	73.80B/55.50A	----	67.40 + 3.00	.4196	----	----	----	----	1 UNCH
4150	50.30	50.30	58.50B/41.70A	58.50B/41.70A	----	52.20 + 2.30	.3983	----	----	100	----	60 + 50
4150	----	----	41.30B/26.10A	41.30B/26.10A	----	35.10 + 1.30	.3605	----	----	10	----	68 + 5
4175	----	----	48.20B/34.10A	48.20B/34.10A	----	42.70 + 1.50	.3460	----	----	----	----	68 UNCH
4175	----	----	137.20B/96.00A	137.20B/96.00A	----	102.80 - 20.30	.7057	----	----	----	----	6 UNCH
4175	----	----	63.10B/47.20A	63.10B/47.20A	----	57.40 + 2.40	.3759	----	----	----	----	30 UNCH
4175	----	----	31.90B/*20.00A	31.90B/*20.00A	----	26.70 + 0.40	.2940	----	----	----	----	26 UNCH
4200	----	----	168.40B/129.40A	168.40B/129.40A	----	135.60 - 19.90	.7028	----	----	----	----	1 UNCH
4200	33.30	33.30	39.40B/28.00A	39.40B/28.00A	----	34.70 + 0.90	.2967	----	----	5	----	73 + 4
4200	----	----	53.60B/40.00A	53.60B/40.00A	----	48.50 + 1.80	.3336	----	----	----	----	20 UNCH
4200	17.00	17.00	24.40B/*15.30A	24.40B/*15.30A	----	20.10 - 0.20	.2346	----	----	17	----	38 + 14
4225	12.70	12.70	18.40B/*12.20A	18.40B/*12.20A	----	14.90 - 0.70	.1831	----	----	3	----	16 + 3
4225	----	----	45.20B/33.70A	45.20B/33.70A	----	40.70 + 1.30	.2933	----	----	1	----	22 - 1
4225	----	----	31.90B/22.80A	31.90B/22.80A	----	28.00 + 0.50	.2514	----	----	----	----	53 UNCH
4250	----	----	25.70B/*18.50A	25.70B/*18.50A	----	22.40 UNCH	.2104	----	----	2	----	26 + 2
4250	----	----	37.90B/28.40A	37.90B/28.40A	----	34.10 + 0.90	.2561	----	----	----	----	46 UNCH
4250	9.70	9.70	13.70B/*9.10A	13.70B/*9.10A	----	11.00 - 0.90	.1408	----	----	4	----	10 + 4
4250	42.90	42.90	#48.20B/*37.40A	48.20B/*37.40A	----	43.90 NEW	.2844	----	----	4	----	4 + 4
4275	----	----	10.20B/*6.60A	10.20B/*6.60A	----	8.20 - 1.00	.1078	----	----	----	----	37 UNCH
4275	----	----	20.60B/15.30A	20.60B/15.30A	----	17.90 - 0.30	.1747	----	----	----	----	8 UNCH
4275	----	----	31.70B/23.80A	31.70B/23.80A	----	28.40 + 0.50	.2219	----	----	----	----	20 UNCH
4300	----	----	7.60B/*4.90A	7.60B/*4.90A	----	6.10 - 1.00	.0818	----	----	----	----	30 UNCH
4300	----	----	16.40B/12.40A	16.40B/12.40A	----	14.20 - 0.50	.1436	----	----	----	----	201 UNCH
4300	----	----	252.20B/209.70A	252.20B/209.70A	----	215.00 - 21.30	.8560	----	----	----	----	1 UNCH
4300	----	----	#35.20B/*27.50A	35.20B/*27.50A	----	31.80 NEW	.2219	----	----	1	----	1 + 1
4300	----	----	26.40B/19.80A	26.40B/19.80A	----	23.60 + 0.20	.1910	----	----	----	----	11 UNCH
4325	----	----	13.10B/*10.10A	13.10B/*10.10A	----	11.40 - 0.60	.1182	----	----	----	----	4 UNCH
4325	----	----	5.70B/*3.80A	5.70B/*3.80A	----	4.60 - 1.00	.0623	----	----	----	----	41 UNCH
4325	----	----	275.00B/231.30A	275.00B/231.30A	----	237.10 - 21.40	.8814	----	----	----	----	1 UNCH
4350	----	----	10.40B/*8.10A	10.40B/*8.10A	----	9.10 - 0.70	.0966	----	----	2	----	14 + 2
4350	----	----	----/*2.90A	4.30B/*2.90A	----	3.60 - 0.80	.0486	----	----	----	----	9 UNCH
4350	----	----	#25.40B/*20.10A	25.40B/*20.10A	----	22.80 NEW	.1696	----	----	1	----	1 + 1
4375	----	----	8.30B/*6.50A	8.30B/*6.50A	----	7.30 - 0.80	.0789	----	----	----	----	7 UNCH
4375	----	----	----/*2.30A	3.30B/*2.30A	----	2.80 - 0.80	.0377	----	----	----	----	13 UNCH
4400	----	----	----/299.50A	292.90B/299.50A	----	306.60 - 21.50	.9351	----	----	----	----	1 UNCH
4400	----	----	12.60B/*10.00A	12.60B/*10.00A	----	11.20 - 0.40	.1007	----	----	----	----	5 UNCH
4400	----	----	----/*2.00A	2.50B/*2.00A	----	2.20 - 0.70	.0294	----	----	----	----	7 UNCH
4400	----	----	----/*5.30A	6.60B/*5.30A	----	5.90 - 0.80	.0646	----	----	1	----	10 + 1
4425	4.70	4.70	4.70/*4.30A	5.30B/*4.30A	----	4.90 - 0.60	.0538	----	----	5	----	8 + 5
4425	----	----	----/*1.50A	1.90B/*1.50A	----	1.80 - 0.60	.0236	----	----	----	----	4 UNCH
4425	----	----	10.50B/*8.50A	10.50B/*8.50A	----	9.30 - 0.40	.0852	----	----	----	----	2 UNCH
4450	----	----	----/*1.40A	1.50B/*1.40A	----	1.50 - 0.50	.0193	----	----	----	----	2 UNCH
4450	----	----	8.70B/*7.10A	8.70B/*7.10A	----	7.70 - 0.50	.0718	----	----	----	----	3 UNCH
4450	4.20	4.20	4.40/*3.40A	4.40/*3.40A	----	4.00 - 0.70	.0442	----	----	4	----	4 UNCH
4475	5.90	5.90	7.20B/*5.90	7.20B/*5.90	----	6.50 NEW	.0612	----	----	2	----	2 + 2
4475	3.70	3.70	3.70/*3.30A	3.70/*3.30A	----	3.40 - 0.60	.0374	----	----	2	----	3 + 2
4475	----	----	----/*1.20A	1.20B/*1.20A	----	1.20 - 0.50	.0153	----	----	----	----	24 UNCH
4500	----	----	----/*1.00A	1.00B/*1.00A	----	1.00 - 0.50	.0125	----	----	----	----	6 UNCH
4500	----	----	----/*2.80A	2.60B/*2.80A	----	2.90 - 0.50	.0317	----	----	----	----	3 UNCH
4500	5.00	5.00	6.00B/*4.90A	6.00B/*4.90A	----	5.50 - 0.50	.0522	----	----	4	----	5 + 4
4525	----	----	----/*0.90A	0.80B/*0.90A	----	0.90 - 0.40	.0109	----	----	----	----	2 UNCH
4525	4.80	4.80	#5.00B/*4.10A	5.00B/*4.10A	----	4.80 NEW	.0455	----	----	2	----	2 + 2
4525	----	----	----/*2.50A	2.20B/*2.50A	----	2.50 - 0.50	.0271	----	----	----	----	2 UNCH
4550	----	----	----/*0.80A	0.70B/*0.80A	----	0.80 - 0.40	.0094	----	----	----	----	1 UNCH
4550	4.10	4.10	#4.20B/*4.10	4.20B/*4.10	----	4.20 NEW	.0398	----	----	1	----	1 + 1
4550	6.50	6.50	#6.50/*5.90A	7.00B/*5.90A	----	6.60 NEW	.0558	----	----	2	----	2 + 2
4550	----	----	----/*2.30A	1.80B/*2.30A	----	2.20 - 0.40	.0236	----	----	----	----	2 UNCH
4575	----	----	----/*0.70A	0.50B/*0.70A	----	0.70 - 0.40	.0081	----	----	----	----	1 UNCH
4575	5.10	5.10	#5.10/*5.10	6.00B/*5.10	----	5.70 NEW	.0486	----	----	2	----	2 + 2
4600	----	----	----/*1.90A	1.20B/*1.90A	----	1.70 - 0.40	.0178	----	----	----	----	9 UNCH
4600	----	----	----/*4.60A	5.10B/*4.60A	----	4.90 - 0.50	.0422	----	----	----	----	9 UNCH
4600	----	----	----/*3.40A	2.80B/*3.40A	----	3.20 - 0.50	.0302	----	----	----	----	10 UNCH
4700	----	----	----	0.60B/1.40A	----	1.10 - 0.30	.0109	----	----	----	----	2 UNCH
4700	----	----	----	----/*0.60A	----	0.40 - 0.20	.0041	----	----	----	----	7 UNCH
4700	----	----	----	1.60B/3.30A	----	1.90 - 0.30	.0178	----	----	----	----	3 UNCH
4800	----	----	----	0.30B/1.10A	----	0.70 - 0.20	.0067	----	----	----	----	1 UNCH
4800	----	----	----	----/0.50A	----	0.20 - 0.20	.0019	----	----	----	----	15 UNCH
4900	----	----	----	----/0.40A	----	0.20 - 0.10	.0017	----	----	----	----	2 UNCH
5000	----	----	----	----/0.80A	----	0.30 - 0.10	.0026	----	----	1	----	10 + 1
5000	----	----	----	----/0.40A	----	0.10 - 0.10	.0008	----	----	----	----	1 UNCH
TOTAL										318	260	2950+ 386

GWR THU — GOLD WEEKLY THURSDAY OPTION Week4

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
JUL26												
500	----	----	----	----	----	3550.20 UNCH	----	----	----	----	----	0 UNCH
500	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
3250	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
3250	----	----	----	----	----	800.20 UNCH	----	----	----	----	----	0 UNCH
3400	----	----	----	----/0.40A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
3500	----	----	----	0.20B/*0.30A	----	0.10 - 0.10	.0007	----	----	----	----	6 UNCH
3670	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
3700	----	----	----/0.80A	1.60B/0.80A	----	0.70 - 0.90	.0066	----	----	----	----	3 UNCH
3725	----	----	2.10B/0.90A	2.10B/0.90A	----	0.80 - 1.20	.0080	----	----	----	----	1 UNCH
3750	1.00	1.00	2.60B/*1.00	2.60B/*1.00	----	1.00 - 1.50	.0104	----	----	1	----	2 UNCH
3775	----	----	3.40B/1.40A	3.40B/1.40A	----	1.20 - 1.90	.0130	----	----	3	----	10 - 1
3800	4.50	4.50	4.50/1.70A	4.50/1.70A	----	1.60 - 2.20	.0179	----	----	1	----	6 + 1
3825	----	----	5.70B/2.10A	5.70B/2.10A	----	2.00 - 2.80	.0232	----	----	----	----	4 UNCH
3860	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
3875	5.40	5.40	9.20B/3.50A	9.20B/3.50A	----	3.40 - 4.30	.0419	----	----	1	----	4 + 1
3875	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
3895	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
3900	9.80	9.80	13.00/4.70A	13.00/4.70A	----	4.50 - 5.20	.0568	----	----	59	----	58 + 50
3900	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
3920	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
3925	----	----	15.50B/6.20A	15.50B/6.20A	----	6.10 - 6.30	.0779	----	----	----	----	5 UNCH
3925	----	----	----	----	----	125.20 UNCH	----	----	----	----	----	0 UNCH
3925	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
3930	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
3940	----	----	----	----	----	110.20 UNCH	----	----	----	----	----	0 UNCH
3940	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
3945	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
3950	20.00	20.00	20.00/8.20A	20.00/8.20A	----	8.20 - 7.70	.1056	----	----	3	----	127 + 2

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWR THU JUL26		GOLD WEEKLY THURSDAY OPTION Week4										
3950	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
3955	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
3975	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
3975	----	----	----	----	----	75.20 UNCH	----	----	----	----	----	0 UNCH
3975	----	----	25.30B/11.00A	25.30B/11.00A	----	11.20 - 9.10	.1435	----	----	1	----	33 + 1
3980	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
3985	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
3990	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
3995	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4000	17.70	17.70	32.10B/14.40A	32.10B/14.40A	----	15.10 - 10.80	.1914	----	----	15	----	62 + 7
4000	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4000	----	----	----	----	----	50.20 UNCH	----	----	----	----	----	0 UNCH
4005	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4010	----	----	----	----	----	40.20 UNCH	----	----	----	----	----	0 UNCH
4010	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4015	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4020	----	----	----	----	----	30.20 UNCH	----	----	----	----	----	0 UNCH
4020	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4025	----	----	----	----	----	25.20 UNCH	----	----	----	----	----	0 UNCH
4025	----	----	40.10B/19.00A	40.10B/19.00A	----	20.40 - 12.50	.2520	----	----	----	----	7 UNCH
4025	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4030	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4030	----	----	----	----	----	20.20 UNCH	----	----	----	----	----	0 UNCH
4035	----	----	----	----	----	15.20 UNCH	----	----	----	----	----	0 UNCH
4035	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4040	----	----	----	----	----	10.20 UNCH	----	----	----	----	----	0 UNCH
4040	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4045	----	----	----	----	----	5.20 UNCH	----	----	----	----	----	0 UNCH
4045	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4050	----	----	----	----	----	0.20 UNCH	----	----	----	----	----	0 UNCH
4050	25.60	25.60	50.50B/25.00A	50.50B/25.00A	----	27.30 - 14.30	.3247	----	----	1	----	116 UNCH
4050	----	----	84.80B/55.30A	84.80B/55.30A	----	76.20 + 6.50	.6750	----	----	----	----	2 UNCH
4050	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4055	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4055	----	----	----	----	----	4.80 UNCH	----	----	----	----	----	0 UNCH
4060	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4060	----	----	----	----	----	9.80 UNCH	----	----	----	----	----	0 UNCH
4065	----	----	----	----	----	14.80 UNCH	----	----	----	----	----	0 UNCH
4065	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4070	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4070	----	----	----	----	----	19.80 UNCH	----	----	----	----	----	0 UNCH
4075	----	----	69.10B/42.90A	69.10B/42.90A	----	59.90 + 4.70	.5918	----	----	----	----	15 UNCH
4075	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4075	----	----	----	----	----	24.80 UNCH	----	----	----	----	----	0 UNCH
4075	----	----	62.00B/32.70A	62.00B/32.70A	----	36.00 - 16.20	.4080	----	----	8	----	11 + 6
4080	----	----	----	----	----	29.80 UNCH	----	----	----	----	----	0 UNCH
4080	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4085	----	----	----	#62.80B/*39.90A	----	54.00 NEW	.5561	----	----	7	----	7 + 7
4085	----	----	----	----	----	34.80 UNCH	----	----	----	----	----	0 UNCH
4085	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4090	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4090	----	----	----	----	----	39.80 UNCH	----	----	----	----	----	0 UNCH
4095	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4095	----	----	----	----	----	44.80 UNCH	----	----	----	----	----	0 UNCH
4100	49.30	49.30	77.70B/42.60A	77.70B/42.60A	----	46.90 - 17.80	.4987	----	----	11	----	59 + 11
4100	39.80	39.80	54.20B/32.40A	54.20B/32.40A	----	45.80 + 3.00	.5010	----	----	43	----	458 UNCH
4100	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4100	----	----	----	----	----	49.80 UNCH	----	----	----	----	----	0 UNCH
4105	----	----	----	----	----	54.80 UNCH	----	----	----	----	----	0 UNCH
4105	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4110	----	----	----	----	----	59.80 UNCH	----	----	----	----	----	0 UNCH
4110	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4115	----	----	----	----	----	64.80 UNCH	----	----	----	----	----	0 UNCH
4115	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4120	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4120	----	----	----	----	----	69.80 UNCH	----	----	----	----	----	0 UNCH
4125	----	----	41.10B/*23.90A	41.10B/*23.90A	----	33.90 + 1.50	.4079	----	----	----	----	22 UNCH
4125	----	----	----	----	----	74.80 UNCH	----	----	----	----	----	0 UNCH
4125	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4125	----	----	94.20B/54.50A	94.20B/54.50A	----	60.00 - 19.30	.5919	----	----	----	----	21 UNCH
4130	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4130	----	----	----	----	----	79.80 UNCH	----	----	----	----	----	0 UNCH
4135	----	----	----	----	----	84.80 UNCH	----	----	----	----	----	0 UNCH
4135	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4140	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4140	----	----	----	----	----	89.80 UNCH	----	----	----	----	----	0 UNCH
4145	----	----	----	----	----	94.80 UNCH	----	----	----	----	----	0 UNCH
4145	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4150	----	----	30.30B/*17.40A	30.30B/*17.40A	----	24.40 + 0.30	.3185	----	----	----	----	126 UNCH
4150	----	----	112.70B/70.30A	112.70B/70.30A	----	75.40 - 20.50	.6813	----	----	----	----	1 UNCH
4150	----	----	----	----	----	99.80 UNCH	----	----	----	----	----	0 UNCH
4150	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4155	----	----	----	----	----	104.80 UNCH	----	----	----	----	----	0 UNCH
4155	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4160	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4160	----	----	----	----	----	109.80 UNCH	----	----	----	----	----	0 UNCH
4165	----	----	----	----	----	114.80 UNCH	----	----	----	----	----	0 UNCH
4165	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4170	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4170	----	----	----	----	----	119.80 UNCH	----	----	----	----	----	0 UNCH
4175	----	----	133.00B/86.70A	133.00B/86.70A	----	93.10 - 21.40	.7611	----	----	----	----	1 UNCH
4175	----	----	21.60B/*12.60A	21.60B/*12.60A	----	17.10 - 0.50	.2387	----	----	----	----	121 UNCH
4175	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4180	----	----	----	----	----	129.80 UNCH	----	----	----	----	----	0 UNCH
4180	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4185	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4190	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4190	----	----	----	----	----	139.80 UNCH	----	----	----	----	----	0 UNCH
4195	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4200	11.10	11.10	15.10B/*8.90A	15.10B/*8.90A	----	11.70 - 1.10	.1720	----	----	5	----	26 + 2
4200	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4200	----	----	----	----	----	149.80 UNCH	----	----	----	----	----	0 UNCH
4200	----	----	154.60B/106.70A	154.60B/106.70A	----	112.80 - 21.80	.8278	----	----	----	----	7 UNCH
4205	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4205	----	----	----	----	----	154.80 UNCH	----	----	----	----	----	0 UNCH
4210	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4215	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4220	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4225	6.10	6.10	10.40B/*6.00A	10.40B/*6.00A	----	8.00 - 1.30	.1211	----	----	4	----	11 + 2
4225	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4230	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4235	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4245	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4250	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4250	5.00	5.00	7.10B/*4.00A	7.10B/*4.00A	----	5.50 - 1.30	.0842	----	----	51	----	54 + 47
4250	----	----	----	----	----	199.80 UNCH	----	----	----	----	----	0 UNCH
4260	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4270	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4275	3.80	3.80	5.00B/*2.80A	5.00B/*2.80A	----	3.80 - 1.20	.0581	----	----	13	----	20 + 3
4285	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4290	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4290	----	----	----	----	----	239.80 UNCH	----	----	----	----	----	0 UNCH
4300	----	----	----	----	----	249.80 UNCH	----	----	----	----	----	0 UNCH
4300	2.50	2.50	3.50B/*2.10A	3.50B/*2.10A	----	2.70 - 1.00	.0406	----	----	6	----	36 + 5
4325	----	----	----/*1.60A	2.50B/*1.60A	----	2.00 - 0.90	.0292	----	----	----	----	25 UNCH
4335	----	----	----	----	----	284.80 UNCH	----	----	----	----	----	0 UNCH
4335	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4350	----	----	----/*1.20A	1.80B/*1.20A	----	1.50 - 0.70	.0212	----	----	----	----	10 UNCH
4375	----	----	----/*1.00A	1.30B/*1.00A	----	1.10 - 0.70	.0151	----	----	----	----	24 UNCH
4400	----	----	----/*0.80A	0.90B/*0.80A	----	0.90 - 0.50	.0118	----	----	3	----	43 UNCH
4425	----	----	----/*0.50A	0.70B/*0.50A	----	0.70 - 0.50	.0088	----	----	----	----	35 UNCH
4450	----	----	----/*0.60A	0.60B/*0.60A	----	0.60 - 0.40	.0072	----	----	----	----	5 UNCH
4475	----	----	----/*0.40A	0.40B/*0.40A	----	0.50 - 0.30	.0057	----	----	----	----	20 UNCH
4550	----	----	----/*0.20A	0.20B/*0.20A	----	0.30 - 0.20	.0030	----	----	----	----	2 UNCH
4550	----	----	----	#405.70B/519.80A	----	451.20 - 21.00	.9970	----	----	----	----	1 UNCH
4600	----	----	----/*0.20A	0.10B/*0.20A	----	0.20 - 0.20	.0019	----	----	----	----	2 UNCH
4700	----	----	----	----/0.40A	----	0.10 - 0.20	.0008	----	----	----	----	5 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

GWR THU — GOLD WEEKLY THURSDAY OPTION Week4

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
JUL26												
4750	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4750	----	----	----	----	----	699.80 UNCH	----	----	----	----	----	0 UNCH
4800	----	----	----	----/*0.40A	----	0.10 - 0.10	.0001	----	----	----	----	34 UNCH
4900	----	----	----	----/0.40A	----	0.10 UNCH	.0000	----	----	----	----	5 UNCH
5000	----	----	----	----/*0.30A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
5500	----	----	----	----/*0.30A	----	0.10 UNCH	----	----	----	----	----	42 UNCH
10000	----	----	----	----	----	5949.80 UNCH	----	----	----	----	----	0 UNCH
10000	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
TOTAL										236		1706+ 144
AUG26												
3600	----	----	----/1.70A	2.10B/1.70A	----	1.50 - 0.90	.0133	----	----	----	----	6 UNCH
3650	----	----	----/2.20A	3.20B/2.20A	----	2.00 - 1.30	.0184	----	----	----	----	25 UNCH
3675	----	----	----/2.50A	4.00B/2.50A	----	2.40 - 1.60	.0223	----	----	----	----	11 UNCH
3700	----	----	5.10B/3.00A	5.10B/3.00A	----	2.80 - 1.90	.0264	----	----	----	----	7 UNCH
3725	----	----	6.10B/3.40A	6.10B/3.40A	----	3.30 - 2.30	.0316	----	----	----	----	19 UNCH
3750	----	----	7.40B/4.10A	7.40B/4.10A	----	4.00 - 2.60	.0385	----	----	----	----	12 UNCH
3775	5.10	5.10	8.90B/4.90A	8.90B/4.90A	----	4.80 - 3.10	.0466	----	----	2	----	6 + 2
3800	----	----	20.50B/12.40A	20.50B/12.40A	----	12.50 - 5.30	.0969	----	----	5	----	41 + 3
3800	6.60	6.60	10.90B/5.90A	10.90B/5.90A	----	5.80 - 3.70	.0566	----	----	35	----	35 + 32
3825	9.20	9.20	13.40B/7.10A	13.40B/7.10A	----	7.00 NEW	.0687	----	----	5	----	5 + 5
3850	10.90	10.90	16.00B/8.30	16.00B/8.30	----	8.50 - 5.10	.0836	----	----	5	----	122 + 1
3875	13.80	13.80	19.30B/10.20	19.30B/10.20	----	10.40 - 6.00	.1020	----	----	8	----	9 + 5
3900	15.60	15.60	23.40B/12.40	23.40B/12.40	----	12.80 - 6.90	.1245	----	----	5	----	49 UNCH
3900	----	----	223.90B/182.90A	223.90B/182.90A	----	211.50 + 13.90	.8751	----	----	----	----	1 UNCH
3925	----	----	28.00B/15.30A	28.00B/15.30A	----	15.70 - 8.00	.1513	----	----	----	----	4 UNCH
3950	----	----	33.80B/18.60A	33.80B/18.60A	----	19.40 - 9.10	.1838	----	----	----	----	33 UNCH
3975	----	----	58.00B/37.20A	58.00B/37.20A	----	39.20 - 11.40	.2724	----	----	----	----	20 UNCH
3975	29.70	29.70	40.50B/22.60A	40.50B/22.60A	----	23.90 - 10.30	.2218	----	----	4	----	18 + 2
3975	----	----	154.50B/124.60A	154.50B/124.60A	----	147.60 + 10.40	.7778	----	----	----	----	1 UNCH
4000	----	----	48.60B/27.60A	48.60B/27.60A	----	29.40 - 11.60	.2658	----	----	----	----	6 UNCH
4000	----	----	134.70B/107.30A	134.70B/107.30A	----	128.20 + 9.20	.7338	----	----	----	----	1 UNCH
4025	----	----	58.00B/33.70A	58.00B/33.70A	----	36.10 - 13.00	.3158	----	----	----	----	300 UNCH
4050	----	----	68.80B/41.10A	68.80B/41.10A	----	44.10 - 14.30	.3714	----	----	----	----	4 UNCH
4075	----	----	104.90B/79.00A	104.90B/79.00A	----	96.70 + 5.40	.5558	----	----	----	----	1 UNCH
4075	----	----	96.10B/68.60A	96.10B/68.60A	----	72.90 - 15.30	.4436	----	----	----	----	27 UNCH
4075	----	----	79.20B/49.80A	79.20B/49.80A	----	53.60 - 15.70	.4316	----	----	----	----	9 UNCH
4075	73.40	73.40	86.40B/60.10A	86.40B/60.10A	----	77.50 + 5.10	.5679	----	----	2	----	278 UNCH
4100	----	----	108.80B/79.20A	108.80B/79.20A	----	84.20 - 16.20	.4919	----	----	----	----	28 UNCH
4100	----	----	90.80B/67.80A	90.80B/67.80A	----	83.10 + 4.50	.5075	----	----	----	----	77 UNCH
4100	60.20	60.20	71.70B/49.00A	71.70B/49.00A	----	63.60 + 3.80	.5045	----	----	5	----	7 + 5
4100	----	----	91.70B/60.10A	91.70B/60.10A	----	64.70 - 16.90	.4951	----	----	----	----	77 UNCH
4125	----	----	77.80B/57.00A	77.80B/57.00A	----	70.80 + 3.70	.4585	----	----	----	----	2 UNCH
4125	77.80	77.80	107.00B/71.90A	107.00B/71.90A	----	77.50 - 18.10	.5597	----	----	50	----	75 + 48
4125	48.80	48.80	58.70B/39.30A	58.70B/39.30A	----	51.50 + 2.80	.4398	----	----	6	----	39 + 6
4150	39.20	39.20	47.30B/31.20A	47.30B/31.20A	----	41.00 + 1.70	.3760	----	----	2	----	3 + 2
4175	----	----	55.60B/40.00A	55.60B/40.00A	----	49.90 + 2.10	.3618	----	----	----	----	6 UNCH
4175	30.90	30.90	37.60B/24.80A	37.60B/24.80A	----	32.20 + 0.90	.3151	----	----	2	----	130 + 2
4200	----	----	46.30B/33.40A	46.30B/33.40A	----	41.40 + 1.50	.3161	----	----	----	----	37 UNCH
4200	----	----	29.50B/*19.50A	29.50B/*19.50A	----	25.10 + 0.40	.2597	----	----	1	----	78 + 1
4225	15.30	15.30	23.00B/*15.30	23.00B/*15.30	----	19.30 - 0.10	.2102	----	----	1	----	16 UNCH
4250	----	----	31.60B/*22.80A	31.60B/*22.80A	----	27.90 + 0.50	.2337	----	----	----	----	4 UNCH
4250	----	----	17.70B/12.50A	17.70B/12.50A	----	14.80 - 0.40	.1680	----	----	----	----	23 UNCH
4275	----	----	25.80B/*18.80A	25.80B/*18.80A	----	22.70 + 0.10	.1981	----	----	----	----	4 UNCH
4275	----	----	13.60B/*9.60A	13.60B/*9.60A	----	11.30 - 0.60	.1328	----	----	----	----	72 UNCH
4300	----	----	21.00B/16.00A	21.00B/16.00A	----	18.50 - 0.10	.1670	----	----	----	----	2 UNCH
4300	9.20	9.20	10.50B/*7.50A	10.50B/*7.50A	----	8.70 - 0.70	.1048	----	----	3	----	26 + 3
4325	----	----	17.20B/*13.10A	17.20B/*13.10A	----	15.10 - 0.30	.1403	----	----	----	----	4 UNCH
4325	7.00	7.00	8.10B/*5.70A	8.10B/*5.70A	----	6.80 - 0.70	.0831	----	----	3	----	9 + 3
4350	----	----	14.00B/*10.70A	14.00B/*10.70A	----	12.30 - 0.40	.1172	----	----	----	----	20 UNCH
4350	----	----	6.30B/*4.40A	6.30B/*4.40A	----	5.30 - 0.70	.0655	----	----	----	----	5 UNCH
4375	----	----	----/*3.40A	4.90B/*3.40A	----	4.20 - 0.70	.0521	----	----	----	----	5 UNCH
4400	----	----	9.30B/*7.40A	9.30B/*7.40A	----	8.20 - 0.50	.0813	----	----	----	----	2 UNCH
4400	3.30	3.30	3.80B/*2.80	3.80B/*2.80	----	3.40 - 0.60	.0420	----	----	5	----	13 + 4
4425	----	----	----/*2.50A	3.10B/*2.50A	----	2.70 - 0.60	.0334	----	----	----	----	3 UNCH
4450	----	----	----/*2.10A	2.40B/*2.10A	----	2.20 - 0.60	.0270	----	----	1	----	2 + 1
4450	----	----	----/*5.20A	6.20B/*5.20A	----	5.60 - 0.60	.0568	----	----	----	----	2 UNCH
4475	4.80	4.80	#4.80/*4.20A	5.20B/*4.20A	----	4.70 NEW	.0479	----	----	4	----	4 + 4
4475	----	----	----/*1.70A	2.00B/*1.70A	----	1.90 - 0.50	.0229	----	----	----	----	2 UNCH
4500	----	----	----/*3.80A	4.10B/*3.80A	----	3.90 - 0.60	.0400	----	----	----	----	2 UNCH
4500	----	----	----/*1.60A	1.60B/*1.60A	----	1.60 - 0.50	.0190	----	----	----	----	1 UNCH
4575	----	----	----/*1.10A	0.90B/*1.10A	----	1.00 - 0.40	.0114	----	----	----	----	1 UNCH
4700	----	----	----/*0.70A	0.40B/*0.70A	----	0.50 - 0.30	.0052	----	----	----	----	4 UNCH
4800	----	----	----	----/0.80A	----	0.30 - 0.20	.0029	----	----	----	----	8 UNCH
4900	----	----	----	----/0.70A	----	0.20 - 0.10	.0018	----	----	----	----	1 UNCH
5000	----	----	----	----/0.70A	----	0.10 - 0.10	.0009	----	----	----	----	2 UNCH
TOTAL										154		1846+ 129

GMW MON — GOLD WEEKLY MONDAY OPTION WEEK4

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
JUL26												
3500	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	8 UNCH
3600	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
3650	----	----	----	0.10B/0.20A	----	0.10 UNCH	----	----	----	----	----	39 UNCH
3675	----	----	----	0.10B/*0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
3700	----	----	0.30B/*0.10A	0.30B/*0.10A	----	0.10 - 0.10	----	----	----	----	----	3 UNCH
3710	0.20	0.20	0.40B/*0.20	0.40B/*0.20	----	0.10 NEW	.0000	----	----	10	----	10 + 10
3725	0.20	0.20	0.40B/*0.20	0.40B/*0.20	----	0.10 - 0.20	.0000	----	----	20	----	21 + 20
3735	0.50	0.50	0.50/*0.10A	0.50/*0.10A	----	0.10 NEW	.0000	----	----	1	----	1 + 1
3745	----	----	0.60B/*0.20A	0.60B/*0.20A	----	0.10 - 0.30	.0000	----	----	----	----	1 UNCH
3750	0.20	0.20	0.60B/*0.20	0.60B/*0.20	----	0.10 - 0.40	.0000	----	----	6	----	21 + 5
3755	0.50	0.50	0.70B/*0.20A	0.70B/*0.20A	----	0.10 NEW	.0000	----	----	2	----	2 + 2
3760	0.20	0.20	0.70B/*0.20	0.70B/*0.20	----	0.10 NEW	.0000	----	----	20	----	20 + 20
3765	0.50	0.50	0.80B/*0.20A	0.80B/*0.20A	----	0.10 NEW	.0001	----	----	3	----	3 + 3
3770	0.90	0.90	0.90/*0.20	0.90/*0.20	----	0.10 NEW	.0001	----	----	16	----	16 + 16
3775	----	----	0.90B/*0.20A	0.90B/*0.20A	----	0.10 - 0.50	.0001	----	----	----	----	22 UNCH
3780	0.20	0.20	1.00B/*0.20	1.00B/*0.20	----	0.10 NEW	.0002	----	----	10	----	10 + 10
3790	0.20	0.20	1.10B/*0.20	1.10B/*0.20	----	0.10 NEW	.0003	----	----	15	----	15 + 15
3795	0.30	0.30	1.20B/*0.20A	1.20B/*0.20A	----	0.10 NEW	.0004	----	----	1	----	1 + 1
3800	1.00	1.00	1.30B/*0.20A	1.30B/*0.20A	----	0.10 - 0.80	.0005	----	----	12	----	18 + 10
3810	----	----	1.50B/*0.20A	1.50B/*0.20A	----	0.10 - 0.90	.0008	----	----	----	----	37 UNCH
3815	1.00	1.00	1.60B/*0.20A	1.60B/*0.20A	----	0.20 NEW	.0018	----	----	2	----	2 + 2
3820	----	----	1.60B/*0.20A	1.60B/*0.20A	----	0.20 - 1.00	.0018	----	----	----	----	1 UNCH
3825	0.30	0.30	1.70B/*0.20A	1.70B/*0.20A	----	0.20 - 1.00	.0019	----	----	1	----	6 - 1
3835	----	----	2.00B/*0.30A	2.00B/*0.30A	----	0.20 - 1.20	.0020	----	----	----	----	22 UNCH
3850	1.00	1.00	2.40B/*0.30A	2.40B/*0.30A	----	0.30 - 1.40	.0032	----	----	9	----	36 + 6
3855	0.90	0.90	2.50B/*0.30A	2.50B/*0.30A	----	0.30 - 1.50	.0033	----	----	7	----	9 + 3
3860	0.80	0.80	2.70B/*0.40A	2.70B/*0.40A	----	0.30 - 1.60	.0034	----	----	4	----	8 + 4
3865	0.40	0.40	2.90B/*0.40	2.90B/*0.40	----	0.40 - 1.60	.0047	----	----	1	----	5 + 1
3870	----	----	3.10B/*0.40A	3.10B/*0.40A	----	0.40 - 1.70	.0048	----	----	----	----	6 UNCH
3875	----	----	3.20B/*0.50A	3.20B/*0.50A	----	0.40 - 1.90	.0049	----	----	----	----	18 UNCH
3880	----	----	3.50B/*0.50A	3.50B/*0.50A	----	0.50 - 1.90	.0063	----	----	----	----	13 UNCH
3885	----	----	3.60B/*0.50A	3.60B/*0.50A	----	0.50 - 2.10	.0065	----	----	----	----	14 UNCH
3890	0.50	0.50	4.00B/*0.50	4.00B/*0.50	----	0.50 - 2.30	.0067	----	----	1	----	5 + 1
3895	0.90	0.90	4.30B/*0.60	4.30B/*0.60	----	0.60 - 2.40	.0082	----	----	2	----	4 + 2
3900	3.00	3.00	4.50B/*0.50	4.50B/*0.50	----	0.60 - 2.60	.0085	----	----	40	----	42 + 1
3905	0.90	0.90	4.80B/*0.70A	4.80B/*0.70A	----	0.70 - 2.70	.0101	----	----	1	----	11 + 1
3910	----	----	5.30B/*0.80A	5.30B/*0.80A	----	0.70 - 3.00	.0104	----	----	----	----	1 UNCH
3915	2.00	2.00	5.70B/*0.90	5.70B/*0.90	----	0.80 NEW	.0122	----	----	6	----	6 + 6
3920	2.10	2.10	6.00B/*0.80	6.00B/*0.80	----	0.80 - 3.40	.0126	----	----	4	----	14 + 4
3925	2.00	2.00	6.60B/*1.00	6.60B/*1.00	----	0.90 - 3.70	.0146	----	----	7	----	7 + 2
3930	1.70	1.70	7.10B/*1.00	7.10B/*1.00	----	1.00 NEW	.0166	----	----	7	----	7 + 7
3935	1.10	1.10	7.60B/*1.10	7.60B/*1.10	----	1.10 - 4.20	.0188	----	----	1	----	5 + 1
3940	1.60	1.60	8.20B/1.30A	8.20B/1.30A	----	1.20 NEW	.0211	----	----	7	----	7 + 7
3945	1.70	1.70	8.90B/1.40A	8.90B/1.40A	----	1.30 NEW	.0235	----	----	4	----	4 + 4
3950	6.10	6.10	10.00/1.50	10.00/1.50	----	1.40 - 5.20	.0260	----	----	455	----	467 + 445
3955	2.00	2.00	10.30B/1.70A	10.30B/1.70A	----	1.60 - 5.60	.0304	----	----	7	----	18 + 7
3960	2.10	2.10	11.00B/1.80A	11.00B/1.80A	----	1.70 - 6.00	.0333	----	----	8	----	8 + 4
3965	12.00	12.00	12.00/2.00A	12.00/2.00A	----	1.90 - 6.40	.0381	----	----	6	----	10 + 5
3970	2.80	2.80	12.90B/2.20A	12.90B/2.20A	----	2.10 - 6.90	.0432	----	----	4	----	5 + 4
3975	3.10	3.10	14.00B/2.30	14.00B/2.30	----	2.30 - 7.40	.0486	----	----	15	----	14 + 12
3975	92.80	92.80	111.40B/65.40A	111.40B/65.40A	----	98.10 NEW	.9513	----	----	1	----	1 + 1
3980	5.40	5.40	15.00B/2.60A	15.00B/2.60A	----	2.50 - 8.00	.0543	----	----	24	----	24 + 23
3985	----	----	16.30B/2.90A	16.30B/2.90A	----	2.80 NEW	.0622	----	----	1	----	1 + 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GMW MON		GOLD WEEKLY MONDAY OPTION WEEK4										
JUL26												
3990	4.60	4.60	17.40B/3.10	17.40B/3.10	----	3.10 - 9.20	.0705	----	----	9	----	13 + 9
3995	4.60	4.60	18.80B/3.30A	18.80B/3.30A	----	3.50 NEW	.0811	----	----	6	----	6 + 6
4000	50.60	50.60	87.70B/47.00A	87.70B/47.00A	----	74.60 + 10.10	.9093	----	----	11	----	13 + 7
4000	18.50	18.50	21.00/3.70A	21.00/3.70A	----	3.80 - 10.50	.0906	----	----	83	----	115 + 17
4005	----	----	#21.90B/4.10A	21.90B/4.10A	----	4.30 NEW	.1041	----	----	4	----	4 + 4
4010	64.90	64.90	78.50B/*39.70A	78.50B/*39.70A	----	65.60 NEW	.8814	----	----	1	----	1 + 1
4010	4.70	4.70	#23.70B/4.50A	23.70B/4.50A	----	4.80 - 11.90	.1184	----	----	12	----	12 + 10
4015	5.40	5.40	#25.50B/4.90A	25.50B/4.90A	----	5.30 - 12.80	.1337	----	----	7	----	19 + 7
4020	9.50	9.50	#27.40B/5.50A	27.40B/5.50A	----	6.00 - 13.50	.1531	----	----	22	----	17 + 9
4025	19.00	19.00	29.80B/6.10A	29.80B/6.10A	----	6.70 - 14.40	.1735	----	----	24	----	22 + 10
4030	30.00	30.00	#32.00B/6.70A	32.00B/6.70A	----	7.60 - 15.20	.1981	----	----	91	100	113 + 107
4035	30.20	30.20	#34.60B/7.50A	34.60B/7.50A	----	8.50 - 16.10	.2239	----	----	32	----	37 + 17
4040	20.20	20.20	#36.60B/8.30A	36.60B/8.30A	----	9.60 - 16.90	.2537	----	----	54	----	43 + 16
4040	----	----	52.10B/*23.30A	52.10B/*23.30A	----	40.40 NEW	.7462	----	----	4	----	0 UNCH
4045	----	----	47.30B/*21.10A	47.30B/*21.10A	----	36.60 + 2.80	.7138	----	----	----	----	2 UNCH
4045	30.10	30.10	#39.40B/9.20A	39.40B/9.20A	----	10.80 - 17.80	.2860	----	----	23	----	13 + 8
4050	43.50	43.50	43.50/10.20	43.50/10.20	----	12.20 - 18.60	.3219	----	----	55	----	56 + 25
4050	27.90	27.90	43.80B/*19.00	43.80B/*19.00	----	33.00 + 2.00	.6780	----	----	31	----	57 + 12
4055	20.90	20.90	#45.40B/11.60A	45.40B/11.60A	----	13.80 - 19.30	.3607	----	----	28	----	24 + 13
4055	20.10	20.10	40.00B/*17.20A	40.00B/*17.20A	----	29.60 + 1.30	.6391	----	----	59	----	54 + 52
4060	25.00	25.00	36.50B/*15.40A	36.50B/*15.40A	----	26.40 + 0.60	.5977	----	----	30	----	19 + 3
4060	24.50	24.50	#48.60B/13.00A	48.60B/13.00A	----	15.60 - 20.00	.4022	----	----	18	----	14 + 7
4065	27.00	27.00	#52.00B/14.50A	52.00B/14.50A	----	17.60 - 20.70	.4456	----	----	19	----	49 + 4
4065	21.00	21.00	33.10B/*13.90A	33.10B/*13.90A	----	23.40 - 0.10	.5542	----	----	26	----	24 + 20
4070	16.70	16.70	#55.60B/16.20A	55.60B/16.20A	----	19.90 - 21.20	.4905	----	----	10	----	15 + 4
4070	21.00	21.00	29.80B/*12.40A	29.80B/*12.40A	----	20.70 - 0.60	.5093	----	----	63	----	31 + 26
4075	31.80	31.80	59.50B/18.10A	59.50B/18.10A	----	22.30 - 21.70	.5361	----	----	56	----	69 + 42
4075	18.80	18.80	27.10B/*11.10A	27.10B/*11.10A	----	18.10 - 1.10	.4638	----	----	35	----	42 + 21
4080	26.60	26.60	#63.00B/20.20A	63.00B/20.20A	----	25.00 - 22.10	.5815	----	----	8	----	5 + 2
4080	15.80	15.80	24.20B/*9.60A	24.20B/*9.60A	----	15.80 - 1.50	.4184	----	----	53	----	35 + 24
4085	----	----	#67.10B/22.60A	67.10B/22.60A	----	27.90 - 22.50	.6261	----	----	2	----	3 - 2
4085	9.00	9.00	21.60B/*8.30A	21.60B/*8.30A	----	13.70 - 1.90	.3738	----	----	93	----	41 + 38
4090	18.40	18.40	19.10B/*7.10A	19.10B/*7.10A	----	11.90 - 2.10	.3315	----	----	16	----	30 + 5
4090	----	----	#71.00B/25.20A	71.00B/25.20A	----	31.10 - 22.70	.6684	----	----	4	----	1 - 3
4095	11.00	11.00	16.80B/*6.10A	16.80B/*6.10A	----	10.20 - 2.40	.2905	----	----	29	----	56 + 11
4100	33.10	33.10	79.80B/31.00A	79.80B/31.00A	----	38.00 - 23.00	.7463	----	----	16	----	15 + 8
4100	10.40	10.40	14.80B/*5.20	14.80B/*5.20	----	8.80 - 2.50	.2535	----	----	240	----	301 + 7
4105	9.20	9.20	12.90B/*4.40A	12.90B/*4.40A	----	7.50 - 2.60	.2187	----	----	5	----	4 + 3
4105	----	----	#84.00B/34.50A	84.00B/34.50A	----	41.70 - 23.10	.7812	----	----	1	----	5 + 1
4110	56.50	56.50	#88.60B/37.90A	88.60B/37.90A	----	45.60 - 23.20	.8123	----	----	5	----	14 + 3
4110	7.60	7.60	11.30B/*3.70A	11.30B/*3.70A	----	6.40 - 2.60	.1876	----	----	8	----	15 + 7
4115	8.90	8.90	9.80B/*3.20A	9.80B/*3.20A	----	5.50 - 2.60	.1607	----	----	9	----	12 + 7
4115	60.50	60.50	#93.10B/41.70A	93.10B/41.70A	----	49.70 NEW	.8391	----	----	28	----	13 + 13
4120	----	----	#97.50B/45.40A	97.50B/45.40A	----	53.90 NEW	.8631	----	----	1	----	1 + 1
4120	6.10	6.10	8.50B/*2.70A	8.50B/*2.70A	----	4.70 - 2.50	.1367	----	----	16	----	49 + 6
4125	5.70	5.70	7.30B/*2.30	7.30B/*2.30	----	4.00 - 2.40	.1155	----	----	36	----	107 + 17
4125	----	----	102.20B/49.10A	102.20B/49.10A	----	58.20 - 23.00	.8843	----	----	----	----	42 UNCH
4130	----	----	#106.90B/52.70A	106.90B/52.70A	----	62.60 - 22.90	.9007	----	----	2	----	3 + 1
4130	3.70	3.70	6.40B/*2.00A	6.40B/*2.00A	----	3.50 - 2.30	.0992	----	----	40	----	27 + 23
4135	2.70	2.70	5.50B/*1.70A	5.50B/*1.70A	----	3.00 - 2.20	.0837	----	----	6	----	29 + 1
4140	72.00	72.00	#116.30B/61.20A	116.30B/61.20A	----	71.70 - 22.70	.9288	----	----	1	----	14 + 1
4140	2.80	2.80	4.70B/*1.40	4.70B/*1.40	----	2.60 - 2.00	.0711	----	----	11	----	66 + 7
4145	3.80	3.80	4.10B/*1.20A	4.10B/*1.20A	----	2.20 - 1.90	.0591	----	----	15	----	11 + 8
4145	----	----	#121.10B/65.40A	121.10B/65.40A	----	76.40 - 22.50	.9407	----	----	----	----	1 UNCH
4150	2.10	2.10	3.50B/*1.00	3.50B/*1.00	----	1.90 - 1.80	.0499	----	----	15	----	116 + 1
4150	----	----	125.90B/70.00A	125.90B/70.00A	----	81.10 - 22.40	.9500	----	----	----	----	8 UNCH
4155	2.20	2.20	3.10B/*0.90	3.10B/*0.90	----	1.70 - 1.60	.0433	----	----	12	----	27 + 11
4155	----	----	#130.70B/74.40A	130.70B/74.40A	----	85.90 NEW	.9566	----	----	1	----	1 + 1
4160	----	----	#135.60B/79.10A	135.60B/79.10A	----	90.60 - 22.20	.9627	----	----	----	----	1 UNCH
4160	1.60	1.60	2.70B/*0.90A	2.70B/*0.90A	----	1.50 - 1.50	.0371	----	----	6	----	6 + 6
4165	2.00	2.00	2.30B/*0.80A	2.30B/*0.80A	----	1.30 - 1.40	.0313	----	----	11	----	13 + 11
4170	1.20	1.20	1.20/*0.80A	2.00B/*0.80A	----	1.10 - 1.30	.0258	----	----	5	----	7 + 3
4170	----	----	#145.40B/88.30A	145.40B/88.30A	----	100.30 - 21.90	.9740	----	----	----	----	1 UNCH
4175	120.00	120.00	150.20B/93.00A	150.20B/93.00A	----	105.20 - 21.80	.9772	----	----	1	----	4 + 1
4175	1.40	1.40	1.40/*0.70A	1.70B/*0.70A	----	1.00 - 1.20	.0227	----	----	14	----	69 + 8
4180	----	----	#155.10B/97.80A	155.10B/97.80A	----	110.10 - 21.60	.9801	----	----	----	----	1 UNCH
4180	1.50	1.50	1.50/*0.60A	1.50/*0.60A	----	0.90 - 1.10	.0198	----	----	8	----	12 + 6
4185	1.10	1.10	1.10/*0.60A	1.40B/*0.60A	----	0.80 - 1.00	.0170	----	----	1	----	4 UNCH
4190	----	----	#164.90B/107.40	164.90B/107.40A	----	119.90 - 21.50	.9854	----	----	----	----	1 UNCH
4190	----	----	----/*0.50A	1.30B/*0.50A	----	0.70 - 0.90	.0144	----	----	----	----	2 UNCH
4195	1.30	1.30	1.30/*0.50A	1.30/*0.50A	----	0.70 - 0.80	.0139	----	----	1	----	4 + 1
4200	1.20	1.20	1.20/*0.40A	1.20/*0.40A	----	0.60 - 0.70	.0116	----	----	19	----	149 + 11
4205	0.90	0.90	0.90/*0.40A	0.90/*0.40A	----	0.60 - 0.60	.0112	----	----	32	----	31 UNCH
4210	0.90	0.90	0.90/*0.40A	0.90/*0.40A	----	0.50 - 0.60	.0090	----	----	2	----	15 UNCH
4215	0.80	0.80	0.80/*0.40A	0.80/*0.40A	----	0.50 - 0.50	.0087	----	----	2	----	45 - 1
4220	0.50	0.50	0.50/*0.20	0.70B/*0.20	----	0.40 - 0.50	.0068	----	----	2	----	3 + 2
4225	0.50	0.50	0.50/*0.30A	0.60B/*0.30A	----	0.40 - 0.40	.0066	----	----	6	----	24 + 2
4230	0.50	0.50	0.50/*0.30A	0.60B/*0.30A	----	0.40 NEW	.0064	----	----	2	----	2 + 2
4235	173.00	173.00	187.00B/169.00A	187.00B/169.00A	----	164.50 NEW	.9937	----	----	1	----	1 + 1
4240	0.40	0.40	0.40/*0.30A	0.50B/*0.30A	----	0.30 - 0.40	.0045	----	----	1	----	4 + 1
4245	----	----	----/*0.30A	0.40B/*0.30A	----	0.30 - 0.30	.0043	----	----	1	----	4 UNCH
4250	0.40	0.40	0.70/*0.30A	0.70/*0.30A	----	0.30 - 0.30	.0042	----	----	101	----	117 + 100
4250	----	----	202.20B/188.30A	202.20B/188.30A	----	179.40 - 20.90	.9957	----	----	----	----	1 UNCH
4255	----	----	----/*0.30A	0.30B/*0.30A	----	0.20 - 0.30	.0027	----	----	----	----	1 UNCH
4260	0.20	0.20	0.20/*0.20	0.30B/*0.20	----	0.20 - 0.30	.0026	----	----	1	----	3 UNCH
4270	0.20	0.20	0.20/*0.20	0.20/*0.20	----	0.20 - 0.20	.0025	----	----	6	----	7 + 5
4275	----	----	----/*0.20A	0.20B/*0.20A	----	0.20 - 0.20	.0024	----	----	----	----	13 UNCH
4285	0.20	0.20	0.20/*0.20	0.20/*0.20	----	0.10 NEW	.0009	----	----	13	----	13 + 13
4290	----	----	----/*0.20A	0.10B/*0.20A	----	0.10 - 0.20	.0007	----	----	----	----	4 UNCH
4300	----	----	----/0.20A	0.20B/0.20A	----	0.10 - 0.20	.0004	----	----	----	----	15 UNCH
4300	----	----	252.00B/238.10A	252.00B/238.10A	----	229.30 NEW	.9997	----	----	1	----	1 + 1
4325	----	----	----	0.20B/0.20A	----	0.10 - 0.10	.0001	----	----	----	----	6 UNCH
4330	----	----	----	0.20B/0.20A	----	0.10 - 0.10	.0000	----	----	----	----	1 UNCH
4350	----	----	----	----/0.30A	----	0.10 - 0.10	.0000	----	----	----	----	3 UNCH
4375	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
4400	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	6 UNCH
4425	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
4450	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
4475	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
4500	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
4600	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	16 UNCH
4700	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
4800	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
4900	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	8 UNCH
5000	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	16 UNCH
TOTAL										2464	100	3645 + 1498
AUG26												
3300	----	----	----	0.90B/3.30A	----	1.00 - 0.60	.0068	----	----	----	----	11 UNCH
3400	----	----	----/*0.40A	0.20B/*0.40A	----	0.20 - 0.30	.0015	----	----	----	----	2 UNCH
3500	----	----	----/*3.30A	3.90B/*3.30A	----	2.80 NEW	.0202	----	----	2	----	1 + 1
3500	----	----	----/*0.50A	0.60B/*0.50A	----	0.30 - 0.40	.0026	----	----	----	----	5 UNCH
3500	----	----	----/1.80A	1.60B/1.80A	----	1.50 - 0.70	.0118	----	----	----	----	2 UNCH
3600	----	----	----/*5.10A	6.80B/*5.10A	----	4.80 NEW	.0352	----	----	2	----	1 + 1
3600	----	----	----/2.60A	3.40B/2.60A	----	2.40 - 1.30	.0202	----	----	----	----	17 UNCH
3600	----	----	----/*0.80A	1.30B/0.80A	----	0.50 - 0.80	.0049	----	----	----	----	3 UNCH
3625	----	----	----/3.00A	4.20B/3.00A	----	2.70 - 1.60	.0231	----	----	----	----	1 UNCH
3650	----	----	2.00B/1.00A	2.00B/1.00A	----	0.80 - 1.00	.0081	----	----	----	----	7 UNCH
3650	----	----	----/3.40A	5.00B/3.40A	----	3.20 - 1.80	.0275	----	----	----	----	4 UNCH
3675	----	----	6.30B/4.00A	6.30B/4.00A	----	3.60 - 2.20	.0315	----	----	----	----	2 UNCH
3700	----	----	12.90B/*8.20A	12.90B/*8.20A	----	8.30 NEW	.0614	----	----	1	----	1 + 1
3700	----	----	7.50B/4.40A	7.50B/4.40A	----	4.20 - 2.60	.0370	----	----	----	----	4 UNCH
3700	----	----	3.00B/1.50A	3.00B/1.50A	----	1.20 - 1.50	.0127	----	----	----	----	6 UNCH
3725	----	----	#15.30B/9.50A	#15.30B/9.50A	----	9.60 - 4.00	.0708	----	----	----	----	2 UNCH
3725	----	----	3.60B/1.70A	3.60B/1.70A	----	1.50 - 1.80	.0162	----	----	----	----	14 UNCH
3750	----	----	4.50B/2.10A	4.50B/2.10A	----	1.90 - 2.10	.0208	----	----	----	----	3 UNCH
3775	----	----	5.60B/2.60A	5.60B/2.60A	----	2.40 - 2.50	.0266	----	----	----	----	3 UNCH
3800	3.10	3.10	7.00B/3.10	7.00B/3.10	----	3.00 - 3.00	.0337	----	----	2	----	46 UNCH
3800	----	----	15.00B/8.50A	15.00B/8.50A	----	8.30 - 4.60	.0740	----	----	----	----	3 UNCH
3825	12.90	12.90	17.90B/10.20A	17.90B/10.20A	----	10.00 - 5.30	.0886	----	----	1	----	2 + 1
3825	----	----	8.80B/3.90A	8.80B/3.90A	----	3.80 - 3.50	.0432	----	----	----	----	1 UNCH
3850	11.80	11.80	21.20B/11.80	21.20B/11.80	----	12.10 NEW	.1062	----	----	2	----	2 + 2
3850	6.90	6.90	10.90B/4.90A	10.90B/4.90A	----	4.80 - 4.30	.0550	----	----	6	----	5 + 3
3875	----	----	#36.20B/23.10A	#36.20B/23.10A	----	23.70 - 8.00	.1667	----	----	----	----	1 UNCH
3875	----	----	13.50B/6.20A	13.50B/6.20A	----	6.10 - 5.20	.0703	----	----	1	----	124 UNCH
3875	----	----	25.10B/14.40A	25.10B/14.40A	----	14.60 - 6.90	.1268	----	----	----	----	1 UNCH
3900	----	----	29.80B/17.10A	29.80B/17.10A	----	17.60 - 7.80	.1509	----	----	----	----	4 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

GMW MON — GOLD WEEKLY MONDAY OPTION WEEK1

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
AUG26												
3900	11.30	11.30	16.70B/7.80A	16.70B/7.80A	----	7.80 - 6.30	.0899	----	----	9	----	17 + 7
3925	----	----	35.00B/20.40A	35.00B/20.40A	----	21.20 - 8.90	.1788	----	----	----	----	2 UNCH
3925	----	----	20.90B/9.90A	20.90B/9.90A	----	10.00 - 7.50	.1147	----	----	----	----	120 UNCH
3950	----	----	#55.20B/36.10A	#55.20B/36.10A	----	37.70 - 10.60	.2500	----	----	1	----	0 - 1
3950	----	----	41.30B/24.40A	41.30B/24.40A	----	25.60 - 9.90	.2114	----	----	----	----	2 UNCH
3950	14.00	14.00	25.90B/12.50A	25.90B/12.50A	----	12.90 - 8.80	.1462	----	----	6	----	110 + 2
3975	----	----	48.60B/29.20A	48.60B/29.20A	----	30.70 - 11.10	.2479	----	----	----	----	35 UNCH
3975	----	----	#63.20B/41.90A	#63.20B/41.90A	----	43.90 - 11.50	.2839	----	----	1	----	0 - 1
3975	25.10	25.10	32.10B/15.80A	32.10B/15.80A	----	16.70 - 10.10	.1854	----	----	3	----	23 + 2
4000	----	----	#72.20B/48.50A	#72.20B/48.50A	----	51.00 - 12.50	.3207	----	----	----	----	4 UNCH
4000	----	----	125.10B/93.80A	125.10B/93.80A	----	120.20 + 9.20	.7676	----	----	----	----	1 UNCH
4000	20.40	20.40	39.60B/20.00A	39.60B/20.00A	----	21.40 - 11.60	.2321	----	----	2	----	10 + 2
4000	----	----	57.00B/34.90A	57.00B/34.90A	----	36.90 - 12.20	.2895	----	----	----	----	1 UNCH
4025	27.80	27.80	48.60B/25.40A	48.60B/25.40A	----	27.40 - 13.00	.2875	----	----	3	----	25 + 3
4025	----	----	66.70B/41.60A	66.70B/41.60A	----	44.20 - 13.30	.3354	----	----	----	----	10 UNCH
4050	----	----	77.70B/49.50A	77.70B/49.50A	----	52.60 - 14.50	.3851	----	----	----	----	1 UNCH
4050	----	----	#93.40B/64.50A	#93.40B/64.50A	----	68.10 - 14.50	.4020	----	----	----	----	4 UNCH
4050	----	----	59.30B/32.10A	59.30B/32.10A	----	34.90 - 14.50	.3511	----	----	----	----	5 UNCH
4075	----	----	110.40B/*84.90A	110.40B/*84.90A	----	102.20 + 5.40	.5535	----	----	----	----	2 UNCH
4075	----	----	76.90B/50.40A	76.90B/50.40A	----	67.90 + 4.80	.5781	----	----	----	----	21 UNCH
4075	----	----	94.80B/69.00A	94.80B/69.00A	----	86.30 + 5.10	.5613	----	----	----	----	1 UNCH
4075	51.20	51.20	71.20B/40.30A	71.20B/40.30A	----	44.00 - 16.00	.4216	----	----	21	----	28 + 7
4100	----	----	#117.00B/84.90A	#117.00B/84.90A	----	89.70 - 16.30	.4910	----	----	----	----	3 UNCH
4100	----	----	80.40B/57.70A	80.40B/57.70A	----	72.60 NEW	.5059	----	----	24	----	24 + 24
4100	----	----	85.10B/50.40A	85.10B/50.40A	----	55.00 - 17.40	.4969	----	----	----	----	3 UNCH
4100	----	----	62.00B/39.60A	62.00B/39.60A	----	53.90 + 3.40	.5028	----	----	----	----	5 UNCH
4125	----	----	49.00B/30.60A	49.00B/30.60A	----	41.80 + 2.10	.4256	----	----	12	----	28 + 2
4125	----	----	67.40B/47.60A	67.40B/47.60A	----	60.30 + 3.10	.4496	----	----	----	----	21 UNCH
4125	----	----	113.70B/80.90A	113.70B/80.90A	----	86.40 - 17.70	.5499	----	----	----	----	1 UNCH
4125	----	----	101.10B/62.30A	101.10B/62.30A	----	67.90 - 18.70	.5740	----	----	----	----	80 UNCH
4150	46.40	46.40	55.80B/39.10A	55.80B/39.10A	----	49.50 + 2.20	.3937	----	----	2	----	132 UNCH
4150	----	----	#146.50B/109.90	#146.50B/109.90A	----	116.00 - 17.80	.5826	----	----	----	----	4 UNCH
4150	26.30	26.30	37.90B/*23.30A	37.90B/*23.30A	----	31.80 + 1.10	.3503	----	----	12	----	93 + 2
4150	----	----	119.00B/76.50A	119.00B/76.50A	----	82.80 - 19.80	.6493	----	----	----	----	41 UNCH
4175	----	----	28.80B/*17.60A	28.80B/*17.60A	----	23.70 + 0.20	.2803	----	----	----	----	189 UNCH
4175	----	----	45.70B/31.80A	45.70B/31.80A	----	40.20 + 1.40	.3396	----	----	----	----	4 UNCH
4200	----	----	37.00B/25.80A	37.00B/25.80A	----	32.30 + 0.70	.2887	----	----	----	----	3 UNCH
4200	16.00	16.00	21.50B/*13.30A	21.50B/*13.30A	----	17.30 - 0.50	.2180	----	----	19	----	83 + 3
4200	----	----	166.20B/127.10A	166.20B/127.10A	----	133.30 - 20.00	.7108	----	----	----	----	1 UNCH
4225	----	----	29.70B/*20.80A	29.70B/*20.80A	----	25.70 + 0.20	.2419	----	----	1	----	4 UNCH
4225	12.30	12.30	15.80B/*9.90A	15.80B/*9.90A	----	12.60 - 0.80	.1664	----	----	1	----	126 + 1
4250	----	----	23.70B/*16.70A	23.70B/*16.70A	----	20.40 - 0.20	.2007	----	----	----	----	2 UNCH
4250	----	----	35.90B/*26.90A	35.90B/*26.90A	----	32.10 + 0.70	.2495	----	----	----	----	3 UNCH
4250	----	----	11.60B/*7.30A	11.60B/*7.30A	----	9.10 - 1.10	.1248	----	----	4	----	197 + 2
4275	----	----	18.80B/13.80A	18.80B/13.80A	----	16.10 - 0.50	.1647	----	----	----	----	2 UNCH
4275	----	----	8.50B/*5.20A	8.50B/*5.20A	----	6.60 - 1.10	.0928	----	----	----	----	28 UNCH
4300	----	----	14.80B/11.20A	14.80B/11.20A	----	12.70 - 0.70	.1342	----	----	2	----	10 - 2
4300	21.10	21.10	24.70B/*18.70A	24.70B/*18.70A	----	21.90 NEW	.1836	----	----	1	----	1 + 1
4300	3.80	3.80	6.20B/*3.80	6.20B/*3.80	----	4.90 - 1.00	.0696	----	----	6	----	178 + 1
4325	----	----	11.70B/*8.90A	11.70B/*8.90A	----	10.10 - 0.70	.1094	----	----	----	----	12 UNCH
4325	2.80	2.80	2.80/*2.80	4.50B/*2.80	----	3.60 - 1.00	.0516	----	----	3	----	10 + 1
4350	3.00	3.00	3.40B/*2.20A	3.40B/*2.20A	----	2.80 - 0.80	.0397	----	----	2	----	26 + 1
4350	----	----	9.30B/*7.00A	9.30B/*7.00A	----	8.00 - 0.80	.0885	----	----	1	----	1 UNCH
4375	----	----	----/*1.80A	2.50B/*1.80A	----	2.10 - 0.80	.0297	----	----	----	----	30 UNCH
4400	----	----	----/*1.50A	1.90B/*1.50A	----	1.70 - 0.60	.0235	----	----	----	----	51 UNCH
4425	4.30	4.30	4.60B/*3.70A	4.60B/*3.70A	----	4.30 NEW	.0487	----	----	4	----	4 + 4
4425	----	----	----/*1.20A	1.40B/*1.20A	----	1.40 - 0.50	.0189	----	----	----	----	2 UNCH
4450	3.80	3.80	3.80/*3.40A	3.80/*3.40A	----	3.50 - 0.70	.0398	----	----	4	----	5 + 4
4450	----	----	----/*1.00A	1.10B/*1.00A	----	1.10 - 0.50	.0146	----	----	----	----	21 UNCH
4475	----	----	----/*2.90A	3.00B/*2.90A	----	3.00 - 0.60	.0338	----	----	----	----	4 UNCH
4475	----	----	6.40B/*5.50A	6.40B/*5.50A	----	5.90 - 0.40	.0571	----	----	----	----	2 UNCH
4500	4.50	4.50	5.30B/*4.50	5.30B/*4.50	----	4.90 - 0.50	.0480	----	----	2	----	4 + 2
4500	----	----	----/*0.70A	0.70B/*0.70A	----	0.80 - 0.40	.0101	----	----	----	----	2 UNCH
4500	----	----	----/*2.60A	2.30B/*2.60A	----	2.60 - 0.50	.0290	----	----	----	----	19 UNCH
4525	----	----	----/*0.60A	0.60B/*0.60A	----	0.60 - 0.40	.0075	----	----	----	----	3 UNCH
4575	----	----	----/*0.50A	0.40B/*0.50A	----	0.50 - 0.20	.0058	----	----	----	----	1 UNCH
4600	----	----	----	0.30B/*0.60A	----	0.40 - 0.20	.0046	----	----	----	----	12 UNCH
4700	----	----	----	----/0.60A	----	0.20 - 0.20	.0021	----	----	----	----	20 UNCH
4900	----	----	----	----/0.40A	----	0.10 - 0.10	.0009	----	----	----	----	4 UNCH
5000	----	----	----	----/0.80A	----	0.50 - 0.20	.0041	----	----	----	----	1 UNCH
TOTAL										163		2200 + 76

FMG OPT — MICRO GOLD WEEKLY FRI OPTION WEEK4

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
JUL26												
3900	----	----	----	----	----	0.00 - 1.10	----	----	----	----	----	0 - 1
3945	2.50	2.50	#2.50/*2.50	#2.50/*2.50	----	0.00 NEW	----	----	----	1	----	0 UNCH
4000	8.10	8.10	#8.10/*8.10	#8.10/*8.10	----	0.00 NEW	----	----	----	1	----	0 UNCH
4070	44.00	44.00	#44.00/*6.00	#44.00/*6.00	----	0.00 - 31.90	----	----	----	2	----	0 - 1
4075	10.00	10.00	10.00/*10.00	10.00/*10.00	----	0.00 - 10.40	----	----	----	1	----	0 - 1
4100	----	----	----	----	----	0.00 - 4.60	----	----	----	----	----	0 - 1
4120	----	----	----/50.00A	----/50.00A	----	49.20 - 23.00	----	----	----	----	----	0 - 1
4200	----	----	----	----	----	0.00 - 0.40	----	----	----	----	----	0 - 3
TOTAL										5		0 - 8

SILVER OPTIONS ON FUTURES

RWS THU — SILVER WEEKLY THURSDAY OPTION Week5

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
JUL26												
5000	----	----	----/*0.066A	0.047B/*0.066A	----	0.025 - 0.049	.0097	----	----	----	----	3 UNCH
5100	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
5200	0.105	0.105	0.105/*0.085A	0.120B/*0.085A	----	0.057 - 0.093	.0248	----	----	1	----	1 UNCH
5300	----	----	----/*0.111A	0.194B/*0.111A	----	0.090 - 0.128	.0408	----	----	----	----	1 UNCH
5450	----	----	----/0.207A	0.378B/0.207A	----	0.181 - 0.207	.0848	----	----	----	----	1 UNCH
5500	----	----	0.490B/0.249A	0.490B/0.249A	----	0.229 - 0.242	.1075	----	----	----	----	3 UNCH
5700	----	----	1.126B/0.561A	1.126B/0.561A	----	0.586 - 0.419	.2593	----	----	----	----	38 UNCH
5700	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
5700	----	----	----	----	----	1.054 UNCH	----	----	----	----	----	0 UNCH
5700	----	----	2.620B/1.791A	2.620B/1.791A	----	2.491 + 0.433	.7406	----	----	----	----	400 UNCH
5750	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
5780	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
5800	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
5810	----	----	----	----	----	0.046 UNCH	----	----	----	----	----	0 UNCH
5810	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
5840	----	----	----	----	----	0.346 UNCH	----	----	----	----	----	0 UNCH
5850	----	----	----	----	----	0.446 UNCH	----	----	----	----	----	0 UNCH
5850	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
5860	----	----	----	----	----	0.546 UNCH	----	----	----	----	----	0 UNCH
5880	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
5900	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
5900	----	----	----	----	----	0.946 UNCH	----	----	----	----	----	0 UNCH
5920	----	----	----	----	----	1.146 UNCH	----	----	----	----	----	0 UNCH
5920	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
5950	----	----	----	----	----	1.446 UNCH	----	----	----	----	----	0 UNCH
5950	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
5960	----	----	----	----	----	1.546 UNCH	.0000	----	----	----	----	0 UNCH
5970	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
5980	----	----	----	----	----	1.746 UNCH	----	----	----	----	----	0 UNCH
6000	----	----	2.804B/1.820A	2.804B/1.820A	----	1.904 - 0.726	.6337	----	----	----	----	4 UNCH
6000	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
6000	0.565	0.565	0.898B/0.565	0.898B/0.565	----	0.811 + 0.125	.3662	----	----	3	----	18 + 3
6000	----	----	----	----	----	1.946 UNCH	----	----	----	----	----	0 UNCH
6020	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
6030	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
6030	----	----	----	----	----	2.246 UNCH	----	----	----	----	----	0 UNCH
6040	----	----	----	----	----	2.346 UNCH	----	----	----	----	----	0 UNCH
6050	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
RWS THU		SILVER WEEKLY THURSDAY OPTION Week4										
JUL26												
6060	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
6090	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
6140	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
6150	----	----	----	----	----	3.446 UNCH	----	----	----	----	----	0 UNCH
6200	----	----	----	----	----	3.946 UNCH	----	----	----	----	----	0 UNCH
6500	0.088	0.088	0.088/*0.088	0.088/*0.088	----	0.091 - 0.005	.0455	----	----	1	----	7 + 1
6550	----	----	----/*0.077A	0.069B/*0.077A	----	0.079 - 0.004	.0385	----	----	----	----	6 UNCH
TOTAL										5	0	482 + 4
AUG26												
6000	----	----	3.198B/2.377A	3.198B/2.377A	----	2.427 - 0.709	.5832	----	----	----	----	1 UNCH
6400	----	----	0.446B/0.366A	0.446B/0.366A	----	0.401 + 0.007	.1542	----	----	----	----	1 UNCH
7000	----	----	----	0.108B/*0.118A	----	0.105 - 0.007	.0392	----	----	----	----	1 UNCH
TOTAL											0	3 0
SMW MON		SILVER WEEKLY MONDAY OPTION WEEK4										
JUL26												
4800	----	----	----	----/0.038A	----	0.001 - 0.003	.0000	----	----	----	----	1 UNCH
5100	----	----	----	0.006B/*0.036A	----	0.003 - 0.014	.0008	----	----	----	----	5 UNCH
5200	----	----	----	0.014B/*0.036A	----	0.005 - 0.024	.0016	----	----	----	----	1 UNCH
5270	----	----	----/*0.038A	0.023B/*0.038A	----	0.006 - 0.038	.0022	----	----	----	----	1 UNCH
5290	----	----	----/*0.038A	0.027B/*0.038A	----	0.007 - 0.042	.0027	----	----	----	----	1 UNCH
5350	----	----	----/*0.041A	0.041B/*0.041A	----	0.009 - 0.061	.0039	----	----	----	----	8 UNCH
5400	0.065	0.065	0.065/*0.017A	0.067B/*0.017A	----	0.012 - 0.080	.0058	----	----	10	----	11 + 5
5450	----	----	----/*0.019A	0.095B/*0.019A	----	0.017 - 0.104	.0091	----	----	----	----	8 UNCH
5500	0.130	0.130	0.130/*0.040A	0.142B/*0.040A	----	0.024 - 0.136	.0142	----	----	6	----	11 + 1
5550	----	----	----/*0.032A	0.207B/*0.032A	----	0.034 - 0.178	.0224	----	----	----	----	39 UNCH
5600	----	----	3.237B/1.917A	3.237B/1.917A	----	2.956 + 0.622	.9631	----	----	----	----	4 UNCH
5600	0.043	0.043	0.301B/*0.043	0.301B/*0.043	----	0.051 - 0.230	.0368	----	----	2	----	38 UNCH
5650	0.196	0.196	0.420B/*0.061	0.420B/*0.061	----	0.077 - 0.296	.0605	----	----	4	----	20 - 2
5660	----	----	0.450B/*0.083A	0.450B/*0.083A	----	0.084 - 0.310	.0669	----	----	----	----	1 UNCH
5690	----	----	0.547B/*0.099A	0.547B/*0.099A	----	0.108 - 0.359	.0897	----	----	----	----	1 UNCH
5700	----	----	2.284B/1.173A	2.284B/1.173A	----	2.024 + 0.476	.9007	----	----	----	----	3 UNCH
5700	0.250	0.250	0.586B/*0.106	0.586B/*0.106	----	0.118 - 0.376	.0992	----	----	3	----	18 + 3
5750	1.143	1.143	1.823B/0.839	1.823B/0.839	----	1.588 + 0.380	.8392	----	----	8	----	11 + 6
5750	0.360	0.360	0.809B/*0.153	0.809B/*0.153	----	0.183 - 0.471	.1607	----	----	93	----	62 - 15
5760	0.700	0.700	0.863B/*0.176A	0.863B/*0.176A	----	0.199 NEW	.1760	----	----	40	----	17 + 17
5790	0.793	0.793	1.490B/*0.713A	1.490B/*0.713A	----	1.263 + 0.295	.7694	----	----	3	----	2 + 1
5800	0.273	0.273	1.022B/*0.241A	1.022B/*0.241A	----	0.281 - 0.578	.2512	----	----	79	----	79 - 17
5800	0.715	0.715	1.402B/0.670A	1.402B/0.670A	----	1.186 + 0.273	.7487	----	----	2	----	6 + 2
5830	0.642	0.642	1.175B/*0.554A	1.175B/*0.554A	----	0.966 NEW	.6788	----	----	1	----	1 + 1
5850	0.610	0.610	1.030B/*0.487A	1.030B/*0.487A	----	0.830 + 0.159	.6255	----	----	12	----	14 + 8
5850	1.333	1.333	1.457B/0.379A	1.457B/0.379A	----	0.424 - 0.692	.3744	----	----	3	----	3 + 2
5860	----	----	0.955B/*0.456A	0.955B/*0.456A	----	0.769 NEW	.5964	----	----	5	----	5 + 5
5870	0.600	0.600	0.889B/*0.428A	0.889B/*0.428A	----	0.712 NEW	.5668	----	----	1	----	1 + 1
5890	0.605	0.605	0.778B/*0.374A	0.778B/*0.374A	----	0.606 NEW	.5062	----	----	5	----	5 + 5
5900	0.840	0.840	1.737B/0.540	1.737B/0.540	----	0.651 NEW	.5242	----	----	19	----	15 + 15
5900	0.430	0.430	0.727B/*0.350A	0.727B/*0.350A	----	0.557 + 0.076	.4757	----	----	13	----	11 + 3
5930	----	----	0.572B/*0.263A	0.572B/*0.263A	----	0.428 NEW	.3862	----	----	10	----	10 + 10
5940	0.398	0.398	0.525B/*0.237A	0.525B/*0.237A	----	0.391 NEW	.3578	----	----	2	----	0 UNCH
5950	0.440	0.440	0.498/*0.214A	0.498/*0.214A	----	0.356 + 0.017	.3301	----	----	13	----	8 + 3
5950	0.800	0.800	2.152B/0.800	2.152B/0.800	----	0.950 NEW	.6698	----	----	2	----	2 + 2
5960	0.201	0.201	0.437B/*0.193A	0.437B/*0.193A	----	0.324 NEW	.3037	----	----	6	----	6 + 6
5970	0.170	0.170	0.398B/*0.170	0.398B/*0.170	----	0.294 UNCH	.2783	----	----	1	----	1 + 1
6000	0.230	0.230	0.298B/*0.129A	0.298B/*0.129A	----	0.219 - 0.018	.2106	----	----	11	----	22 + 6
6000	----	----	2.601B/1.142A	2.601B/1.142A	----	1.313 - 0.870	.7893	----	----	----	----	12 UNCH
6050	0.101	0.101	0.182B/*0.081A	0.182B/*0.081A	----	0.131 - 0.035	.1253	----	----	37	----	52 + 26
6080	0.050	0.050	0.050/*0.050	0.120B/*0.050	----	0.096 NEW	.0898	----	----	2	----	2 + 2
6100	----	----	----/*0.054A	0.107B/*0.054A	----	0.078 - 0.039	.0715	----	----	----	----	14 UNCH
6110	----	----	----/*0.052A	0.083B/*0.052A	----	0.070 - 0.039	.0634	----	----	1	----	0 - 1
6150	----	----	----/*0.042A	0.059B/*0.042A	----	0.046 - 0.037	.0394	----	----	----	----	32 UNCH
6200	----	----	----/*0.043A	0.035B/*0.043A	----	0.028 - 0.031	.0219	----	----	----	----	31 UNCH
6250	----	----	----/*0.035A	0.022B/*0.035A	----	0.017 - 0.026	.0120	----	----	----	----	2 UNCH
6300	----	----	0.033B/----	0.033B/*0.036A	----	0.010 - 0.021	.0063	----	----	----	----	1 UNCH
6400	----	----	----	----/0.037A	----	0.004 - 0.013	.0019	----	----	----	----	3 UNCH
6500	----	----	----	----/*0.042A	----	0.002 - 0.008	.0007	----	----	----	----	1 UNCH
6600	----	----	----	----/*0.039A	----	0.001 - 0.005	.0000	----	----	----	----	11 UNCH
6800	----	----	----	----/*0.033A	----	0.001 - 0.001	----	----	----	----	----	3 UNCH
TOTAL										394	0	616 + 96
AUG26												
5000	----	----	----/*0.099A	0.097B/*0.099A	----	0.076 NEW	.0283	----	----	1	----	1 + 1
5100	0.140	0.140	0.140/*0.105A	0.144B/*0.105A	----	0.103 - 0.097	.0394	----	----	2	----	2 + 1
5200	----	----	----/*0.141A	0.214B/*0.141A	----	0.141 - 0.129	.0551	----	----	1	----	1 UNCH
5400	----	----	----/0.276A	0.466B/0.276A	----	0.276 NEW	.1098	----	----	1	----	1 + 1
5500	----	----	----/0.380A	0.682B/0.380A	----	0.393 - 0.293	.1548	----	----	2	----	2 + 1
5600	----	----	0.978B/0.542A	0.978B/0.542A	----	0.562 - 0.374	.2159	----	----	2	----	2 + 1
5650	----	----	1.148B/0.646A	1.148B/0.646A	----	0.672 - 0.419	.2532	----	----	----	----	3 UNCH
5650	----	----	3.140B/2.306A	3.140B/2.306A	----	3.076 + 0.432	.7467	----	----	----	----	3 UNCH
5700	----	----	1.368B/0.769A	1.368B/0.769A	----	0.803 - 0.466	.2951	----	----	1	----	4 + 1
5800	----	----	1.859B/1.120A	1.859B/1.120A	----	1.137 - 0.559	.3910	----	----	----	----	1 UNCH
5800	----	----	2.023B/1.518A	2.023B/1.518A	----	2.042 + 0.292	.6089	----	----	----	----	6 UNCH
5850	----	----	2.108B/1.328A	2.108B/1.328A	----	1.343 - 0.606	.4436	----	----	----	----	1 UNCH
5900	----	----	----/1.542A	2.201B/1.542A	----	1.579 - 0.648	.4978	----	----	----	----	16 UNCH
5900	----	----	1.613B/1.109A	1.613B/1.109A	----	1.485 + 0.203	.5021	----	----	----	----	16 UNCH
5950	----	----	2.542B/1.810A	2.542B/1.810A	----	1.844 - 0.688	.5523	----	----	----	----	1 UNCH
6000	----	----	2.915B/2.067A	2.915B/2.067A	----	2.138 - 0.724	.6057	----	----	----	----	6 UNCH
6000	----	----	1.146B/0.814A	1.146B/0.814A	----	1.045 + 0.127	.3942	----	----	----	----	7 UNCH
6050	----	----	0.953B/0.709A	0.953B/0.709A	----	0.868 + 0.096	.3432	----	----	----	----	1 UNCH
6100	----	----	0.825B/0.599A	0.825B/0.599A	----	0.719 + 0.071	.2959	----	----	----	----	13 UNCH
6150	----	----	0.682B/0.518A	0.682B/0.518A	----	0.593 + 0.049	.2529	----	----	----	----	1 UNCH
6200	----	----	0.562B/0.430A	0.562B/0.430A	----	0.489 + 0.032	.2147	----	----	----	----	7 UNCH
6400	----	----	0.259B/*0.222A	0.259B/*0.222A	----	0.233 - 0.004	.1086	----	----	----	----	0 UNCH
6500	0.183	0.183	0.186B/*0.170A	0.186B/*0.170A	----	0.168 NEW	.0784	----	----	3	----	3 + 3
TOTAL										13	0	98 + 9
SO CALL		COMEX SILVER OPTIONS										
AUG26												
4525	----	----	13.509B/----	13.509B/13.485A	----	13.659 + 0.843	.9989	----	----	----	----	1 UNCH
4625	----	----	12.511B/----	12.511B/12.487A	----	12.660 + 0.841	.9986	----	----	----	----	2 UNCH
5000	----	----	9.217B/7.476A	9.217B/7.476A	----	8.917 + 0.824	.9957	----	----	----	----	19 UNCH
5150	----	----	7.722B/6.006A	7.722B/6.006A	----	7.422 + 0.806	.9929	----	----	----	----	1 UNCH
5350	----	----	5.735B/4.107A	5.735B/4.107A	----	5.435 + 0.750	.9842	----	----	----	----	1 UNCH
5400	----	----	5.241B/3.649A	5.241B/3.649A	----	4.942 + 0.726	.9799	----	----	----	----	8 UNCH
5425	----	----	4.995B/3.424A	4.995B/3.424A	----	4.696 + 0.711	.9764	----	----	----	----	3 UNCH
5450	----	----	4.749B/3.203A	4.749B/3.203A	----	4.451 + 0.695	.9728	----	----	----	----	2 UNCH
5475	----	----	4.514B/2.986A	4.514B/2.986A	----	4.207 + 0.677	.9683	----	----	----	----	1 UNCH
5500	----	----	4.270B/2.773A	4.270B/2.773A	----	3.965 + 0.657	.9630	----	----	----	----	30 UNCH
5525	----	----	4.020B/2.564A	4.020B/2.564A	----	3.724 + 0.635	.9562	----	----	----	----	5 UNCH
5550	----	----	3.788B/2.358A	3.788B/2.358A	----	3.485 + 0.611	.9479	----	----	----	----	9 UNCH
5575	----	----	3.550B/2.162A	3.550B/2.162A	----	3.248 + 0.584	.9379	----	----	----	----	14 UNCH
5600	----	----	3.314B/1.974A	3.314B/1.974A	----	3.015 + 0.555	.9252	----	----	----	----	22 UNCH
5625	----	----	3.083B/1.793A	3.083B/1.793A	----	2.785 + 0.524	.9100	----	----	----	----	26 UNCH
5650	----	----	2.856B/1.619A	2.856B/1.619A	----	2.560 + 0.491	.8914	----	----	----	----	32 UNCH
5675	----	----	2.631B/1.440A	2.631B/1.440A	----	2.340 + 0.456	.8693	----	----	----	----	17 UNCH
5700	----	----	2.412B/1.275A	2.412B/1.275A	----	2.127 + 0.420	.8433	----	----	----	----	70 UNCH
5710	----	----	#2.325B/*1.218A	2.325B/*1.218A	----	2.044 + 0.406	.8314	----	----	2	----	3 UNCH
5725	----	----	2.197B/1.136A	2.197B/1.136A	----	1.921 + 0.383	.8122	----	----	----	----	17 UNCH
5740	1.042	1.042	#2.072B/*1.024	2.072B/*1.024	----	1.802 NEW	.7917	----	----	7	----	4 + 4
5750	1.291	1.291	1.984B/0.964	1.984B/0.964	----	1.724 + 0.346	.7767	----	----	10	----	30 - 2
5760	0.954	0.954	#1.910B/*0.915A	1.910B/*0.915A	----	1.648 NEW	.7612	----	----	4	----	0 UNCH
5770	0.904	0.904	#1.831B/*0.865	1.831B/*0.865	----	1.574 + 0.317	.7451	----	----	11	----	4 + 3
5775	0.880	0.880	1.792B/0.842	1.792B/0.842	----	1.537 + 0.310	.7368	----	----	5	----	26 + 3
5780	0.856	0.856	#1.753B/*0.839A	1.753B/*0.839A	----	1.501 NEW	.7282	----	----	4	----	3 + 3
5790	0.867	0.867	#1.676B/*0.810A	1.676B/*0.810A	----	1.429 NEW	.7106	----	----	2	----	1 + 1
5800	1.000	1.000	1.603B/0.767A	1.603B/0.767A	----	1.360 + 0.273	.6925	----	----	22	----	85 - 6
5810	----	----	#1.528B/*0.727A	1.528B/*0.727A	----	1.292 + 0.259	.6737	----	----	1	----	3 + 1
5820	0.917	0.917	1.457B/*0.687A	1.457B/*0.687A	----	1.225 + 0.243	.6544	----	----	1	----	2 + 1
5825	0.892	0.892	1.422B/0.667A	1.422B/0.667A	----	1.193 + 0.236	.6446	----	----	10	----	40 UNCH
5830	0.868	0.868	#1.387B/*0.649A	1.387B/*0.649A	----	1.161 NEW	.6346	----	----	4	----	4 + 4
5850	0.773	0.773	1.253B/0.578A	1.253B/0.578A	----	1.038 + 0.201	.5935	----	----	115	----	53 + 4
5860	0.595	0.595	#1.187B/*0.545A	1.187B/*0.545A	----	0.979 NEW	.5724	----	----	20	----	2 + 2
5870	----	----	#1.124B/*0.514A	1.124B/*0.514A	----	0.922 + 0.172	.5510	----	----	----	----	2 UNCH
5875	0.519	0.519	1.095B/*0.498A	1.095B/*0.498A	----	0.894 + 0.165	.5402	----	----	54	----	76 - 11
5880	0.728	0.728	#1.064B/*0.484A	1.064B/*0.484A	----	0.866 + 0.158	.5293	----	----	2	----	1 UNCH
5890	0.839	0.839	#1.016B/*0.455A	1.016B/*0.455A	----	0.813 + 0.144	.5074	----	----	6	----	13 + 5
5900	0.737	0.737	0.970/*0.426A	0.970/*0.426A	----	0.761 + 0.130	.4854	----	----	41	----	150 - 9
5910	0.760	0.760	0.904B/*0.404A	0.904B/*0.404A	----	0.711 + 0.116	.4632	----	----	4	----	11 + 5

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

SO CALL — COMEX SILVER OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
AUG26												
5925	0.500	0.500	0.850/*0.369A	0.850/*0.369A	----	0.640 + 0.096	.4299	----	----	49	----	54 - 3
5930	0.799	0.799	#0.801B/*0.357A	0.801B/*0.357A	----	0.617 NEW	.4188	----	----	1	----	1 + 1
5940	0.750	0.750	#0.752B/*0.335A	0.752B/*0.335A	----	0.573 NEW	.3967	----	----	1	----	1 + 1
5950	0.315	0.315	0.706B/*0.294	0.706B/*0.294	----	0.531 + 0.064	.3748	----	----	128	----	169 - 7
5970	----	----	#0.619B/*0.280A	0.619B/*0.280A	----	0.454 + 0.042	.3320	----	----	----	----	1 UNCH
5975	0.380	0.380	0.599B/*0.271A	0.599B/*0.271A	----	0.436 + 0.037	.3215	----	----	4	----	41 - 1
5980	----	----	#0.579B/*0.264A	0.579B/*0.264A	----	0.419 + 0.032	.3113	----	----	----	----	4 UNCH
5990	----	----	#0.541B/*0.244A	0.541B/*0.244A	----	0.386 + 0.023	.2911	----	----	----	----	2 UNCH
6000	0.320	0.320	0.504B/*0.220	0.504B/*0.220	----	0.355 + 0.015	.2715	----	----	312	----	619 + 182
6020	----	----	#0.438B/*0.188A	0.438B/*0.188A	----	0.300 + 0.001	.2349	----	----	----	----	1 UNCH
6025	0.318	0.318	0.423B/*0.180A	0.423B/*0.180A	----	0.287 - 0.003	.2261	----	----	13	----	62 + 3
6030	0.385	0.385	0.408B/*0.173A	0.408B/*0.173A	----	0.276 - 0.005	.2180	----	----	1	----	1 UNCH
6040	----	----	#0.379B/*0.160A	0.379B/*0.160A	----	0.253 - 0.010	.2017	----	----	----	----	1 UNCH
6050	0.175	0.175	0.353/*0.146A	0.353/*0.146A	----	0.232 - 0.015	.1863	----	----	58	----	112 - 17
6060	----	----	#0.324B/*0.135A	0.324B/*0.135A	----	0.213 - 0.018	.1720	----	----	1	----	13 + 1
6070	----	----	#0.302B/*0.126A	0.302B/*0.126A	----	0.196 - 0.021	.1587	----	----	----	----	4 UNCH
6075	0.196	0.196	0.293B/*0.120A	0.293B/*0.120A	----	0.188 - 0.022	.1525	----	----	26	----	52 + 7
6080	0.263	0.263	#0.280B/*0.115A	0.280B/*0.115A	----	0.180 - 0.023	.1462	----	----	2	----	3 + 2
6100	0.128	0.128	0.244B/*0.096A	0.244B/*0.096A	----	0.152 - 0.027	.1237	----	----	44	----	123 + 6
6110	----	----	0.225B/*0.094A	0.225B/*0.094A	----	0.140 - 0.028	.1139	----	----	----	----	6 UNCH
6125	----	----	0.203B/*0.085A	0.203B/*0.085A	----	0.124 - 0.028	.1005	----	----	----	----	29 UNCH
6130	0.097	0.097	#0.196B/*0.083A	0.196B/*0.083A	----	0.119 - 0.029	.0963	----	----	1	----	6 + 1
6140	0.155	0.155	#0.183B/*0.077A	0.183B/*0.077A	----	0.110 - 0.029	.0886	----	----	1	----	2 + 1
6150	0.140	0.140	0.171B/*0.073A	0.171B/*0.073A	----	0.102 - 0.028	.0817	----	----	15	----	99 - 4
6160	----	----	#0.158B/*0.069A	0.158B/*0.069A	----	0.094 - 0.029	.0750	----	----	----	----	4 UNCH
6175	0.076	0.076	0.143B/*0.063A	0.143B/*0.063A	----	0.084 - 0.028	.0663	----	----	24	----	150 + 19
6180	0.116	0.116	0.139B/*0.062A	0.139B/*0.062A	----	0.081 - 0.028	.0637	----	----	1	----	2 + 1
6200	0.079	0.079	0.121B/*0.046	0.121B/*0.046	----	0.070 - 0.027	.0542	----	----	70	----	163 - 29
6210	----	----	0.113B/*0.053A	0.113B/*0.053A	----	0.066 - 0.025	.0505	----	----	----	----	1 UNCH
6220	----	----	0.105B/*0.051A	0.105B/*0.051A	----	0.061 - 0.025	.0463	----	----	----	----	1 UNCH
6225	0.109	0.109	0.114/*0.050A	0.114/*0.050A	----	0.059 - 0.025	.0446	----	----	9	----	85 + 7
6250	0.055	0.055	0.087B/*0.046A	0.087B/*0.046A	----	0.051 - 0.022	.0374	----	----	13	----	75 - 3
6260	----	----	#0.081B/*0.044A	0.081B/*0.044A	----	0.048 - 0.022	.0348	----	----	----	----	1 UNCH
6270	----	----	#0.077B/*0.042A	0.077B/*0.042A	----	0.045 - 0.021	.0323	----	----	----	----	3 UNCH
6275	----	----	0.074B/*0.041A	0.074B/*0.041A	----	0.044 - 0.021	.0313	----	----	----	----	14 UNCH
6290	----	----	0.068B/*0.039A	0.068B/*0.039A	----	0.040 - 0.020	.0280	----	----	----	----	6 UNCH
6300	0.080	0.080	0.080/*0.038A	0.080/*0.038A	----	0.038 - 0.019	.0263	----	----	20	----	227 - 15
6310	----	----	0.061B/*0.036A	0.061B/*0.036A	----	0.036 - 0.019	.0246	----	----	----	----	6 UNCH
6325	----	----	0.056B/*0.034A	0.056B/*0.034A	----	0.033 - 0.018	.0221	----	----	----	----	24 UNCH
6340	----	----	#0.052B/*0.036A	0.052B/*0.036A	----	0.031 - 0.017	.0204	----	----	----	----	2 UNCH
6350	----	----	0.049B/*0.035A	0.049B/*0.035A	----	0.030 - 0.016	.0194	----	----	----	----	62 UNCH
6375	0.033	0.033	0.043B/*0.032A	0.043B/*0.032A	----	0.026 - 0.016	.0164	----	----	1	----	72 - 1
6380	----	----	0.043B/*0.031A	0.043B/*0.031A	----	0.026 - 0.015	.0162	----	----	----	----	7 UNCH
6390	----	----	0.041B/*0.030A	0.041B/*0.030A	----	0.025 - 0.015	.0154	----	----	----	----	1 UNCH
6400	----	----	0.039B/*0.030A	0.039B/*0.030A	----	0.024 - 0.014	.0146	----	----	28	----	138 UNCH
6425	----	----	0.036B/*0.030A	0.036B/*0.030A	----	0.022 - 0.013	.0129	----	----	----	----	17 UNCH
6450	----	----	----/*0.028A	0.032B/*0.028A	----	0.020 - 0.013	.0114	----	----	----	----	37 UNCH
6470	----	----	----/*0.027A	0.029B/*0.027A	----	0.018 - 0.013	.0100	----	----	----	----	67 UNCH
6475	----	----	----/*0.024A	0.029B/*0.024A	----	0.018 - 0.013	.0099	----	----	----	----	17 UNCH
6500	0.031	0.031	0.031/*0.025	0.031/*0.025	----	0.017 - 0.012	.0091	----	----	157	----	651 + 114
6525	----	----	----/*0.023A	0.024B/*0.023A	----	0.015 - 0.012	.0078	----	----	----	----	70 UNCH
6550	----	----	----/*0.023A	0.022B/*0.023A	----	0.014 - 0.012	.0070	----	----	----	----	32 UNCH
6575	----	----	----/*0.021A	0.021B/*0.021A	----	0.014 - 0.011	.0068	----	----	----	----	32 UNCH
6600	0.019	0.019	0.019/*0.019	0.023B/*0.019	----	0.013 - 0.011	.0061	----	----	10	----	229 - 10
6625	0.017	0.017	0.017/*0.016	0.019B/*0.016	----	0.012 - 0.011	.0055	----	----	20	----	76 UNCH
6650	----	----	----/*0.019A	0.018B/*0.019A	----	0.011 - 0.011	.0049	----	----	----	----	90 UNCH
6675	----	----	----/*0.018A	0.017B/*0.018A	----	0.011 - 0.010	.0048	----	----	----	----	158 UNCH
6700	----	----	----/*0.017A	0.016B/*0.017A	----	0.011 - 0.010	.0046	----	----	10	----	403 + 10
6725	----	----	----/*0.016A	0.016B/*0.016A	----	0.010 - 0.010	.0041	----	----	----	----	100 UNCH
6750	----	----	----/*0.016A	0.015B/*0.016A	----	0.010 - 0.009	.0040	----	----	----	----	350 UNCH
6775	----	----	----/*0.015A	0.014B/*0.015A	----	0.009 - 0.010	.0035	----	----	----	----	19 UNCH
6800	0.013	0.013	0.019B/*0.010	0.019B/*0.010	----	0.009 - 0.009	.0034	----	----	75	----	254 + 72
6825	----	----	----/*0.014A	0.013B/*0.014A	----	0.009 - 0.009	.0033	----	----	----	----	16 UNCH
6850	----	----	----/*0.014A	0.012B/*0.014A	----	0.009 - 0.008	.0033	----	----	----	----	53 UNCH
6875	----	----	----/*0.014A	0.011B/*0.014A	----	0.008 - 0.009	.0028	----	----	----	----	24 UNCH
6900	----	----	----/*0.013A	0.009B/*0.013A	----	0.008 - 0.008	.0028	----	----	33	----	297 - 33
6925	----	----	----/*0.012A	0.005B/*0.012A	----	0.008 - 0.008	.0027	----	----	----	----	16 UNCH
6950	0.010	0.010	0.010/*0.010	0.010/*0.010	----	0.008 - 0.007	.0026	----	----	2	----	27 - 1
6975	----	----	----/*0.013A	0.006B/*0.013A	----	0.008 - 0.007	.0026	----	----	----	----	4 UNCH
7000	0.016	0.016	0.022B/*0.007	0.022B/*0.007	----	0.007 - 0.007	.0022	----	----	50	----	433 + 33
7025	----	----	----/*0.012A	----/*0.012A	----	0.007 - 0.007	.0022	----	----	21	----	205 + 40
7050	----	----	----/*0.011A	----/*0.011A	----	0.007 - 0.006	.0021	----	----	20	----	40 + 19
7075	----	----	----/*0.012A	0.005B/*0.012A	----	0.007 - 0.006	.0021	----	----	27	----	49 + 20
7100	0.008	0.008	0.008/*0.006	0.008/*0.006	----	0.007 - 0.005	.0020	----	----	339	----	478 + 313
7125	----	----	----/*0.008A	0.004B/*0.008A	----	0.007 - 0.005	.0020	----	----	37	----	40 + 34
7150	----	----	----/*0.011A	0.004B/*0.011A	----	0.007 - 0.005	.0020	----	----	110	----	102 + 74
7175	----	----	----	----/*0.011A	----	0.007 - 0.004	.0019	----	----	----	----	18 UNCH
7200	----	----	----/*0.008A	0.006B/*0.008A	----	0.007 - 0.004	.0019	----	----	72	----	477 - 40
7225	----	----	----	----/*0.011A	----	0.006 - 0.005	.0016	----	----	----	----	33 UNCH
7250	----	----	----	0.002B/*0.010A	----	0.006 - 0.004	.0016	----	----	----	----	44 UNCH
7275	----	----	----	----/0.017A	----	0.006 - 0.004	.0015	----	----	----	----	21 UNCH
7300	----	----	----	0.005B/*0.011A	----	0.006 - 0.004	.0015	----	----	----	----	57 UNCH
7325	----	----	----	0.002B/0.017A	----	0.005 - 0.004	.0012	----	----	----	----	21 UNCH
7350	----	----	----	0.002B/0.011A	----	0.005 - 0.004	.0012	----	----	----	----	27 UNCH
7375	----	----	----	----/0.016A	----	0.005 - 0.004	.0012	----	----	----	----	8 UNCH
7400	----	----	----	0.002B/*0.011A	----	0.005 - 0.003	.0012	----	----	----	----	189 UNCH
7425	----	----	----	----/0.019A	----	0.005 - 0.003	.0011	----	----	----	----	20 UNCH
7450	----	----	----	----/0.019A	----	0.004 - 0.004	.0009	----	----	----	----	9 UNCH
7475	----	----	----	----/0.019A	----	0.004 - 0.004	.0009	----	----	----	----	9 UNCH
7500	0.008	0.008	0.011/*0.005	0.011/*0.005	----	0.004 - 0.003	.0009	----	----	55	----	2260 - 40
7525	----	----	----	0.005B/0.015A	----	0.004 - 0.003	.0009	----	----	----	----	18 UNCH
7550	----	----	----	----/0.013A	----	0.004 - 0.003	.0008	----	----	----	----	37 UNCH
7575	----	----	----	----/0.014A	----	0.003 - 0.004	.0006	----	----	7	----	9 + 7
7600	----	----	----	----/0.017A	----	0.003 - 0.003	.0006	----	----	149	----	350 + 148
7625	----	----	----	----/0.017A	----	0.003 - 0.003	.0006	----	----	37	----	55 + 37
7650	----	----	----	----/*0.012A	----	0.003 - 0.003	.0006	----	----	132	----	185 + 113
7675	----	----	----	----/0.017A	----	0.003 - 0.003	.0006	----	----	----	----	74 UNCH
7700	----	----	----	----/0.020A	----	0.003 - 0.003	.0006	----	----	20	----	234 + 40
7725	----	----	----	----/0.023A	----	0.003 - 0.003	.0006	----	----	----	----	9 UNCH
7750	----	----	----	----/0.025A	----	0.003 - 0.002	.0005	----	----	----	----	497 UNCH
7775	----	----	----	----/0.024A	----	0.002 - 0.003	.0003	----	----	----	----	31 UNCH
7800	----	----	----	----/0.149A	----	0.002 - 0.003	.0003	----	----	20	----	279 UNCH
7825	----	----	----	----/0.148A	----	0.002 - 0.003	.0003	----	----	----	----	3 UNCH
7850	----	----	----	----/0.147A	----	0.002 - 0.003	.0003	----	----	----	----	29 UNCH
7875	----	----	----	----/0.146A	----	0.002 - 0.003	.0003	----	----	----	----	11 UNCH
7900	----	----	----	----/0.148A	----	0.002 - 0.002	.0003	----	----	4	----	110 + 4
7925	----	----	----	----/0.148A	----	0.002 - 0.002	.0003	----	----	----	----	19 UNCH
7950	----	----	----	----/0.148A	----	0.002 - 0.002	.0003	----	----	----	----	35 UNCH
7975	----	----	----	----/0.148A	----	0.002 - 0.002	.0003	----	----	----	----	52 UNCH
8000	----	----	----	0.004B/*0.005A	----	0.002 - 0.002	.0003	----	----	76	----	957 - 51
8025	----	----	----	----/0.148A	----	0.002 - 0.002	.0003	----	----	----	----	5 UNCH
8050	----	----	----	----/0.146A	----	0.002 - 0.002	.0003	----	----	----	----	22 UNCH
8075	----	----	----	----/0.146A	----	0.002 - 0.002	.0003	----	----	----	----	9 UNCH
8100	----	----	----	----/0.146A	----	0.001 - 0.003	.0001	----	----	----	----	36 UNCH
8125	----	----	----	----/0.148A	----	0.001 - 0.002	.0001	----	----	----	----	13 UNCH
8150	----	----	----	----/0.147A	----	0.001 - 0.002	.0001	----	----	----	----	44 UNCH
8175	----	----	----	----/0.146A	----	0.001 - 0.002	.0001	----	----	----	----	4 UNCH
8200	----	----	----	----/0.146A	----	0.001 - 0.002	.0000	----	----	----	----	89 UNCH
8225	----	----	----	----/0.147A	----	0.001 - 0.002	.0000	----	----	----	----	10 UNCH
8250	----	----	----	----/0.147A	----	0.001 - 0.002	.0000	----	----	----	----	531 UNCH
8275	----	----	----	----/0.147A	----	0.001 - 0.002	.0000	----	----	----	----	4 UNCH
8300	----	----	----	----/0.147A	----	0.001 - 0.002	.0000	----	----	----	----	113 UNCH
8325	----	----	----	----/0.147A	----	0.001 - 0.002	.0000	----	----	----	----	1 UNCH
8350	----	----	----	----/0.145A	----	0.001 - 0.002	.0000	----	----	----	----	28 UNCH
8375	----	----	----	----/0.147A	----	0.001 - 0.002	.0000	----	----	----	----	3 UNCH
8400	----	----	----	----/0.145A	----	0.001 - 0.002	.0000	----	----	----	----	168 UNCH
8425	----	----	----	----/0.145A	----	0.001 - 0.002	.0000	----	----	----	----	3 UNCH
8450	----	----	----	----/0.147A	----	0.001 - 0.002	.0000	----	----	----	----	13 UNCH
8475	----	----	----	----/0.147A	----	0.001 - 0.002	.0000	----	----	----	----	7 UNCH
8500	----	----	----	0.001B/0.009A	----	0.001 - 0.002	.0000	----	----	140	----	1108 - 12
8525	----	----	----	----/0.147A	----	0.001 - 0.001	.0000	----	----	----	----	1 UNCH
8550	----	----	----	----/0.147A	----	0.001 - 0.001	.0000	----	----	----	----	14 UNCH
8575	----	----	----	----/0.147A	----	0.001 - 0.001	.0000	----	----	----	----	54 UNCH
8600	----	----	----	----/0.147A	----	0.001 - 0.001	.0000	----	----	----	----	203 UNCH
8625	----	----	----	----/0.147A	----	0.001 - 0.001	.0000	----	----	----	----	16 UNCH
8650	----	----	----	----/0.147A	----	0.001 - 0.001	.0000	----	----	----	----	7 UNCH
8675	----	----	----	----/0.147A	----	0.001 - 0.001	.0000	----	----	----	----	41 UNCH
8700	----	----	----	----/0.147A	----	0.001 - 0.001	----	----	----	----	----	279 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
AUG26												
8725	----	----	----	----/0.146A	----	0.001 - 0.001	----	----	----	----	----	1 UNCH
8750	----	----	----	----/0.146A	----	0.001 - 0.001	----	----	----	----	----	308 UNCH
8775	----	----	----	----/0.146A	----	0.001 - 0.001	----	----	----	----	----	74 UNCH
8800	----	----	----	----/0.146A	----	0.001 - 0.001	----	----	----	----	----	486 UNCH
8825	----	----	----	----/0.146A	----	0.001 - 0.001	----	----	----	----	----	19 UNCH
8850	----	----	----	----/0.146A	----	0.001 - 0.001	----	----	----	----	----	12 UNCH
8875	----	----	----	----/0.146A	----	0.001 UNCH	----	----	----	----	----	2 UNCH
8900	----	----	----	----/0.146A	----	0.001 UNCH	----	----	----	----	----	28 UNCH
8925	----	----	----	----/0.146A	----	0.001 UNCH	----	----	----	----	----	4 UNCH
8950	----	----	----	----/0.146A	----	0.001 UNCH	----	----	----	----	----	9 UNCH
8975	----	----	----	----/0.146A	----	0.001 UNCH	----	----	----	----	----	2 UNCH
9000	----	----	----	----/0.010A	----	0.001 UNCH	----	----	----	----	----	1035 UNCH
9025	----	----	----	----/0.146A	----	0.001 UNCH	----	----	----	----	----	5 UNCH
9050	----	----	----	----/0.146A	----	0.001 UNCH	----	----	----	----	----	9 UNCH
9075	----	----	----	----/0.146A	----	0.001 UNCH	----	----	----	----	----	2 UNCH
9100	----	----	----	----/0.146A	----	0.001 UNCH	----	----	----	----	----	54 UNCH
9150	----	----	----	----/0.146A	----	0.001 UNCH	----	----	----	----	----	6 UNCH
9175	----	----	----	----/0.146A	----	0.001 UNCH	----	----	----	----	----	1 UNCH
9200	----	----	----	----/0.146A	----	0.001 UNCH	----	----	----	----	----	50 UNCH
9225	----	----	----	----/0.146A	----	0.001 UNCH	----	----	----	----	----	1 UNCH
9250	----	----	----	----/0.146A	----	0.001 UNCH	----	----	----	----	----	188 UNCH
9275	----	----	----	----/0.146A	----	0.001 UNCH	----	----	----	----	----	3 UNCH
9300	----	----	----	----/0.146A	----	0.001 UNCH	----	----	----	----	----	18 UNCH
9325	----	----	----	----/0.146A	----	0.001 UNCH	----	----	----	----	----	1 UNCH
9350	----	----	----	----/0.146A	----	0.001 UNCH	----	----	----	----	----	1 UNCH
9375	----	----	----	----/0.146A	----	0.001 UNCH	----	----	----	----	----	3 UNCH
9400	----	----	----	----/0.146A	----	0.001 UNCH	----	----	----	----	----	134 UNCH
9425	----	----	----	----/0.146A	----	0.001 UNCH	----	----	----	----	----	1 UNCH
9450	----	----	----	----/0.146A	----	0.001 UNCH	----	----	----	----	----	8 UNCH
9475	----	----	----	----/0.146A	----	0.001 UNCH	----	----	----	----	----	29 UNCH
9500	----	----	----	----/*0.007A	----	0.001 UNCH	----	----	----	----	----	510 UNCH
9525	----	----	----	----/0.146A	----	0.001 UNCH	----	----	----	----	----	1 UNCH
9550	----	----	----	----/0.146A	----	0.001 UNCH	----	----	----	----	----	18 UNCH
9575	----	----	----	----/0.146A	----	0.001 UNCH	----	----	----	----	----	2 UNCH
9600	----	----	----	----/0.146A	----	0.001 UNCH	----	----	----	----	----	3 UNCH
9625	----	----	----	----/0.146A	----	0.001 UNCH	----	----	----	----	----	30 UNCH
9700	0.001	0.001	0.001/*0.001	0.001/*0.001	----	0.001 UNCH	----	----	----	2	----	102 + 2
9725	----	----	----	----/0.146A	----	0.001 UNCH	----	----	----	----	----	4 UNCH
9750	----	----	----	----/0.146A	----	0.001 UNCH	----	----	----	----	----	10 UNCH
9775	----	----	----	----/0.146A	----	0.001 UNCH	----	----	----	----	----	1 UNCH
9800	----	----	----	----/0.146A	----	0.001 UNCH	----	----	----	----	----	27 UNCH
9825	----	----	----	----/0.146A	----	0.001 UNCH	----	----	----	----	----	1 UNCH
9850	----	----	----	----/0.146A	----	0.001 UNCH	----	----	----	----	----	16 UNCH
9875	----	----	----	----/0.146A	----	0.001 UNCH	----	----	----	----	----	5 UNCH
9900	----	----	----	----/0.146A	----	0.001 UNCH	----	----	----	----	----	9 UNCH
9925	----	----	----	----/0.146A	----	0.001 UNCH	----	----	----	----	----	5 UNCH
9950	----	----	----	----/0.146A	----	0.001 UNCH	----	----	----	----	----	3 UNCH
9975	----	----	----	----/0.146A	----	0.001 UNCH	----	----	----	----	----	10 UNCH
10000	0.001	0.001	0.001/*0.001	0.001/*0.001	----	0.001 UNCH	----	----	----	1	----	572 - 2
10025	----	----	----	----/0.143A	----	0.001 UNCH	----	----	----	----	----	2 UNCH
10075	----	----	----	----/0.146A	----	0.001 UNCH	----	----	----	----	----	15 UNCH
10100	----	----	----	----/0.146A	----	0.001 UNCH	----	----	----	----	----	4 UNCH
10125	----	----	----	----/0.146A	----	0.001 UNCH	----	----	----	----	----	1 UNCH
10150	----	----	----	----/0.146A	----	0.001 UNCH	----	----	----	----	----	16 UNCH
10175	----	----	----	----/0.143A	----	0.001 UNCH	----	----	----	----	----	8 UNCH
10200	----	----	----	----/0.146A	----	0.001 UNCH	----	----	----	----	----	33 UNCH
10225	----	----	----	----/0.146A	----	0.001 UNCH	----	----	----	----	----	1 UNCH
10250	----	----	----	----/0.146A	----	0.001 UNCH	----	----	----	----	----	2 UNCH
10275	----	----	----	----/0.146A	----	0.001 UNCH	----	----	----	----	----	21 UNCH
10300	----	----	----	----/0.146A	----	0.001 UNCH	----	----	----	----	----	33 UNCH
10325	----	----	----	----/0.146A	----	0.001 UNCH	----	----	----	----	----	11 UNCH
10350	----	----	----	----/0.146A	----	0.001 UNCH	----	----	----	----	----	6 UNCH
10375	----	----	----	----/0.146A	----	0.001 UNCH	----	----	----	----	----	3 UNCH
10400	----	----	----	----/0.146A	----	0.001 UNCH	----	----	----	----	----	108 UNCH
10475	----	----	----	----/0.146A	----	0.001 UNCH	----	----	----	----	----	6 UNCH
10500	----	----	----	----/0.146A	----	0.001 UNCH	----	----	----	----	----	119 UNCH
10600	----	----	----	----/0.146A	----	0.001 UNCH	----	----	----	----	----	5 UNCH
10650	----	----	----	----/0.146A	----	0.001 UNCH	----	----	----	----	----	1 UNCH
10675	----	----	----	----/0.146A	----	0.001 UNCH	----	----	----	----	----	4 UNCH
10700	----	----	----	----/0.146A	----	0.001 UNCH	----	----	----	----	----	3 UNCH
10725	----	----	----	----/0.146A	----	0.001 UNCH	----	----	----	----	----	1 UNCH
10750	----	----	----	----/0.146A	----	0.001 UNCH	----	----	----	----	----	58 UNCH
10775	----	----	----	----/0.146A	----	0.001 UNCH	----	----	----	----	----	3 UNCH
10800	----	----	----	----/0.146A	----	0.001 UNCH	----	----	----	----	----	6 UNCH
10825	----	----	----	----/0.146A	----	0.001 UNCH	----	----	----	----	----	2 UNCH
10875	----	----	----	----/0.146A	----	0.001 UNCH	----	----	----	----	----	5 UNCH
10900	----	----	----	----/0.146A	----	0.001 UNCH	----	----	----	----	----	7 UNCH
10925	----	----	----	----/0.146A	----	0.001 UNCH	----	----	----	----	----	4 UNCH
10950	----	----	----	----/0.146A	----	0.001 UNCH	----	----	----	----	----	1 UNCH
10975	----	----	----	----/0.146A	----	0.001 UNCH	----	----	----	----	----	7 UNCH
11000	----	----	----	----/0.146A	----	0.001 UNCH	----	----	----	----	----	1001 UNCH
11075	----	----	----	----/0.146A	----	0.001 UNCH	----	----	----	----	----	3 UNCH
11100	----	----	----	----/0.146A	----	0.001 UNCH	----	----	----	----	----	24 UNCH
11150	----	----	----	----/0.146A	----	0.001 UNCH	----	----	----	----	----	9 UNCH
11200	----	----	----	----/0.146A	----	0.001 UNCH	----	----	----	----	----	8 UNCH
11225	----	----	----	----/0.146A	----	0.001 UNCH	----	----	----	----	----	1 UNCH
11250	----	----	----	----/0.146A	----	0.001 UNCH	----	----	----	----	----	3 UNCH
11275	----	----	----	----/0.146A	----	0.001 UNCH	----	----	----	----	----	7 UNCH
11300	----	----	----	----/0.146A	----	0.001 UNCH	----	----	----	----	----	1 UNCH
11325	----	----	----	----/0.145A	----	0.001 UNCH	----	----	----	----	----	6 UNCH
11350	----	----	----	----/0.145A	----	0.001 UNCH	----	----	----	----	----	1 UNCH
11400	----	----	----	----/0.145A	----	0.001 UNCH	----	----	----	----	----	2 UNCH
11475	----	----	----	----/0.145A	----	0.001 UNCH	----	----	----	----	----	2 UNCH
11500	----	----	----	----/0.145A	----	0.001 UNCH	----	----	----	----	----	132 UNCH
11575	----	----	----	----/0.145A	----	0.001 UNCH	----	----	----	----	----	1 UNCH
11650	----	----	----	----/0.145A	----	0.001 UNCH	----	----	----	----	----	2 UNCH
11700	----	----	----	----/0.145A	----	0.001 UNCH	----	----	----	----	----	7 UNCH
11725	----	----	----	----/0.145A	----	0.001 UNCH	----	----	----	----	----	5 UNCH
11850	----	----	----	----/0.145A	----	0.001 UNCH	----	----	----	----	----	1 UNCH
12000	----	----	----	----/0.005A	----	0.001 UNCH	----	----	----	----	----	45 UNCH
12025	----	----	----	----/0.145A	----	0.001 UNCH	----	----	----	----	----	52 UNCH
12050	----	----	----	----/0.145A	----	0.001 UNCH	----	----	----	----	----	208 UNCH
12100	----	----	----	----/0.145A	----	0.001 UNCH	----	----	----	----	----	5 UNCH
12200	----	----	----	----/0.145A	----	0.001 UNCH	----	----	----	----	----	1 UNCH
12275	----	----	----	----/0.145A	----	0.001 UNCH	----	----	----	----	----	1 UNCH
12300	----	----	----	----/0.145A	----	0.001 UNCH	----	----	----	----	----	34 UNCH
12450	----	----	----	----/0.145A	----	0.001 UNCH	----	----	----	----	----	2 UNCH
12500	----	----	----	----/0.145A	----	0.001 UNCH	----	----	----	----	----	160 UNCH
12525	----	----	----	----/0.145A	----	0.001 UNCH	----	----	----	----	----	3 UNCH
12550	----	----	----	----/0.145A	----	0.001 UNCH	----	----	----	----	----	2 UNCH
12700	----	----	----	----/0.145A	----	0.001 UNCH	----	----	----	----	----	1 UNCH
12725	----	----	----	----/0.145A	----	0.001 UNCH	----	----	----	----	----	2 UNCH
12775	----	----	----	----/0.145A	----	0.001 UNCH	----	----	----	----	----	13 UNCH
12800	----	----	----	----/0.145A	----	0.001 UNCH	----	----	----	----	----	3 UNCH
13000	----	----	----	----/*0.005A	----	0.001 UNCH	----	----	----	----	----	4039 UNCH
14000	----	----	----	----/*0.005A	----	0.001 UNCH	----	----	----	----	----	23 UNCH
15000	----	----	----	----/0.005A	----	0.001 UNCH	----	----	----	----	----	115 UNCH
16000	----	----	----	----/0.145A	----	0.001 UNCH	----	----	----	----	----	11 UNCH
17000	----	----	----	----/0.005A	----	0.001 UNCH	----	----	----	----	----	3854 UNCH
18000	----	----	----	----/0.145A	----	0.001 UNCH	----	----	----	----	----	8 UNCH
19000	----	----	----	----/0.145A	----	0.001 UNCH	----	----	----	----	----	2 UNCH
20000	----	----	----	----/0.001A	----	0.001 UNCH	----	----	----	----	----	286 UNCH
21000	----	----	----	----/0.145A	----	0.001 UNCH	----	----	----	----	----	1 UNCH
25000	----	----	----	----/0.005A	----	0.001 UNCH	----	----	----	----	----	21 UNCH
27000	----	----	----	----/0.145A	----	0.001 UNCH	----	----	----	----	----	5 UNCH
30000	----	----	----	----/0.001A	----	0.001 UNCH	----	----	----	----	----	16 UNCH
32000	----	----	----	----/0.145A	----	0.001 UNCH	----	----	----	----	----	3 UNCH
35000	----	----	----	----/0.003A	----	0.001 UNCH	----	----	----	----	----	7 UNCH
TOTAL										2774	0	31100 + 1051
SEP26												
4000	----	----	19.123B/----	19.123B/18.342A	----	18.944 + 0.831	.9845	----	----	----	----	17 UNCH
4475	----	----	14.584B/12.909A	14.584B/12.909A	----	14.289 + 0.798	.9623	----	----	----	----	1 UNCH
4500	----	----	14.343B/12.672A	14.343B/12.672A	----	14.047 + 0.795	.9604	----	----	----	----	1 UNCH
4550	----	----	13.862B/12.200A	13.862B/12.200A	----	13.565 + 0.789	.9564	----	----	----	----	1 UNCH
4750	----	----	11.952B/10.354A	11.952B/10.354A	----	11.661 + 0.759	.9349	----	----	----	----	1 UNCH
4850	----	----	11.018B/9.455A	11.018B/9.455A	----	10.728 + 0.738	.9202	----	----	----	----	1 UNCH
4900	----	----	10.564B/9.015A	10.564B/9.015A	----	10.268 + 0.727	.9117	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
SEP26												
5000	----	----	9.648B/8.156A	9.648B/8.156A	----	9.364 + 0.701	.8918	----	----	----	----	4 UNCH
5025	----	----	9.424B/7.946A	9.424B/7.946A	----	9.141 + 0.693	.8862	----	----	----	----	1 UNCH
5050	----	----	9.202B/7.738A	9.202B/7.738A	----	8.921 + 0.686	.8804	----	----	----	----	1 UNCH
5100	----	----	8.770B/7.328A	8.770B/7.328A	----	8.484 + 0.670	.8677	----	----	----	----	1 UNCH
5425	----	----	6.108B/4.914A	6.108B/4.914A	----	5.862 + 0.547	.7567	----	----	----	----	3 UNCH
5450	----	----	5.921B/4.750A	5.921B/4.750A	----	5.679 + 0.537	.7460	----	----	----	----	2 UNCH
5475	----	----	5.736B/4.589A	5.736B/4.589A	----	5.498 + 0.525	.7351	----	----	----	----	5 UNCH
5500	5.206	5.206	5.555B/4.431A	5.555B/4.431A	----	5.321 + 0.514	.7240	----	----	3	----	8 - 3
5550	----	----	5.201B/4.106A	5.201B/4.106A	----	4.976 + 0.491	.7009	----	----	----	----	1 UNCH
5575	----	----	5.029B/3.958A	5.029B/3.958A	----	4.808 + 0.478	.6890	----	----	----	----	2 UNCH
5600	4.030	4.030	4.860B/3.811A	4.860B/3.811A	----	4.643 + 0.465	.6769	----	----	2	----	35 UNCH
5650	----	----	4.535B/3.532A	4.535B/3.532A	----	4.324 + 0.440	.6520	----	----	----	----	12 UNCH
5675	----	----	4.376B/3.401A	4.376B/3.401A	----	4.169 + 0.426	.6393	----	----	----	----	1 UNCH
5700	----	----	4.221B/3.272A	4.221B/3.272A	----	4.018 + 0.413	.6265	----	----	----	----	45 UNCH
5725	----	----	4.070B/3.153A	4.070B/3.153A	----	3.871 + 0.400	.6135	----	----	----	----	29 UNCH
5750	----	----	3.922B/3.032A	3.922B/3.032A	----	3.727 + 0.387	.6003	----	----	----	----	9 UNCH
5775	2.870	2.870	3.780B/2.870	3.780B/2.870	----	3.587 + 0.373	.5871	----	----	1	----	2 UNCH
5800	2.757	2.757	3.648B/2.757	3.648B/2.757	----	3.451 + 0.360	.5737	----	----	3	----	41 - 2
5825	2.646	2.646	3.511B/2.646	3.511B/2.646	----	3.318 + 0.346	.5603	----	----	1	----	3 UNCH
5850	2.539	2.539	3.378B/2.539	3.378B/2.539	----	3.190 + 0.334	.5468	----	----	1	----	16 + 1
5875	2.436	2.436	3.249B/2.436	3.249B/2.436	----	3.065 + 0.321	.5333	----	----	1	----	8 UNCH
5900	2.649	2.649	3.124B/2.376A	3.124B/2.376A	----	2.944 + 0.308	.5198	----	----	4	----	81 - 2
5925	----	----	3.002B/2.280A	3.002B/2.280A	----	2.827 + 0.295	.5064	----	----	----	----	35 UNCH
5950	2.640	2.640	2.884B/2.187A	2.884B/2.187A	----	2.713 + 0.282	.4929	----	----	2	----	13 - 2
5975	----	----	2.769B/2.099A	2.769B/2.099A	----	2.604 + 0.270	.4796	----	----	----	----	11 UNCH
6000	2.010	2.010	2.667B/2.010	2.667B/2.010	----	2.498 + 0.258	.4663	----	----	32	----	423 + 9
6025	2.393	2.393	2.553B/1.933A	2.553B/1.933A	----	2.397 + 0.248	.4532	----	----	1	----	17 UNCH
6050	2.200	2.200	2.450B/1.853A	2.450B/1.853A	----	2.298 + 0.236	.4402	----	----	3	----	11 + 2
6075	----	----	2.350B/1.778A	2.350B/1.778A	----	2.204 + 0.225	.4273	----	----	----	----	7 UNCH
6100	1.864	1.864	2.264B/1.656	2.264B/1.656	----	2.113 + 0.215	.4147	----	----	12	----	206 + 2
6125	1.725	1.725	2.166B/1.637A	2.166B/1.637A	----	2.026 + 0.205	.4022	----	----	8	----	37 + 3
6150	----	----	2.076B/1.570A	2.076B/1.570A	----	1.942 + 0.195	.3899	----	----	----	----	39 UNCH
6175	----	----	1.989B/1.507A	1.989B/1.507A	----	1.861 + 0.185	.3778	----	----	----	----	27 UNCH
6200	1.589	1.589	1.913B/1.446A	1.913B/1.446A	----	1.784 + 0.176	.3659	----	----	13	----	173 + 12
6225	----	----	1.837B/1.388A	1.837B/1.388A	----	1.710 + 0.167	.3544	----	----	----	----	58 UNCH
6250	1.605	1.605	1.760B/1.333A	1.760B/1.333A	----	1.639 + 0.159	.3430	----	----	2	----	63 + 2
6275	----	----	1.684B/1.280A	1.684B/1.280A	----	1.570 + 0.150	.3318	----	----	----	----	34 UNCH
6300	1.505	1.505	1.615B/1.229A	1.615B/1.229A	----	1.505 + 0.142	.3210	----	----	5	----	139 - 1
6325	1.411	1.411	1.549B/1.181A	1.549B/1.181A	----	1.442 + 0.134	.3104	----	----	2	----	35 + 4
6350	1.384	1.384	1.486B/1.134A	1.486B/1.134A	----	1.382 + 0.126	.3001	----	----	1	----	30 + 1
6375	----	----	1.419B/1.090A	1.419B/1.090A	----	1.325 + 0.119	.2901	----	----	----	----	20 UNCH
6400	1.161	1.161	1.368B/1.048A	1.368B/1.048A	----	1.270 + 0.112	.2803	----	----	3	----	135 + 1
6425	----	----	1.308B/1.007A	1.308B/1.007A	----	1.218 + 0.106	.2708	----	----	1	----	28 + 1
6450	----	----	1.262B/0.969A	1.262B/0.969A	----	1.168 + 0.099	.2616	----	----	----	----	59 UNCH
6475	----	----	1.207B/0.932A	1.207B/0.932A	----	1.120 + 0.093	.2527	----	----	1	----	49 + 1
6500	0.888	0.888	1.163B/0.888	1.163B/0.888	----	1.075 + 0.088	.2441	----	----	4	----	667 + 2
6525	----	----	1.108B/0.864A	1.108B/0.864A	----	1.032 + 0.083	.2358	----	----	----	----	7 UNCH
6550	----	----	1.065B/0.834A	1.065B/0.834A	----	0.990 + 0.077	.2277	----	----	----	----	28 UNCH
6575	----	----	1.023B/0.806A	1.023B/0.806A	----	0.951 + 0.072	.2199	----	----	----	----	15 UNCH
6600	0.898	0.898	0.987B/0.778A	0.987B/0.778A	----	0.913 + 0.067	.2123	----	----	6	----	106 + 1
6625	----	----	0.945B/0.750A	0.945B/0.750A	----	0.877 + 0.062	.2050	----	----	----	----	17 UNCH
6650	----	----	0.913B/0.724A	0.913B/0.724A	----	0.843 + 0.058	.1981	----	----	----	----	64 UNCH
6675	----	----	0.874B/0.699A	0.874B/0.699A	----	0.811 + 0.055	.1914	----	----	----	----	16 UNCH
6700	0.825	0.825	0.843B/0.675A	0.843B/0.675A	----	0.780 + 0.051	.1849	----	----	10	----	727 + 10
6725	----	----	0.810B/0.652A	0.810B/0.652A	----	0.750 + 0.047	.1785	----	----	----	----	18 UNCH
6750	0.699	0.699	0.781B/0.630A	0.781B/0.630A	----	0.722 + 0.043	.1725	----	----	4	----	142 + 4
6775	----	----	0.752B/0.609A	0.752B/0.609A	----	0.695 + 0.040	.1667	----	----	----	----	90 UNCH
6800	0.600	0.600	0.724B/0.571	0.724B/0.571	----	0.670 + 0.037	.1612	----	----	2	----	369 UNCH
6825	----	----	0.697B/0.572A	0.697B/0.572A	----	0.646 + 0.035	.1559	----	----	----	----	14 UNCH
6850	----	----	0.672B/0.554A	0.672B/0.554A	----	0.623 + 0.032	.1507	----	----	----	----	46 UNCH
6875	----	----	0.649B/0.537A	0.649B/0.537A	----	0.601 + 0.030	.1458	----	----	----	----	45 UNCH
6900	0.585	0.585	0.626B/0.519A	0.626B/0.519A	----	0.580 + 0.027	.1410	----	----	2	----	65 UNCH
6925	----	----	0.604B/0.505A	0.604B/0.505A	----	0.560 + 0.025	.1365	----	----	----	----	35 UNCH
6950	----	----	0.583B/0.491A	0.583B/0.491A	----	0.541 + 0.023	.1321	----	----	1	----	13 + 1
6975	----	----	0.565B/0.477A	0.565B/0.477A	----	0.524 + 0.022	.1281	----	----	----	----	66 UNCH
7000	0.516	0.516	0.544B/0.463A	0.544B/0.463A	----	0.506 + 0.019	.1239	----	----	21	----	1013 + 2
7025	----	----	0.527B/0.451A	0.527B/0.451A	----	0.490 + 0.018	.1201	----	----	1	----	31 UNCH
7050	----	----	0.510B/0.439A	0.510B/0.439A	----	0.475 + 0.017	.1165	----	----	----	----	8 UNCH
7075	----	----	0.494B/0.427A	0.494B/0.427A	----	0.460 + 0.015	.1130	----	----	----	----	21 UNCH
7100	0.428	0.428	0.478B/0.414A	0.478B/0.414A	----	0.446 + 0.014	.1096	----	----	10	----	189 - 5
7125	----	----	0.463B/0.402A	0.463B/0.402A	----	0.432 + 0.013	.1062	----	----	----	----	78 UNCH
7150	----	----	0.449B/0.391A	0.449B/0.391A	----	0.419 + 0.011	.1031	----	----	----	----	36 UNCH
7175	----	----	0.437B/0.379A	0.437B/0.379A	----	0.407 + 0.011	.1001	----	----	----	----	29 UNCH
7200	----	----	0.424B/0.369A	0.424B/0.369A	----	0.395 + 0.010	.0972	----	----	----	----	128 UNCH
7225	----	----	0.411B/0.359A	0.411B/0.359A	----	0.384 + 0.009	.0945	----	----	----	----	3 UNCH
7250	0.380	0.380	0.399B/0.350A	0.399B/0.350A	----	0.373 + 0.008	.0918	----	----	1	----	101 UNCH
7275	----	----	0.388B/0.340A	0.388B/0.340A	----	0.363 + 0.008	.0893	----	----	----	----	10 UNCH
7300	0.315	0.315	0.377B/0.315	0.377B/0.315	----	0.353 + 0.007	.0868	----	----	7	----	448 UNCH
7325	----	----	0.366B/0.323A	0.366B/0.323A	----	0.343 + 0.006	.0843	----	----	----	----	11 UNCH
7350	----	----	0.356B/0.315A	0.356B/0.315A	----	0.334 + 0.005	.0821	----	----	----	----	52 UNCH
7375	----	----	0.347B/0.307A	0.347B/0.307A	----	0.325 + 0.004	.0798	----	----	----	----	17 UNCH
7400	----	----	0.338B/0.299A	0.338B/0.299A	----	0.317 + 0.004	.0778	----	----	----	----	330 UNCH
7425	----	----	0.329B/0.292A	0.329B/0.292A	----	0.309 + 0.004	.0757	----	----	----	----	5 UNCH
7450	----	----	0.320B/0.285A	0.320B/0.285A	----	0.301 + 0.003	.0737	----	----	----	----	12 UNCH
7475	----	----	0.312B/0.278A	0.312B/0.278A	----	0.294 + 0.003	.0719	----	----	----	----	12 UNCH
7500	0.280	0.280	0.318/0.272A	0.318/0.272A	----	0.287 + 0.003	.0701	----	----	6	----	1055 - 2
7525	----	----	0.297B/0.266A	0.297B/0.266A	----	0.280 + 0.002	.0683	----	----	----	----	20 UNCH
7550	----	----	0.290B/0.260A	0.290B/0.260A	----	0.274 + 0.002	.0667	----	----	----	----	19 UNCH
7575	----	----	0.283B/0.254A	0.283B/0.254A	----	0.267 + 0.001	.0650	----	----	----	----	14 UNCH
7600	----	----	0.276B/0.249A	0.276B/0.249A	----	0.261 + 0.001	.0635	----	----	5	----	96 UNCH
7625	----	----	0.270B/0.244A	0.270B/0.244A	----	0.256 + 0.001	.0621	----	----	----	----	12 UNCH
7650	----	----	0.264B/0.239A	0.264B/0.239A	----	0.250 UNCH	.0606	----	----	----	----	17 UNCH
7675	----	----	0.258B/0.234A	0.258B/0.234A	----	0.245 + 0.001	.0592	----	----	5	----	8 UNCH
7700	----	----	0.252B/0.229A	0.252B/0.229A	----	0.240 UNCH	.0579	----	----	6	----	25 UNCH
7725	----	----	0.246B/0.225A	0.246B/0.225A	----	0.235 UNCH	.0566	----	----	----	----	18 UNCH
7750	----	----	0.241B/0.220A	0.241B/0.220A	----	0.230 UNCH	.0553	----	----	----	----	101 UNCH
7800	----	----	0.231B/0.212A	0.231B/0.212A	----	0.221 - 0.001	.0530	----	----	----	----	13 UNCH
7825	----	----	0.226B/0.208A	0.226B/0.208A	----	0.216 - 0.002	.0517	----	----	----	----	10 UNCH
7900	----	----	0.213B/0.197A	0.213B/0.197A	----	0.204 - 0.002	.0485	----	----	----	----	64 UNCH
7925	----	----	0.208B/0.193A	0.208B/0.193A	----	0.201 - 0.002	.0477	----	----	----	----	1 UNCH
7950	----	----	0.204B/0.190A	0.204B/0.190A	----	0.197 - 0.002	.0467	----	----	----	----	5 UNCH
8000	0.195	0.195	0.197B/0.184A	0.197B/0.184A	----	0.190 - 0.002	.0448	----	----	12	----	839 + 9
8025	----	----	0.193B/0.181A	0.193B/0.181A	----	0.187 - 0.002	.0440	----	----	----	----	2 UNCH
8075	----	----	0.186B/0.175A	0.186B/0.175A	----	0.180 - 0.003	.0422	----	----	----	----	39 UNCH
8100	----	----	0.183B/0.172A	0.183B/0.172A	----	0.177 - 0.003	.0414	----	----	----	----	225 UNCH
8125	----	----	0.180B/0.169A	0.180B/0.169A	----	0.174 - 0.003	.0406	----	----	----	----	2 UNCH
8150	----	----	0.176B/0.167A	0.176B/0.167A	----	0.171 - 0.003	.0399	----	----	----	----	1 UNCH
8175	----	----	0.173B/0.164A	0.173B/0.164A	----	0.168 - 0.004	.0391	----	----	----	----	12 UNCH
8200	----	----	0.170B/0.162A	0.170B/0.162A	----	0.166 - 0.003	.0385	----	----	----	----	98 UNCH
8250	----	----	0.165B/0.157A	0.165B/0.157A	----	0.160 - 0.004	.0370	----	----	----	----	100 UNCH
8275	----	----	0.162B/0.155A	0.162B/0.155A	----	0.158 - 0.003	.0364	----	----	----	----	2 UNCH
8300	----	----	----/0.153A	0.159B/0.153A	----	0.155 - 0.004	.0357	----	----	----	----	14 UNCH
8325	----	----	----/0.151A	0.157B/0.151A	----	0.153 - 0.004	.0351	----	----	----	----	4 UNCH
8350	----	----	----/0.148A	0.154B/0.148A	----	0.150 - 0.004	.0344	----	----	----	----	21 UNCH
8375	----	----	----/0.146A	0.152B/0.146A	----	0.148 - 0.004	.0338	----	----	----	----	1 UNCH
8400	0.135	0.135	0.150B/0.135	0.150B/0.135	----	0.146 - 0.004	.0333	----	----	1	----	113 + 1
8425	----	----	----/0.142A	0.147B/0.142A	----	0.144 - 0.004	.0328	----	----	----	----	1 UNCH
8450	----	----	----/0.141A	0.145B/0.141A	----	0.142 - 0.004	.0322	----	----	----	----	2 UNCH
8475	----	----	----/0.139A	0.143B/0.139A	----	0.140 - 0.004	.0317	----	----	----	----	1 UNCH
8500	0.140	0.140	0.141B/0.137A	0.141B/0.137A	----	0.137 - 0.005	.0310	----	----	1	----	1710 UNCH
8525	----	----	----/0.135A	0.139B/0.135A	----	0.135 - 0.005	.0305	----	----	----	----	1 UNCH
8550	----	----	----/0.133A	0.137B/0.133A	----	0.134 - 0.004	.0302	----	----	----	----	1 UNCH
8600	----	----	----/0.130A	0.133B/0.130A	----	0.130 - 0.004	.0292	----	----	----	----	70 UNCH
8675	----	----	----/0.126A	0.127B/0.126A	----	0.124 - 0.005	.0277	----	----	----	----	5 UNCH
8700	----	----	----/0.124A	0.125B/0.124A	----	0.123 - 0.005	.0274	----	----	----	----	105 UNCH
8725	----	----	----/0.123A	0.124B/0.123A	----	0.121 - 0.005	.0269	----	----	----	----	1 UNCH
8750	----	----	----/0.123A	0.122B/0.123A	----	0.119 - 0.006	.0264	----	----	----	----	28 UNCH
8775	----	----	----/0.122A	0.120B/0.122A	----	0.118 - 0.005	.0261	----	----	----	----	1 UNCH
8800	----	----	----/0.121A	0.119B/0.121A	----	0.116 - 0.006	.0256	----	----	----	----	11 UNCH
8825	----	----	----/0.119A	0.117B/0.119A	----	0.115 - 0.005	.0253	----	----	----	----	11 UNCH
8900	0.115	0.115	0.115/0.115	0.115/0.115	----	0.110 - 0.006	.0241	----	----	1	----	11 + 1
8925	----	----	----	0.108B/0.115A	----	0.109 - 0.006	.0238	----	----	----	----	2 UNCH
8950	----	----	----	0.106B/0.114A	----	0.107 - 0.006	.0234	----	----	----	----	6 UNCH
8975	----	----	----	0.105B/0.112A	----	0.106 - 0.006	.0231	----	----	----	----	7 UNCH
9000	0.106	0.106	0.106/0.106	0.106/0.106	----	0.105 - 0.006	.0228	----	----	12	----	1332 + 1
9025	----	----	----	0.102B/0.110A	----	0.103 - 0.007	.0224	----	----	----	----	27 UNCH
9050	----	----	----/0.108A	0.101B/0.108A	----	0.102 - 0.007	.0221	----	----	----	----	1 UNCH
9100	----	----	----	0.098B/0.106A	----	0.100 - 0.006	.0216	----	----	----	----	63 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
SEP26												
9125	----	----	----	0.097B/0.105A	----	0.098 - 0.007	.0211	----	----	----	----	1 UNCH
9150	----	----	----	0.096B/0.104A	----	0.097 - 0.007	.0209	----	----	----	----	10 UNCH
9200	----	----	----	0.093B/0.101A	----	0.095 - 0.006	.0203	----	----	----	----	12 UNCH
9250	----	----	----	0.091B/0.099A	----	0.093 - 0.006	.0198	----	----	----	----	1 UNCH
9300	----	----	----	0.089B/0.097A	----	0.091 - 0.006	.0193	----	----	----	----	40 UNCH
9400	----	----	----	0.084B/0.094A	----	0.086 - 0.007	.0182	----	----	----	----	326 UNCH
9425	----	----	----	0.083B/0.093A	----	0.085 - 0.007	.0179	----	----	----	----	9 UNCH
9500	----	----	----	0.080B/0.090A	----	0.083 - 0.005	.0174	----	----	----	----	731 UNCH
9525	----	----	----	0.079B/0.088A	----	0.082 - 0.005	.0171	----	----	----	----	1 UNCH
9550	----	----	----	0.078B/0.087A	----	0.081 - 0.005	.0169	----	----	----	----	10 UNCH
9600	----	----	----	0.076B/0.085A	----	0.079 - 0.005	.0164	----	----	----	----	37 UNCH
9750	----	----	----	0.070B/0.080A	----	0.074 - 0.004	.0152	----	----	----	----	24 UNCH
9800	----	----	----	0.069B/0.078A	----	0.072 - 0.005	.0148	----	----	----	----	107 UNCH
9850	----	----	----	0.067B/0.077A	----	0.071 - 0.004	.0145	----	----	----	----	1 UNCH
9875	----	----	----	0.066B/0.077A	----	0.070 - 0.004	.0143	----	----	----	----	1 UNCH
9900	----	----	----	0.065B/0.076A	----	0.069 - 0.004	.0141	----	----	----	----	83 UNCH
9975	----	----	----	0.063B/0.074A	----	0.067 - 0.004	.0136	----	----	----	----	1 UNCH
10000	----	----	----	0.066B/0.073A	----	0.066 - 0.004	.0134	----	----	4	----	1190 + 4
10025	----	----	----	0.062B/0.073A	----	0.065 - 0.004	.0132	----	----	----	----	2 UNCH
10050	----	----	----	0.061B/0.072A	----	0.065 - 0.004	.0131	----	----	----	----	3 UNCH
10100	----	----	----	0.060B/0.070A	----	0.063 - 0.004	.0127	----	----	----	----	57 UNCH
10125	0.070	0.070	0.070/*0.069A	0.070/0.069A	----	0.063 - 0.004	.0127	----	----	7	----	8 + 7
10150	----	----	----	0.058B/0.069A	----	0.062 - 0.004	.0125	----	----	----	----	3 UNCH
10175	----	----	----	0.058B/0.068A	----	0.061 - 0.004	.0123	----	----	----	----	5 UNCH
10200	----	----	----	0.057B/0.068A	----	0.060 - 0.005	.0121	----	----	----	----	58 UNCH
10250	----	----	----	0.055B/0.066A	----	0.059 - 0.004	.0118	----	----	----	----	2 UNCH
10300	----	----	----	0.054B/0.065A	----	0.058 - 0.004	.0116	----	----	----	----	52 UNCH
10400	----	----	----	0.051B/0.062A	----	0.055 - 0.004	.0109	----	----	----	----	1 UNCH
10475	----	----	----	0.049B/0.060A	----	0.053 - 0.004	.0105	----	----	----	----	1 UNCH
10500	----	----	----	0.048B/0.060A	----	0.052 - 0.005	.0103	----	----	----	----	283 UNCH
10550	----	----	----	0.047B/0.059A	----	0.051 - 0.005	.0101	----	----	----	----	1 UNCH
10575	----	----	----	0.046B/0.058A	----	0.051 - 0.004	.0101	----	----	----	----	1 UNCH
10600	----	----	----	0.046B/0.057A	----	0.050 - 0.004	.0099	----	----	----	----	2 UNCH
10625	----	----	----	0.045B/0.057A	----	0.049 - 0.005	.0097	----	----	----	----	3 UNCH
10750	----	----	----	0.042B/0.054A	----	0.046 - 0.005	.0090	----	----	----	----	1 UNCH
10775	----	----	----	0.042B/*0.053A	----	0.046 - 0.004	.0090	----	----	----	----	5 UNCH
10800	----	----	----	0.041B/*0.053A	----	0.045 - 0.005	.0088	----	----	----	----	2 UNCH
11000	----	----	----	0.036B/*0.049A	----	0.041 - 0.004	.0080	----	----	4	----	247 UNCH
11100	----	----	----	0.034B/*0.047A	----	0.039 - 0.005	.0076	----	----	----	----	3 UNCH
11225	----	----	----	0.032B/*0.045A	----	0.037 - 0.005	.0072	----	----	----	----	1 UNCH
11300	----	----	----	0.030B/*0.043A	----	0.035 - 0.006	.0068	----	----	----	----	60 UNCH
11450	----	----	----	0.028B/*0.041A	----	0.033 - 0.007	.0063	----	----	----	----	5 UNCH
11500	----	----	----	0.027B/*0.040A	----	0.032 - 0.007	.0062	----	----	4	----	106 - 4
12000	----	----	----/*0.033A	0.019B/*0.033A	----	0.025 - 0.011	.0047	----	----	----	----	211 UNCH
12500	----	----	----/0.028A	0.015B/0.028A	----	0.021 - 0.009	.0039	----	----	----	----	98 UNCH
12550	----	----	----/*0.028A	0.015B/*0.028A	----	0.021 - 0.009	.0039	----	----	----	----	11 UNCH
12700	----	----	----/*0.028A	0.012B/*0.028A	----	0.020 - 0.009	.0037	----	----	----	----	1 UNCH
12775	----	----	----	0.012B/0.050A	----	0.019 - 0.009	.0035	----	----	----	----	2 UNCH
12800	----	----	----	0.012B/0.049A	----	0.019 - 0.009	.0035	----	----	----	----	1 UNCH
13000	0.006	0.006	0.006/*0.006	0.011B/*0.006	----	0.018 - 0.008	.0033	----	----	1	----	231 - 1
13500	----	----	----	0.008B/*0.025A	----	0.015 - 0.007	.0027	----	----	----	----	31 UNCH
14000	----	----	----	----/0.022A	----	0.013 - 0.006	.0023	----	----	----	----	233 UNCH
15000	----	----	----	----/*0.017A	----	0.010 - 0.005	.0017	----	----	----	----	360 UNCH
16000	----	----	----	----/0.157A	----	0.007 - 0.004	.0012	----	----	----	----	54 UNCH
17000	----	----	----	----/0.014A	----	0.005 - 0.003	.0008	----	----	----	----	33 UNCH
18000	----	----	----	----/0.153A	----	0.004 - 0.002	.0006	----	----	----	----	6 UNCH
19000	----	----	----	----/0.152A	----	0.003 - 0.002	.0005	----	----	----	----	13 UNCH
20000	0.002	0.002	0.002/*0.002	0.002/*0.002	----	0.002 - 0.002	.0003	----	----	2	----	320 + 2
21000	----	----	----	----/0.150A	----	0.002 - 0.001	.0003	----	----	----	----	11 UNCH
23000	----	----	----	----/0.149A	----	0.001 - 0.001	.0001	----	----	----	----	44 UNCH
25000	----	----	----	----/0.010A	----	0.001 UNCH	.0000	----	----	----	----	78 UNCH
26000	----	----	----	----/0.148A	----	0.001 UNCH	.0000	----	----	----	----	1 UNCH
30000	----	----	----	----/0.005A	----	0.001 UNCH	.0000	----	----	----	----	18 UNCH
32000	----	----	----	----/0.005A	----	0.001 UNCH	----	----	----	----	----	1 UNCH
35000	----	----	----	----/0.002A	----	0.001 UNCH	----	----	----	----	----	35 UNCH
TOTAL										242	0	18705 + 62
OCT26												
4000	----	----	19.947B/18.291A	19.947B/18.291A	----	19.674 + 0.820	.9679	----	----	----	----	1 UNCH
4500	----	----	15.195B/13.619A	15.195B/13.619A	----	14.919 + 0.770	.9289	----	----	----	----	4 UNCH
5000	10.600	10.600	10.765B/9.391A	10.765B/9.391A	----	10.504 + 0.672	.8465	----	----	2	----	10 + 2
5475	----	----	7.128B/6.054A	7.128B/6.054A	----	6.918 + 0.527	.7119	----	----	----	----	1 UNCH
5500	6.820	6.820	6.959B/5.903A	6.959B/5.903A	----	6.752 + 0.518	.7033	----	----	1	----	15 + 1
5600	----	----	6.309B/5.294A	6.309B/5.294A	----	6.113 + 0.483	.6681	----	----	----	----	2 UNCH
5700	----	----	5.711B/4.756A	5.711B/4.756A	----	5.517 + 0.447	.6315	----	----	----	----	16 UNCH
5750	----	----	5.422B/4.505A	5.422B/4.505A	----	5.235 + 0.428	.6128	----	----	----	----	1 UNCH
5800	----	----	5.160B/4.264A	5.160B/4.264A	----	4.964 + 0.410	.5939	----	----	4	----	80 + 4
5825	4.709	4.709	5.026B/4.149A	5.026B/4.149A	----	4.833 NEW	.5844	----	----	1	----	1 + 1
5900	4.450	4.450	4.640B/3.816A	4.640B/3.816A	----	4.457 + 0.375	.5558	----	----	1	----	2 + 1
5950	----	----	4.395B/3.609A	4.395B/3.609A	----	4.219 + 0.356	.5367	----	----	----	----	1 UNCH
5975	----	----	4.278B/3.509A	4.278B/3.509A	----	4.105 + 0.347	.5272	----	----	----	----	1 UNCH
6000	3.950	3.950	4.162B/3.412A	4.162B/3.412A	----	3.993 + 0.338	.5178	----	----	4	----	11 UNCH
6050	3.488	3.488	3.939B/3.224A	3.939B/3.224A	----	3.778 + 0.321	.4990	----	----	1	----	13 + 1
6075	----	----	3.829B/3.136A	3.829B/3.136A	----	3.674 + 0.312	.4897	----	----	----	----	2 UNCH
6100	3.475	3.475	3.728B/3.047A	3.728B/3.047A	----	3.573 + 0.304	.4804	----	----	1	----	24 + 1
6125	----	----	3.628B/2.965A	3.628B/2.965A	----	3.474 + 0.295	.4712	----	----	----	----	2 UNCH
6175	----	----	3.433B/2.804A	3.433B/2.804A	----	3.285 + 0.279	.4531	----	----	----	----	12 UNCH
6200	----	----	3.337B/2.727A	3.337B/2.727A	----	3.194 + 0.271	.4442	----	----	----	----	10 UNCH
6225	----	----	3.246B/2.652A	3.246B/2.652A	----	3.106 + 0.263	.4353	----	----	----	----	11 UNCH
6250	----	----	3.155B/2.578A	3.155B/2.578A	----	3.020 + 0.255	.4266	----	----	----	----	3 UNCH
6275	----	----	3.074B/2.507A	3.074B/2.507A	----	2.936 + 0.247	.4179	----	----	----	----	1 UNCH
6300	----	----	2.984B/2.439A	2.984B/2.439A	----	2.855 + 0.240	.4094	----	----	----	----	12 UNCH
6325	----	----	2.904B/2.372A	2.904B/2.372A	----	2.776 + 0.233	.4010	----	----	----	----	7 UNCH
6350	----	----	2.821B/2.307A	2.821B/2.307A	----	2.699 + 0.226	.3927	----	----	----	----	1 UNCH
6375	----	----	2.742B/2.245A	2.742B/2.245A	----	2.625 + 0.219	.3845	----	----	----	----	10 UNCH
6400	----	----	2.672B/2.184A	2.672B/2.184A	----	2.553 + 0.213	.3765	----	----	----	----	12 UNCH
6425	----	----	2.600B/2.126A	2.600B/2.126A	----	2.483 + 0.206	.3686	----	----	----	----	8 UNCH
6500	2.271	2.271	2.395B/1.961A	2.395B/1.961A	----	2.284 + 0.187	.3455	----	----	10	----	156 - 9
6525	----	----	2.327B/1.909A	2.327B/1.909A	----	2.222 + 0.181	.3381	----	----	----	----	1 UNCH
6550	----	----	2.262B/1.866A	2.262B/1.866A	----	2.162 + 0.176	.3308	----	----	----	----	2 UNCH
6600	----	----	2.145B/1.770A	2.145B/1.770A	----	2.047 + 0.165	.3167	----	----	----	----	17 UNCH
6625	----	----	2.087B/1.725A	2.087B/1.725A	----	1.992 + 0.160	.3098	----	----	10	----	16 + 10
6650	----	----	2.026B/1.680A	2.026B/1.680A	----	1.939 + 0.155	.3031	----	----	----	----	17 UNCH
6675	----	----	1.978B/1.638A	1.978B/1.638A	----	1.887 + 0.149	.2965	----	----	----	----	1 UNCH
6700	1.826	1.826	1.925B/1.596A	1.925B/1.596A	----	1.838 + 0.146	.2901	----	----	6	----	51 + 6
6725	----	----	1.870B/1.556A	1.870B/1.556A	----	1.789 + 0.140	.2837	----	----	----	----	4 UNCH
6750	----	----	1.821B/1.517A	1.821B/1.517A	----	1.742 + 0.136	.2775	----	----	----	----	1 UNCH
6775	----	----	1.774B/1.480A	1.774B/1.480A	----	1.697 + 0.132	.2715	----	----	----	----	1 UNCH
6800	----	----	1.728B/1.443A	1.728B/1.443A	----	1.653 + 0.127	.2656	----	----	----	----	3 UNCH
6825	----	----	1.683B/1.408A	1.683B/1.408A	----	1.611 + 0.124	.2598	----	----	----	----	2 UNCH
6850	----	----	1.638B/1.374A	1.638B/1.374A	----	1.569 + 0.119	.2541	----	----	----	----	21 UNCH
6875	----	----	1.598B/1.341A	1.598B/1.341A	----	1.529 + 0.115	.2486	----	----	----	----	3 UNCH
6900	----	----	1.557B/1.309A	1.557B/1.309A	----	1.491 + 0.112	.2433	----	----	----	----	6 UNCH
6925	----	----	1.519B/1.278A	1.519B/1.278A	----	1.453 + 0.108	.2379	----	----	----	----	1 UNCH
6950	----	----	1.477B/1.248A	1.477B/1.248A	----	1.417 + 0.105	.2328	----	----	----	----	1 UNCH
6975	----	----	1.442B/1.219A	1.442B/1.219A	----	1.382 + 0.102	.2278	----	----	----	----	3 UNCH
7000	----	----	1.408B/1.190A	1.408B/1.190A	----	1.348 + 0.098	.2229	----	----	4	----	626 UNCH
7025	----	----	1.371B/1.163A	1.371B/1.163A	----	1.315 + 0.095	.2181	----	----	----	----	5 UNCH
7050	----	----	1.336B/1.137A	1.336B/1.137A	----	1.283 + 0.092	.2134	----	----	----	----	2 UNCH
7100	----	----	1.273B/1.086A	1.273B/1.086A	----	1.223 + 0.087	.2045	----	----	1	----	13 + 2
7200	----	----	1.155B/0.994A	1.155B/0.994A	----	1.112 + 0.076	.1878	----	----	2	----	8 + 2
7250	1.074	1.074	1.105B/0.951A	1.105B/0.951A	----	1.062 + 0.072	.1801	----	----	2	----	31 + 1
7300	----	----	1.053B/0.912A	1.053B/0.912A	----	1.015 + 0.068	.1728	----	----	5	----	8 + 5
7400	----	----	0.961B/0.840A	0.961B/0.840A	----	0.929 + 0.060	.1592	----	----	----	----	5 UNCH
7450	----	----	0.920B/0.808A	0.920B/0.808A	----	0.890 + 0.056	.1529	----	----	----	----	1 UNCH
7500	----	----	0.884B/0.777A	0.884B/0.777A	----	0.853 + 0.053	.1470	----	----	----	----	111 UNCH
7525	----	----	0.867B/0.762A	0.867B/0.762A	----	0.835 + 0.051	.1441	----	----	----	----	7 UNCH
7550	----	----	0.848B/0.748A	0.848B/0.748A	----	0.818 + 0.050	.1413	----	----	----	----	2 UNCH
7575	----	----	0.830B/0.734A	0.830B/0.734A	----	0.802 + 0.049	.1386	----	----	----	----	7 UNCH
7600	----	----	0.813B/0.721A	0.813B/0.721A	----	0.786 + 0.047	.1360	----	----	----	----	27 UNCH
7625	----	----	0.797B/0.707A	0.797B/0.707A	----	0.770 + 0.046	.1333	----	----	----	----	3 UNCH
7650	----	----	0.780B/0.701A	0.780B/0.701A	----	0.755 + 0.044	.1308	----	----	----	----	2 UNCH
7675	----	----	0.765B/0.691A	0.765B/0.691A	----	0.740 + 0.043	.1284	----	----	----	----	1 UNCH
7700	----	----	0.749B/0.676A	0.749B/0.676A	----	0.726 + 0.042	.1260	----	----	4	----	10 + 4
7725	----	----	0.734B/0.664A	0.734B/0.664A	----	0.712 + 0.041	.1237	----	----	----	----	1 UNCH
7750	----	----	0.722B/0.652A	0.722B/0.652A	----	0.698 + 0.039	.1213	----	----	----	----	6 UNCH
7775	----	----	0.706B/0.641A	0.706B/0.641A	----	0.685 + 0.038	.1191	----	----	----	----	3 UNCH
7825	----	----	0.680B/0.619A	0.680B/0.619A	----	0.660 + 0.036	.1149	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 49

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
OCT26												
7875	----	----	0.653B/0.599A	0.653B/0.599A	----	0.636 + 0.034	.1108	----	----	----	----	4 UNCH
7900	----	----	0.641B/0.589A	0.641B/0.589A	----	0.624 + 0.032	.1088	----	----	----	----	3 UNCH
7950	----	----	0.619B/0.570A	0.619B/0.570A	----	0.602 + 0.031	.1050	----	----	----	----	10 UNCH
8000	0.569	0.569	0.597B/0.569	0.597B/0.556A	----	0.581 + 0.029	.1014	----	----	2	----	690 UNCH
8025	----	----	0.588B/----	0.588B/0.544A	----	0.571 + 0.028	.0996	----	----	----	----	2 UNCH
8050	----	----	0.575B/----	0.575B/0.539A	----	0.561 + 0.027	.0979	----	----	----	----	6 UNCH
8075	----	----	0.565B/----	0.565B/0.528A	----	0.552 + 0.027	.0963	----	----	----	----	1 UNCH
8100	----	----	0.556B/----	0.556B/0.522A	----	0.543 + 0.026	.0947	----	----	----	----	57 UNCH
8125	----	----	0.547B/----	0.547B/0.514A	----	0.534 + 0.025	.0931	----	----	----	----	1 UNCH
8200	----	----	0.519B/----	0.519B/0.491A	----	0.508 + 0.023	.0886	----	----	----	----	3 UNCH
8275	----	----	0.494B/----	0.494B/0.469A	----	0.484 + 0.021	.0844	----	----	----	----	2 UNCH
8300	----	----	0.486B/----	0.486B/0.462A	----	0.476 + 0.020	.0830	----	----	----	----	90 UNCH
8400	----	----	0.457B/----	0.457B/0.436A	----	0.447 + 0.017	.0779	----	----	----	----	100 UNCH
8425	----	----	0.450B/----	0.450B/0.429A	----	0.441 + 0.017	.0768	----	----	----	----	9 UNCH
8450	----	----	0.443B/----	0.443B/0.423A	----	0.434 + 0.017	.0755	----	----	----	----	20 UNCH
8500	----	----	0.429B/----	0.429B/0.412A	----	0.421 + 0.015	.0732	----	----	----	----	61 UNCH
8550	----	----	0.416B/----	0.416B/0.400A	----	0.409 + 0.015	.0711	----	----	----	----	1 UNCH
8600	----	----	0.404B/----	0.404B/0.389A	----	0.397 + 0.013	.0690	----	----	----	----	2 UNCH
8650	----	----	0.392B/----	0.392B/0.379A	----	0.386 + 0.013	.0670	----	----	----	----	1 UNCH
8675	----	----	0.387B/----	0.387B/0.374A	----	0.381 + 0.013	.0661	----	----	----	----	7 UNCH
8700	----	----	0.381B/----	0.381B/0.369A	----	0.376 + 0.013	.0651	----	----	----	----	10 UNCH
8750	----	----	0.370B/----	0.370B/0.360A	----	0.365 + 0.011	.0632	----	----	----	----	1 UNCH
8775	----	----	0.365B/----	0.365B/0.356A	----	0.360 + 0.011	.0623	----	----	----	----	1 UNCH
8800	----	----	0.360B/----	0.360B/0.352A	----	0.356 + 0.011	.0615	----	----	----	----	1 UNCH
8900	----	----	0.341B/----	0.341B/0.334A	----	0.337 + 0.009	.0581	----	----	----	----	12 UNCH
9000	----	----	0.323B/----	0.323B/0.318A	----	0.320 + 0.009	.0551	----	----	----	----	63 UNCH
9100	----	----	0.307B/----	0.307B/0.304A	----	0.305 + 0.008	.0523	----	----	----	----	39 UNCH
9150	----	----	0.299B/----	0.299B/0.296A	----	0.298 + 0.009	.0510	----	----	----	----	3 UNCH
9200	----	----	0.292B/----	0.292B/0.290A	----	0.291 + 0.008	.0498	----	----	----	----	3671 UNCH
9475	----	----	0.256B/----	0.256B/0.258A	----	0.257 + 0.009	.0436	----	----	----	----	1 UNCH
9500	0.260	0.260	0.260/0.260	0.260/0.255A	----	0.254 + 0.008	.0430	----	----	6	----	162 - 1
9600	----	----	0.242B/----	0.242B/0.244A	----	0.243 + 0.008	.0410	----	----	----	----	6 UNCH
9625	----	----	0.240B/----	0.240B/0.242A	----	0.241 + 0.008	.0407	----	----	----	----	1 UNCH
9700	----	----	0.231B/----	0.231B/0.235A	----	0.234 + 0.009	.0394	----	----	----	----	46 UNCH
9800	----	----	0.221B/----	0.221B/0.226A	----	0.224 + 0.008	.0376	----	----	----	----	1 UNCH
9875	----	----	0.214B/----	0.214B/0.220A	----	0.218 + 0.008	.0365	----	----	----	----	1 UNCH
9900	----	----	0.212B/----	0.212B/0.218A	----	0.216 + 0.008	.0361	----	----	----	----	1 UNCH
10000	----	----	0.204B/----	0.204B/0.211A	----	0.207 + 0.007	.0345	----	----	----	----	3713 UNCH
10100	----	----	0.196B/----	0.196B/0.204A	----	0.200 + 0.007	.0332	----	----	----	----	1 UNCH
10275	----	----	0.183B/----	0.183B/0.192A	----	0.187 + 0.005	.0309	----	----	----	----	1 UNCH
10300	----	----	----	0.181B/0.191A	----	0.185 + 0.004	.0305	----	----	----	----	7 UNCH
10325	----	----	----	0.179B/0.188A	----	0.184 + 0.005	.0303	----	----	----	----	1 UNCH
10350	----	----	----	0.178B/0.187A	----	0.182 + 0.004	.0300	----	----	----	----	2 UNCH
10375	----	----	----	0.176B/0.186A	----	0.180 + 0.003	.0296	----	----	----	----	3 UNCH
10400	----	----	----	0.174B/0.184A	----	0.179 + 0.004	.0294	----	----	----	----	5 UNCH
10425	----	----	----	0.173B/0.182A	----	0.177 + 0.003	.0291	----	----	----	----	4 UNCH
10450	----	----	----	0.171B/0.181A	----	0.176 + 0.004	.0289	----	----	----	----	4 UNCH
10475	----	----	----	0.170B/0.179A	----	0.174 + 0.003	.0285	----	----	----	----	5 UNCH
10500	----	----	----	0.168B/0.179A	----	0.173 + 0.003	.0283	----	----	----	----	4 UNCH
10525	----	----	----	0.167B/0.178A	----	0.171 + 0.002	.0280	----	----	----	----	3 UNCH
10550	----	----	----	0.165B/0.178A	----	0.170 + 0.003	.0278	----	----	----	----	4 UNCH
10575	----	----	----	0.164B/0.176A	----	0.168 + 0.002	.0275	----	----	----	----	4 UNCH
10600	----	----	----	0.162B/0.175A	----	0.167 + 0.002	.0273	----	----	----	----	5 UNCH
10625	----	----	----	0.161B/0.174A	----	0.165 + 0.002	.0269	----	----	----	----	5 UNCH
10650	----	----	----	0.159B/0.173A	----	0.164 + 0.002	.0267	----	----	----	----	5 UNCH
10675	----	----	----	0.158B/0.172A	----	0.163 + 0.002	.0265	----	----	----	----	4 UNCH
10700	----	----	----	0.157B/0.171A	----	0.161 + 0.001	.0262	----	----	----	----	12 UNCH
10725	----	----	----	0.155B/0.169A	----	0.160 + 0.001	.0260	----	----	----	----	2 UNCH
10750	----	----	----	0.154B/0.169A	----	0.159 + 0.002	.0258	----	----	----	----	10 UNCH
10775	----	----	----	0.153B/0.167A	----	0.157 + 0.001	.0255	----	----	----	----	1 UNCH
10800	----	----	----	0.151B/0.166A	----	0.156 + 0.001	.0253	----	----	----	----	1 UNCH
10825	----	----	----	0.150B/0.164A	----	0.155 + 0.001	.0251	----	----	----	----	2 UNCH
10850	----	----	----	0.149B/0.164A	----	0.154 + 0.001	.0249	----	----	----	----	1 UNCH
10875	----	----	----	0.148B/0.163A	----	0.152 + 0.001	.0246	----	----	----	----	1 UNCH
10900	----	----	----	0.146B/0.161A	----	0.151 + 0.001	.0244	----	----	----	----	1 UNCH
10925	----	----	----	0.145B/0.160A	----	0.150 + 0.001	.0242	----	----	----	----	3 UNCH
10950	----	----	----	0.144B/0.158A	----	0.149 + 0.001	.0240	----	----	----	----	3 UNCH
10975	----	----	----	0.143B/0.158A	----	0.148 + 0.001	.0239	----	----	----	----	4 UNCH
11000	----	----	----	0.141B/0.156A	----	0.147 + 0.001	.0237	----	----	----	----	21 UNCH
11025	----	----	----	0.140B/0.159A	----	0.146 + 0.001	.0235	----	----	----	----	7 UNCH
11050	----	----	----	0.139B/0.158A	----	0.144 UNCH	.0232	----	----	----	----	10 UNCH
11100	----	----	----	0.137B/0.156A	----	0.142 + 0.001	.0228	----	----	----	----	2 UNCH
11300	----	----	----	0.120B/0.146A	----	0.134 + 0.001	.0214	----	----	----	----	1 UNCH
11500	----	----	----	0.114B/0.141A	----	0.127 + 0.001	.0201	----	----	----	----	9 UNCH
11700	----	----	----	0.107B/0.133A	----	0.120 + 0.001	.0189	----	----	----	----	2 UNCH
12000	----	----	----	0.098B/0.124A	----	0.111 + 0.001	.0173	----	----	----	----	91 UNCH
12050	----	----	----	0.094B/*0.123A	----	0.109 + 0.001	.0170	----	----	----	----	1 UNCH
12500	----	----	----	0.084B/*0.111A	----	0.097 UNCH	.0149	----	----	----	----	16 UNCH
12675	----	----	----	0.078B/*0.107A	----	0.093 UNCH	.0142	----	----	----	----	7 UNCH
12700	----	----	----	0.077B/*0.106A	----	0.092 UNCH	.0141	----	----	----	----	7 UNCH
12725	----	----	----	0.077B/*0.108A	----	0.092 + 0.001	.0141	----	----	----	----	7 UNCH
12750	----	----	----	0.078B/*0.105A	----	0.091 UNCH	.0139	----	----	----	----	7 UNCH
12775	----	----	----	0.076B/*0.104A	----	0.091 + 0.001	.0139	----	----	----	----	7 UNCH
12800	----	----	----	0.075B/*0.105A	----	0.090 UNCH	.0137	----	----	----	----	7 UNCH
12825	----	----	----	0.074B/*0.103A	----	0.090 + 0.001	.0137	----	----	----	----	7 UNCH
13000	----	----	----	0.071B/*0.099A	----	0.086 UNCH	.0131	----	----	----	----	92 UNCH
14000	----	----	----	0.051B/*0.081A	----	0.068 - 0.001	.0101	----	----	----	----	6 UNCH
15000	----	----	----	0.036B/0.071A	----	0.056 UNCH	.0081	----	----	----	----	183 UNCH
16000	----	----	----	0.028B/*0.060A	----	0.046 - 0.001	.0066	----	----	----	----	36 UNCH
17000	----	----	----	0.019B/*0.053A	----	0.039 - 0.001	.0055	----	----	----	----	120 UNCH
18000	----	----	----	0.018B/0.056A	----	0.034 UNCH	.0047	----	----	----	----	347 UNCH
20000	----	----	----	----/0.171A	----	0.023 - 0.001	.0031	----	----	----	----	203 UNCH
TOTAL										67	0	11568 + 31
NOV26												
6000	----	----	5.112B/4.576A	5.112B/4.576A	----	5.013 + 0.378	.5297	----	----	----	----	5 UNCH
6200	----	----	4.285B/3.875A	4.285B/3.875A	----	4.218 + 0.319	.4707	----	----	10	----	11 + 10
6300	3.750	3.750	3.927B/3.570A	3.927B/3.570A	----	3.869 + 0.290	.4425	----	----	15	----	39 + 15
6400	----	----	3.609B/----	3.609B/3.287A	----	3.550 + 0.263	.4154	----	----	----	----	6 UNCH
6500	----	----	3.295B/----	3.295B/3.035A	----	3.259 + 0.237	.3895	----	----	----	----	7 UNCH
6600	----	----	3.027B/----	3.027B/2.806A	----	2.995 + 0.214	.3649	----	----	----	----	5 UNCH
6650	----	----	2.907B/----	2.907B/2.700A	----	2.872 + 0.203	.3531	----	----	----	----	2 UNCH
6700	----	----	2.784B/----	2.784B/2.599A	----	2.755 + 0.192	.3417	----	----	----	----	12 UNCH
6800	----	----	2.561B/----	2.561B/2.415A	----	2.538 + 0.173	.3199	----	----	----	----	12 UNCH
6900	----	----	2.360B/----	2.360B/2.244A	----	2.341 + 0.156	.2994	----	----	----	----	1 UNCH
6950	----	----	2.268B/----	2.268B/2.165A	----	2.250 NEW	.2897	----	----	8	----	8 + 8
7000	2.190	2.190	2.190/2.130	2.190/2.090A	----	2.164 + 0.141	.2803	----	----	5	----	36 + 5
7100	----	----	2.011B/----	2.011B/1.950A	----	2.003 + 0.127	.2625	----	----	----	----	102 UNCH
7200	----	----	1.860B/----	1.860B/1.805A	----	1.858 + 0.115	.2461	----	----	----	----	1 UNCH
7225	----	----	1.819B/----	1.819B/1.780A	----	1.824 + 0.113	.2421	----	----	----	----	3 UNCH
7300	----	----	1.730B/----	1.730B/1.681A	----	1.726 + 0.104	.2307	----	----	----	----	2 UNCH
7500	----	----	1.496B/----	1.496B/1.461A	----	1.499 + 0.087	.2035	----	----	----	----	1 UNCH
7600	----	----	1.396B/----	1.396B/1.375A	----	1.401 + 0.080	.1914	----	----	----	----	45 UNCH
7700	----	----	1.305B/----	1.305B/1.282A	----	1.312 + 0.073	.1802	----	----	----	----	1 UNCH
7900	----	----	1.147B/----	1.147B/1.127A	----	1.157 + 0.063	.1603	----	----	----	----	16 UNCH
7950	1.000	1.000	1.107B/1.000	1.107B/1.000	----	1.122 NEW	.1557	----	----	3	----	3 + 3
8000	----	----	1.082B/----	1.082B/1.095A	----	1.089 + 0.059	.1514	----	----	----	----	10 UNCH
8200	----	----	0.930B/----	0.930B/0.986A	----	0.968 + 0.050	.1354	----	----	----	----	26 UNCH
8400	----	----	----	0.816B/0.907A	----	0.866 + 0.044	.1216	----	----	----	----	1 UNCH
8500	----	----	0.790B/----	0.790B/0.885A	----	0.820 + 0.041	.1154	----	----	----	----	6 UNCH
8600	----	----	----	0.726B/0.752A	----	0.778 + 0.039	.1096	----	----	----	----	20 UNCH
8700	----	----	0.722B/----	0.722B/0.718A	----	0.738 + 0.036	.1041	----	----	----	----	27 UNCH
8725	----	----	0.717B/----	0.717B/0.709A	----	0.729 + 0.036	.1029	----	----	----	----	1 UNCH
8800	----	----	0.693B/----	0.693B/0.686A	----	0.702 + 0.035	.0991	----	----	----	----	3 UNCH
8900	----	----	0.658B/----	0.658B/0.656A	----	0.668 + 0.033	.0944	----	----	----	----	8 UNCH
8925	----	----	0.651B/----	0.651B/0.649A	----	0.660 + 0.032	.0933	----	----	----	----	1 UNCH
8950	----	----	0.642B/----	0.642B/0.642A	----	0.652 + 0.032	.0922	----	----	----	----	1 UNCH
9000	----	----	0.627B/----	0.627B/0.629A	----	0.636 + 0.031	.0899	----	----	----	----	64 UNCH
9550	----	----	0.490B/----	0.490B/0.507A	----	0.497 + 0.024	.0703	----	----	----	----	3 UNCH
9800	----	----	0.444B/----	0.444B/0.464A	----	0.449 + 0.022	.0634	----	----	----	----	3 UNCH
10000	----	----	0.409B/----	0.409B/0.434A	----	0.415 + 0.020	.0585	----	----	----	----	31 UNCH
10250	----	----	0.375B/----	0.375B/0.401A	----	0.379 + 0.019	.0532	----	----	----	----	1 UNCH
11000	----	----	0.308B/----	0.308B/0.323A	----	0.297 + 0.015	.0412	----	----	----	----	94 UNCH
11700	----	----	----	0.232B/0.271A	----	0.247 + 0.013	.0337	----	----	----	----	25 UNCH
12000	----	----	----	0.217B/0.253A	----	0.231 + 0.013	.0313	----	----	----	----	13 UNCH
12500	----	----	----	0.184B/0.228A	----	0.208 + 0.012	.0278	----	----	----	----	10 UNCH
13000	----	----	----	0.162B/0.206A	----	0.183 + 0.010	.0243	----	----	----	----	3 UNCH
14000	----	----	----	0.127B/*0.173A	----	0.147 + 0.008	.0193	----	----	----	----	4 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS											
NOV26													
15000	----	----	----	0.102B/*0.149A	----	0.121	+ 0.006	.0157	----	----	----	----	6 UNCH
16000	----	----	----	0.083B/0.131A	----	0.103	+ 0.005	.0131	----	----	----	----	14 UNCH
17000	----	----	----	0.073B/*0.117A	----	0.089	+ 0.003	.0112	----	----	----	----	2 UNCH
20000	----	----	----	0.046B/*0.090A	----	0.065	+ 0.002	.0078	----	----	----	----	32 UNCH
21000	----	----	----	0.041B/*0.084A	----	0.060	+ 0.002	.0071	----	----	----	----	1 UNCH
25000	----	----	----	0.023B/0.068A	----	0.050	+ 0.002	.0055	----	----	----	----	58 UNCH
30000	----	----	----	0.012B/0.165A	----	0.020	UNCH	.0023	----	----	----	----	3 UNCH
TOTAL											41	0	789 + 41
DEC26													
3875	----	----	21.293B/19.844A	21.293B/19.844A	----	21.107	+ 0.808	.9458	----	----	----	----	1 UNCH
5000	----	----	11.703B/10.619A	11.703B/10.619A	----	11.528	+ 0.642	.7908	----	----	----	----	30 UNCH
5250	----	----	9.948B/8.984A	9.948B/8.984A	----	9.782	+ 0.581	.7340	----	----	----	----	50 UNCH
5500	----	----	8.380B/7.470A	8.380B/7.470A	----	8.229	+ 0.519	.6709	----	----	----	----	1 UNCH
5550	----	----	8.103B/7.207A	8.103B/7.207A	----	7.943	+ 0.507	.6578	----	----	----	----	4 UNCH
5600	----	----	7.822B/6.952A	7.822B/6.952A	----	7.665	+ 0.495	.6445	----	----	----	----	1 UNCH
5700	----	----	7.266B/6.467A	7.266B/6.467A	----	7.134	+ 0.471	.6178	----	----	----	----	1 UNCH
5800	----	----	6.801B/6.013A	6.801B/6.013A	----	6.636	+ 0.446	.5909	----	----	----	----	100 UNCH
5900	6.000	6.000	6.303B/5.590A	6.303B/5.590A	----	6.169	NEW	.5640	----	----	3	----	2 + 2
6000	----	----	5.883B/5.199A	5.883B/5.199A	----	5.734	+ 0.396	.5374	----	----	----	----	62 UNCH
6100	4.738	4.738	5.473B/4.738	5.473B/4.738	----	5.329	+ 0.370	.5114	----	----	1	----	1 UNCH
6150	----	----	5.278B/4.665A	5.278B/4.665A	----	5.137	+ 0.357	.4985	----	----	----	----	7 UNCH
6200	----	----	5.073B/4.497A	5.073B/4.497A	----	4.952	+ 0.343	.4859	----	----	----	----	1 UNCH
6250	----	----	4.881B/4.341A	4.881B/4.341A	----	4.775	+ 0.331	.4734	----	----	----	----	2 UNCH
6300	----	----	4.723B/4.190A	4.723B/4.190A	----	4.604	+ 0.319	.4612	----	----	----	----	1 UNCH
6350	----	----	4.545B/4.045A	4.545B/4.045A	----	4.439	+ 0.305	.4491	----	----	4	----	79 + 4
6375	----	----	4.470B/3.975A	4.470B/3.975A	----	4.359	+ 0.299	.4432	----	----	----	----	1 UNCH
6400	----	----	4.395B/3.905A	4.395B/3.905A	----	4.281	+ 0.293	.4373	----	----	----	----	1 UNCH
6450	----	----	4.239B/3.775A	4.239B/3.775A	----	4.129	NEW	.4257	----	----	4	----	4 + 4
6500	----	----	4.091B/3.647A	4.091B/3.647A	----	3.983	+ 0.268	.4143	----	----	----	----	979 UNCH
6700	----	----	3.547B/3.184A	3.547B/3.184A	----	3.456	+ 0.224	.3714	----	----	----	----	2 UNCH
6800	----	----	3.321B/2.981A	3.321B/2.981A	----	3.223	+ 0.203	.3514	----	----	----	----	244 UNCH
6850	----	----	3.197B/2.885A	3.197B/2.885A	----	3.114	+ 0.193	.3418	----	----	----	----	1 UNCH
6900	----	----	3.100B/2.793A	3.100B/2.793A	----	3.009	+ 0.184	.3325	----	----	----	----	40 UNCH
6950	----	----	3.000B/2.705A	3.000B/2.705A	----	2.908	+ 0.175	.3234	----	----	----	----	222 UNCH
6975	----	----	2.942B/2.663A	2.942B/2.663A	----	2.859	+ 0.170	.3190	----	----	----	----	1 UNCH
7000	----	----	2.889B/2.621A	2.889B/2.621A	----	2.811	+ 0.166	.3146	----	----	----	----	317 UNCH
7025	----	----	2.845B/2.580A	2.845B/2.580A	----	2.765	+ 0.162	.3103	----	----	----	----	1 UNCH
7075	----	----	2.751B/2.501A	2.751B/2.501A	----	2.674	+ 0.154	.3018	----	----	----	----	5 UNCH
7100	----	----	2.701B/2.463A	2.701B/2.463A	----	2.630	+ 0.151	.2977	----	----	----	----	10 UNCH
7200	----	----	2.535B/2.317A	2.535B/2.317A	----	2.462	+ 0.135	.2817	----	----	----	----	2 UNCH
7300	----	----	2.374B/2.183A	2.374B/2.183A	----	2.309	+ 0.123	.2667	----	----	----	----	2 UNCH
7350	----	----	2.299B/----	2.299B/2.120A	----	2.236	+ 0.117	.2595	----	----	----	----	7 UNCH
7375	----	----	2.267B/----	2.267B/2.089A	----	2.201	+ 0.114	.2560	----	----	----	----	2 UNCH
7400	----	----	2.231B/----	2.231B/2.059A	----	2.167	+ 0.111	.2526	----	----	----	----	18 UNCH
7500	----	----	2.103B/----	2.103B/1.944A	----	2.037	+ 0.101	.2394	----	----	3	----	719 + 2
7550	----	----	2.035B/----	2.035B/1.892A	----	1.976	+ 0.097	.2331	----	----	----	----	2 UNCH
7575	----	----	2.006B/----	2.006B/1.866A	----	1.946	+ 0.094	.2300	----	----	----	----	1 UNCH
7600	----	----	1.976B/----	1.976B/1.840A	----	1.917	+ 0.092	.2270	----	----	----	----	20 UNCH
7700	----	----	1.867B/----	1.867B/1.739A	----	1.806	+ 0.083	.2153	----	----	----	----	32 UNCH
7775	----	----	1.783B/----	1.783B/1.675A	----	1.729	+ 0.078	.2071	----	----	----	----	10 UNCH
7800	----	----	1.761B/----	1.761B/1.647A	----	1.705	+ 0.077	.2045	----	----	----	----	37 UNCH
7900	----	----	1.660B/----	1.660B/1.565A	----	1.611	+ 0.070	.1943	----	----	4	----	11 + 4
7925	----	----	1.639B/----	1.639B/1.542A	----	1.589	+ 0.069	.1919	----	----	----	----	2 UNCH
7950	----	----	1.616B/----	1.616B/1.522A	----	1.567	+ 0.067	.1895	----	----	----	----	1 UNCH
8000	----	----	1.583B/----	1.583B/1.471A	----	1.525	+ 0.065	.1848	----	----	1	----	557 UNCH
8100	----	----	1.491B/----	1.491B/1.409A	----	1.445	+ 0.059	.1759	----	----	----	----	2 UNCH
8200	----	----	1.412B/----	1.412B/1.337A	----	1.371	+ 0.055	.1675	----	----	----	----	21 UNCH
8300	----	----	1.347B/----	1.347B/1.276A	----	1.303	+ 0.051	.1597	----	----	----	----	2 UNCH
8400	----	----	1.278B/----	1.278B/1.210A	----	1.240	+ 0.047	.1525	----	----	----	----	50 UNCH
8500	----	----	1.217B/----	1.217B/1.154A	----	1.182	+ 0.045	.1457	----	----	----	----	259 UNCH
8525	----	----	1.207B/----	1.207B/1.140A	----	1.168	+ 0.044	.1440	----	----	----	----	1 UNCH
8550	----	----	1.194B/----	1.194B/1.129A	----	1.155	+ 0.044	.1425	----	----	----	----	25 UNCH
8600	----	----	1.165B/----	1.165B/1.102A	----	1.128	+ 0.042	.1393	----	----	----	----	49 UNCH
8800	----	----	1.059B/----	1.059B/1.024A	----	1.031	+ 0.038	.1277	----	----	----	----	35 UNCH
8900	----	----	1.019B/----	1.019B/1.001A	----	0.988	+ 0.036	.1225	----	----	----	----	30 UNCH
8950	----	----	0.991B/----	0.991B/0.980A	----	0.967	+ 0.035	.1200	----	----	----	----	1 UNCH
9000	----	----	0.976B/----	0.976B/0.961A	----	0.947	+ 0.034	.1175	----	----	1	----	214 UNCH
9050	----	----	0.930B/----	0.930B/0.945A	----	0.928	+ 0.034	.1152	----	----	----	----	100 UNCH
9100	----	----	0.912B/----	0.912B/0.927A	----	0.909	+ 0.033	.1129	----	----	----	----	16 UNCH
9200	----	----	0.874B/----	0.874B/0.880A	----	0.874	+ 0.032	.1085	----	----	----	----	1 UNCH
9300	----	----	0.839B/----	0.839B/0.851A	----	0.841	+ 0.031	.1044	----	----	----	----	15 UNCH
9500	----	----	0.778B/----	0.778B/0.793A	----	0.780	+ 0.029	.0969	----	----	----	----	223 UNCH
9525	----	----	0.770B/----	0.770B/0.786A	----	0.773	+ 0.028	.0960	----	----	----	----	60 UNCH
9700	----	----	0.719B/----	0.719B/0.741A	----	0.727	+ 0.028	.0902	----	----	----	----	51 UNCH
9800	----	----	0.694B/----	0.694B/0.717A	----	0.702	+ 0.026	.0870	----	----	----	----	51 UNCH
9900	----	----	0.669B/----	0.669B/0.694A	----	0.679	+ 0.026	.0841	----	----	----	----	54 UNCH
10000	----	----	0.642B/----	0.642B/0.672A	----	0.657	+ 0.025	.0813	----	----	----	----	894 UNCH
10025	----	----	0.640B/----	0.640B/0.667A	----	0.651	+ 0.024	.0806	----	----	----	----	3 UNCH
10300	----	----	0.582B/----	0.582B/0.614A	----	0.597	+ 0.023	.0737	----	----	----	----	1 UNCH
10500	----	----	0.543B/----	0.543B/0.581A	----	0.561	+ 0.021	.0692	----	----	----	----	283 UNCH
10600	----	----	0.528B/----	0.528B/0.564A	----	0.545	+ 0.021	.0671	----	----	----	----	6 UNCH
10700	----	----	0.511B/----	0.511B/0.548A	----	0.529	+ 0.020	.0651	----	----	----	----	85 UNCH
10800	----	----	0.497B/----	0.497B/0.535A	----	0.515	+ 0.020	.0633	----	----	----	----	100 UNCH
11000	----	----	----	0.465B/0.508A	----	0.487	+ 0.018	.0597	----	----	1	----	238 + 1
11350	----	----	----	0.423B/0.466A	----	0.444	+ 0.017	.0542	----	----	----	----	5 UNCH
11400	----	----	----	0.417B/0.460A	----	0.438	+ 0.016	.0535	----	----	----	----	1 UNCH
11500	----	----	----	0.403B/0.450A	----	0.427	+ 0.016	.0520	----	----	----	----	1 UNCH
11600	----	----	----	0.393B/0.440A	----	0.417	+ 0.016	.0507	----	----	----	----	1 UNCH
11800	----	----	----	0.375B/0.420A	----	0.397	+ 0.014	.0482	----	----	----	----	30 UNCH
12000	----	----	----	0.354B/0.403A	----	0.378	+ 0.013	.0458	----	----	----	----	600 UNCH
12300	----	----	----	0.328B/0.379A	----	0.353	+ 0.012	.0426	----	----	----	----	2 UNCH
12500	----	----	----	0.312B/0.365A	----	0.338	+ 0.011	.0407	----	----	----	----	53 UNCH
12800	----	----	----	0.288B/0.344A	----	0.317	+ 0.010	.0380	----	----	----	----	2 UNCH
13000	0.319	0.319	0.319/0.319	0.319/0.319	----	0.304	+ 0.010	.0363	----	----	1	----	364 UNCH
13500	----	----	----	0.245B/0.302A	----	0.276	+ 0.009	.0328	----	----	----	----	6 UNCH
14000	----	----	----	0.227B/0.278A	----	0.251	+ 0.008	.0296	----	----	----	----	97 UNCH
14200	----	----	----	0.212B/0.270A	----	0.242	+ 0.008	.0285	----	----	----	----	1 UNCH
15000	----	----	0.205B/----	0.205B/0.241A	----	0.211	+ 0.007	.0246	----	----	----	----	1749 UNCH
16000	----	----	----	0.157B/0.210A	----	0.181	+ 0.007	.0209	----	----	----	----	1615 UNCH
17000	----	----	----	0.132B/*0.188A	----	0.157	+ 0.006	.0179	----	----	----	----	50 UNCH
18000	----	----	----	0.113B/0.172A	----	0.139	+ 0.006	.0157	----	----	----	----	139 UNCH
19000	----	----	----	0.098B/*0.157A	----	0.124	+ 0.006	.0139	----	----	----	----	6 UNCH
20000	----	----	----	0.086B/0.145A	----	0.113	+ 0.006	.0125	----	----	----	----	464 UNCH
21000	----	----	----	0.076B/*0.135A	----	0.101	+ 0.006	.0111	----	----	----	----	5 UNCH
22000	----	----	----	0.066B/*0.127A	----	0.090	+ 0.005	.0098	----	----	----	----	1 UNCH
23000	----	----	----	0.059B/*0.119A	----	0.082	+ 0.004	.0089	----	----	----	----	35 UNCH
25000	----	----	----	0.043B/0.108A	----	0.069	+ 0.003	.0074	----	----	----	----	239 UNCH
26000	----	----	----	0.039B/*0.103A	----	0.065	+ 0.003	.0069	----	----	----	----	3 UNCH
30000	----	----	----	0.026B/*0.089A	----	0.048	+ 0.002	.0050	----	----	----	----	110 UNCH
32000	----	----	----	0.027B/*0.084A	----	0.041	+ 0.001	.0042	----	----	----	----	1 UNCH
35000	----	----	----	0.017B/0.077A	----	0.034	+ 0.001	.0035	----	----	----	----	1 UNCH
40000	----	----	----	0.010B/0.174A	----	0.028	+ 0.001	.0028	----	----	----	----	25 UNCH
90000	----	----	----	----/0.155A	----	0.008	UNCH	.0007	----	----	----	----	2 UNCH
100000	----	----	----	----/0.033A	----	0.007	UNCH	.0006	----	----	----	----	9 UNCH
TOTAL											23	0	12081 + 17
JAN27													
5700	----	----	8.033B/7.668A	8.033B/7.668A	----	8.199	+ 0.422	.6311	----	----	----	----	1 UNCH
6000	----	----	6.852B/6.408A	6.852B/6.408A	----	6.788	+ 0.352	.5600	----	----	----	----	3 UNCH
6250	----	----	5.801B/----	5.801B/5.508A	----	5.800	+ 0.292	.5028	----	----	----	----	20 UNCH
6400	----	----	5.282B/----	5.282B/5.040A	----	5.285	+ 0.262	.4703	----	----	----	----	100 UNCH
6500	----	----	4.964B/----	4.964B/4.788A	----	4.971	+ 0.246	.4495	----	----	----	----	11 UNCH
6600	----	----	4.653B/----	4.653B/4.515A	----	4.680	+ 0.232	.4294	----	----	----	----	7 UNCH
7000	----	----	3.667B/----	3.667B/3.624A	----	3.711	+ 0.198	.3574	----	----	----	----	507 UNCH
7550	----	----	2.670B/----	2.670B/2.767A	----	2.772	+ 0.181	.2793	----	----	----	----	4 UNCH
7600	----	----	2.604B/----	2.604B/2.705A	----	2.703	+ 0.179	.2733	----	----	----	----	1 UNCH
7650	----	----	2.534B/----	2.534B/2.645A	----	2.637	+ 0.178	.2674	----	----	----	----	5 UNCH
7900	----	----	2.244B/----	2.244B/2.373A	----	2.340	+ 0.173	.2404	----	----	----	----	4 UNCH
8000	----	----	2.125B/----	2.125B/2.275A	----	2.234	+ 0.170	.2306	----	----	----	----	502 UNCH
8300	----	----	1.841B/----	1.841B/2.021A	----	1.955	+ 0.161	.2041	----	----	----	----	24 UNCH
8500	----	----	1.684B/----	1.684B/1.877A	----	1.796	+ 0.153	.1887	----	----	----	----	1 UNCH
8600	----	----	1.583B/----	1.583B/1.813A	----	1.723	+ 0.148	.1816	----	----	----	----	1 UNCH
8700	----	----	1.539B/----	1.539B/1.750A	----	1.655	+ 0.144	.1748	----	----	----	----	1 UNCH
8800	----	----	----	1.450B/1.691A	----	1.591	+ 0.139	.1685	----	----	----	----	1 UNCH
9000	----	----	1.351B/----	1.351B/1.583A	----	1.474	+ 0.131	.1567	----	----	----	----	2 UNCH
9500	----	----	1.126B/----	1.126B/1.358A	----	1.234	+ 0.110	.1320	----	----	----	----	3 UNCH
9525	----	----	----	1.113B/1.338A	----	1.223	+ 0.108	.1308	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 51

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
JAN27												
10000	----	----	0.972B/----	0.972B/1.046A	----	1.051 + 0.091	.1127	----	----	----	25	144 + 25
10500	----	----	0.840B/----	0.840B/0.914A	----	0.909 + 0.077	.0975	----	----	----	----	3 UNCH
11000	----	----	----	0.726B/0.808A	----	0.796 + 0.068	.0852	----	----	----	----	23 UNCH
11200	----	----	----	0.680B/0.772A	----	0.757 + 0.065	.0810	----	----	----	----	2 UNCH
12000	----	----	----	0.549B/0.652A	----	0.631 + 0.059	.0671	----	----	----	----	1 UNCH
12500	----	----	----	0.495B/0.593A	----	0.571 + 0.059	.0604	----	----	----	----	3 UNCH
13000	----	----	----	0.430B/0.544A	----	0.521 + 0.059	.0548	----	----	----	----	7 UNCH
14000	----	----	----	0.359B/0.465A	----	0.445 + 0.063	.0462	----	----	----	----	1 UNCH
14500	----	----	----	0.326B/0.433A	----	0.416 + 0.064	.0428	----	----	----	----	400 UNCH
15000	----	----	----	0.298B/0.405A	----	0.393 + 0.067	.0401	----	----	----	----	500 UNCH
TOTAL											25	2283 + 25
FEB27												
6075	----	----	7.074B/----	7.074B/6.708A	----	6.973 + 0.374	.5475	----	----	----	----	1 UNCH
6500	----	----	5.557B/----	5.557B/5.324A	----	5.513 + 0.304	.4618	----	----	----	----	100 UNCH
6700	----	----	4.993B/----	4.993B/4.864A	----	4.974 + 0.293	.4260	----	----	----	----	10 UNCH
7000	----	----	4.094B/----	4.094B/4.218A	----	4.294 + 0.285	.3778	----	----	----	----	1 UNCH
7500	----	----	3.207B/----	3.207B/3.360A	----	3.392 + 0.245	.3098	----	----	----	----	1 UNCH
8500	----	----	----	2.062B/2.317A	----	2.243 + 0.168	.2143	----	----	----	----	6 UNCH
9000	----	----	1.825B/----	1.825B/1.980A	----	1.883 + 0.146	.1818	----	----	----	----	7 UNCH
9500	----	----	1.550B/----	1.550B/1.705A	----	1.599 + 0.124	.1556	----	----	----	----	4 UNCH
10000	----	----	----	1.233B/1.487A	----	1.372 + 0.103	.1343	----	----	----	----	17 UNCH
11000	----	----	----	0.964B/1.063A	----	1.037 + 0.068	.1024	----	----	----	----	2 UNCH
11650	----	----	----	0.817B/0.928A	----	0.880 + 0.050	.0872	----	----	----	----	1 UNCH
12000	----	----	----	0.738B/0.867A	----	0.810 + 0.041	.0804	----	----	----	----	3 UNCH
12500	----	----	----	0.671B/0.793A	----	0.725 + 0.032	.0720	----	----	----	----	1 UNCH
12950	----	----	----	0.602B/0.735A	----	0.660 + 0.025	.0655	----	----	----	----	1 UNCH
12975	----	----	----	0.592B/0.732A	----	0.657 + 0.025	.0652	----	----	----	----	3 UNCH
30000	----	----	----	0.065B/0.209A	----	0.139 + 0.009	.0124	----	----	----	----	2 UNCH
TOTAL											0	160 0
MAR27												
6500	----	----	6.061B/----	6.061B/5.882A	----	6.020 + 0.315	.4724	----	----	----	----	7 UNCH
7000	----	----	4.769B/----	4.769B/4.642A	----	4.748 + 0.237	.3920	----	----	----	----	2 UNCH
7400	----	----	3.839B/----	3.839B/3.998A	----	3.988 + 0.203	.3388	----	----	----	----	3 UNCH
7500	----	----	3.671B/----	3.671B/3.845A	----	3.825 + 0.196	.3269	----	----	----	----	34 UNCH
7550	----	----	3.588B/----	3.588B/3.771A	----	3.748 + 0.194	.3212	----	----	----	----	1 UNCH
7600	----	----	3.513B/----	3.513B/3.700A	----	3.673 + 0.192	.3156	----	----	----	----	2 UNCH
7700	----	----	3.372B/----	3.372B/3.566A	----	3.529 + 0.187	.3048	----	----	----	----	10 UNCH
7800	----	----	3.231B/----	3.231B/3.440A	----	3.393 + 0.181	.2945	----	----	----	----	1 UNCH
7900	----	----	----	3.087B/3.316A	----	3.265 + 0.177	.2846	----	----	----	----	1 UNCH
8000	----	----	----	2.968B/3.206A	----	3.144 + 0.172	.2752	----	----	----	----	229 UNCH
8050	----	----	2.927B/----	2.927B/3.150A	----	3.086 + 0.169	.2706	----	----	----	----	1 UNCH
8300	----	----	----	2.610B/2.901A	----	2.819 + 0.157	.2493	----	----	----	----	1 UNCH
8500	----	----	----	2.402B/2.727A	----	2.630 + 0.148	.2340	----	----	----	----	8 UNCH
8775	----	----	----	2.190B/2.513A	----	2.399 + 0.134	.2149	----	----	----	----	3 UNCH
9000	----	----	----	2.016B/2.360A	----	2.231 + 0.123	.2009	----	----	----	----	253 UNCH
9200	----	----	----	1.897B/2.235A	----	2.096 + 0.114	.1894	----	----	----	----	25 UNCH
9500	----	----	----	1.750B/2.069A	----	1.914 + 0.100	.1739	----	----	----	----	50 UNCH
9800	----	----	----	1.571B/1.923A	----	1.755 + 0.089	.1601	----	----	----	----	100 UNCH
10000	----	----	----	1.527B/1.836A	----	1.659 + 0.081	.1518	----	----	----	----	108 UNCH
10500	----	----	----	1.312B/1.634A	----	1.453 + 0.066	.1336	----	----	----	----	10 UNCH
11000	----	----	----	1.193B/1.313A	----	1.283 + 0.053	.1184	----	----	----	----	10 UNCH
12000	----	----	----	0.952B/1.081A	----	1.029 + 0.040	.0952	----	----	----	----	197 UNCH
13000	----	----	----	0.777B/0.913A	----	0.850 + 0.034	.0786	----	----	----	----	275 UNCH
14000	----	----	----	0.644B/0.788A	----	0.719 + 0.032	.0663	----	----	----	----	262 UNCH
15000	0.600	0.600	0.600/0.600	0.600/0.600	----	0.620 + 0.032	.0569	----	----	1	----	71 + 1
16000	----	----	----	0.458B/0.617A	----	0.543 + 0.032	.0496	----	----	----	----	22 UNCH
17000	----	----	----	0.396B/0.557A	----	0.480 + 0.030	.0436	----	----	----	----	6 UNCH
20000	----	----	----	0.270B/0.434A	----	0.357 + 0.024	.0319	----	----	----	----	13 UNCH
25000	----	----	----	0.177B/0.321A	----	0.219 + 0.015	.0195	----	----	----	----	8 UNCH
30000	----	----	----	0.122B/0.262A	----	0.154 + 0.010	.0135	----	----	----	----	9 UNCH
TOTAL										1	0	1722 + 1
APR27												
7000	----	----	5.433B/----	5.433B/5.286A	----	5.392 + 0.224	.4133	----	----	----	----	8 UNCH
8525	----	----	----	2.822B/3.176A	----	3.086 + 0.171	.2552	----	----	----	----	11 UNCH
13000	----	----	----	1.007B/1.142A	----	1.113 + 0.083	.0952	----	----	----	----	12 UNCH
TOTAL											0	31 0
MAY27												
6325	7.250	7.250	7.800/7.250	7.800/7.250	----	7.833 + 0.387	.5278	----	----	10	----	16 + 10
7500	----	----	----	4.604B/4.935A	----	4.901 + 0.231	.3657	----	----	----	----	3 UNCH
8500	----	----	----	3.213B/3.635A	----	3.507 + 0.166	.2736	----	----	----	----	1 UNCH
10500	----	----	----	1.818B/2.305A	----	2.099 + 0.096	.1693	----	----	----	----	1 UNCH
11000	----	----	----	1.612B/2.100A	----	1.886 + 0.082	.1527	----	----	----	----	1 UNCH
TOTAL										10	0	22 + 10
JUN27												
5450	----	----	11.880B/----	11.880B/11.770A	----	12.243 + 0.511	.6879	----	----	----	----	1 UNCH
5700	----	----	10.660B/----	10.660B/10.615A	----	10.986 + 0.463	.6449	----	----	----	----	1 UNCH
5825	----	----	10.088B/----	10.088B/10.120A	----	10.408 + 0.441	.6234	----	----	----	----	1 UNCH
6225	----	----	8.466B/----	8.466B/8.635A	----	8.783 + 0.382	.5560	----	----	----	----	22 UNCH
7800	----	----	----	4.558B/4.996A	----	4.913 + 0.241	.3523	----	----	----	----	1 UNCH
8075	----	----	----	4.157B/4.609A	----	4.498 + 0.219	.3266	----	----	----	----	1 UNCH
8500	----	----	----	3.614B/4.100A	----	3.956 + 0.190	.2919	----	----	----	----	200 UNCH
12000	----	----	----	1.513B/2.066A	----	1.818 + 0.091	.1404	----	----	----	----	1 UNCH
13000	----	----	----	1.240B/1.797A	----	1.537 + 0.077	.1191	----	----	----	----	8 UNCH
TOTAL											0	236 0
JUL27												
2000	----	----	----	----	----	41.105 + 0.824	.9995	----	----	----	----	1 UNCH
10000	----	----	----	----	----	2.940 + 0.160	.2160	----	----	----	----	1 UNCH
10300	----	----	----	----	----	2.755 + 0.150	.2032	----	----	----	----	1 UNCH
TOTAL											0	3 0
DEC27												
4000	----	----	----	----	----	24.120 + 0.687	.8712	----	----	----	----	1 UNCH
7175	----	----	----	----	----	8.859 + 0.368	.4833	----	----	----	----	80 UNCH
20000	----	----	----	----	----	2.662 + 0.103	.1423	----	----	----	----	25 UNCH
TOTAL											0	106 0
SO PUT		COMEX SILVER OPTIONS										
AUG26												
2125	----	----	----	----/0.004A	----	0.001	UNCH	----	----	----	----	4 UNCH
2200	----	----	----	----/0.145A	----	0.001	UNCH	----	----	----	----	1 UNCH
2300	----	----	----	----/0.145A	----	0.001	UNCH	----	----	----	----	1 UNCH
2500	----	----	----	----/0.030A	----	0.001	UNCH	----	----	----	----	1 UNCH
2700	----	----	----	----/0.145A	----	0.001	UNCH	----	----	----	----	1 UNCH
2775	----	----	----	----/0.145A	----	0.001	UNCH	----	----	----	----	1 UNCH
2800	----	----	----	----/0.145A	----	0.001	UNCH	----	----	----	----	2 UNCH
2925	----	----	----	----/0.145A	----	0.001	UNCH	----	----	----	----	1 UNCH
3000	----	----	----	----/0.006A	----	0.001	UNCH	----	----	----	----	3 UNCH
3050	----	----	----	----/0.146A	----	0.001	UNCH	----	----	----	----	20 UNCH
3100	----	----	----	----/0.146A	----	0.001	UNCH	----	----	----	----	1 UNCH
3200	----	----	----	----/0.050A	----	0.001	UNCH	----	----	----	----	11 UNCH
3300	----	----	----	----/0.146A	----	0.001	UNCH	----	----	----	----	3 UNCH
3350	----	----	----	----/0.146A	----	0.001	UNCH	----	----	----	----	1 UNCH
3500	----	----	----	----/0.007A	----	0.001	UNCH	----	----	----	----	64 UNCH
3700	----	----	----	----/0.011A	----	0.001	UNCH	----	----	----	----	1 UNCH
3800	----	----	----	----/0.010A	----	0.001	UNCH	.0000	----	----	----	7 UNCH
3900	----	----	----	----/*0.010A	----	0.001	UNCH	.0000	----	----	----	4 UNCH
4000	----	----	----	0.001B/0.010A	----	0.001 - 0.002	.0000	----	----	----	----	143 UNCH
4025	----	----	----	----/*0.010A	----	0.001 - 0.003	.0000	----	----	----	----	6 UNCH
4050	----	----	----	----/*0.010A	----	0.001 - 0.003	.0000	----	----	----	----	13 UNCH
4075	----	----	----	----/*0.010A	----	0.001 - 0.004	.0001	----	----	----	----	1 UNCH
4100	----	----	----	----/0.010A	----	0.001 - 0.004	.0001	----	----	----	----	2 UNCH
4175	----	----	----	----/0.011A	----	0.002 - 0.005	.0003	----	----	----	----	1 UNCH
4200	----	----	----	----/*0.011A	----	0.002 - 0.006	.0003	----	----	----	----	13 UNCH
4250	----	----	----	----/*0.011A	----	0.003 - 0.006	.0004	----	----	----	----	1 UNCH
4300	0.005	0.005	0.005/0.005	0.005/0.005	----	0.003 - 0.008	.0005	----	----	1	----	22 UNCH
4350	----	----	----	----/0.013A	----	0.004 - 0.008	.0007	----	----	----	----	6 UNCH
4375	----	----	----	----/0.013A	----	0.004 - 0.008	.0007	----	----	----	----	160 UNCH
4400	----	----	----	----/0.013A	----	0.004 - 0.009	.0007	----	----	----	----	24 UNCH
4450	0.016	0.016	0.016/0.014A	0.016/0.014A	----	0.004 - 0.010	.0007	----	----	1	----	7 - 1
4475	----	----	----/*0.009A	----/*0.009A	----	0.005 - 0.010	.0009	----	----	----	----	1 UNCH
4500	0.020	0.020	0.021/*0.005	0.021/*0.005	----	0.005 - 0.010	.0010	----	----	5	----	86 UNCH
4525	----	----	----	0.004B/0.016A	----	0.005 - 0.011	.0010	----	----	----	----	6 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 52

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
AUG26												
4550	----	----	----/0.016A	0.003B/0.016A	----	0.005 - 0.012	.0010	----	----	----	----	20 UNCH
4575	----	----	----/0.016A	0.003B/0.016A	----	0.006 - 0.011	.0012	----	----	----	----	6 UNCH
4600	----	----	----/0.017A	0.010B/0.017A	----	0.006 - 0.012	.0013	----	----	----	----	51 UNCH
4625	----	----	----/0.018A	0.005B/0.018A	----	0.006 - 0.013	.0013	----	----	----	----	3 UNCH
4650	----	----	----/0.016A	0.011B/0.016A	----	0.007 - 0.013	.0016	----	----	----	----	29 UNCH
4675	----	----	----/*0.013A	0.011B/*0.013A	----	0.007 - 0.014	.0016	----	----	----	----	39 UNCH
4700	----	----	----/*0.013A	0.013B/*0.013A	----	0.007 - 0.015	.0016	----	----	----	28	152 - 28
4725	----	----	----/*0.011A	0.012B/*0.011A	----	0.008 - 0.015	.0019	----	----	----	----	17 UNCH
4750	----	----	----/0.011A	0.013B/0.011A	----	0.008 - 0.016	.0020	----	----	----	----	27 UNCH
4775	----	----	----/*0.011A	0.014B/*0.011A	----	0.009 - 0.016	.0023	----	----	----	----	27 UNCH
4800	----	----	----/*0.013A	0.014B/*0.013A	----	0.009 - 0.017	.0023	----	----	----	----	69 UNCH
4825	----	----	----/*0.012A	0.015B/*0.012A	----	0.010 - 0.018	.0027	----	----	----	----	65 UNCH
4850	----	----	----/*0.014A	0.015B/*0.014A	----	0.011 - 0.018	.0030	----	----	----	----	26 UNCH
4875	----	----	----/0.014A	0.016B/0.014A	----	0.011 - 0.020	.0031	----	----	----	----	28 UNCH
4900	0.007	0.007	0.007/*0.007	0.017B/*0.007	----	0.012 - 0.021	.0035	----	----	1	----	43 UNCH
4925	----	----	----/*0.016A	0.019B/*0.016A	----	0.012 - 0.023	.0036	----	----	----	----	40 UNCH
4950	----	----	----/*0.016A	0.021B/*0.016A	----	0.013 - 0.024	.0040	----	----	----	----	28 UNCH
4975	----	----	----/*0.015A	0.023B/*0.015A	----	0.013 - 0.026	.0041	----	----	----	----	39 UNCH
5000	0.010	0.010	0.010/*0.010	0.026B/*0.010	----	0.013 - 0.029	.0042	----	----	43	----	517 - 31
5025	----	----	----/*0.019A	0.029B/*0.019A	----	0.014 - 0.031	.0047	----	----	----	----	14 UNCH
5050	----	----	----/*0.017A	0.034B/*0.017A	----	0.015 - 0.033	.0051	----	----	----	----	27 UNCH
5075	----	----	----/*0.019A	0.038B/*0.019A	----	0.015 - 0.036	.0053	----	----	----	----	25 UNCH
5100	----	----	----/*0.020A	0.042B/*0.020A	----	0.016 - 0.039	.0058	----	----	----	----	208 UNCH
5125	----	----	----/*0.020A	0.047B/*0.020A	----	0.017 - 0.043	.0064	----	----	----	----	19 UNCH
5150	----	----	----/*0.023A	0.053B/*0.023A	----	0.018 - 0.046	.0070	----	----	----	----	41 UNCH
5175	----	----	----/*0.024A	0.058B/*0.024A	----	0.019 - 0.051	.0076	----	----	----	----	20 UNCH
5200	0.098	0.098	0.098/*0.024A	0.098/*0.024A	----	0.020 - 0.056	.0083	----	----	43	----	250 + 1
5225	----	----	----/*0.025A	0.076B/*0.025A	----	0.021 - 0.062	.0090	----	----	----	----	8 UNCH
5250	0.031	0.031	0.031/*0.020	0.085B/*0.020	----	0.022 - 0.069	.0097	----	----	8	----	112 - 4
5275	----	----	----/*0.029A	0.096B/*0.029A	----	0.024 - 0.075	.0110	----	----	----	----	7 UNCH
5300	0.128	0.128	0.128/*0.025	0.128/*0.025	----	0.026 - 0.083	.0123	----	----	38	----	192 + 33
5325	0.080	0.080	0.126B/*0.031A	0.126B/*0.031A	----	0.028 - 0.092	.0137	----	----	2	----	30 - 1
5330	0.032	0.032	0.129B/*0.032	0.129B/*0.032	----	0.029 NEW	.0143	----	----	4	----	4 + 4
5350	----	----	0.143B/*0.033A	0.143B/*0.033A	----	0.031 - 0.102	.0157	----	----	----	----	227 UNCH
5375	0.042	0.042	0.161B/*0.035A	0.161B/*0.035A	----	0.034 - 0.113	.0178	----	----	1	----	439 - 1
5380	0.044	0.044	0.165B/*0.037A	0.165B/*0.037A	----	0.034 NEW	.0179	----	----	2	----	2 + 2
5400	0.045	0.045	0.182B/*0.037	0.182B/*0.037	----	0.037 - 0.127	.0200	----	----	13	----	183 + 2
5425	0.087	0.087	0.208B/*0.039	0.208B/*0.039	----	0.042 - 0.140	.0235	----	----	9	----	93 - 7
5440	0.055	0.055	0.224B/*0.044A	0.224B/*0.044A	----	0.044 NEW	.0251	----	----	10	----	10 + 10
5450	0.130	0.130	0.235B/*0.045	0.235B/*0.045	----	0.047 - 0.156	.0271	----	----	27	----	70 + 18
5460	----	----	0.248B/*0.048A	0.248B/*0.048A	----	0.049 - 0.164	.0287	----	----	----	----	5 UNCH
5470	0.064	0.064	0.261B/*0.051A	0.261B/*0.051A	----	0.051 NEW	.0303	----	----	11	----	11 + 11
5475	----	----	0.268B/*0.051A	0.268B/*0.051A	----	0.053 - 0.174	.0316	----	----	----	----	33 UNCH
5480	----	----	0.274B/*0.054A	0.274B/*0.054A	----	0.054 NEW	.0324	----	----	2	----	2 + 2
5490	----	----	0.289B/*0.055A	0.289B/*0.055A	----	0.057 - 0.187	.0346	----	----	----	----	1 UNCH
5500	0.269	0.269	0.303B/*0.056A	0.303B/*0.056A	----	0.060 - 0.195	.0369	----	----	225	----	360 - 45
5510	0.131	0.131	0.319B/*0.060A	0.319B/*0.060A	----	0.064 - 0.203	.0398	----	----	5	----	16 + 5
5520	0.086	0.086	0.337B/*0.062A	0.337B/*0.062A	----	0.067 - 0.212	.0422	----	----	2	----	4 + 2
5525	----	----	0.345B/*0.064A	0.345B/*0.064A	----	0.069 - 0.217	.0437	----	----	----	----	72 UNCH
5530	----	----	0.352B/*0.066A	0.352B/*0.066A	----	0.071 - 0.222	.0452	----	----	----	----	1 UNCH
5540	0.106	0.106	0.371B/*0.069A	0.371B/*0.069A	----	0.075 - 0.232	.0483	----	----	6	----	8 + 6
5550	0.370	0.370	0.391B/*0.070	0.391B/*0.070	----	0.080 - 0.241	.0520	----	----	29	----	238 + 21
5560	0.207	0.207	0.411B/*0.077A	0.411B/*0.077A	----	0.085 - 0.252	.0558	----	----	17	----	15 + 12
5570	0.124	0.124	0.433B/*0.082	0.433B/*0.082	----	0.091 - 0.262	.0602	----	----	41	----	27 + 26
5575	0.189	0.189	0.444B/*0.085A	0.444B/*0.085A	----	0.093 - 0.269	.0620	----	----	5	----	79 - 3
5580	0.185	0.185	0.456B/*0.088A	0.456B/*0.088A	----	0.097 NEW	.0648	----	----	16	----	10 + 10
5590	0.435	0.435	0.480B/*0.094A	0.480B/*0.094A	----	0.103 - 0.285	.0694	----	----	8	----	18 - 1
5600	0.385	0.385	0.515/*0.100	0.515/*0.100	----	0.110 - 0.297	.0747	----	----	78	----	318 + 65
5610	0.126	0.126	0.530B/*0.107A	0.530B/*0.107A	----	0.117 - 0.310	.0802	----	----	1	----	2 + 1
5620	0.129	0.129	0.558B/*0.114A	0.558B/*0.114A	----	0.126 NEW	.0868	----	----	8	----	8 + 8
5625	0.225	0.225	0.572B/*0.118A	0.572B/*0.118A	----	0.130 - 0.328	.0899	----	----	18	----	58 - 2
5630	----	----	0.585B/*0.124A	0.585B/*0.124A	----	0.135 - 0.334	.0935	----	----	----	----	1 UNCH
5640	0.147	0.147	0.616B/*0.132A	0.616B/*0.132A	----	0.144 - 0.348	.1004	----	----	1	----	2 + 1
5650	0.580	0.580	0.648B/*0.141A	0.648B/*0.141A	----	0.155 - 0.361	.1085	----	----	16	----	128 + 1
5670	----	----	0.715B/*0.160A	0.715B/*0.160A	----	0.178 - 0.389	.1256	----	----	----	----	3 UNCH
5675	0.570	0.570	0.732B/*0.167A	0.732B/*0.167A	----	0.185 - 0.396	.1306	----	----	3	----	30 UNCH
5690	0.426	0.426	0.787B/*0.183A	0.787B/*0.183A	----	0.206 - 0.417	.1458	----	----	1	----	6 UNCH
5700	0.299	0.299	0.826B/*0.196	0.826B/*0.196	----	0.221 - 0.432	.1566	----	----	79	----	340 + 41
5710	----	----	0.867B/*0.211A	0.867B/*0.211A	----	0.238 - 0.447	.1685	----	----	2	----	1 - 2
5720	0.908	0.908	0.944/*0.225A	0.944/*0.225A	----	0.256 NEW	.1810	----	----	5	----	5 + 5
5725	0.918	0.918	0.961B/*0.233A	0.961B/*0.233A	----	0.266 - 0.468	.1877	----	----	13	----	48 - 4
5730	0.943	0.943	0.985B/*0.241A	0.985B/*0.241A	----	0.276 - 0.475	.1945	----	----	3	----	6 + 2
5740	0.988	0.988	1.029B/*0.259A	1.029B/*0.259A	----	0.296 - 0.491	.2082	----	----	9	----	8 + 5
5750	1.034	1.034	1.080B/*0.276A	1.080B/*0.276A	----	0.319 - 0.505	.2232	----	----	71	----	147 + 9
5760	1.083	1.083	1.099B/*0.296A	1.099B/*0.296A	----	0.343 NEW	.2387	----	----	4	----	2 + 2
5770	1.042	1.042	1.150B/*0.317A	1.150B/0.317A	----	0.368 NEW	.2548	----	----	9	----	5 + 5
5775	0.985	0.985	1.177B/0.325A	1.177B/0.325A	----	0.381 - 0.542	.2631	----	----	34	----	129 - 15
5780	0.911	0.911	1.205B/*0.340A	1.205B/0.340A	----	0.395 NEW	.2717	----	----	5	----	3 + 3
5790	0.948	0.948	1.258B/*0.364A	1.258B/0.364A	----	0.424 NEW	.2893	----	----	2	----	2 + 2
5800	1.007	1.007	1.295B/0.386A	1.295B/0.386A	----	0.454 - 0.579	.3074	----	----	41	----	175 + 34
5810	1.049	1.049	1.354B/0.415A	1.354B/0.415A	----	0.486 - 0.593	.3262	----	----	5	----	8 + 2
5825	0.730	0.730	1.445B/0.456A	1.445B/0.456A	----	0.537 - 0.616	.3553	----	----	6	----	87 UNCH
5830	0.730	0.730	1.476B/0.471A	1.476B/0.471A	----	0.555 NEW	.3653	----	----	26	----	26 + 26
5840	0.776	0.776	1.540B/0.499A	1.540B/0.499A	----	0.593 NEW	.3857	----	----	2	----	2 + 2
5850	0.800	0.800	1.605B/0.534A	1.605B/0.534A	----	0.632 - 0.651	.4064	----	----	17	----	98 + 11
5860	----	----	1.673B/0.568A	1.673B/0.568A	----	0.673 - 0.665	.4275	----	----	----	----	1 UNCH
5875	----	----	1.776B/0.624A	1.776B/0.624A	----	0.738 - 0.686	.4597	----	----	----	----	29 UNCH
5890	----	----	1.885B/0.698A	1.885B/0.698A	----	0.807 - 0.707	.4925	----	----	4	----	10 + 3
5900	0.760	0.760	1.955B/0.740A	1.955B/0.740A	----	0.855 - 0.721	.5145	----	----	39	----	106 - 4
5910	----	----	2.034B/0.785A	2.034B/0.785A	----	0.905 - 0.735	.5367	----	----	----	----	13 UNCH
5920	1.131	1.131	2.107B/0.834A	2.107B/0.834A	----	0.957 NEW	.5589	----	----	2	----	2 + 2
5925	----	----	2.146B/0.859A	2.146B/0.859A	----	0.984 - 0.755	.5700	----	----	----	----	44 UNCH
5930	0.919	0.919	2.186B/0.885A	2.186B/0.885A	----	1.011 - 0.762	.5811	----	----	1	----	2 - 1
5950	1.700	1.700	2.344B/0.987A	2.344B/0.987A	----	1.125 - 0.787	.6251	----	----	5	----	77 UNCH
5970	----	----	2.509B/1.102A	2.509B/1.102A	----	1.248 - 0.809	.6679	----	----	----	----	1 UNCH
5975	1.225	1.225	2.551B/1.131A	2.551B/1.131A	----	1.280 - 0.814	.6784	----	----	1	----	64 + 1
5980	----	----	2.593B/1.162A	2.593B/1.162A	----	1.312 - 0.820	.6886	----	----	----	----	1 UNCH
5990	----	----	2.679B/1.235A	2.679B/1.235A	----	1.379 - 0.829	.7088	----	----	----	----	1 UNCH
6000	1.287	1.287	2.765B/1.287	2.765B/1.287	----	1.449 - 0.837	.7284	----	----	9	----	420 - 1
6020	----	----	2.940B/1.439A	2.940B/1.439A	----	1.593 - 0.851	.7650	----	----	----	----	2 UNCH
6025	----	----	2.985B/1.473A	2.985B/1.473A	----	1.631 - 0.854	.7738	----	----	----	----	29 UNCH
6050	----	----	3.210B/1.654A	3.210B/1.654A	----	1.826 - 0.866	.8136	----	----	----	----	59 UNCH
6070	1.864	1.864	3.392B/1.806A	3.392B/1.806A	----	1.989 NEW	.8412	----	----	1	----	1 + 1
6075	----	----	3.439B/1.837A	3.439B/1.837A	----	2.031 - 0.874	.8474	----	----	----	----	48 UNCH
6080	----	----	3.485B/1.877A	3.485B/1.877A	----	2.073 - 0.875	.8537	----	----	----	----	1 UNCH
6100	2.159	2.159	3.671B/2.037A	3.671B/2.037A	----	2.245 - 0.878	.8762	----	----	35	----	136 - 8
6125	----	----	3.907B/2.246A	3.907B/2.246A	----	2.467 - 0.880	.8994	----	----	1	----	14 UNCH
6150	----	----	4.148B/2.460A	4.148B/2.460A	----	2.695 - 0.880	.9182	----	----	----	----	187 UNCH
6175	----	----	4.385B/2.682A	4.385B/2.682A	----	2.927 - 0.880	.9336	----	----	----	----	33 UNCH
6200	----	----	4.635B/2.907A	4.635B/2.907A	----	3.163 - 0.878	.9457	----	----	----	----	484 UNCH
6225	----	----	4.871B/3.139A	4.871B/3.139A	----	3.402 - 0.876	.9553	----	----	----	----	16 UNCH
6250	----	----	5.117B/3.374A	5.117B/3.374A	----	3.643 - 0.875	.9625	----	----	5	----	163 + 1
6275	----	----	5.362B/3.611A	5.362B/3.611A	----	3.886 - 0.873	.9686	----	----	----	----	163 UNCH
6300	3.942	3.942	5.608B/3.851A	5.608B/3.851A	----	4.131 - 0.870	.9736	----	----	10	----	409 - 8
6325	----	----	5.859B/4.093A	5.859B/4.093A	----	4.376 - 0.869	.9778	----	----	----	----	6 UNCH
6350	----	----	6.106B/4.335A	6.106B/4.335A	----	4.622 - 0.868	.9805	----	----	----	----	67 UNCH
6375	----	----	6.354B/4.579A	6.354B/4.579A	----	4.869 - 0.867	.9835	----	----	----	----	26 UNCH
6400	----	----	6.602B/4.824A	6.602B/4.824A	----	5.116 - 0.866	.9853	----	----	----	----	108 UNCH
6425	----	----	6.850B/5.080A	6.850B/5.080A	----	5.364 - 0.865	.9870	----	----	----	----	14 UNCH
6450	----	----	----/5.756A	5.842B/5.756A	----	5.612 - 0.864	.9885	----	----	----	----	33 UNCH
6475	7.055	7.055	7.055/6.027A	7.055/6.027A	----	5.860 - 0.864	.9900	----	----	1	----	6 + 1
6500	----	----	----/6.228A	6.366B/6.228A	----	6.109 - 0.863	.9908	----	----	----	----	296 UNCH
6525	----	----	----/6.524A	6.555B/6.524A	----	6.358 - 0.863	.9921	----	----	----	----	3 UNCH
6550	----	----	----/6.772A	6.804B/6.772A	----	6.607 - 0.862	.9929	----	----	----	----	20 UNCH
6575	----	----	----/6.997A	7.089B/6.997A	----	6.856 - 0.862	.9931	----	----	----	----	49 UNCH
6600	8.206	8.206	8.206/6.873A	8.206/6.873A	----	7.105 - 0.862	.9938	----	----	2	----	171 - 1
6625	----	----	----/7.519A	7.550B/7.519A	----	7.354 - 0.862	.9944	----	----	----	----	23 UNCH
6650	----	----	----/7.744A	7.828B/7.744A	----	7.604 - 0.861	.9950	----	----	----	----	31 UNCH
6675	----	----	----/8.018A	8.047B/8.018A	----	7.853 - 0.861	.9951	----	----	----	----	4 UNCH
6700	----	----	----/7.868A	8.747B/7.868A	----	8.102 - 0.862	.9953	----	----	1	----	140 UNCH
6725	----	----	----/8.516A	8.545B/8.516A	----	8.352 - 0.861	.9958	----	----	----	----	11 UNCH
6750	----	----	----/8.764A	8.793B/8.764A	----	8.602 - 0.860	.9959	----	----	----	----	6 UNCH
6775	9.712	9.712	9.712/9.014A	9.712/9.014A	----	8.851 - 0.861	.9964	----	----	1	----	21 UNCH
6800	----	----	----/8.865A	9.745B/8.865A	----	9.101 - 0.860	.9965	----	----	----	----	312 UNCH
6825	----	----	----/9.489A	9.568B/9.489A	----	9.351 - 0.859	.9966	----	----	----	----	37 UNCH
6850	----	----	----/9.761A	9.789B/9.761A	----	9.600 - 0.860	.9967	----	----	----	----	5 UNCH
6875	----	----	----/9.986A	10.066B/9.986A	----	9.850 - 0.859	.9971	----	----	----	----	38 UNCH
6900	----	----	----/9.870A	10.748B/9.870A	----	10.100 - 0.859	.9972	----	----	----	----	93 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
AUG26												
6925	----	----	----/10.510A	10.535B/10.510A	----	10.350 - 0.858	.9972	----	----	----	----	6 UNCH
6950	----	----	----/10.362A	11.237B/10.362A	----	10.599 - 0.859	.9973	----	----	----	----	50 UNCH
6975	----	----	----/11.008A	11.033B/11.008A	----	10.849 - 0.858	.9973	----	----	----	----	14 UNCH
7000	----	----	----/10.869A	11.746B/10.869A	----	11.099 - 0.858	.9977	----	----	----	----	414 UNCH
7025	----	----	----/11.483A	11.562B/11.483A	----	11.349 - 0.857	.9977	----	----	----	----	32 UNCH
7050	----	----	----/11.732A	11.810B/11.732A	----	11.599 - 0.857	.9978	----	----	----	----	32 UNCH
7075	----	----	----/12.006A	12.030B/12.006A	----	11.849 - 0.856	.9978	----	----	----	----	23 UNCH
7100	----	----	----/12.232A	12.310B/12.232A	----	12.098 - 0.857	.9979	----	----	----	----	30 UNCH
7125	----	----	----/12.506A	12.529B/12.506A	----	12.348 - 0.856	.9979	----	----	----	----	20 UNCH
7150	----	----	----/12.754A	12.779B/12.754A	----	12.598 - 0.856	.9979	----	----	----	----	13 UNCH
7175	----	----	----/13.004A	13.028B/13.004A	----	12.848 - 0.855	.9980	----	----	----	----	11 - 7
7200	----	----	----/12.867A	13.731B/12.867A	----	13.098 - 0.855	.9980	----	----	----	----	119 - 5
7225	----	----	----/13.504A	13.527B/13.504A	----	13.348 - 0.855	.9983	----	----	----	----	1 - 10
7250	----	----	----/13.366A	14.238B/13.366A	----	13.597 - 0.855	.9984	----	----	----	----	77 - 8
7275	----	----	----/14.002A	14.026B/14.002A	----	13.847 - 0.855	.9984	----	----	----	----	10 UNCH
7300	----	----	----/13.859A	14.730B/13.859A	----	14.097 - 0.855	.9984	----	----	----	----	84 UNCH
7325	----	----	----/14.502A	14.525B/14.502A	----	14.347 - 0.854	.9987	----	----	----	----	4 UNCH
7350	----	----	----/14.752A	14.774B/14.752A	----	14.596 - 0.855	.9987	----	----	----	----	18 UNCH
7375	----	----	----/15.002A	15.023B/15.002A	----	14.846 - 0.855	.9987	----	----	----	----	4 UNCH
7400	----	----	----/15.227A	15.311B/15.227A	----	15.096 - 0.854	.9987	----	----	----	----	28 UNCH
7425	----	----	----/15.502A	15.523B/15.502A	----	15.346 - 0.854	.9988	----	----	----	----	16 UNCH
7450	----	----	----/15.752A	15.772B/15.752A	----	15.596 - 0.854	.9990	----	----	----	----	1 UNCH
7475	----	----	----/16.000A	16.021B/16.000A	----	15.845 - 0.855	.9990	----	----	----	----	6 UNCH
7500	----	----	----/15.858A	16.734B/15.858A	----	16.095 - 0.854	.9991	----	----	----	----	54 - 48
7525	----	----	----/16.501A	16.521B/16.501A	----	16.345 - 0.854	.9991	----	----	----	----	10 UNCH
7550	----	----	----/16.725A	16.809B/16.725A	----	16.595 - 0.854	.9991	----	----	----	----	26 UNCH
7575	----	----	----/17.000A	17.020B/17.000A	----	16.845 - 0.854	.9993	----	----	----	----	2 UNCH
7600	----	----	----/17.251A	17.270B/17.251A	----	17.095 - 0.854	.9993	----	----	----	----	6 UNCH
7625	----	----	----/17.501A	17.520B/17.501A	----	17.345 - 0.853	.9993	----	----	----	----	15 UNCH
7650	----	----	----/17.726A	17.800B/17.726A	----	17.595 - 0.853	.9993	----	----	----	----	40 UNCH
7675	----	----	----/17.976A	18.050B/17.976A	----	17.844 - 0.854	.9993	----	----	----	----	35 UNCH
7700	----	----	----/17.857A	18.734B/17.857A	----	18.094 - 0.854	.9994	----	----	----	----	98 UNCH
7725	----	----	----/18.114A	18.984B/18.114A	----	18.344 - 0.854	.9994	----	----	----	----	56 UNCH
7750	----	----	----/18.750A	18.768B/18.750A	----	18.594 - 0.853	.9994	----	----	----	----	1 UNCH
7775	----	----	----/19.000A	19.018B/19.000A	----	18.844 - 0.853	.9996	----	----	----	----	1 UNCH
7800	----	----	----/19.225A	19.298B/19.225A	----	19.094 - 0.853	.9996	----	----	----	----	25 - 4
7825	----	----	----/19.501A	19.519B/19.501A	----	19.344 - 0.853	.9996	----	----	----	----	1 UNCH
7850	----	----	----/19.750A	19.767B/19.750A	----	19.594 - 0.853	.9996	----	----	----	----	17 UNCH
7875	----	----	----/20.000A	20.017B/20.000A	----	19.844 - 0.853	.9996	----	----	----	----	1 UNCH
7900	----	----	----/20.250A	20.268B/20.250A	----	20.094 - 0.853	.9996	----	----	----	----	9 - 8
7925	----	----	----/20.502A	20.518B/20.502A	----	20.344 - 0.853	.9996	----	----	----	----	1 - 2
7950	----	----	----/20.357A	21.232B/20.357A	----	20.594 - 0.853	.9996	----	----	----	----	18 - 35
7975	----	----	----/21.001A	21.018B/21.001A	----	20.844 - 0.853	.9996	----	----	----	----	1 - 1
8000	----	----	----/20.857A	21.732B/20.857A	----	21.094 - 0.852	.9996	----	----	3	----	110 - 140
8025	----	----	----/21.502A	21.517B/21.502A	----	21.344 - 0.852	.9996	----	----	----	----	0 - 1
8050	----	----	----/21.752A	21.767B/21.752A	----	21.594 - 0.852	.9996	----	----	----	----	1 UNCH
8100	----	----	----/22.252A	22.267B/22.252A	----	22.094 - 0.852	.9998	----	----	----	----	8 UNCH
8125	----	----	----/22.502A	22.515B/22.502A	----	22.344 - 0.852	.9998	----	----	----	----	1 UNCH
8150	----	----	----/22.752A	22.765B/22.752A	----	22.594 - 0.852	.9999	----	----	----	----	15 UNCH
8175	----	----	----/23.002A	23.015B/23.002A	----	22.844 - 0.852	.9999	----	----	----	----	0 - 1
8200	----	----	----/23.252A	23.265B/23.252A	----	23.094 - 0.852	.9999	----	----	----	----	11 UNCH
8225	----	----	----/23.502A	23.515B/23.502A	----	23.344 - 0.852	.9999	----	----	----	----	1 UNCH
8250	----	----	----/23.751A	23.766B/23.751A	----	23.594 - 0.852	.9999	----	----	----	----	10 UNCH
8275	----	----	----/24.002A	24.015B/24.002A	----	23.844 - 0.852	.9999	----	----	----	----	2 UNCH
8300	----	----	----/24.252A	24.266B/24.252A	----	24.094 - 0.852	.9999	----	----	----	----	1 UNCH
8325	----	----	----/24.502A	24.515B/24.502A	----	24.344 - 0.852	.0000	----	----	----	----	2 UNCH
8375	----	----	----	----	----	24.844 - 0.852	.0000	----	----	----	----	0 UNCH
8400	----	----	----/25.412A	25.194B/25.412A	----	25.094 - 0.852	.0000	----	----	----	----	2 UNCH
8500	----	----	----	----	----	26.094 - 0.852	.0000	----	----	----	----	1 UNCH
9000	----	----	----	----	----	31.094 - 0.852	.0000	----	----	----	----	24 UNCH
10000	----	----	----	----	----	41.094 - 0.852	.0000	----	----	----	----	2 UNCH
12000	----	----	----	----	----	61.094 - 0.852	.0000	----	----	----	----	1 UNCH
TOTAL										1155	28	12032 - 39
SEP26												
2125	----	----	----	----/0.010A	----	0.001 - 0.001	.0001	----	----	----	----	6 UNCH
2500	----	----	----	----/0.013A	----	0.004 - 0.002	.0007	----	----	----	----	65 UNCH
3000	----	----	----	0.010B/*0.020A	----	0.013 - 0.004	.0024	----	----	10	----	49 + 10
3250	----	----	----	0.015B/0.030A	----	0.020 - 0.005	.0038	----	----	----	----	51 UNCH
3400	----	----	----	0.022B/*0.034A	----	0.026 - 0.007	.0051	----	----	----	----	1 UNCH
3475	----	----	----/*0.037A	0.024B/*0.037A	----	0.029 - 0.009	.0058	----	----	----	----	2 UNCH
3500	----	----	----/*0.037A	0.025B/*0.037A	----	0.030 - 0.009	.0060	----	----	----	----	84 UNCH
3525	----	----	----/*0.038A	0.027B/*0.038A	----	0.032 - 0.009	.0064	----	----	----	----	1 UNCH
3600	----	----	----/*0.042A	0.031B/*0.042A	----	0.036 - 0.011	.0073	----	----	----	----	7 UNCH
3625	----	----	----/*0.044A	0.032B/*0.044A	----	0.038 - 0.011	.0077	----	----	----	----	1 UNCH
3650	----	----	----/*0.045A	0.034B/*0.045A	----	0.039 - 0.012	.0080	----	----	----	----	2 UNCH
3750	----	----	----/0.052A	0.043B/0.052A	----	0.047 - 0.014	.0098	----	----	----	----	100 UNCH
3800	----	----	----/0.055A	0.050B/0.055A	----	0.051 - 0.015	.0107	----	----	----	----	9 UNCH
3850	0.060	0.060	0.060/*0.059A	0.060/*0.059A	----	0.055 NEW	.0116	----	----	1	----	1 + 1
3900	----	----	----/0.064A	0.062B/0.064A	----	0.060 - 0.018	.0128	----	----	----	----	11 UNCH
3975	----	----	----/0.072A	0.074B/0.072A	----	0.068 - 0.021	.0147	----	----	----	----	1 UNCH
4000	0.090	0.090	0.090/0.074A	0.090/0.074A	----	0.071 - 0.022	.0154	----	----	23	----	246 + 23
4025	----	----	----/0.077A	0.083B/0.077A	----	0.074 - 0.023	.0161	----	----	----	----	5 UNCH
4075	----	----	----/*0.081A	0.093B/*0.081A	----	0.080 - 0.026	.0175	----	----	----	----	1 UNCH
4100	----	----	----/0.085A	0.098B/0.085A	----	0.084 - 0.026	.0184	----	----	----	----	9 UNCH
4125	----	----	----/0.088A	0.104B/0.088A	----	0.087 - 0.028	.0192	----	----	----	----	1 UNCH
4200	----	----	----/0.100A	0.121B/0.100A	----	0.100 - 0.032	.0222	----	----	----	----	8 UNCH
4225	----	----	----/0.104A	0.128B/0.104A	----	0.104 - 0.034	.0232	----	----	----	----	5 UNCH
4250	----	----	----/0.108A	0.135B/0.108A	----	0.109 - 0.035	.0244	----	----	----	----	51 UNCH
4275	----	----	----/0.113A	0.142B/0.113A	----	0.114 - 0.037	.0256	----	----	----	----	1 UNCH
4300	----	----	----/0.118A	0.153B/0.118A	----	0.119 - 0.039	.0268	----	----	----	----	11 UNCH
4325	----	----	----/0.123A	0.158B/0.123A	----	0.124 - 0.041	.0280	----	----	----	----	7 UNCH
4350	----	----	----/0.129A	0.167B/0.129A	----	0.130 - 0.043	.0294	----	----	----	----	12 UNCH
4375	----	----	----/0.134A	0.177B/0.134A	----	0.136 - 0.045	.0309	----	----	----	----	14 UNCH
4400	0.158	0.158	0.158/0.141A	0.187B/0.141A	----	0.142 - 0.047	.0323	----	----	2	----	63 - 2
4425	----	----	----/0.147A	0.196B/0.147A	----	0.149 - 0.049	.0340	----	----	----	----	14 UNCH
4500	0.175	0.175	0.233B/0.169A	0.233B/0.169A	----	0.172 - 0.057	.0394	----	----	2	----	215 UNCH
4525	----	----	0.246B/0.177A	0.246B/0.177A	----	0.180 - 0.060	.0413	----	----	----	----	6 UNCH
4550	----	----	0.260B/0.186A	0.260B/0.186A	----	0.189 - 0.063	.0434	----	----	----	----	5 UNCH
4575	0.232	0.232	0.274B/0.194A	0.274B/0.194A	----	0.199 - 0.065	.0457	----	----	2	----	30 + 1
4600	----	----	0.289B/0.204A	0.289B/0.204A	----	0.208 - 0.069	.0479	----	----	1	----	21 + 2
4625	----	----	0.309B/0.214A	0.309B/0.214A	----	0.219 - 0.072	.0504	----	----	----	----	13 UNCH
4650	----	----	0.327B/0.225A	0.327B/0.225A	----	0.230 - 0.076	.0530	----	----	----	----	5 UNCH
4675	----	----	0.345B/0.237A	0.345B/0.237A	----	0.242 - 0.080	.0558	----	----	----	----	3 UNCH
4700	----	----	0.364B/0.249A	0.364B/0.249A	----	0.255 - 0.083	.0587	----	----	----	----	31 UNCH
4725	----	----	0.385B/0.262A	0.385B/0.262A	----	0.268 - 0.088	.0617	----	----	----	----	4 UNCH
4750	----	----	0.407B/0.276A	0.407B/0.276A	----	0.282 - 0.093	.0649	----	----	----	----	54 UNCH
4775	----	----	0.430B/0.290A	0.430B/0.290A	----	0.297 - 0.097	.0683	----	----	1	----	7 + 1
4800	0.360	0.360	0.455B/0.306A	0.455B/0.306A	----	0.313 - 0.102	.0719	----	----	3	----	115 UNCH
4825	----	----	0.483B/0.322A	0.483B/0.322A	----	0.330 - 0.107	.0756	----	----	----	----	36 UNCH
4850	----	----	0.510B/0.339A	0.510B/0.339A	----	0.348 - 0.112	.0796	----	----	2	----	12 UNCH
4875	0.415	0.415	0.536B/0.358A	0.536B/0.358A	----	0.367 - 0.118	.0838	----	----	1	----	14 UNCH
4900	0.380	0.380	0.567B/0.377A	0.567B/0.377A	----	0.387 - 0.124	.0881	----	----	7	----	150 + 5
4925	0.595	0.595	0.600B/0.398A	0.600B/0.398A	----	0.408 - 0.131	.0927	----	----	3	----	16 + 2
4950	0.462	0.462	0.633B/0.418A	0.633B/0.418A	----	0.431 - 0.137	.0976	----	----	15	----	44 + 5
4975	----	----	0.670B/0.443A	0.670B/0.443A	----	0.455 - 0.144	.1027	----	----	----	----	15 UNCH
5000	0.670	0.670	0.707B/0.467A	0.707B/0.467A	----	0.481 - 0.150	.1081	----	----	16	----	617 + 8
5025	----	----	0.746B/0.492A	0.746B/0.492A	----	0.508 - 0.157	.1137	----	----	----	----	79 UNCH
5050	0.578	0.578	0.790B/0.519A	0.790B/0.519A	----	0.536 - 0.165	.1195	----	----	1	----	16 UNCH
5075	----	----	0.837B/0.548A	0.837B/0.548A	----	0.567 - 0.172	.1257	----	----	----	----	25 UNCH
5100	0.660	0.660	0.882B/0.579A	0.882B/0.579A	----	0.599 - 0.181	.1321	----	----	17	----	309 + 17
5125	----	----	0.930B/0.611A	0.930B/0.611A	----	0.633 - 0.189	.1388	----	----	----	----	16 UNCH
5150	----	----	0.980B/0.646A	0.980B/0.646A	----	0.669 - 0.197	.1458	----	----	2	----	13 UNCH
5175	----	----	1.033B/0.680A	1.033B/0.680A	----	0.706 - 0.207	.1531	----	----	----	----	49 UNCH
5200	1.020	1.020	1.089B/0.718A	1.089B/0.718A	----	0.747 - 0.215	.1608	----	----	23	----	174 + 8
5225	----	----	1.148B/0.760A	1.148B/0.760A	----	0.789 - 0.224	.1687	----	----	----	----	48 UNCH
5250	0.979	0.979	1.197B/0.801A	1.197B/0.801A	----	0.833 - 0.234	.1768	----	----	1	----	80 UNCH
5275	----	----	1.261B/0.846A	1.261B/0.846A	----	0.881 - 0.243	.1855	----	----	----	----	60 UNCH
5300	1.032	1.032	1.327B/0.890A	1.327B/0.890A	----	0.930 - 0.253	.1943	----	----	8	----	123 - 1
5325	----	----	1.396B/0.938A	1.396B/0.938A	----	0.982 - 0.263	.2034	----	----	----	----	14 UNCH
5350	----	----	1.469B/0.991A	1.469B/0.991A	----	1.037 - 0.272	.2129	----	----	----	----	210 UNCH
5375	1.485	1.485	1.541B/1.045A	1.541B/1.045A	----	1.095 - 0.282	.2227	----	----	4	----	54 - 1
5400	1.637	1.637	1.637/1.102A	1.637/1.102A	----	1.155 - 0.293	.2328	----	----	1	----	144 + 1
5425	----	----	1.703B/1.162A	1.703B/1.162A	----	1.219 - 0.303	.2432	----	----	----	----	11 UNCH
5450	1.464	1.464	1.788B/1.225A	1.788B/1.225A	----	1.285 - 0.313	.2538	----	----	6	----	18 + 3
5475	----	----	1.876B/1.290A	1.876B/1.290A	----	1.354 - 0.325	.2647	----	----	----	----	103 UNCH
5500	1.823	1.823	1.966B/1.356A	1.966B/1.356A	----	1.426 - 0.336	.2759	----	----	20	----	518 + 3
5525	1.702	1.702	2.061B/1.426A	2.061B/1.426A	----	1.501 - 0.348	.2873	----	----	1	----	4 + 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
SEP26												
5550	1.726	1.726	2.159B/1.503A	2.159B/1.503A	----	1.579 - 0.360	.2989	----	----	2	----	61 + 2
5575	1.878	1.878	2.261B/1.578A	2.261B/1.578A	----	1.660 - 0.372	.3108	----	----	1	----	9 + 1
5600	----	----	2.366B/1.659A	2.366B/1.659A	----	1.745 - 0.384	.3229	----	----	2	----	129 - 2
5625	----	----	2.472B/1.742A	2.472B/1.742A	----	1.833 - 0.397	.3353	----	----	----	----	13 UNCH
5650	----	----	2.590B/1.830A	2.590B/1.830A	----	1.924 - 0.410	.3478	----	----	----	----	13 UNCH
5675	----	----	2.703B/1.921A	2.703B/1.921A	----	2.019 - 0.423	.3605	----	----	----	----	63 UNCH
5700	2.833	2.833	2.833/2.016A	2.833/2.016A	----	2.117 - 0.437	.3733	----	----	26	----	163 + 21
5725	2.957	2.957	2.957/2.114A	2.957/2.114A	----	2.219 - 0.450	.3864	----	----	3	----	26 - 1
5750	3.085	3.085	3.085/2.216A	3.085/2.216A	----	2.325 - 0.463	.3995	----	----	1	----	21 UNCH
5775	3.040	3.040	3.217/2.321A	3.217/2.321A	----	2.434 - 0.477	.4128	----	----	9	----	20 - 2
5800	3.354	3.354	3.354/2.430A	3.354/2.430A	----	2.547 - 0.490	.4261	----	----	7	----	156 - 1
5825	3.493	3.493	3.493/2.542A	3.493/2.542A	----	2.664 - 0.503	.4395	----	----	1	----	78 UNCH
5850	----	----	3.624B/2.659A	3.624B/2.659A	----	2.785 - 0.516	.4530	----	----	1	----	52 + 1
5875	2.866	2.866	3.770B/2.779A	3.770B/2.779A	----	2.909 - 0.529	.4665	----	----	1	----	9 + 1
5900	3.000	3.000	3.920B/2.903A	3.920B/2.903A	----	3.037 - 0.543	.4800	----	----	15	----	326 + 6
5925	----	----	4.055B/3.031A	4.055B/3.031A	----	3.170 - 0.554	.4935	----	----	----	----	27 UNCH
5950	----	----	4.215B/3.162A	4.215B/3.162A	----	3.306 - 0.567	.5069	----	----	2	----	10 + 2
5975	----	----	4.372B/3.297A	4.372B/3.297A	----	3.445 - 0.580	.5202	----	----	----	----	18 UNCH
6000	3.669	3.669	4.537B/3.435A	4.537B/3.435A	----	3.589 - 0.591	.5335	----	----	11	----	759 - 6
6025	----	----	4.704B/3.578A	4.704B/3.578A	----	3.737 - 0.602	.5466	----	----	----	----	17 UNCH
6050	3.767	3.767	4.876B/3.724A	4.876B/3.724A	----	3.888 - 0.613	.5596	----	----	1	----	28 + 1
6075	----	----	5.050B/3.874A	5.050B/3.874A	----	4.043 - 0.624	.5725	----	----	----	----	10 UNCH
6100	----	----	5.226B/4.028A	5.226B/4.028A	----	4.201 - 0.635	.5852	----	----	----	----	135 UNCH
6125	----	----	5.409B/4.197A	5.409B/4.197A	----	4.363 - 0.645	.5977	----	----	----	----	24 UNCH
6150	----	----	5.592B/4.358A	5.592B/4.358A	----	4.529 - 0.654	.6099	----	----	----	----	30 UNCH
6175	----	----	5.777B/4.522A	5.777B/4.522A	----	4.697 - 0.665	.6220	----	----	----	----	35 UNCH
6200	----	----	5.968B/4.689A	5.968B/4.689A	----	4.869 - 0.674	.6339	----	----	----	----	157 UNCH
6225	4.899	4.899	6.159B/4.860A	6.159B/4.860A	----	5.044 - 0.683	.6455	----	----	5	----	170 UNCH
6250	----	----	6.349B/5.035A	6.349B/5.035A	----	5.223 - 0.691	.6568	----	----	----	----	1 UNCH
6275	----	----	6.548B/5.212A	6.548B/5.212A	----	5.404 - 0.699	.6680	----	----	----	----	41 UNCH
6300	----	----	6.747B/5.391A	6.747B/5.391A	----	5.588 - 0.707	.6788	----	----	----	----	63 UNCH
6325	----	----	6.946B/5.576A	6.946B/5.576A	----	5.774 - 0.716	.6894	----	----	----	----	2 UNCH
6350	----	----	7.150B/5.762A	7.150B/5.762A	----	5.964 - 0.722	.6998	----	----	----	----	2 UNCH
6375	----	----	7.356B/5.951A	7.356B/5.951A	----	6.156 - 0.730	.7098	----	----	----	----	1 UNCH
6400	----	----	7.563B/6.141A	7.563B/6.141A	----	6.350 - 0.737	.7195	----	----	----	----	50 UNCH
6425	----	----	7.773B/6.336A	7.773B/6.336A	----	6.548 - 0.743	.7290	----	----	----	----	5 UNCH
6450	----	----	7.985B/6.533A	7.985B/6.533A	----	6.747 - 0.750	.7382	----	----	----	----	2 UNCH
6475	----	----	8.198B/6.731A	8.198B/6.731A	----	6.949 - 0.755	.7471	----	----	----	----	1 UNCH
6500	----	----	8.413B/6.932A	8.413B/6.932A	----	7.152 - 0.762	.7557	----	----	----	----	240 UNCH
6525	----	----	8.629B/7.136A	8.629B/7.136A	----	7.358 - 0.768	.7640	----	----	----	----	5 UNCH
6550	----	----	8.847B/7.340A	8.847B/7.340A	----	7.566 - 0.773	.7722	----	----	----	----	41 UNCH
6575	----	----	9.067B/7.549A	9.067B/7.549A	----	7.776 - 0.778	.7799	----	----	----	----	1 UNCH
6600	8.026	8.026	9.288B/7.758A	9.288B/7.758A	----	7.988 - 0.782	.7875	----	----	3	----	40 - 1
6625	----	----	9.511B/7.969A	9.511B/7.969A	----	8.202 - 0.786	.7948	----	----	----	----	15 UNCH
6700	----	----	10.185B/8.612A	10.185B/8.612A	----	8.852 - 0.799	.8150	----	----	----	----	560 UNCH
6750	----	----	10.639B/9.057A	10.639B/9.057A	----	9.294 - 0.805	.8273	----	----	----	----	1 UNCH
6800	----	----	11.099B/9.493A	11.099B/9.493A	----	9.740 - 0.812	.8386	----	----	1	----	21 + 1
6850	----	----	11.563B/9.942A	11.563B/9.942A	----	10.192 - 0.817	.8491	----	----	----	----	2 UNCH
6900	----	----	12.028B/10.393A	12.028B/10.393A	----	10.648 - 0.822	.8588	----	----	----	----	34 UNCH
6975	----	----	12.733B/11.081A	12.733B/11.081A	----	11.340 - 0.828	.8718	----	----	----	----	15 UNCH
7000	----	----	12.972B/11.311A	12.972B/11.311A	----	11.572 - 0.830	.8759	----	----	----	----	206 UNCH
7050	----	----	13.446B/11.777A	13.446B/11.777A	----	12.040 - 0.832	.8833	----	----	----	----	2 UNCH
7075	----	----	13.682B/12.011A	13.682B/12.011A	----	12.274 - 0.835	.8869	----	----	----	----	5 UNCH
7100	----	----	13.922B/12.245A	13.922B/12.245A	----	12.510 - 0.835	.8903	----	----	----	----	21 UNCH
7125	----	----	14.161B/12.480A	14.161B/12.480A	----	12.746 - 0.836	.8936	----	----	----	----	26 UNCH
7175	----	----	14.640B/12.953A	14.640B/12.953A	----	13.219 - 0.839	.8997	----	----	----	----	29 UNCH
7200	----	----	14.877B/13.190A	14.877B/13.190A	----	13.457 - 0.840	.9026	----	----	----	----	81 UNCH
7300	----	----	15.850B/14.145A	15.850B/14.145A	----	14.413 - 0.843	.9131	----	----	----	----	181 UNCH
7375	----	----	16.572B/14.866A	16.572B/14.866A	----	15.135 - 0.844	.9200	----	----	----	----	1 UNCH
7400	----	----	16.809B/15.118A	16.809B/15.118A	----	15.376 - 0.845	.9221	----	----	----	----	27 UNCH
7450	----	----	17.296B/15.602A	17.296B/15.602A	----	15.859 - 0.846	.9261	----	----	----	----	2 UNCH
7500	----	----	17.782B/16.087A	17.782B/16.087A	----	16.344 - 0.847	.9297	----	----	----	----	20 UNCH
7550	----	----	18.270B/16.572A	18.270B/16.572A	----	16.830 - 0.848	.9331	----	----	----	----	44 UNCH
7600	----	----	18.759B/17.060A	18.759B/17.060A	----	17.317 - 0.848	.9364	----	----	----	----	29 UNCH
7650	----	----	19.248B/17.540A	19.248B/17.540A	----	17.805 - 0.849	.9393	----	----	----	----	16 UNCH
7700	----	----	19.737B/18.029A	19.737B/18.029A	----	18.294 - 0.849	.9419	----	----	----	----	9 UNCH
7775	----	----	20.471B/18.765A	20.471B/18.765A	----	19.028 - 0.850	.9458	----	----	----	----	5 UNCH
7800	----	----	20.716B/19.011A	20.716B/19.011A	----	19.273 - 0.851	.9469	----	----	----	----	33 UNCH
7850	----	----	21.207B/19.514A	21.207B/19.514A	----	19.764 - 0.851	.9492	----	----	----	----	1 UNCH
7900	----	----	----/20.121A	20.823B/20.121A	----	20.256 - 0.851	.9513	----	----	----	----	3 UNCH
7950	----	----	----/20.613A	21.315B/20.613A	----	20.748 - 0.851	.9532	----	----	3	----	4 UNCH
8000	----	----	----/21.005A	21.887B/21.005A	----	21.240 - 0.852	.9550	----	----	----	----	94 UNCH
8100	----	----	----/22.090A	22.795B/22.090A	----	22.226 - 0.853	.9584	----	----	----	----	4 UNCH
8200	----	----	----/23.077A	23.783B/23.077A	----	23.213 - 0.853	.9614	----	----	----	----	1 UNCH
8300	----	----	----/24.065A	24.772B/24.065A	----	24.202 - 0.853	.9642	----	----	----	----	1 UNCH
8400	----	----	----/25.011A	25.815B/25.011A	----	25.192 - 0.853	.9666	----	----	----	----	42 UNCH
8500	----	----	----/25.944A	26.833B/25.944A	----	26.183 - 0.853	.9688	----	----	----	----	227 UNCH
8700	----	----	----/27.924A	28.820B/27.924A	----	28.166 - 0.855	.9725	----	----	----	----	101 UNCH
9000	----	----	----/30.907A	31.798B/30.907A	----	31.147 - 0.855	.9771	----	----	----	----	75 UNCH
9300	----	----	----/33.993A	34.507B/33.993A	----	34.132 - 0.855	.9806	----	----	----	----	1 UNCH
9400	----	----	----/34.973A	35.706B/34.973A	----	35.128 - 0.855	.9817	----	----	----	----	15 UNCH
9500	----	----	----/36.282A	36.295B/36.282A	----	36.124 - 0.854	.9825	----	----	----	----	2 UNCH
9900	----	----	----/40.269A	40.280B/40.269A	----	40.111 - 0.853	.9858	----	----	----	----	1 UNCH
10000	----	----	----/40.955A	41.704B/40.955A	----	41.108 - 0.853	.9865	----	----	----	----	8 UNCH
10150	----	----	----/42.765A	42.771B/42.765A	----	42.605 - 0.853	.9874	----	----	----	----	1 UNCH
TOTAL										268	0	9340 + 110
OCT26												
2675	----	----	----	0.011B/*0.046A	----	0.023 - 0.002	.0034	----	----	----	----	8 UNCH
2800	----	----	----	0.017B/*0.047A	----	0.031 - 0.003	.0045	----	----	----	----	1 UNCH
3000	----	----	----	0.030B/0.056A	----	0.045 - 0.005	.0067	----	----	----	----	9 UNCH
3250	----	----	----	0.051B/0.080A	----	0.065 - 0.009	.0100	----	----	----	----	1 UNCH
3500	----	----	----/*0.106A	0.087B/0.106A	----	0.092 - 0.015	.0146	----	----	----	----	5 UNCH
4000	----	----	----/0.201A	0.211B/0.201A	----	0.193 - 0.037	.0319	----	----	----	----	7 UNCH
4200	----	----	----/0.270A	0.309B/0.270A	----	0.264 - 0.052	.0439	----	----	----	----	1 UNCH
4300	----	----	----/0.314A	0.369B/0.314A	----	0.310 - 0.061	.0515	----	----	----	----	1 UNCH
4375	----	----	0.428B/0.354A	0.428B/0.354A	----	0.350 - 0.070	.0580	----	----	----	----	1 UNCH
4400	----	----	0.447B/0.368A	0.447B/0.368A	----	0.365 - 0.072	.0604	----	----	----	----	2 UNCH
4475	----	----	0.511B/0.414A	0.511B/0.414A	----	0.414 - 0.081	.0682	----	----	----	----	2 UNCH
4500	----	----	0.534B/0.431A	0.534B/0.431A	----	0.431 - 0.085	.0709	----	----	----	----	289 UNCH
4550	----	----	0.584B/0.468A	0.584B/0.468A	----	0.469 - 0.091	.0768	----	----	----	----	10 UNCH
4650	----	----	0.696B/0.549A	0.696B/0.549A	----	0.554 - 0.108	.0899	----	----	----	----	1 UNCH
4700	----	----	0.759B/0.596A	0.759B/0.596A	----	0.603 - 0.117	.0973	----	----	1	----	11 + 1
4750	----	----	0.828B/0.648A	0.828B/0.648A	----	0.656 - 0.126	.1051	----	----	----	----	1 UNCH
4800	----	----	0.903B/0.703A	0.903B/0.703A	----	0.714 - 0.136	.1136	----	----	----	----	28 UNCH
4900	----	----	1.071B/0.831A	1.071B/0.831A	----	0.845 - 0.158	.1322	----	----	----	----	2 UNCH
5000	1.019	1.019	1.268B/0.982A	1.268B/0.982A	----	0.999 - 0.182	.1533	----	----	7	----	73 + 2
5025	----	----	1.322B/1.022A	1.322B/1.022A	----	1.042 - 0.188	.1590	----	----	----	----	13 UNCH
5050	----	----	1.382B/1.065A	1.382B/1.065A	----	1.086 - 0.195	.1648	----	----	----	----	1 UNCH
5100	----	----	1.499B/1.153A	1.499B/1.153A	----	1.180 - 0.208	.1770	----	----	----	----	23 UNCH
5125	----	----	1.559B/1.204A	1.559B/1.204A	----	1.229 - 0.215	.1832	----	----	----	----	10 UNCH
5150	----	----	1.624B/1.254A	1.624B/1.254A	----	1.281 - 0.222	.1898	----	----	----	----	5 UNCH
5175	----	----	1.691B/1.302A	1.691B/1.302A	----	1.334 - 0.230	.1964	----	----	----	----	2 UNCH
5200	----	----	1.759B/1.356A	1.759B/1.356A	----	1.389 - 0.237	.2031	----	----	----	----	13 UNCH
5225	----	----	1.829B/1.415A	1.829B/1.415A	----	1.447 - 0.244	.2101	----	----	----	----	12 UNCH
5250	----	----	1.902B/1.472A	1.902B/1.472A	----	1.506 - 0.252	.2172	----	----	----	----	2 UNCH
5275	----	----	1.977B/1.528A	1.977B/1.528A	----	1.568 - 0.260	.2245	----	----	----	----	1 UNCH
5300	----	----	2.054B/1.590A	2.054B/1.590A	----	1.632 - 0.267	.2320	----	----	5	----	67 + 4
5325	----	----	2.132B/1.654A	2.132B/1.654A	----	1.698 - 0.275	.2395	----	----	----	----	11 UNCH
5350	----	----	2.214B/1.723A	2.214B/1.723A	----	1.766 - 0.283	.2472	----	----	----	----	1 UNCH
5375	----	----	2.299B/1.792A	2.299B/1.792A	----	1.836 - 0.292	.2551	----	----	----	----	1 UNCH
5400	----	----	2.386B/1.863A	2.386B/1.863A	----	1.909 - 0.300	.2631	----	----	----	----	33 UNCH
5450	----	----	2.568B/2.007A	2.568B/2.007A	----	2.062 - 0.317	.2795	----	----	----	----	1 UNCH
5500	----	----	2.761B/2.164A	2.761B/2.164A	----	2.225 - 0.334	.2964	----	----	----	----	69 UNCH
5525	----	----	2.859B/2.247A	2.859B/2.247A	----	2.310 - 0.343	.3051	----	----	----	----	1 UNCH
5550	----	----	2.963B/2.332A	2.963B/2.332A	----	2.398 - 0.351	.3138	----	----	----	----	2 UNCH
5575	----	----	3.067B/2.420A	3.067B/2.420A	----	2.488 - 0.360	.3227	----	----	----	----	3 UNCH
5600	----	----	3.175B/2.510A	3.175B/2.510A	----	2.581 - 0.369	.3316	----	----	4	----	11 + 4
5625	----	----	3.285B/2.602A	3.285B/2.602A	----	2.677 - 0.378	.3407	----	----	----	----	1 UNCH
5700	----	----	3.633B/2.896A	3.633B/2.896A	----	2.980 - 0.405	.3683	----	----	----	----	18 UNCH
5725	2.981	2.981	3.754B/2.981	3.754B/2.981	----	3.086 - 0.414	.3776	----	----	1	----	3 + 1
5750	----	----	3.878B/3.108A	3.878B/3.108A	----	3.196 - 0.423	.3870	----	----	----	----	1 UNCH
5800	----	----	4.135B/3.326A	4.135B/3.326A	----	3.422 - 0.442	.4059	----	----	----	----	20 UNCH
5825	----	----	4.268B/3.443A	4.268B/3.443A	----	3.540 - 0.450	.4154	----	----	----	----	6 UNCH
5850	----	----	4.403B/3.559A	4.403B/3.559A	----	3.660 - 0.460	.4249	----	----	----	----	9 UNCH
5900	3.996	3.996	4.682B/3.799A	4.682B/3.799A	----	3.909 - 0.478	.4440	----	----	2	----	10 + 1
5925	----	----	4.826B/3.926A	4.826B/3.926A	----	4.038 - 0.487	.4535	----	----	----	----	1 UNCH
5950	----	----	4.972B/4.054A	4.972B/4.054A	----	4.169 - 0.496	.4630	----	----	----	----	5 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
OCT26												
6000	4.851	4.851	5.273B/4.316A	5.273B/4.316A	----	4.441 -	0.513 .4820	----	----	1	----	73 - 1
6025	----	----	5.427B/4.453A	5.427B/4.453A	----	4.580 -	0.522 .4914	----	----	----	----	1 UNCH
6050	----	----	5.554B/4.586A	5.554B/4.586A	----	4.723 -	0.530 .5008	----	----	----	----	19 UNCH
6075	4.715	4.715	5.714B/4.715	5.714B/4.715	----	4.868	NEW .5101	----	----	1	----	1 + 1
6100	5.458	5.458	5.876B/4.879A	5.876B/4.879A	----	5.015 -	0.548 .5193	----	----	1	----	37 + 1
6125	----	----	6.041B/5.022A	6.041B/5.022A	----	5.166 -	0.556 .5285	----	----	----	----	9 UNCH
6150	----	----	6.208B/5.167A	6.208B/5.167A	----	5.318 -	0.565 .5376	----	----	----	----	1 UNCH
6175	5.306	5.306	6.377B/5.306	6.377B/5.306	----	5.474 -	0.572 .5466	----	----	1	----	2 + 1
6200	5.762	5.762	6.549B/5.460	6.549B/5.460	----	5.632 -	0.580 .5556	----	----	3	----	7 + 3
6225	----	----	6.723B/5.629A	6.723B/5.629A	----	5.792 -	0.589 .5644	----	----	----	----	10 UNCH
6250	----	----	6.900B/5.789A	6.900B/5.789A	----	5.955 -	0.596 .5731	----	----	----	----	8 UNCH
6275	----	----	7.073B/5.951A	7.073B/5.951A	----	6.120 -	0.604 .5818	----	----	----	----	1 UNCH
6300	----	----	7.259B/6.123A	7.259B/6.123A	----	6.287 -	0.612 .5903	----	----	----	----	34 UNCH
6350	----	----	7.626B/6.470A	7.626B/6.470A	----	6.629 -	0.626 .6071	----	----	----	----	2 UNCH
6375	----	----	7.808B/6.638A	7.808B/6.638A	----	6.804 -	0.632 .6152	----	----	----	----	1 UNCH
6400	----	----	7.996B/6.820A	7.996B/6.820A	----	6.980 -	0.639 .6233	----	----	----	----	13 UNCH
6425	----	----	8.187B/6.996A	8.187B/6.996A	----	7.159 -	0.645 .6312	----	----	----	----	4 UNCH
6450	----	----	8.379B/7.166A	8.379B/7.166A	----	7.339 -	0.652 .6391	----	----	----	----	1 UNCH
6475	----	----	8.572B/7.353A	8.572B/7.353A	----	7.522 -	0.658 .6467	----	----	----	----	2 UNCH
6500	----	----	8.768B/7.527A	8.768B/7.527A	----	7.707 -	0.664 .6543	----	----	----	----	271 UNCH
6575	----	----	9.366B/8.097A	9.366B/8.097A	----	8.272 -	0.682 .6760	----	----	----	----	1 UNCH
6600	----	----	9.568B/8.287A	9.568B/8.287A	----	8.465 -	0.686 .6831	----	----	----	----	31 UNCH
6625	----	----	9.772B/8.468A	9.772B/8.468A	----	8.659 -	0.691 .6899	----	----	----	----	32 UNCH
6650	----	----	9.977B/8.661A	9.977B/8.661A	----	8.854 -	0.697 .6967	----	----	----	----	37 UNCH
6700	----	----	10.391B/9.055A	10.391B/9.055A	----	9.251 -	0.706 .7097	----	----	----	----	20 UNCH
6725	----	----	10.595B/9.254A	10.595B/9.254A	----	9.451 -	0.711 .7160	----	----	----	----	1 UNCH
6750	----	----	10.806B/9.465A	10.806B/9.465A	----	9.653 -	0.716 .7222	----	----	----	----	2 UNCH
6800	----	----	11.235B/9.858A	11.235B/9.858A	----	10.062 -	0.724 .7342	----	----	----	----	14 UNCH
6850	----	----	11.662B/10.281A	11.662B/10.281A	----	10.476 -	0.732 .7456	----	----	----	----	1 UNCH
6900	----	----	12.094B/10.700A	12.094B/10.700A	----	10.895 -	0.739 .7565	----	----	----	----	11 UNCH
6950	----	----	12.529B/11.102A	12.529B/11.102A	----	11.319 -	0.747 .7669	----	----	----	----	1 UNCH
7000	----	----	12.972B/11.530A	12.972B/11.530A	----	11.748 -	0.753 .7769	----	----	----	----	118 UNCH
7025	----	----	13.193B/11.742A	13.193B/11.742A	----	11.964 -	0.756 .7816	----	----	----	----	1 UNCH
7050	----	----	13.417B/11.958A	13.417B/11.958A	----	12.181 -	0.759 .7863	----	----	----	----	1 UNCH
7075	----	----	13.640B/12.183A	13.640B/12.183A	----	12.399 -	0.762 .7908	----	----	----	----	1 UNCH
7100	----	----	13.865B/12.392A	13.865B/12.392A	----	12.618 -	0.765 .7952	----	----	----	----	1 UNCH
7150	----	----	14.317B/12.839A	14.317B/12.839A	----	13.059 -	0.770 .8038	----	----	----	----	1 UNCH
7225	----	----	14.996B/13.493A	14.996B/13.493A	----	13.727 -	0.778 .8158	----	----	----	----	88 UNCH
7250	----	----	15.249B/13.717A	15.249B/13.717A	----	13.951 -	0.780 .8197	----	----	----	----	1 UNCH
7275	----	----	15.479B/13.950A	15.479B/13.950A	----	14.176 -	0.783 .8234	----	----	----	----	1 UNCH
7300	----	----	15.709B/14.166A	15.709B/14.166A	----	14.402 -	0.785 .8270	----	----	----	----	9 UNCH
7350	----	----	16.171B/14.617A	16.171B/14.617A	----	14.856 -	0.788 .8339	----	----	----	----	1 UNCH
7500	----	----	17.568B/15.983A	17.568B/15.983A	----	16.233 -	0.799 .8528	----	----	----	----	59 UNCH
7600	----	----	18.511B/16.915A	18.511B/16.915A	----	17.162 -	0.805 .8638	----	----	----	----	13 UNCH
7650	----	----	18.983B/17.395A	18.983B/17.395A	----	17.629 -	0.808 .8689	----	----	----	----	1 UNCH
7700	----	----	19.457B/17.852A	19.457B/17.852A	----	18.099 -	0.810 .8738	----	----	----	----	1 UNCH
7775	----	----	20.168B/18.571A	20.168B/18.571A	----	18.806 -	0.814 .8807	----	----	----	----	2 UNCH
7950	----	----	21.849B/20.223A	21.849B/20.223A	----	20.467 -	0.822 .8948	----	----	----	----	10 UNCH
8000	----	----	22.327B/20.710A	22.327B/20.710A	----	20.945 -	0.823 .8984	----	----	----	----	11 UNCH
8200	----	----	24.264B/22.630A	24.264B/22.630A	----	22.866 -	0.830 .9112	----	----	----	----	6 UNCH
8375	----	----	25.965B/24.329A	25.965B/24.329A	----	24.558 -	0.835 .9207	----	----	----	----	1 UNCH
8400	----	----	26.209B/24.571A	26.209B/24.571A	----	24.800 -	0.836 .9219	----	----	----	----	6 UNCH
9100	----	----	33.037B/31.417A	33.037B/31.417A	----	31.645 -	0.844 .9475	----	----	----	----	1 UNCH
10000	----	----	----/40.297A	41.166B/40.297A	----	40.538 -	0.848 .9654	----	----	----	----	40 UNCH
TOTAL										27	0	1831 + 18
NOV26												
4400	----	----	----/0.696A	0.620B/0.696A	----	0.677 -	0.090 .0882	----	----	----	----	1 UNCH
4500	----	----	----/0.876A	0.750B/0.876A	----	0.784 -	0.104 .1010	----	----	----	----	11 UNCH
4550	----	----	----/0.935A	0.806B/0.935A	----	0.843 -	0.112 .1080	----	----	----	----	1 UNCH
4800	----	----	----/1.248A	1.250B/1.248A	----	1.212 -	0.157 .1490	----	----	----	----	9 UNCH
5000	----	----	----/1.593A	1.711B/1.593A	----	1.608 -	0.201 .1896	----	----	2	----	138 + 2
5150	----	----	----/1.965A	2.134B/1.965A	----	1.974 -	0.238 .2245	----	----	----	----	10 UNCH
5200	----	----	----/2.110A	2.290B/2.110A	----	2.111 -	0.250 .2369	----	----	----	----	1 UNCH
5300	----	----	----/2.394A	2.629B/2.394A	----	2.409 -	0.275 .2630	----	----	2	----	22 + 2
5350	----	----	----/2.568A	2.810B/2.568A	----	2.570	NEW .2765	----	----	8	----	8 + 8
5400	----	----	----/2.709A	3.001B/2.709A	----	2.739 -	0.301 .2903	----	----	----	----	10 UNCH
5500	----	----	----/3.083A	3.407B/3.083A	----	3.103 -	0.328 .3189	----	----	----	----	74 UNCH
5600	----	----	----/3.483A	3.850B/3.483A	----	3.503 -	0.354 .3483	----	----	----	----	9 UNCH
5700	----	----	4.330B/3.910A	4.330B/3.910A	----	3.938 -	0.383 .3784	----	----	----	----	20 UNCH
5750	----	----	4.585B/4.148A	4.585B/4.148A	----	4.169 -	0.397 .3936	----	----	----	----	1 UNCH
5950	----	----	5.693B/5.166A	5.693B/5.166A	----	5.184 -	0.456 .4548	----	----	----	----	1 UNCH
6000	----	----	5.994B/5.449A	5.994B/5.449A	----	5.460 -	0.471 .4699	----	----	----	----	61 UNCH
6100	----	----	6.591B/6.017A	6.591B/6.017A	----	6.038 -	0.501 .4998	----	----	----	----	1 UNCH
6150	----	----	----/6.233A	6.834B/6.233A	----	6.339 -	0.517 .5145	----	----	----	----	1 UNCH
6400	----	----	8.580B/7.853A	8.580B/7.853A	----	7.966 -	0.586 .5843	----	----	----	----	5 UNCH
6500	----	----	9.339B/8.575A	9.339B/8.575A	----	8.668 -	0.612 .6102	----	----	----	----	40 UNCH
6675	----	----	10.692B/9.841A	10.692B/9.841A	----	9.959 -	0.652 .6523	----	----	----	----	20 UNCH
6700	----	----	10.890B/10.188A	10.890B/10.188A	----	10.149 -	0.657 .6580	----	----	----	----	50 UNCH
7000	----	----	13.375B/12.534A	13.375B/12.534A	----	12.537 -	0.709 .7194	----	----	----	----	40 UNCH
7025	----	----	13.589B/12.739A	13.589B/12.739A	----	12.743 -	0.713 .7239	----	----	----	----	6 UNCH
7050	----	----	13.804B/12.945A	13.804B/12.945A	----	12.951 -	0.716 .7284	----	----	----	----	50 UNCH
7400	----	----	16.890B/15.939A	16.890B/15.939A	----	15.955 -	0.755 .7831	----	----	----	----	24 UNCH
7500	----	----	17.801B/16.822A	17.801B/16.822A	----	16.841 -	0.763 .7962	----	----	----	----	10 UNCH
7700	----	----	19.622B/18.626A	19.622B/18.626A	----	18.642 -	0.778 .8195	----	----	----	----	50 UNCH
8500	----	----	27.205B/26.043A	27.205B/26.043A	----	26.112 -	0.810 .8844	----	----	----	----	66 UNCH
9000	----	----	32.048B/30.834A	32.048B/30.834A	----	30.910 -	0.822 .9098	----	----	----	----	5 UNCH
10000	----	----	41.865B/40.603A	41.865B/40.603A	----	40.666 -	0.835 .9413	----	----	----	----	1 UNCH
11000	----	----	----	43.417B/58.146A	----	50.541 -	0.843 .9586	----	----	----	----	1 UNCH
TOTAL										12	0	747 + 12
DEC26												
1500	----	----	----	----/0.030A	----	0.003 +	0.001 .0003	----	----	----	----	180 UNCH
2000	----	----	----	0.001B/*0.068A	----	0.019 +	0.006 .0022	----	----	----	----	10 UNCH
2500	----	----	----	0.042B/0.099A	----	0.071 +	0.019 .0078	----	----	----	----	32 UNCH
3000	----	----	----	0.110B/0.173A	----	0.143 +	0.007 .0165	----	----	----	----	95 UNCH
3100	----	----	----	0.131B/0.194A	----	0.163 +	0.002 .0189	----	----	----	----	1 UNCH
3150	----	----	----	0.141B/0.202A	----	0.173 -	0.002 .0202	----	----	----	----	1 UNCH
3500	----	----	----	0.245B/0.302A	----	0.273 -	0.025 .0324	----	----	----	----	37 UNCH
3700	----	----	----/0.387A	0.335B/0.387A	----	0.358 -	0.038 .0425	----	----	----	----	2 UNCH
3850	----	----	----/0.467A	0.421B/0.467A	----	0.441 -	0.045 .0521	----	----	----	----	1 UNCH
3925	----	----	----/0.514A	0.472B/0.514A	----	0.490 -	0.049 .0576	----	----	----	----	1 UNCH
4000	----	----	----/0.566A	0.534B/0.566A	----	0.545 -	0.052 .0637	----	----	----	----	124 UNCH
4200	----	----	----/0.736A	0.736B/0.736A	----	0.719 -	0.066 .0827	----	----	----	----	142 UNCH
4300	----	----	----/0.829A	0.859B/0.829A	----	0.825 -	0.076 .0939	----	----	----	----	15 UNCH
4400	----	----	----/0.947A	0.999B/0.947A	----	0.946 -	0.088 .1063	----	----	----	----	2 UNCH
4500	----	----	----/1.082A	1.159B/1.082A	----	1.082 -	0.103 .1199	----	----	----	----	478 UNCH
4600	----	----	----/1.231A	1.339B/1.231A	----	1.236 -	0.120 .1349	----	----	----	----	8 UNCH
4700	----	----	----/1.403A	1.541B/1.403A	----	1.410 -	0.139 .1513	----	----	----	----	3 UNCH
4750	----	----	----/1.496A	1.652B/1.496A	----	1.505 -	0.150 .1600	----	----	----	----	2 UNCH
4800	----	----	1.769B/1.592A	1.769B/1.592A	----	1.606 -	0.160 .1691	----	----	----	----	250 UNCH
4900	----	----	2.022B/1.808A	2.022B/1.808A	----	1.824 -	0.183 .1883	----	----	----	----	2 UNCH
5000	----	----	2.303B/2.044A	2.303B/2.044A	----	2.068 -	0.206 .2088	----	----	----	----	557 UNCH
5100	----	----	2.614B/2.314A	2.614B/2.314A	----	2.339 -	0.230 .2306	----	----	----	----	22 UNCH
5150	----	----	2.783B/2.458A	2.783B/2.458A	----	2.485 -	0.242 .2420	----	----	----	----	10 UNCH
5200	----	----	2.957B/2.609A	2.957B/2.609A	----	2.638 -	0.255 .2537	----	----	----	----	46 UNCH
5250	----	----	3.136B/2.760A	3.136B/2.760A	----	2.799 -	0.268 .2656	----	----	----	----	50 UNCH
5300	----	----	3.327B/2.926A	3.327B/2.926A	----	2.968 -	0.280 .2778	----	----	----	----	250 UNCH
5400	----	----	3.731B/3.280A	3.731B/3.280A	----	3.330 -	0.304 .3029	----	----	----	----	110 UNCH
5500	----	----	4.168B/3.665A	4.168B/3.665A	----	3.724 -	0.328 .3287	----	----	----	----	468 UNCH
5600	----	----	4.639B/4.091A	4.639B/4.091A	----	4.150 -	0.353 .3551	----	----	----	----	11 UNCH
5650	----	----	4.886B/4.312A	4.886B/4.312A	----	4.376 -	0.364 .3684	----	----	----	----	12 UNCH
5700	----	----	5.142B/4.545A	5.142B/4.545A	----	4.609 -	0.377 .3818	----	----	----	----	1 UNCH
5800	----	----	5.677B/5.018A	5.677B/5.018A	----	5.101 -	0.401 .4087	----	----	----	----	92 UNCH
5950	----	----	6.540B/5.810A	6.540B/5.810A	----	5.898 -	0.439 .4489	----	----	----	----	5 UNCH
6000	----	----	6.843B/6.077A	6.843B/6.077A	----	6.179 -	0.452 .4622	----	----	----	----	242 UNCH
6100	----	----	7.471B/6.669A	7.471B/6.669A	----	6.764 -	0.478 .4882	----	----	----	----	3 UNCH
6200	----	----	8.051B/7.271A	8.051B/7.271A	----	7.378 -	0.504 .5137	----	----	----	----	13 UNCH
6300	----	----	8.734B/7.892A	8.734B/7.892A	----	8.020 -	0.529 .5384	----	----	----	----	71 UNCH
6400	----	----	9.442B/8.570A	9.442B/8.570A	----	8.688 -	0.554 .5623	----	----	----	----	17 UNCH
6500	----	----	10.172B/9.236A	10.172B/9.236A	----	9.380 -	0.579 .5853	----	----	----	----	744 UNCH
6550	----	----	10.545B/9.602A	10.545B/9.602A	----	9.735 -	0.591 .5964	----	----	----	----	1 UNCH
6600	----	----	10.924B/9.961A	10.924B/9.961A	----	10.096 -	0.603 .6072	----	----	----	----	15 UNCH
6650	----	----	11.307B/10.328A	11.307B/10.328A	----	10.462 -	0.614 .6179	----	----	----	----	5 UNCH
6700	----	----	11.695B/10.678A	11.695B/10.678A	----	10.834 -	0.624 .6282	----	----	----	----	32 UNCH
6725	----	----	11.891B/10.883A	11.891B/10.883A	----	11.022 -	0.629 .6333	----	----	----	----	4 UNCH
6750	----	----	12.088B/11.064A	12.088B/11.064A	----	11.210 -	0.636 .6383	----	----	----	----	6 UNCH
6800	----	----	12.473B/11.433A	12.473B/11.433A	----	11.592 -	0.645 .6482	----	----	----	----	149 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

64
Side 56

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
DEC26												
6850	----	----	12.886B/11.842A	12.886B/11.842A	----	11.978 - 0.655	.6578	----	----	----	----	78 UNCH
6900	----	----	13.291B/12.238A	13.291B/12.238A	----	12.368 - 0.665	.6671	----	----	----	----	1 UNCH
6950	----	----	13.700B/12.629A	13.700B/12.629A	----	12.763 - 0.674	.6762	----	----	----	----	22 UNCH
7000	----	----	14.113B/13.023A	14.113B/13.023A	----	13.162 - 0.682	.6850	----	----	----	----	228 UNCH
7075	----	----	14.747B/13.633A	14.747B/13.633A	----	13.768 - 0.694	.6978	----	----	----	----	20 UNCH
7100	----	----	14.958B/13.830A	14.958B/13.830A	----	13.972 - 0.698	.7019	----	----	----	----	2 UNCH
7200	----	----	15.806B/14.654A	15.806B/14.654A	----	14.796 - 0.713	.7179	----	----	----	----	14 UNCH
7250	----	----	16.235B/15.065A	16.235B/15.065A	----	15.213 - 0.720	.7255	----	----	----	----	48 UNCH
7500	----	----	18.418B/17.202A	18.418B/17.202A	----	17.346 - 0.748	.7602	----	----	----	----	22 UNCH
7550	----	----	18.862B/17.626A	18.862B/17.626A	----	17.781 - 0.753	.7665	----	----	----	----	1 UNCH
7800	----	----	21.112B/19.830A	21.112B/19.830A	----	19.991 - 0.774	.7951	----	----	----	----	20 UNCH
7850	----	----	21.567B/20.283A	21.567B/20.283A	----	20.440 - 0.777	.8003	----	----	----	----	10 UNCH
7875	----	----	21.795B/20.502A	21.795B/20.502A	----	20.665 - 0.778	.8028	----	----	----	----	1 UNCH
7900	----	----	22.024B/20.732A	22.024B/20.732A	----	20.891 - 0.780	.8053	----	----	----	----	19 UNCH
8000	----	----	22.942B/21.647A	22.942B/21.647A	----	21.797 - 0.786	.8148	----	----	----	----	57 UNCH
8100	----	----	23.867B/22.574A	23.867B/22.574A	----	22.711 - 0.791	.8238	----	----	----	----	1 UNCH
8200	----	----	24.796B/23.501A	24.796B/23.501A	----	23.631 - 0.795	.8321	----	----	----	----	35 UNCH
8350	----	----	26.199B/24.887A	26.199B/24.887A	----	25.022 - 0.801	.8436	----	----	----	----	9 UNCH
8400	----	----	26.669B/25.329A	26.669B/25.329A	----	25.488 - 0.803	.8472	----	----	----	----	50 UNCH
8500	----	----	27.612B/26.273A	27.612B/26.273A	----	26.423 - 0.806	.8540	----	----	----	----	166 UNCH
8550	----	----	28.085B/26.754A	28.085B/26.754A	----	26.893 - 0.808	.8572	----	----	----	----	25 UNCH
8600	----	----	28.558B/27.223A	28.558B/27.223A	----	27.364 - 0.809	.8604	----	----	----	----	9 UNCH
8800	----	----	30.472B/29.097A	30.472B/29.097A	----	29.256 - 0.814	.8720	----	----	----	----	12 UNCH
8900	----	----	31.428B/30.046A	31.428B/30.046A	----	30.208 - 0.815	.8772	----	----	----	----	30 UNCH
9000	----	----	32.369B/31.011A	32.369B/31.011A	----	31.162 - 0.817	.8822	----	----	----	----	3 UNCH
9050	----	----	32.849B/31.481A	32.849B/31.481A	----	31.641 - 0.818	.8845	----	----	----	----	100 UNCH
9500	----	----	37.197B/35.799A	37.197B/35.799A	----	35.974 - 0.824	.9028	----	----	----	----	2 UNCH
9850	----	----	40.615B/39.220A	40.615B/39.220A	----	39.372 - 0.827	.9142	----	----	----	----	8 UNCH
9950	----	----	41.592B/40.166A	41.592B/40.166A	----	40.346 - 0.829	.9170	----	----	----	----	1 UNCH
10025	----	----	42.315B/40.927A	42.315B/40.927A	----	41.078 - 0.829	.9191	----	----	----	----	3 UNCH
10125	----	----	43.294B/41.903A	43.294B/41.903A	----	42.054 - 0.830	.9217	----	----	----	----	1 UNCH
10700	----	----	48.956B/47.533A	48.956B/47.533A	----	47.691 - 0.836	.9347	----	----	----	----	5 UNCH
10800	----	----	49.942B/48.519A	49.942B/48.519A	----	48.675 - 0.836	.9365	----	----	----	----	2 UNCH
11000	----	----	51.917B/50.495A	51.917B/50.495A	----	50.644 - 0.838	.9401	----	----	----	----	2 UNCH
11500	----	----	----/55.676A	55.837B/55.676A	----	55.581 - 0.842	.9478	----	----	----	----	1 UNCH
12000	----	----	----/60.690A	60.756B/60.690A	----	60.534 - 0.845	.9540	----	----	----	----	1 UNCH
12100	----	----	----/61.667A	61.741B/61.667A	----	61.526 - 0.846	.9551	----	----	----	----	1 UNCH
12300	----	----	----/63.693A	63.718B/63.693A	----	63.511 - 0.847	.9573	----	----	----	----	1 UNCH
TOTAL											0	5333 0
JAN27												
3800	----	----	----	0.485B/0.603A	----	0.547 - 0.039	.0568	----	----	----	----	1 UNCH
4000	----	----	----/0.761A	0.650B/0.761A	----	0.719 - 0.059	.0733	----	----	----	----	2 UNCH
4200	----	----	----	0.764B/1.098A	----	0.939 - 0.089	.0934	----	----	----	----	2 UNCH
4500	----	----	----	1.246B/1.521A	----	1.368 - 0.145	.1307	----	----	----	----	507 UNCH
4675	----	----	----/1.743A	1.569B/1.743A	----	1.685 - 0.185	.1567	----	----	----	----	1 UNCH
4800	----	----	----/2.067A	1.859B/2.067A	----	1.948 - 0.215	.1774	----	----	----	----	2 UNCH
5000	----	----	----/2.596A	2.409B/2.596A	----	2.441 - 0.264	.2139	----	----	----	----	11 UNCH
5075	----	----	----/2.769A	2.643B/2.769A	----	2.651 - 0.282	.2287	----	----	----	----	10 UNCH
5200	----	----	----/3.158A	3.071B/3.158A	----	3.035 - 0.313	.2545	----	----	----	----	1 UNCH
5300	----	----	----/3.505A	3.446B/3.505A	----	3.375 - 0.335	.2761	----	----	----	----	3 UNCH
5500	----	----	----/4.288A	4.270B/4.288A	----	4.144 - 0.378	.3214	----	----	----	----	4 UNCH
5750	----	----	----/5.412A	5.508B/5.412A	----	5.277 - 0.430	.3803	----	----	----	----	1 UNCH
5800	----	----	----/5.661A	5.760B/5.661A	----	5.525 - 0.441	.3922	----	----	----	----	3 UNCH
6000	----	----	----/6.730A	6.912B/6.730A	----	6.588 - 0.489	.4395	----	----	----	----	5 UNCH
6500	----	----	----/9.648A	10.224B/9.648A	----	9.709 - 0.596	.5501	----	----	----	----	1 UNCH
6925	----	----	13.464B/12.961A	13.464B/12.961A	----	12.809 - 0.639	.6296	----	----	----	----	24 UNCH
7000	----	----	14.040B/13.541A	14.040B/13.541A	----	13.390 - 0.644	.6421	----	----	----	----	25 UNCH
7100	----	----	14.868B/14.297A	14.868B/14.297A	----	14.178 - 0.650	.6580	----	----	----	----	20 UNCH
7125	----	----	15.048B/14.500A	15.048B/14.500A	----	14.378 - 0.650	.6619	----	----	----	----	1 UNCH
8600	----	----	----	14.269B/40.266A	----	27.246 - 0.700	.8180	----	----	----	----	1 UNCH
8850	----	----	----	16.804B/42.736A	----	29.565 - 0.710	.8342	----	----	----	----	9 UNCH
TOTAL											0	634 0
FEB27												
3475	----	----	----	0.360B/0.513A	----	0.456 - 0.036	.0440	----	----	----	----	1 UNCH
5000	----	----	----/2.913A	2.791B/2.913A	----	2.757 - 0.239	.2225	----	----	----	----	1 UNCH
5400	----	----	----/4.317A	4.316B/4.317A	----	4.139 - 0.320	.3037	----	----	----	----	3 UNCH
5700	----	----	----/5.674A	5.738B/5.674A	----	5.490 - 0.376	.3696	----	----	----	----	1 UNCH
5800	----	----	----/6.177A	6.279B/6.177A	----	5.995 - 0.398	.3917	----	----	----	----	10 UNCH
5875	----	----	----/6.540A	6.708B/6.540A	----	6.390 - 0.416	.4083	----	----	----	----	10 UNCH
6500	----	----	----/10.214A	10.725B/10.214A	----	10.241 - 0.536	.5376	----	----	----	----	1 UNCH
6700	----	----	----/11.599A	12.207B/11.599A	----	11.674 - 0.546	.5735	----	----	----	----	10 UNCH
8150	----	----	----/23.869A	23.487B/23.869A	----	23.582 - 0.655	.7572	----	----	----	----	10 UNCH
8225	----	----	----/24.534A	24.150B/24.534A	----	24.249 - 0.661	.7637	----	----	----	----	10 UNCH
8250	----	----	----/24.756A	24.388B/24.756A	----	24.472 - 0.662	.7658	----	----	----	----	10 UNCH
TOTAL											0	67 0
MAR27												
4000	----	----	----	0.846B/1.260A	----	1.020 - 0.094	.0893	----	----	----	----	41 UNCH
4500	----	----	----	1.716B/2.002A	----	1.818 - 0.167	.1488	----	----	----	----	29 UNCH
5000	3.051	3.051	3.051/3.051	3.115B/3.051	----	3.127 - 0.226	.2310	----	----	1	----	1 UNCH
5400	----	----	----/4.775A	4.710B/4.775A	----	4.616 - 0.278	.3087	----	----	----	----	7 UNCH
5500	----	----	----/5.241A	5.160B/5.241A	----	5.050 - 0.296	.3290	----	----	----	25	330 + 25
6000	----	----	----/7.604A	7.896B/7.604A	----	7.593 - 0.409	.4317	----	----	----	----	78 UNCH
6450	----	----	----/10.408A	10.836B/10.408A	----	10.398 - 0.514	.5181	----	----	----	----	1 UNCH
6500	----	----	----/10.741A	11.214B/10.741A	----	10.738 - 0.524	.5270	----	----	----	----	20 UNCH
6825	----	----	----/13.028A	13.608B/13.028A	----	13.062 - 0.580	.5810	----	----	----	----	2 UNCH
7000	----	----	----/14.493A	14.952B/14.493A	----	14.387 - 0.602	.6074	----	----	----	----	3 UNCH
7500	----	----	----/18.585A	19.026B/18.585A	----	18.390 - 0.643	.6725	----	----	----	----	3 UNCH
8100	----	----	----/23.843A	23.412B/23.843A	----	23.513 - 0.675	.7333	----	----	----	----	6 UNCH
8300	----	----	----/25.598A	25.189B/25.598A	----	25.277 - 0.686	.7501	----	----	----	----	50 UNCH
8500	----	----	----/27.378A	26.978B/27.378A	----	27.063 - 0.697	.7655	----	----	----	----	3 UNCH
8975	----	----	----/31.686A	31.212B/31.686A	----	31.379 - 0.722	.7971	----	----	----	----	1 UNCH
10500	----	----	----	26.961B/64.678A	----	45.705 - 0.785	.8660	----	----	----	----	10 UNCH
TOTAL										1	25	585 + 25
APR27												
4000	----	----	----	0.949B/1.404A	----	1.182 - 0.110	.0949	----	----	----	----	1 UNCH
4100	----	----	----	1.099B/1.545A	----	1.319 - 0.121	.1048	----	----	----	----	15 UNCH
4200	----	----	----	1.265B/1.694A	----	1.470 - 0.133	.1156	----	----	----	----	10 UNCH
4500	----	----	----/2.184A	1.869B/2.184A	----	2.023 - 0.169	.1528	----	----	----	----	36 UNCH
5000	----	----	----/3.579A	3.312B/3.579A	----	3.370 - 0.221	.2310	----	----	----	----	10 UNCH
5400	----	----	----/5.112A	4.925B/5.112A	----	4.892 - 0.265	.3043	----	----	----	----	1 UNCH
5600	----	----	----/5.806A	5.890B/5.806A	----	5.805 - 0.294	.3425	----	----	----	----	10 UNCH
6000	----	----	----/7.891A	8.100B/7.891A	----	7.888 - 0.387	.4192	----	----	----	----	101 UNCH
7925	----	----	----/22.230A	22.448B/22.230A	----	22.057 - 0.595	.6930	----	----	----	----	2 UNCH
8725	----	----	----/29.393A	28.967B/29.393A	----	29.043 - 0.671	.7588	----	----	----	----	3 UNCH
TOTAL											0	189 0
MAY27												
6000	----	----	----/8.717A	8.550B/8.717A	----	8.383 - 0.362	.4158	----	----	----	----	1 UNCH
6500	----	----	----/11.841A	11.781B/11.841A	----	11.518 - 0.455	.4996	----	----	----	----	12 UNCH
TOTAL											0	13 0
JUN27												
4500	----	----	----	2.239B/2.787A	----	2.462 - 0.128	.1624	----	----	----	----	2 UNCH
5600	----	----	----	6.448B/6.825A	----	6.484 - 0.323	.3370	----	----	----	----	2 UNCH
6500	----	----	----/12.052A	11.872B/12.052A	----	11.665 - 0.453	.4862	----	----	----	----	10 UNCH
TOTAL											0	14 0
JUL27												
5500	----	----	----	----	----	6.347 - 0.277	.3210	----	----	----	----	50 UNCH
6900	----	----	----	----	----	14.791 - 0.451	.5359	----	----	----	----	100 UNCH
TOTAL											0	150 0
DEC27												
7175	----	----	----	----	----	18.031 - 0.428	.5155	----	----	----	----	25 UNCH
TOTAL											0	25 0
SO1 CALL		SILVER OPTIONS										
AUG26												
5800	----	----	2.523B/1.934A	2.523B/1.934A	----	2.451 + 0.321	.5913	----	----	----	----	5 UNCH
5900	----	----	2.039B/1.517A	2.039B/1.517A	----	1.912 + 0.242	.5081	----	----	----	----	1 UNCH
6000	----	----	1.565B/1.187A	1.565B/1.187A	----	1.465 + 0.172	.4246	----	----	----	----	2 UNCH
6200	----	----	0.933B/0.732A	0.933B/0.732A	----	0.836 + 0.074	.2765	----	----	----	----	1 UNCH
6500	0.370	0.370	0.396B/0.342A	0.396B/0.342A	----	0.369 + 0.013	.1343	----	----	5	----	10 + 5
7500	----	----	----	0.048B/*0.104A	----	0.071 - 0.009	.0228	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 57

FINAL

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO1 CALL	SILVER OPTIONS										
TOTAL									5	0	20 + 5
SO1 PUT	SILVER OPTIONS										
AUG26											
5500 ----	----	1.013B/0.646A	1.013B/0.646A	----	0.662 - 0.297	.2031	----	----	----	----	2 UNCH
5550 ----	----	1.158B/0.747A	1.158B/0.747A	----	0.765 - 0.332	.2309	----	----	----	----	3 UNCH
5700 1.302	1.302	1.762B/1.139A	1.762B/1.139A	----	1.175 - 0.448	.3306	----	----	100	----	101 + 100
5750 ----	----	1.993B/1.303A	1.993B/1.303A	----	1.350 - 0.489	.3687	----	----	----	----	1 UNCH
5800 ----	----	2.258B/1.554A	2.258B/1.554A	----	1.546 - 0.530	.4086	----	----	----	----	4 UNCH
5850 ----	----	2.526B/1.756A	2.526B/1.756A	----	1.764 - 0.571	.4498	----	----	----	----	1 UNCH
TOTAL									100	0	112 + 100
SO2 CALL	SILVER OPTIONS										
AUG26											
5950 ----	----	2.215B/1.855A	2.215B/1.855A	----	2.075 + 0.211	.4784	----	----	----	----	24 UNCH
6100 ----	----	1.537B/----	1.537B/1.374A	----	1.488 + 0.135	.3787	----	----	----	----	1 UNCH
6300 ----	----	0.948B/----	0.948B/0.950A	----	0.964 + 0.082	.2677	----	----	----	----	1 UNCH
6700 ----	----	----	0.396B/0.469A	----	0.455 + 0.050	.1341	----	----	----	----	31 UNCH
6750 ----	----	----	0.359B/*0.385A	----	0.419 + 0.047	.1237	----	----	----	----	20 UNCH
6800 ----	----	----	0.327B/*0.357A	----	0.386 + 0.044	.1141	----	----	----	----	7 UNCH
TOTAL										0	84 0
SO2 PUT	SILVER OPTIONS										
AUG26											
5400 ----	----	----/0.811A	1.020B/0.811A	----	0.773 - 0.264	.1958	----	----	----	----	1 UNCH
5950 ----	----	3.366B/2.688A	3.366B/2.688A	----	2.668 - 0.639	.5214	----	----	----	----	20 UNCH
6000 ----	----	3.696B/2.954A	3.696B/2.954A	----	2.951 - 0.668	.5556	----	----	----	----	3 UNCH
TOTAL										0	24 0
SO4 CALL	SILVER OPTIONS										
JUL26											
5700 1.800	1.800	2.204B/0.892A	2.204B/0.892A	----	1.906 + 0.611	----	----	----	1	----	0 - 3
5730 ----	----	1.903B/*0.671A	1.903B/*0.671A	----	1.606 + 0.539	----	----	----	----	----	0 - 1
5740 ----	----	1.803B/*0.613A	1.803B/*0.613A	----	1.506 NEW	----	----	----	2	----	0 UNCH
5750 1.713	1.713	1.713/*0.562A	1.713/*0.562A	----	1.406 + 0.481	----	----	----	2	----	0 - 16
5760 0.600	0.600	1.603B/*0.518A	1.603B/*0.518A	----	1.306 NEW	----	----	----	2	----	0 UNCH
5770 ----	----	1.503B/*0.478A	1.503B/*0.478A	----	1.206 NEW	----	----	----	2	----	0 UNCH
5780 0.999	0.999	1.403B/*0.437A	1.403B/*0.437A	----	1.106 + 0.373	----	----	----	1	----	0 - 1
5800 0.450	0.450	1.234/*0.340	1.234/*0.340	----	0.906 + 0.288	----	----	----	13	----	0 - 9
5810 0.330	0.330	1.103B/*0.326A	1.103B/*0.326A	----	0.806 NEW	----	----	----	10	----	0 UNCH
5820 0.578	0.578	0.993B/*0.295A	0.993B/*0.295A	----	0.706 + 0.191	----	----	----	2	----	0 - 2
5830 0.770	0.770	0.906B/*0.265A	0.906B/*0.265A	----	0.606 + 0.138	----	----	----	2	----	0 - 2
5840 0.472	0.472	0.807B/*0.221A	0.807B/*0.221A	----	0.506 + 0.082	----	----	----	1	----	0 - 1
5850 0.330	0.330	0.708B/*0.167	0.708B/*0.167	----	0.406 + 0.023	----	----	----	3	----	0 - 11
5880 0.304	0.304	0.418B/*0.070A	0.418B/*0.070A	----	0.106 - 0.170	----	----	----	3	----	0 - 24
5890 ----	----	0.338B/*0.034A	0.338B/*0.034A	----	0.006 - 0.240	----	----	----	----	----	0 - 3
5900 0.110	0.110	0.285B/*0.011A	0.285B/*0.011A	----	0.000 - 0.219	----	----	----	14	----	0 - 16
5910 0.201	0.201	0.238B/*0.019A	0.238B/*0.019A	----	0.000 NEW	----	----	----	37	----	0 UNCH
5920 0.150	0.150	0.192B/*0.020A	0.192B/*0.020A	----	0.000 - 0.172	----	----	----	1	----	0 - 1
5940 0.039	0.039	0.039/*0.020A	0.131B/*0.020A	----	0.000 NEW	----	----	----	2	----	0 UNCH
5950 0.120	0.120	0.120/*0.016	0.120/*0.016	----	0.000 - 0.117	----	----	----	4	----	0 - 14
5960 0.101	0.101	0.103/*0.006	0.103/*0.006	----	0.000 NEW	----	----	----	12	----	0 UNCH
5970 0.032	0.032	0.032/*0.019A	0.068B/*0.019A	----	0.000 NEW	----	----	----	1	----	0 UNCH
6000 ----	----	----/*0.002A	0.029B/*0.002A	----	0.000 - 0.061	----	----	----	----	----	0 - 13
6020 ----	----	----/*0.013A	0.013B/*0.013A	----	0.000 - 0.047	----	----	----	1	----	0 - 1
6050 ----	----	----/*0.002A	0.002B/*0.002A	----	0.000 - 0.033	----	----	----	----	----	0 - 30
6100 0.001	0.001	0.001/*0.001	0.002B/*0.001	----	0.000 - 0.019	----	----	----	1	----	0 - 16
6140 ----	----	----	----/*0.013A	----	0.000 - 0.012	----	----	----	----	----	0 - 15
6150 ----	----	----/*0.006A	----/*0.006A	----	0.000 - 0.011	----	----	----	----	----	0 - 11
6180 ----	----	----	----/*0.015A	----	0.000 - 0.007	----	----	----	----	----	0 - 1
6200 ----	----	----/*0.001A	----/*0.001A	----	0.000 - 0.005	----	----	----	----	----	0 - 21
6250 ----	----	----	----/0.025A	----	0.000 - 0.003	----	----	----	----	----	0 - 2
6300 ----	----	----	----/*0.016A	----	0.000 - 0.001	----	----	----	----	----	0 - 5
6350 ----	----	----	----/0.021A	----	0.000 - 0.001	----	----	----	----	----	0 - 2
6390 ----	----	----	----/0.018A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
6450 ----	----	----	----/0.018A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
6500 0.010	0.010	0.010/*0.010	0.010/*0.010	----	0.000 - 0.001	----	----	----	3	----	0 - 5
6550 ----	----	----	----/0.016A	----	0.000 - 0.001	----	----	----	----	----	0 - 2
6600 ----	----	----	----/0.016A	----	0.000 - 0.001	----	----	----	----	----	0 - 2
6650 ----	----	----	----/0.016A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
6700 ----	----	----	----/0.016A	----	0.000 - 0.001	----	----	----	----	----	0 - 15
6800 ----	----	----	----/0.016A	----	0.000 - 0.001	----	----	----	----	----	0 - 10
6950 ----	----	----	----/0.016A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
7000 ----	----	----	----/0.016A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
7500 ----	----	----	----/0.016A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
TOTAL									120	0	0 - 261
SO4 PUT	SILVER OPTIONS										
JUL26											
4500 ----	----	----	----/0.016A	----	0.000 - 0.001	----	----	----	----	----	0 - 3
4900 ----	----	----	----/*0.016A	----	0.000 - 0.001	----	----	----	----	----	0 - 7
5000 ----	----	----	----/*0.016A	----	0.000 - 0.001	----	----	----	----	----	0 - 2
5070 ----	----	----	----/*0.014A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
5100 ----	----	----	----/*0.014A	----	0.000 - 0.002	----	----	----	----	----	0 - 4
5200 ----	----	----	----/*0.013A	----	0.000 - 0.003	----	----	----	----	----	0 - 2
5250 ----	----	----	----/0.013A	----	0.000 - 0.005	----	----	----	----	----	0 - 2
5300 ----	----	----	----/*0.013A	----	0.000 - 0.007	----	----	----	----	----	0 - 2
5360 ----	----	----	----/*0.013A	----	0.000 - 0.013	----	----	----	----	----	0 - 1
5370 ----	----	----/*0.013A	----/*0.013A	----	0.000 - 0.015	----	----	----	----	----	0 - 1
5400 ----	----	----/*0.015A	----/*0.015A	----	0.000 - 0.021	----	----	----	----	----	0 - 6
5500 0.056	0.056	0.056/*0.001	0.056/*0.001	----	0.000 - 0.053	----	----	----	4	----	0 - 31
5540 ----	----	----/*0.020A	0.034B/*0.020A	----	0.000 - 0.070	----	----	----	----	----	0 - 1
5550 ----	----	----/*0.017A	0.041B/*0.017A	----	0.000 - 0.074	----	----	----	----	----	0 - 89
5600 ----	----	----/*0.013A	0.087B/*0.013A	----	0.000 - 0.106	----	----	----	----	----	0 - 16
5650 ----	----	0.165B/*0.014A	0.165B/*0.014A	----	0.000 - 0.157	----	----	----	----	----	0 - 3
5670 0.250	0.250	0.250/*0.010	0.250/*0.010	----	0.000 NEW	----	----	----	2	----	0 UNCH
5680 0.224	0.224	0.237B/*0.006	0.237B/*0.006	----	0.000 - 0.203	----	----	----	2	----	0 - 1
5700 0.275	0.275	0.309B/*0.022A	0.309B/*0.022A	----	0.000 - 0.241	----	----	----	8	----	0 - 66
5720 ----	----	0.378B/*0.013A	0.378B/*0.013A	----	0.000 - 0.287	----	----	----	----	----	0 - 1
5730 ----	----	0.425B/*0.013A	0.425B/*0.013A	----	0.000 - 0.313	----	----	----	6	----	0 - 7
5740 ----	----	0.466B/*0.014A	0.466B/*0.014A	----	0.000 - 0.341	----	----	----	----	----	0 - 1
5750 0.020	0.020	0.513B/*0.001A	0.513B/*0.001A	----	0.000 - 0.372	----	----	----	1	----	0 - 9
5760 ----	----	0.568B/*0.023A	0.568B/*0.023A	----	0.000 - 0.405	----	----	----	6	----	0 - 6
5800 0.265	0.265	0.767B/*0.002	0.767B/*0.002	----	0.000 - 0.564	----	----	----	50	----	0 - 17
5810 ----	----	0.837B/*0.022A	0.837B/*0.022A	----	0.000 - 0.611	----	----	----	----	----	0 - 1
5820 0.140	0.140	0.909B/*0.020A	0.909B/*0.020A	----	0.000 NEW	----	----	----	3	----	0 UNCH
5850 0.450	0.450	1.144B/*0.016A	1.144B/*0.016A	----	0.000 - 0.829	----	----	----	15	----	0 - 16
5860 0.010	0.010	1.225B/*0.010	1.225B/*0.010	----	0.000 NEW	----	----	----	1	----	0 UNCH
5870 1.110	1.110	1.304B/*0.011A	1.304B/*0.011A	----	0.000 - 0.955	----	----	----	3	----	0 - 1
5880 1.210	1.210	1.391B/*0.015A	1.391B/*0.015A	----	0.000 - 1.022	----	----	----	1	----	0 - 10
5890 ----	----	1.502B/*0.040A	1.502B/*0.040A	----	0.000 - 1.092	----	----	----	----	----	0 - 50
5900 0.100	0.100	1.574B/*0.068A	1.574B/*0.068A	----	0.094 - 1.071	----	----	----	11	----	0 - 10
5910 0.148	0.148	1.666B/*0.098A	1.666B/*0.098A	----	0.194 NEW	----	----	----	3	----	0 UNCH
5950 ----	----	2.046B/*0.363A	2.046B/*0.363A	----	0.594 - 0.969	----	----	----	----	----	0 - 1
6000 ----	----	2.552B/0.805A	2.552B/0.805A	----	1.094 - 0.913	----	----	----	1	----	0 - 3
6030 ----	----	2.846B/1.100A	2.846B/1.100A	----	1.394 - 0.894	----	----	----	----	----	0 - 2
6300 ----	----	5.538B/3.795A	5.538B/3.795A	----	4.094 - 0.853	----	----	----	----	----	0 - 24
6600 ----	----	8.538B/6.794A	8.538B/6.794A	----	7.094 - 0.853	----	----	----	----	----	0 - 4
TOTAL									117	0	0 - 401
SO5 CALL	SILVER OPTIONS										
JUL26											
5650 ----	----	3.120B/2.192A	3.120B/2.192A	----	2.976 + 0.475	.7664	----	----	----	----	3 UNCH
5700 ----	----	2.716B/1.881A	2.716B/1.881A	----	2.601 + 0.428	.7217	----	----	----	----	10 UNCH
5800 ----	----	2.020B/1.387A	2.020B/1.387A	----	1.925 + 0.329	.6176	----	----	1	----	2 + 1
5950 ----	----	1.229B/0.849A	1.229B/0.849A	----	1.128 + 0.183	.4394	----	----	----	----	1 UNCH
6000 0.850	0.850	1.004B/0.705A	1.004B/0.705A	----	0.924 + 0.141	.3803	----	----	1	----	14 + 1
6100 ----	----	0.686B/0.499A	0.686B/0.499A	----	0.604 + 0.072	.2724	----	----	----	----	1 UNCH
6150 ----	----	0.552B/*0.400A	0.552B/*0.400A	----	0.484 + 0.047	.2261	----	----	----	----	1 UNCH
6200 ----	----	0.442B/*0.324A	0.442B/*0.324A	----	0.386 + 0.027	.1856	----	----	----	----	6 UNCH
6300 0.254	0.254	0.282B/*0.198	0.282B/*0.198	----	0.247 + 0.003	.1230	----	----	2	----	2 + 1
6500 ----	----	----/*0.114A	0.122B/*0.114A	----	0.112 - 0.012	.0553	----	----	----	----	25 - 20
6600 ----	----	----/*0.091A	0.088B/*0.091A	----	0.084 - 0.014	.0399	----	----	----	----	2 UNCH
6850 ----	----	----	0.030B/*0.083A	----	0.053 - 0.015	.0221	----	----	----	----	1 UNCH
6900 ----	----	----	0.026B/*0.079A	----	0.049 - 0.015	.0199	----	----	----	----	1 UNCH
7000 ----	----	----	0.019B/*0.071A	----	0.043 - 0.013	.0166	----	----	----	----	2 UNCH
TOTAL									4	0	71 - 17
SO5 PUT	SILVER OPTIONS										

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO5 PUT		SILVER OPTIONS										
JUL26												
4700	----	----	----	0.011B/*0.051A	----	0.021 - 0.020	.0067	----	----	----	----	3 UNCH
4900	----	----	----/*0.065A	0.046B/*0.065A	----	0.042 - 0.035	.0146	----	----	----	----	1 UNCH
5000	----	----	----/*0.075A	0.070B/*0.075A	----	0.061 - 0.046	.0219	----	----	----	----	7 UNCH
5200	----	----	----/*0.097A	0.165B/*0.097A	----	0.106 - 0.100	.0420	----	----	----	----	4 UNCH
5250	0.138	0.138	0.138/*0.115A	0.196B/*0.115A	----	0.124 NEW	.0502	----	----	34	----	34 + 34
5300	0.210	0.210	0.210/*0.137A	0.253B/*0.137A	----	0.148 - 0.140	.0608	----	----	1	----	2 - 1
5400	----	----	----/0.219A	0.385B/0.219A	----	0.213 - 0.191	.0896	----	----	----	----	1 UNCH
5450	----	----	----/0.258A	0.464B/0.258A	----	0.258 - 0.222	.1090	----	----	----	----	3 UNCH
5500	----	----	0.583B/0.310A	0.583B/0.310A	----	0.314 - 0.255	.1327	----	----	----	----	1 UNCH
5600	----	----	0.869B/0.445A	0.869B/0.445A	----	0.468 - 0.333	.1946	----	----	----	----	1 UNCH
5650	----	----	1.028B/0.539A	1.028B/0.539A	----	0.571 - 0.378	.2335	----	----	----	----	3 UNCH
5700	----	----	1.245B/0.653A	1.245B/0.653A	----	0.696 - 0.424	.2782	----	----	----	----	12 UNCH
5800	0.930	0.930	1.732B/0.930	1.732B/0.930	----	1.020 - 0.522	.3823	----	----	4	----	7 UNCH
5900	1.403	1.403	2.237B/1.401A	2.237B/1.401A	----	1.457 NEW	.5001	----	----	1	----	1 + 1
6000	----	----	2.964B/1.915A	2.964B/1.915A	----	2.017 - 0.711	.6196	----	----	----	----	13 UNCH
6100	----	----	3.772B/2.635A	3.772B/2.635A	----	2.697 - 0.779	.7275	----	----	----	----	1 UNCH
TOTAL										40	0	94 + 34
SWW WED		SILVER WEEKLY WEDNESDAY OPTION WEEK										
JUL26												
5550	----	----	0.431B/0.162A	0.431B/0.162A	----	0.139 - 0.272	.0826	----	----	----	----	1 UNCH
5640	0.390	0.390	#0.679B/*0.240A	0.679B/*0.240A	----	0.238 NEW	.1430	----	----	10	----	10 + 10
5650	0.385	0.385	0.711B/*0.254A	0.711B/*0.254A	----	0.252 NEW	.1514	----	----	20	----	20 + 20
5700	----	----	0.912B/*0.330A	0.912B/*0.330A	----	0.340 - 0.442	.2019	----	----	----	----	38 UNCH
5700	----	----	2.486B/1.536A	2.486B/1.536A	----	2.245 + 0.409	.7980	----	----	----	----	400 UNCH
5750	----	----	1.121B/0.437A	1.121B/0.437A	----	0.457 - 0.509	.2645	----	----	----	----	3 UNCH
5800	----	----	1.398B/0.572A	1.398B/0.572A	----	0.609 - 0.576	.3385	----	----	----	----	1 UNCH
5900	----	----	1.943B/0.956A	1.943B/0.956A	----	1.042 - 0.694	.5087	----	----	----	----	2 UNCH
5900	----	----	1.100B/0.670A	1.100B/0.670A	----	0.948 + 0.158	.4912	----	----	----	----	1 UNCH
6000	0.460	0.460	0.639B/*0.396A	0.639B/*0.396A	----	0.551 + 0.067	.3240	----	----	1	----	2 + 1
6020	----	----	#0.571B/*0.350A	0.571B/*0.350A	----	0.490 NEW	.2939	----	----	1	----	1 + 1
6050	----	----	3.191B/1.859A	3.191B/1.859A	----	2.002 - 0.817	.7480	----	----	----	----	1 UNCH
6100	----	----	0.350B/*0.218A	0.350B/*0.218A	----	0.299 + 0.010	.1906	----	----	----	----	3 UNCH
6150	----	----	0.253B/*0.166A	0.253B/*0.166A	----	0.216 - 0.005	.1409	----	----	----	----	1 UNCH
6300	----	----	----/*0.088A	0.094B/*0.088A	----	0.078 - 0.022	.0513	----	----	----	----	3 UNCH
6350	----	----	----/*0.075A	0.072B/*0.075A	----	0.057 - 0.020	.0367	----	----	----	----	2 UNCH
6500	----	----	----	0.037B/*0.063A	----	0.022 - 0.015	.0130	----	----	----	----	3 UNCH
TOTAL										32	0	492 + 32
AUG26												
5000	----	----	----/*0.122A	0.146B/*0.122A	----	0.109 - 0.087	.0382	----	----	----	----	2 UNCH
5600	----	----	1.149B/0.696A	1.149B/0.696A	----	0.700 - 0.376	.2384	----	----	----	----	1 UNCH
6000	----	----	1.358B/0.983A	1.358B/0.983A	----	1.231 + 0.133	.4095	----	----	----	----	1 UNCH
6500	0.280	0.280	0.280/*0.210	0.280/*0.210	----	0.258 - 0.006	.1063	----	----	3	----	4 - 2
6700	0.120	0.120	0.168B/*0.120	0.168B/*0.120	----	0.156 - 0.010	.0636	----	----	1	----	2 UNCH
TOTAL										4	0	10 - 2
TWS TUE		SILVER WEEKLY TUESDAY OPTION Week1										
AUG26												
4800	----	----	----/*0.076A	0.051B/*0.076A	----	0.052 - 0.050	.0178	----	----	----	----	2 UNCH
5000	----	----	----/0.217A	0.261B/0.217A	----	0.205 - 0.110	.0619	----	----	----	----	5 UNCH
5400	----	----	----/0.605A	0.861B/0.605A	----	0.617 - 0.250	.1756	----	----	----	----	1 UNCH
5500	----	----	0.745B/0.440A	0.745B/0.440A	----	0.442 NEW	.1656	----	----	2	----	2 + 2
5650	----	----	1.222B/0.729A	1.222B/0.729A	----	0.744 - 0.415	.2638	----	----	----	----	1 UNCH
5700	----	----	1.909B/1.342A	1.909B/1.342A	----	1.355 - 0.443	.3428	----	----	----	----	1 UNCH
5700	----	----	3.243B/2.601A	3.243B/2.601A	----	3.258 + 0.408	.6571	----	----	----	----	1 UNCH
5750	----	----	2.531B/1.889A	2.531B/1.889A	----	2.448 + 0.343	.6512	----	----	----	----	1 UNCH
5800	----	----	2.696B/2.112A	2.696B/2.112A	----	2.639 + 0.332	.5859	----	----	----	----	1 UNCH
6000	----	----	3.842B/3.114A	3.842B/3.114A	----	3.149 - 0.649	.5477	----	----	----	----	1 UNCH
6050	----	----	3.414B/2.637A	3.414B/2.637A	----	2.558 - 0.751	.6448	----	----	----	----	1 UNCH
6100	1.800	1.800	2.122B/*1.680A	2.122B/*1.680A	----	2.025 + 0.171	.4105	----	----	1	----	0 - 1
6150	----	----	0.778B/0.602A	0.778B/0.602A	----	0.680 + 0.053	.2690	----	----	----	----	1 UNCH
6200	----	----	0.652B/0.505A	0.652B/0.505A	----	0.568 + 0.035	.2316	----	----	----	----	1 UNCH
6300	----	----	1.107B/----	1.107B/1.089A	----	1.090 + 0.084	.2826	----	----	----	----	1 UNCH
6300	----	----	0.456B/*0.359A	0.456B/*0.359A	----	0.399 + 0.012	.1700	----	----	----	----	2 UNCH
6350	----	----	0.382B/*0.310A	0.382B/*0.310A	----	0.335 + 0.003	.1450	----	----	----	----	2 UNCH
6450	----	----	0.270B/*0.229A	0.270B/*0.229A	----	0.241 - 0.006	.1061	----	----	----	----	1 UNCH
6500	----	----	0.704B/----	0.704B/0.776A	----	0.714 + 0.038	.1988	----	----	----	----	1 UNCH
6500	----	----	0.229B/*0.201A	0.229B/*0.201A	----	0.206 - 0.009	.0910	----	----	----	----	1 UNCH
6550	----	----	----	0.392B/0.444A	----	0.411 + 0.011	.1393	----	----	----	----	5 UNCH
6700	0.290	0.290	0.290/*0.280	0.290/*0.280	----	0.297 NEW	.1020	----	----	2	----	2 + 2
6750	----	----	----	0.268B/0.283A	----	0.269 - 0.004	.0925	----	----	----	----	1 UNCH
7000	----	----	0.308B/----	0.308B/0.327A	----	0.293 - 0.001	.0863	----	----	----	----	3 UNCH
7000	----	----	----	0.049B/*0.106A	----	0.071 - 0.016	.0282	----	----	----	----	1 UNCH
7100	----	----	----	0.134B/0.180A	----	0.153 - 0.012	.0510	----	----	----	----	1 UNCH
7250	----	----	----	0.211B/0.251A	----	0.213 - 0.005	.0617	----	----	----	----	3 UNCH
TOTAL										5	0	43 + 3

COPPER OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HMW MON		COPPER WEEKLY MONDAY OPTION WEEK4										
JUL26												
600	----	----	----	----/*0.0055A	----	0.0005 - 0.0030	.0007	----	----	----	----	3 UNCH
618	0.0025	0.0025	0.0025/*0.0025	0.0105B/*0.0025	----	0.0035 NEW	.0412	----	----	2	----	2 + 2
620	----	----	----/*0.0085A	0.0145B/*0.0085	----	0.0050 NEW	.0607	----	----	25	----	25 + 25
625	0.0110	0.0110	0.0305B/*0.0110	0.0305B/*0.0110	----	0.0115 - 0.0185	.1436	----	----	20	----	21 + 20
630	----	----	0.0515B/0.0255A	0.0515B/0.0255A	----	0.0235 - 0.0235	.2826	----	----	----	----	2 UNCH
632	----	----	0.0620B/0.0330A	0.0620B/0.0330A	----	0.0305 - 0.0250	.3532	----	----	----	----	1 UNCH
633	0.0395	0.0395	0.0680B/0.0375A	0.0680B/0.0375A	----	0.0345 NEW	.3905	----	----	3	----	3 + 3
635	----	----	0.0805B/0.0460A	0.0805B/0.0460A	----	0.0440 - 0.0270	.4678	----	----	----	----	1 UNCH
636	0.0395	0.0395	#0.0395/*0.0395	0.0575B/*0.0395	----	0.0465 NEW	.4935	----	----	3	----	3 + 3
640	0.0370	0.0370	0.0370/*0.0280A	0.0395B/*0.0280	----	0.0315 - 0.0140	.3505	----	----	4	----	6 + 3
640	----	----	0.1160B/0.0740A	0.1160B/0.0740A	----	0.0740 - 0.0280	.6494	----	----	----	----	4 UNCH
650	----	----	----/*0.0140A	0.0190B/*0.0140	----	0.0140 - 0.0100	.1402	----	----	----	----	12 UNCH
650	----	----	0.2020B/0.1520A	0.2020B/0.1520A	----	0.1565 - 0.0240	.8596	----	----	----	----	3 UNCH
655	----	----	----/*0.0120A	0.0140B/*0.0120	----	0.0110 - 0.0080	.0978	----	----	25	----	25 + 24
665	----	----	----/*0.0085A	0.0100B/*0.0085	----	0.0070 - 0.0065	.0506	----	----	----	----	1 UNCH
670	----	----	----/*0.0075A	0.0080B/*0.0075	----	0.0060 - 0.0060	.0392	----	----	----	----	3 UNCH
TOTAL										82		115 + 80
AUG26												
605	----	----	----/0.0200A	0.0255B/0.0200A	----	0.0180 - 0.0110	.1154	----	----	----	----	3 UNCH
620	----	----	0.0680B/0.0490A	0.0680B/0.0490A	----	0.0460 - 0.0190	.2618	----	----	----	----	1 UNCH
630	----	----	0.1145B/0.0875A	0.1145B/0.0875A	----	0.0845 - 0.0225	.4058	----	----	----	----	3 UNCH
640	0.1000	0.1000	0.1000/0.0890A	0.1055B/0.0890A	----	0.0965 - 0.0110	.4478	----	----	1	----	2 + 1
650	----	----	----/*0.1275A	0.1410B/*0.1275	----	0.1330 - 0.0090	.3978	----	----	----	----	5 UNCH
655	----	----	0.3190B/0.2810A	0.3190B/0.2810A	----	0.2810 - 0.0240	.6692	----	----	----	----	1 UNCH
660	----	----	----/0.0740A	0.0825B/0.0740A	----	0.0780 - 0.0090	.2933	----	----	----	----	2 UNCH
695	----	----	----/*0.0185A	0.0190B/*0.0185	----	0.0185 - 0.0035	.0848	----	----	----	----	4 UNCH
695	----	----	----/*0.0330A	0.0350B/*0.0330	----	0.0330 - 0.0055	.1283	----	----	----	----	24 UNCH
700	----	----	----/*0.0300A	0.0315B/*0.0300	----	0.0300 - 0.0045	.1158	----	----	----	----	2 UNCH
TOTAL										1		47 + 1
HWR THU		COPPER WEEKLY THURSDAY OPT Week4										
JUL26												
625	----	----	----	----	----	0.0935 UNCH	----	----	----	----	----	0 UNCH
630	----	----	0.0985B/0.0705A	0.0985B/0.0705A	----	0.0655 - 0.0235	.3866	----	----	----	----	2 UNCH
635	----	----	----	----	----	0.0065 UNCH	----	----	----	----	----	0 UNCH
635	----	----	0.1270B/0.0935A	0.1270B/0.0935A	----	0.0905 - 0.0245	.4793	----	----	----	----	1 UNCH
639	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
640	----	----	----	----	----	0.0565 UNCH	----	----	----	----	----	0 UNCH
642	----	----	----	----	----	0.0765 UNCH	----	----	----	----	----	0 UNCH
644	----	----	----	----	----	0.0965 UNCH	----	----	----	----	----	0 UNCH
645	----	----	----	----	----	0.1065 UNCH	----	----	----	----	----	0 UNCH
645	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
646	----	----	----	----	----	0.1165 UNCH	----	----	----	----	----	0 UNCH
648	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
650	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
650	----	----	----/0.2005A	0.1940B/0.2005A	----	0.1925 - 0.0240	.7113	----	----	----	----	4 UNCH
652	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HWR THU	COPPER WEEKLY THURSDAY OPT Week4										
TOTAL											7
AUG26											
655 ----	----	0.3045B/0.2640A	0.3045B/0.2640A	----	0.2655 - 0.0240	.6916	----	----	----	----	40 UNCH
655 ----	----	----/0.0690A	0.0775B/0.0690A	----	0.0735 - 0.0100	.3080	----	----	----	----	20 UNCH
TOTAL											60
HWT TUE	COPPER WEEKLY TUESDAY OPTION Week1										
AUG26											
500 ----	----	----	----/0.0055A	----	0.0005 UNCH	.0002	----	----	----	----	19 UNCH
565 ----	----	----/0.0155A	0.0150B/0.0155A	----	0.0130 - 0.0055	.0560	----	----	----	----	6 UNCH
620 0.0525	0.0525	0.0745B/0.0525	0.0745B/0.0525	----	0.0525 NEW	.2757	----	----	1	----	1 + 1
645 ----	----	----/0.0805A	0.0940B/0.0805A	----	0.0870 - 0.0100	.3907	----	----	----	----	1 UNCH
650 ----	----	----/*0.1555A	0.1700B/*0.1555	----	0.1625 - 0.0095	.4160	----	----	----	----	1 UNCH
655 ----	----	----/*0.1415A	0.1545B/*0.1415	----	0.1475 - 0.0095	.3844	----	----	----	----	2 UNCH
655 ----	----	----/0.1185A	0.1295B/0.1185A	----	0.1240 - 0.0075	.3664	----	----	----	----	3 UNCH
660 ----	----	----/*0.1285A	0.1395B/*0.1285	----	0.1340 - 0.0085	.3547	----	----	----	----	1 UNCH
670 ----	----	----/*0.0365A	0.0415B/*0.0365	----	0.0390 - 0.0070	.1827	----	----	----	----	1 UNCH
680 0.0300	0.0300	0.0300/*0.0285A	0.0315B/*0.0285	----	0.0300 NEW	.1381	----	----	3	----	3 + 3
700 ----	----	----/0.0475A	0.0490B/0.0475A	----	0.0475 - 0.0050	.1546	----	----	----	----	3 UNCH
750 ----	----	----	0.0195B/0.0225A	----	0.0215 + 0.0020	.0682	----	----	----	----	2 UNCH
800 ----	----	----	0.0015B/0.0075A	----	0.0020 - 0.0010	.0073	----	----	----	----	19 UNCH
TOTAL									4		62 + 4
HWW WED	COPPER WEEKLY WEDNESDAY OPTION WEEK										
JUL26											
615 ----	----	----/*0.0160A	0.0230B/0.0160A	----	0.0115 - 0.0135	.1032	----	----	----	----	10 UNCH
620 ----	----	0.0370B/0.0235A	0.0370B/0.0235A	----	0.0185 - 0.0175	.1635	----	----	----	----	11 UNCH
625 ----	----	0.0555B/0.0355A	0.0555B/0.0355A	----	0.0300 - 0.0215	.2505	----	----	----	----	10 UNCH
627 ----	----	0.0645B/0.0415A	0.0645B/0.0415A	----	0.0360 - 0.0230	.2915	----	----	----	----	1 UNCH
630 ----	----	0.0795B/0.0525A	0.0795B/0.0525A	----	0.0475 - 0.0245	.3597	----	----	----	----	1 UNCH
635 ----	----	0.1085B/0.0750A	0.1085B/0.0750A	----	0.0720 - 0.0260	.4772	----	----	----	----	1 UNCH
645 0.0500	0.0500	0.0500/*0.0410A	0.0500/*0.0410A	----	0.0460 NEW	.3211	----	----	44	----	44 + 44
646 0.0500	0.0500	#0.0500/*0.0385	0.0500/*0.0385A	----	0.0440 NEW	.3058	----	----	10	----	10 + 10
647 0.0450	0.0450	#0.0450/*0.0370	0.0450/*0.0370A	----	0.0415 NEW	.2897	----	----	5	----	5 + 5
650 0.0300	0.0300	0.0300/*0.0300	0.0400B/*0.0300	----	0.0360 NEW	.2491	----	----	1	----	1 + 1
655 0.0340	0.0340	0.0340/*0.0275A	0.0340/*0.0275A	----	0.0290 NEW	.1953	----	----	5	----	5 + 5
670 ----	----	----/*0.0185A	0.0195B/*0.0185	----	0.0175 - 0.0060	.1037	----	----	----	----	20 UNCH
675 ----	----	----/*0.0170A	0.0170B/*0.0170	----	0.0150 - 0.0055	.0854	----	----	----	----	18 UNCH
706 ----	----	#0.0090B/----	0.0090B/0.0095A	----	0.0075 - 0.0005	.0331	----	----	----	----	1 UNCH
709 ----	----	0.0080B/----	0.0080B/*0.0090	----	0.0070 UNCH	.0303	----	----	----	----	2 UNCH
712 ----	----	0.0075B/----	0.0075B/*0.0085	----	0.0065 UNCH	.0276	----	----	----	----	1 UNCH
TOTAL									65		141 + 65
AUG26											
500 ----	----	----	----/0.0055A	----	0.0005 UNCH	.0000	----	----	----	----	19 UNCH
559 ----	----	----	0.0015B/0.0085A	----	0.0030 - 0.0020	.0162	----	----	----	----	1 UNCH
577 ----	----	----/*0.0095A	0.0065B/*0.0095	----	0.0065 - 0.0040	.0369	----	----	----	----	2 UNCH
580 ----	----	----/*0.0100A	0.0080B/*0.0100	----	0.0075 - 0.0040	.0428	----	----	----	----	1 UNCH
590 ----	----	----/*0.0130A	0.0140B/0.0130A	----	0.0110 - 0.0065	.0651	----	----	----	----	1 UNCH
599 ----	----	0.3910B/0.3745A	0.3910B/0.3745A	----	0.3845 + 0.0045	.8970	----	----	----	----	10 UNCH
600 ----	----	----/0.0205A	0.0265B/0.0205A	----	0.0180 - 0.0105	.1063	----	----	----	----	1 UNCH
606 ----	----	----/0.0280A	0.0380B/0.0280A	----	0.0255 - 0.0130	.1459	----	----	----	----	1 UNCH
610 ----	----	0.0480B/0.0345A	0.0480B/0.0345A	----	0.0325 - 0.0150	.1796	----	----	----	----	2 UNCH
617 ----	----	0.0695B/0.0515A	0.0695B/0.0515A	----	0.0490 - 0.0180	.2511	----	----	----	----	1 UNCH
619 ----	----	0.0780B/0.0570A	0.0780B/0.0570A	----	0.0545 - 0.0195	.2735	----	----	----	----	2 UNCH
625 ----	----	0.1040B/0.0790A	0.1040B/0.0790A	----	0.0755 NEW	.3482	----	----	3	----	3 + 3
630 ----	----	0.1300B/0.1000A	0.1300B/0.1000A	----	0.0975 - 0.0230	.4143	----	----	----	----	3 UNCH
630 ----	----	0.1650B/0.1450A	0.1650B/0.1450A	----	0.1550 - 0.0090	.5853	----	----	----	----	5 UNCH
635 ----	----	0.1595B/0.1245A	0.1595B/0.1245A	----	0.1230 NEW	.4804	----	----	3	----	3 + 3
635 0.1635	0.1635	0.1970B/0.1635	0.1970B/0.1635	----	0.1625 NEW	.4796	----	----	11	----	11 + 11
640 ----	----	----/0.1035A	0.1195B/0.1035A	----	0.1100 - 0.0105	.4556	----	----	----	----	1 UNCH
650 ----	----	----/0.0745A	0.0855B/0.0745A	----	0.0780 - 0.0105	.3430	----	----	----	----	14 UNCH
655 ----	----	----/0.0635A	0.0720B/0.0635A	----	0.0665 - 0.0100	.2965	----	----	----	----	1 UNCH
655 ----	----	----/0.0970A	0.1080B/0.0970A	----	0.1010 - 0.0090	.3442	----	----	----	----	1 UNCH
670 ----	----	----/0.0410A	0.0465B/0.0410A	----	0.0425 - 0.0080	.1920	----	----	----	----	1 UNCH
690 ----	----	----/*0.0430A	0.0465B/*0.0430	----	0.0445 - 0.0050	.1606	----	----	----	----	0 UNCH
700 ----	----	----/*0.0210A	0.0215B/*0.0210	----	0.0220 - 0.0030	.0924	----	----	----	----	2 UNCH
750 ----	----	----	0.0080B/*0.0110	----	0.0080 - 0.0020	.0306	----	----	----	----	1 UNCH
TOTAL									17		87 + 17
SEP26											
500 ----	----	----	0.0010B/0.0095A	----	0.0015 - 0.0010	.0060	----	----	----	----	10 UNCH
525 ----	----	----	0.0060B/*0.0120	----	0.0040 - 0.0020	.0157	----	----	----	----	1 UNCH
550 ----	----	----/*0.0160A	0.0140B/*0.0160	----	0.0120 - 0.0045	.0432	----	----	----	----	1 UNCH
555 ----	----	----/*0.0180A	0.0170B/*0.0180	----	0.0150 - 0.0045	.0525	----	----	----	----	1 UNCH
560 ----	----	----/*0.0205A	0.0200B/*0.0205	----	0.0180 - 0.0055	.0620	----	----	----	----	1 UNCH
565 ----	----	----/0.0235A	0.0240B/0.0235A	----	0.0210 - 0.0065	.0717	----	----	1	----	2 + 1
585 ----	----	----/0.0425A	0.0490B/0.0425A	----	0.0395 NEW	.1272	----	----	1	----	1 + 1
590 ----	----	----/0.0500A	0.0580B/0.0500A	----	0.0470 - 0.0125	.1473	----	----	----	----	15 UNCH
620 ----	----	0.3860B/0.3645A	0.3860B/0.3645A	----	0.3745 - 0.0080	.6851	----	----	----	----	1 UNCH
625 ----	----	0.3555B/0.3355A	0.3555B/0.3355A	----	0.3445 - 0.0085	.6521	----	----	----	----	1 UNCH
700 ----	----	----/0.0925A	0.0960B/0.0925A	----	0.0935 - 0.0075	.2369	----	----	----	----	1 UNCH
705 ----	----	----/0.0855A	0.0880B/0.0855A	----	0.0860 - 0.0070	.2199	----	----	----	----	1 UNCH
710 ----	----	----/0.0790A	0.0810B/0.0790A	----	0.0790 - 0.0060	.2038	----	----	----	----	2 UNCH
900 ----	----	0.0055B/----	0.0055B/0.0100A	----	0.0040 - 0.0005	.0119	----	----	----	----	10 UNCH
TOTAL									2		48 + 2
OCT26											
550 ----	----	----/0.0465A	0.0425B/0.0465A	----	0.0410 NEW	.0967	----	----	1	----	1 + 1
670 ----	----	----/0.2435A	0.2470B/0.2435A	----	0.2440 - 0.0050	.4139	----	----	1	----	0 - 1
800 ----	----	----	0.0455B/0.0535A	----	0.0455 NEW	.0983	----	----	1	----	1 + 1
TOTAL									3		2 + 1
HX CALL	COMEX COPPER OPTIONS										
AUG26											
500 ----	----	1.3555B/1.3385A	1.3555B/1.3385A	----	1.3575 + 0.0135	.9995	----	----	----	----	6 UNCH
550 ----	----	0.8695B/0.8200A	0.8695B/0.8200A	----	0.8585 + 0.0125	.9948	----	----	----	----	3 UNCH
580 ----	----	0.5735B/0.5230A	0.5735B/0.5230A	----	0.5590 + 0.0120	.9896	----	----	----	----	252 UNCH
585 ----	----	0.5215B/0.4740A	0.5215B/0.4740A	----	0.5095 + 0.0120	.9887	----	----	----	----	11 UNCH
590 ----	----	0.4720B/0.4245A	0.4720B/0.4245A	----	0.4595 + 0.0115	.9875	----	----	----	----	27 UNCH
595 ----	----	0.4225B/0.3755A	0.4225B/0.3755A	----	0.4090 + 0.0105	.9860	----	----	----	----	2 UNCH
600 ----	----	0.3735B/0.3270A	0.3735B/0.3270A	----	0.3595 + 0.0100	.9842	----	----	----	----	48 UNCH
605 ----	----	0.3240B/0.2790A	0.3240B/0.2790A	----	0.3100 + 0.0085	.9743	----	----	----	----	83 UNCH
610 ----	----	0.2755B/0.2330A	0.2755B/0.2330A	----	0.2615 + 0.0070	.9620	----	----	----	----	78 UNCH
615 ----	----	0.2285B/0.1900A	0.2285B/0.1900A	----	0.2135 + 0.0040	.9379	----	----	----	----	75 UNCH
620 ----	----	0.1845B/0.1495A	0.1845B/0.1495A	----	0.1690 + 0.0005	.8809	----	----	----	34	719 - 34
625 ----	----	0.1435B/0.1115A	0.1435B/0.1115A	----	0.1290 - 0.0035	.7883	----	----	----	----	507 UNCH
630 0.0850	0.0850	0.1075B/0.0775	0.1075B/0.0775	----	0.0945 - 0.0085	.6655	----	----	34	----	251 - 21
632 0.0865	0.0865	#0.0960B/*0.070	0.0960B/*0.0700	----	0.0825 NEW	.6106	----	----	2	----	2 + 2
633 0.0860	0.0860	#0.0915B/*0.065	0.0915B/*0.0650	----	0.0770 NEW	.5823	----	----	3	----	3 + 3
634 0.0800	0.0800	#0.0850B/*0.060	0.0850B/*0.0605	----	0.0715 - 0.0115	.5541	----	----	90	----	110 + 85
635 0.0710	0.0710	0.0800B/*0.0550	0.0800B/*0.0550	----	0.0665 - 0.0120	.5256	----	----	58	34	189 - 78
639 ----	----	----/*0.0420A	0.0625B/*0.0420	----	0.0500 - 0.0125	.4161	----	----	----	----	25 UNCH
640 0.0560	0.0560	0.0605B/*0.0370	0.0605B/*0.0370	----	0.0465 - 0.0125	.3906	----	----	113	----	309 - 49
645 0.0400	0.0400	0.0480/*0.0275A	0.0480/*0.0275A	----	0.0330 - 0.0120	.2810	----	----	224	----	239 - 59
647 0.0330	0.0330	0.0415B/*0.0255	0.0415B/*0.0255	----	0.0290 NEW	.2457	----	----	1	----	1 + 1
650 0.0375	0.0375	0.0375/*0.0210A	0.0375/*0.0210A	----	0.0245 - 0.0105	.2028	----	----	85	----	618 - 65
651 ----	----	0.0345B/*0.0215	0.0345B/*0.0215	----	0.0235 - 0.0100	.1917	----	----	----	----	14 UNCH
652 ----	----	0.0330B/*0.0200	0.0330B/*0.0200	----	0.0220 - 0.0100	.1788	----	----	----	----	5 UNCH
653 ----	----	0.0320B/*0.0190	0.0320B/*0.0190	----	0.0215 - 0.0095	.1709	----	----	----	----	6 UNCH
654 ----	----	0.0305B/*0.0185	0.0305B/*0.0185	----	0.0205 - 0.0095	.1611	----	----	----	----	29 UNCH
655 0.0310	0.0310	0.0310/*0.0170A	0.0310/*0.0170A	----	0.0195 - 0.0095	.1518	----	----	19	34	479 - 49
656 ----	----	----/*0.0175A	0.0280B/*0.0175	----	0.0190 - 0.0090	.1450	----	----	----	----	66 UNCH
657 ----	----	----/*0.0170A	0.0270B/*0.0170	----	0.0185 - 0.0085	.1387	----	----	----	----	1 UNCH
659 0.0185	0.0185	0.0185/*0.0160A	0.0255B/*0.0160	----	0.0175 - 0.0080	.1268	----	----	1	----	2 + 1
660 0.0265	0.0265	0.0270/*0.0155A	0.0270/*0.0155A	----	0.0170 - 0.0075	.1212	----	----	38	----	786 + 15
661 ----	----	----/*0.0150A	0.0240B/*0.0150	----	0.0165 - 0.0075	.1159	----	----	----	----	3 UNCH
662 ----	----	0.0235B/*0.0150	0.0235B/*0.0150	----	0.0160 - 0.0070	.1107	----	----	----	----	1 UNCH
663 ----	----	0.0230B/*0.0145	0.0230B/*0.0145	----	0.0155 - 0.0070	.1058	----	----	----	----	1 UNCH
664 ----	----	0.0225B/*0.0140	0.0225B/*0.0140	----	0.0150 - 0.0065	.1010	----	----	----	----	5 UNCH
665 0.0235	0.0235	0.0235/*0.0140A	0.0235/*0.0140A	----	0.0150 - 0.0060	.0987	----	----	77	----	307 + 36
666 0.0150	0.0150	0.0215B/*0.0135	0.0215B/*0.0135	----	0.0145 - 0.0060	.0943	----	----	1	----	42 UNCH
668 ----	----	0.0205B/*0.0130	0.0205B/*0.0130	----	0.0140 - 0.0055	.0881	----	----	----	----	33 UNCH
669 ----	----	0.0200B/*0.0130	0.0200B/*0.0130	----	0.0135 - 0.0055	.0841	----	----	----	----	3 UNCH
670 0.0210	0.0210	0.0210/*0.0125A	0.0210/*0.0125A	----	0.0130 - 0.0060	.0801	----	----	2	----	840 UNCH
671 ----	----	0.0190B/*0.0125	0.0190B/*0.0125	----	0.0130 - 0.0055	.0786	----	----	----	----	5 UNCH
672 0.0130	0.0130	0.0190B/*0.0120	0.0190B/*0.0120	----	0.0125 - 0.0060	.0748	----	----	1	----	7 - 1
673 0.0155	0.0155	0.0155/*0.0120A	0.0180B/*0.0120	----	0.0125 - 0.0055	.0734	----	----	1	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 60

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX CALL		COMEX COPPER OPTIONS										
AUG26												
674	----	----	----/*0.0115A	0.0180B/*0.0115	----	0.0120 - 0.0060	.0699	----	----	----	----	40 UNCH
675	----	----	----/*0.0115A	0.0175B/*0.0115	----	0.0120 - 0.0060	.0686	----	----	50	----	1771 UNCH
676	----	----	----/*0.0115A	0.0175B/*0.0115	----	0.0115 - 0.0060	.0653	----	----	----	----	49 UNCH
679	0.0095	0.0095	0.0095/*0.0095	0.0160B/*0.0095	----	0.0110 - 0.0055	.0599	----	----	3	----	61 + 3
680	0.0105	0.0105	0.0105/*0.0105	0.0155B/*0.0105	----	0.0105 - 0.0055	.0568	----	----	1	34	273 - 1
681	----	----	----/*0.0105A	0.0155B/*0.0105	----	0.0105 - 0.0050	.0559	----	----	----	----	27 UNCH
684	----	----	0.0150B/*0.0100	0.0150B/*0.0100	----	0.0100 - 0.0045	.0513	----	----	----	----	8 UNCH
685	----	----	0.0145B/*0.0095	0.0145B/*0.0095	----	0.0095 - 0.0045	.0485	----	----	----	----	197 UNCH
686	----	----	0.0145B/*0.0095	0.0145B/*0.0095	----	0.0095 - 0.0040	.0477	----	----	----	----	6 UNCH
687	----	----	0.0140B/*0.0095	0.0140B/*0.0095	----	0.0095 - 0.0040	.0470	----	----	----	----	1 UNCH
688	----	----	----/*0.0095A	0.0135B/*0.0095	----	0.0090 - 0.0045	.0444	----	----	----	----	1 UNCH
689	----	----	0.0135B/*0.0090	0.0135B/*0.0090	----	0.0090 - 0.0040	.0437	----	----	----	----	13 UNCH
690	0.0090	0.0090	0.0090/*0.0090	0.0130B/*0.0090	----	0.0085 - 0.0045	.0411	----	----	10	----	1325 - 10
691	----	----	----/*0.0085A	0.0130B/*0.0085	----	0.0085 - 0.0045	.0406	----	----	----	----	30 UNCH
692	0.0080	0.0080	0.0080/*0.0080	0.0125B/*0.0080	----	0.0085 - 0.0040	.0400	----	----	1	----	3 + 1
693	0.0075	0.0075	0.0075/*0.0075	0.0125B/*0.0075	----	0.0080 NEW	.0376	----	----	2	----	2 + 2
695	----	----	----/*0.0080A	0.0115B/*0.0080	----	0.0080 - 0.0040	.0366	----	----	----	----	138 UNCH
696	0.0065	0.0065	#0.0065/*0.0065	0.0115B/*0.0065	----	0.0075 NEW	.0342	----	----	1	----	1 + 1
698	----	----	----/*0.0075A	0.0110B/*0.0075	----	0.0075 - 0.0045	.0333	----	----	----	----	2 UNCH
700	0.0085	0.0085	0.0085/*0.0075	0.0105B/*0.0075	----	0.0070 - 0.0045	.0307	----	----	130	----	3303 + 62
701	----	----	----/*0.0075A	0.0100B/*0.0075	----	0.0070 - 0.0045	.0303	----	----	----	----	2 UNCH
703	----	----	----/*0.0070A	0.0095B/*0.0070	----	0.0065 - 0.0045	.0278	----	----	----	----	6 UNCH
705	----	----	----/*0.0065A	0.0090B/*0.0065	----	0.0065 - 0.0040	.0271	----	----	----	----	130 UNCH
706	----	----	----/*0.0065A	0.0090B/*0.0065	----	0.0060 - 0.0045	.0250	----	----	----	----	5 UNCH
709	----	----	----/*0.0060A	0.0080B/*0.0060	----	0.0060 - 0.0035	.0242	----	----	----	----	1 UNCH
710	----	----	----/*0.0060A	0.0080B/*0.0060	----	0.0055 - 0.0040	.0222	----	----	----	----	387 UNCH
711	----	----	----/*0.0060A	0.0080B/*0.0060	----	0.0055 - 0.0040	.0219	----	----	----	----	3 UNCH
712	----	----	----/*0.0060A	0.0075B/*0.0060	----	0.0055 - 0.0035	.0217	----	----	----	----	4 UNCH
714	----	----	----/*0.0055A	0.0070B/*0.0055	----	0.0050 - 0.0035	.0195	----	----	----	----	4 UNCH
715	----	----	----/*0.0055A	0.0070B/*0.0055	----	0.0050 - 0.0035	.0193	----	----	----	----	59 UNCH
717	----	----	----/*0.0050A	0.0065B/*0.0050	----	0.0050 - 0.0030	.0189	----	----	----	----	2 UNCH
720	----	----	----/*0.0050A	0.0065B/*0.0050	----	0.0045 - 0.0030	.0167	----	----	----	----	225 UNCH
725	----	----	----/*0.0045A	0.0055B/*0.0045	----	0.0040 - 0.0025	.0143	----	----	----	----	1029 UNCH
730	----	----	----/*0.0040A	0.0045B/*0.0040	----	0.0035 - 0.0020	.0121	----	----	----	----	79 UNCH
735	----	----	----/*0.0035A	0.0040B/*0.0035	----	0.0035 - 0.0015	.0116	----	----	----	----	29 UNCH
740	----	----	----/*0.0030A	0.0035B/*0.0030	----	0.0030 - 0.0010	.0096	----	----	----	----	1016 UNCH
750	0.0030	0.0030	0.0030/*0.0025A	0.0030/*0.0025A	----	0.0025 - 0.0010	.0075	----	----	6	----	1378 + 4
770	----	----	----/*0.0015A	0.0010B/*0.0015	----	0.0015 - 0.0010	.0040	----	----	----	----	9 UNCH
775	----	----	----	----/*0.0020A	----	0.0015 - 0.0005	.0038	----	----	----	----	173 UNCH
780	----	----	----	----/*0.0020A	----	0.0010 - 0.0010	.0025	----	----	----	----	33 UNCH
800	0.0005	0.0005	0.0005/*0.0005	0.0005/*0.0005	----	0.0010 - 0.0005	.0022	----	----	2	----	489 - 2
825	----	----	----	----/0.0015A	----	0.0005 - 0.0010	.0009	----	----	1	----	39 UNCH
850	----	----	----	----/0.0015A	----	0.0005 - 0.0010	.0002	----	----	2	----	32 - 2
875	----	----	----	----/0.0015A	----	0.0005 - 0.0010	.0000	----	----	----	----	61 UNCH
900	----	----	----/0.0005A	----/0.0005A	----	0.0005 - 0.0005	.0000	----	----	----	----	137 UNCH
925	----	----	----	----/0.0010A	----	0.0005 UNCH	----	----	----	----	----	9 UNCH
950	----	----	----	----/0.0005A	----	0.0005 UNCH	----	----	----	----	----	47 UNCH
975	----	----	----	----/0.0010A	----	0.0005 UNCH	----	----	----	----	----	139 UNCH
TOTAL									136	959		18973 - 155
SEP26												
495	----	----	----	----	----	1.4085 + 0.0135	.9892	----	----	----	----	2 UNCH
500	----	----	----	----	----	1.3585 + 0.0135	.9888	----	----	----	----	4 UNCH
510	----	----	----	----	----	1.2600 + 0.0135	.9836	----	----	----	----	2 UNCH
535	----	----	----	----	----	1.1135 + 0.0110	.9694	----	----	----	----	1 UNCH
565	----	----	----/0.7015A	0.7120B/0.7015A	----	0.7245 + 0.0060	.9269	----	----	----	----	1 UNCH
575	----	----	0.6370B/0.6135A	0.6370B/0.6135A	----	0.6330 + 0.0035	.8989	----	----	----	----	100 UNCH
595	----	----	0.4690B/0.4530A	0.4690B/0.4530A	----	0.4650 - 0.0025	.8070	----	----	----	----	7 UNCH
600	----	----	0.4315B/0.4130A	0.4315B/0.4130A	----	0.4270 - 0.0040	.7768	----	----	----	----	220 UNCH
605	----	----	0.4055B/0.3785A	0.4055B/0.3785A	----	0.3915 - 0.0050	.7440	----	----	----	----	1 UNCH
610	----	----	0.3715B/0.3460A	0.3715B/0.3460A	----	0.3575 - 0.0065	.7089	----	----	----	----	35 UNCH
615	----	----	0.3395B/0.3155A	0.3395B/0.3155A	----	0.3260 - 0.0080	.6728	----	----	----	----	11 UNCH
620	----	----	0.3120B/0.2845A	0.3120B/0.2845A	----	0.2970 - 0.0085	.6351	----	----	----	----	230 UNCH
625	----	----	0.2850B/0.2575A	0.2850B/0.2575A	----	0.2700 - 0.0095	.5972	----	----	1	----	666 UNCH
630	----	----	0.2585B/0.2345A	0.2585B/0.2345A	----	0.2455 - 0.0100	.5595	----	----	2	----	216 + 2
635	0.2240	0.2240	0.2360B/0.2125A	0.2360B/0.2125A	----	0.2225 - 0.0105	.5224	----	----	64	----	179 + 50
640	0.1995	0.1995	0.2145B/0.1930A	0.2145B/0.1930A	----	0.2020 - 0.0105	.4863	----	----	8	----	896 + 4
645	0.1915	0.1915	0.1945B/0.1745A	0.1945B/0.1745A	----	0.1835 - 0.0105	.4516	----	----	2	----	273 UNCH
650	0.1755	0.1755	0.1760/0.1590A	0.1765B/0.1590A	----	0.1670 - 0.0100	.4187	----	----	19	----	814 + 3
655	----	----	----/0.1440A	0.1605B/0.1440A	----	0.1515 - 0.0095	.3873	----	----	46	----	299 + 46
660	0.1370	0.1370	0.1370/0.1315A	0.1460B/0.1315A	----	0.1380 - 0.0090	.3581	----	----	15	----	210 + 3
665	0.1245	0.1245	0.1245/0.1195A	0.1330B/0.1195A	----	0.1255 - 0.0085	.3306	----	----	3	----	207 - 3
670	0.1130	0.1130	0.1130/0.1090A	0.1205B/0.1090A	----	0.1145 - 0.0080	.3052	----	----	3	44	499 - 31
675	----	----	----/0.0995A	0.1100B/0.0995A	----	0.1045 - 0.0075	.2816	----	----	----	----	779 UNCH
680	0.0930	0.0930	0.0930/0.0910A	0.1000B/0.0910A	----	0.0955 - 0.0065	.2599	----	----	4	50	1348 + 1
685	0.0865	0.0865	0.0865/0.0835A	0.0915B/0.0835A	----	0.0870 - 0.0060	.2393	----	----	26	----	165 + 10
690	0.0810	0.0810	0.0850/0.0765A	0.0850/0.0765A	----	0.0795 - 0.0055	.2205	----	----	28	----	921 + 6
695	0.0720	0.0720	0.0720/0.0680	0.0765B/0.0680	----	0.0725 - 0.0055	.2029	----	----	6	44	92 - 36
700	0.0690	0.0690	0.0700/0.0645	0.0700/0.0645	----	0.0665 - 0.0045	.1872	----	----	86	----	13152 + 27
705	0.0605	0.0605	0.0605/0.0590A	0.0640B/0.0590A	----	0.0610 - 0.0040	.1727	----	----	1	----	443 - 1
710	0.0580	0.0580	0.0580/0.0540A	0.0585B/0.0540A	----	0.0560 - 0.0035	.1594	----	----	31	----	582 - 4
715	0.0530	0.0530	0.0535/0.0500A	0.0535/0.0500A	----	0.0510 - 0.0040	.1464	----	----	21	----	90 UNCH
720	----	----	----/0.0460A	0.0490B/0.0460A	----	0.0470 - 0.0035	.1353	----	----	3	----	342 - 1
725	0.0425	0.0425	0.0425/0.0425	0.0450B/0.0425	----	0.0430 - 0.0030	.1245	----	----	4	----	880 UNCH
730	----	----	----/0.0390A	0.0415B/0.0390A	----	0.0395 - 0.0030	.1149	----	----	1	44	200 - 44
735	----	----	----/0.0365A	0.0385B/0.0365A	----	0.0365 - 0.0025	.1063	----	----	----	----	86 UNCH
740	0.0350	0.0350	0.0355B/0.0330A	0.0355B/0.0330A	----	0.0335 - 0.0025	.0980	----	----	5	----	1568 + 3
750	----	----	----/0.0285A	0.0305B/0.0285A	----	0.0290 - 0.0020	.0848	----	----	89	----	1181 + 1
760	0.0250	0.0250	0.0250/0.0250	0.0260B/0.0250	----	0.0250 - 0.0020	.0731	----	----	2	----	299 - 1
770	0.0225	0.0225	0.0225/0.0225	0.0230B/0.0225	----	0.0220 - 0.0015	.0640	----	----	10	----	39 + 4
775	----	----	----/0.0210A	0.0215B/0.0210A	----	0.0205 - 0.0015	.0597	----	----	----	44	9189 - 44
780	0.0200	0.0200	0.0200/*0.0195A	0.0200/*0.0195A	----	0.0195 - 0.0010	.0564	----	----	1	----	11 + 1
790	0.0185	0.0185	0.0190/0.0175A	0.0190/0.0175A	----	0.0170 - 0.0010	.0491	----	----	5	----	243 UNCH
800	----	----	----/0.0155A	0.0160B/0.0155A	----	0.0155 - 0.0005	.0442	----	----	----	----	1495 UNCH
810	0.0140	0.0140	0.0140/0.0140	0.0145B/0.0140	----	0.0140 - 0.0005	.0396	----	----	28	----	67 - 3
825	0.0125	0.0125	0.0125/0.0125	0.0125/0.0125	----	0.0115 UNCH	.0325	----	----	59	----	156 + 19
850	0.0100	0.0100	0.0100/0.0100	0.0100/0.0100	----	0.0090 + 0.0010	.0249	----	----	10	----	18 + 10
875	----	----	0.0060B/----	0.0060B/0.0080A	----	0.0070 + 0.0015	.0191	----	----	----	----	42 UNCH
900	----	----	0.0045B/----	0.0045B/0.0065A	----	0.0050 + 0.0010	.0137	----	----	----	----	617 UNCH
925	----	----	----	0.0020B/0.0065A	----	0.0035 + 0.0010	.0097	----	----	----	----	1 UNCH
950	----	----	----	0.0010B/0.0060A	----	0.0025 + 0.0005	.0069	----	----	----	----	15 UNCH
975	----	----	----	----/0.0055A	----	0.0020 + 0.0005	.0055	----	----	----	----	17 UNCH
TOTAL									226	583		38911 + 22
OCT26												
500	----	----	----	----	----	1.4540 + 0.0110	.9749	----	----	----	----	2 UNCH
575	----	----	----	----	----	0.7565 + 0.0040	.8541	----	----	----	----	2 UNCH
590	----	----	----	----	----	0.6370 + 0.0010	.7974	----	----	----	----	2 UNCH
600	----	----	0.5755B/0.5505A	0.5755B/0.5505A	----	0.5640 - 0.0020	.7538	----	----	----	----	43 UNCH
605	----	----	0.5410B/0.5175A	0.5410B/0.5175A	----	0.5295 - 0.0035	.7300	----	----	----	----	41 UNCH
615	----	----	0.4760B/0.4555A	0.4760B/0.4555A	----	0.4650 - 0.0055	.6803	----	----	----	----	4 UNCH
620	----	----	0.4455B/0.4265A	0.4455B/0.4265A	----	0.4350 - 0.0060	.6545	----	----	----	----	1 UNCH
625	----	----	0.4165B/0.3970A	0.4165B/0.3970A	----	0.4065 - 0.0060	.6284	----	----	----	----	95 UNCH
630	----	----	0.3890B/0.3690A	0.3890B/0.3690A	----	0.3800 - 0.0055	.6020	----	----	----	----	1 UNCH
635	----	----	0.3655B/0.3440A	0.3655B/0.3440A	----	0.3545 - 0.0055	.5756	----	----	----	----	21 UNCH
640	----	----	0.3405B/0.3210A	0.3405B/0.3210A	----	0.3305 - 0.0055	.5493	----	----	----	----	93 UNCH
645	----	----	0.3180B/0.2995A	0.3180B/0.2995A	----	0.3085 - 0.0050	.5234	----	----	----	----	3 UNCH
650	----	----	0.2965B/0.2790A	0.2965B/0.2790A	----	0.2875 - 0.0050	.4979	----	----	----	----	258 UNCH
655	0.2655	0.2655	0.2740B/0.2600A	0.2740B/0.2600A	----	0.2675 - 0.0055	.4728	----	----	1	----	32 + 1
660	----	----	0.2570B/0.2425A	0.2570B/0.2425A	----	0.2495 - 0.0050	.4487	----	----	----	----	2 UNCH
665	----	----	0.2395B/0.2265A	0.2395B/0.2265A	----	0.2325 - 0.0055	.4252	----	----	----	----	13 UNCH
670	----	----	0.2230B/0.2110A	0.2230B/0.2110A	----	0.2165 - 0.0055	.4026	----	----	----	----	19 UNCH
675	----	----	----/0.1965A	0.2075B/0.1965A	----	0.2020 - 0.0055	.3809	----	----	----	----	99 UNCH
680	----	----	----/0.1835A	0.1935B/0.1835A	----	0.1880 - 0.0060	.3599	----	----	----	----	88 UNCH
685	----	----	----/0.1720A	0.1795B/0.1720A	----	0.1755 - 0.0055	.3402	----	----	----	----	27 UNCH
690	----	----	----/0.1605A	0.1675B/0.1605A	----	0.1635 - 0.0060	.3211	----	----	----	----	5 UNCH
695	----	----	----/0.1495A	0.1560B/0.1495A	----	0.1520 - 0.0060	.3026	----	----	----	----	22 UNCH
700	----	----	----/0.1385A	0.1465B/0.1385A	----	0.1420 - 0.0060	.2856	----	----	----	----	446 UNCH
705	----	----	----/0.1300A	0.1355B/0.1300A	----	0.1325 - 0.0055	.2693	----	----	----	----	4 UNCH
710	----	----	----/0.1215A	0.1265B/0.1215A	----	0.1235 - 0.0055	.2537	----	----	----	----	151 UNCH
720	----	----	----/0.1060A	0.1100B/0.1060A	----	0.1075 - 0.0050	.2251	----	----	----	----	8 UNCH
725	----	----	----/0.0990A	0.1030B/0.0990A	----	0.1005 - 0.0045	.2121	----	----	----	----	506 UNCH
730	----	----	----/0.0930A	0.0960B/0.0930A	----	0.0940 - 0.0045	.1999	----	----	----	----	13 UNCH
740	----	----	----/0.0815A	0.0840B/0.0815A	----	0.0820 - 0.0040	.1771	----	----	2	----	14 + 1
750	----	----	----/0.0720A	0.0740B/0.0720A	----	0.0720 - 0.0035	.1574	----	----	2	----	65 UNCH
775	----	----	----/0.0530A	0.0540B/0.0530A	----	0.0525 - 0.0025	.1176	----	----	----	----	231 UNCH
800	0.0380	0.0380	0.0380/0.0380	0.0400B/0.0380	----	0.0395 - 0.0015	.0895	----	----	1	----	142 + 1
825	0.0295	0.0295	0.0295/0.0295	0.0295/0.0295	----	0.0295 - 0.0015	.0678	----	----	1	----	37 + 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 61

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX CALL		COMEX COPPER OPTIONS										
OCT26												
850	----	----	----	0.0220B/0.0245A	----	0.0230 - 0.0015	.0529	----	----	----	----	40 UNCH
875	----	----	----	0.0170B/0.0195A	----	0.0180 - 0.0015	.0415	----	----	----	----	5 UNCH
900	----	----	----	0.0130B/0.0160A	----	0.0145 - 0.0015	.0333	----	----	----	----	3 UNCH
925	0.0110	0.0110	0.0110/*0.0110	0.0110/0.0110	----	0.0120 NEW	.0273	----	----	12	----	12 + 12
975	----	----	----	0.0065B/0.0095A	----	0.0080 - 0.0010	.0181	----	----	----	----	20 UNCH
TOTAL										19		2570 + 16
NOV26												
535	----	----	----	----	----	1.1335 + 0.0070	.9123	----	----	----	----	1 UNCH
545	----	----	----	----	----	1.0450 + 0.0060	.8923	----	----	----	----	1 UNCH
580	----	----	----	----	----	0.7595 UNCH	.7937	----	----	----	----	2 UNCH
585	----	----	----	----	----	0.7230 - 0.0005	.7760	----	----	----	----	1 UNCH
595	----	----	0.6635B/0.6395A	0.6635B/0.6395A	----	0.6530 - 0.0015	.7384	----	----	----	----	2 UNCH
600	----	----	0.6300B/0.6075A	0.6300B/0.6075A	----	0.6200 - 0.0015	.7186	----	----	----	----	2 UNCH
610	----	----	0.5665B/0.5470A	0.5665B/0.5470A	----	0.5575 - 0.0020	.6777	----	----	----	----	14 UNCH
635	----	----	0.4285B/0.4125A	0.4285B/0.4125A	----	0.4225 - 0.0015	.5711	----	----	----	----	2 UNCH
640	----	----	0.4070B/0.3895A	0.4070B/0.3895A	----	0.3990 - 0.0015	.5498	----	----	----	----	1 UNCH
650	----	----	0.3620B/0.3480A	0.3620B/0.3480A	----	0.3560 - 0.0015	.5079	----	----	----	----	3 UNCH
655	----	----	0.3410B/0.3290A	0.3410B/0.3290A	----	0.3360 - 0.0015	.4874	----	----	----	----	1 UNCH
660	----	----	0.3210B/0.3110A	0.3210B/0.3110A	----	0.3170 - 0.0020	.4674	----	----	----	----	54 UNCH
670	----	----	0.2860B/0.2770A	0.2860B/0.2770A	----	0.2820 - 0.0025	.4287	----	----	1	----	14 UNCH
675	----	----	0.2690B/0.2615A	0.2690B/0.2615A	----	0.2660 - 0.0025	.4101	----	----	----	----	58 UNCH
680	----	----	0.2545B/0.2470A	0.2545B/0.2470A	----	0.2510 - 0.0025	.3921	----	----	----	----	4 UNCH
690	----	----	----/0.2200A	0.2260B/0.2200A	----	0.2230 - 0.0030	.3577	----	----	----	----	1 UNCH
695	----	----	----/0.2075A	0.2130B/0.2075A	----	0.2100 - 0.0030	.3413	----	----	----	----	1 UNCH
700	----	----	----/0.1960A	0.2010B/0.1960A	----	0.1980 - 0.0030	.3255	----	----	----	----	27 UNCH
705	----	----	----/0.1845A	0.1895B/0.1845A	----	0.1865 - 0.0035	.3103	----	----	----	----	2 UNCH
710	0.1705	0.1705	0.1780B/0.1705	0.1780B/0.1705	----	0.1760 NEW	.2959	----	----	1	----	1 + 1
720	----	----	----/0.1550A	0.1580B/0.1550A	----	0.1560 - 0.0035	.2681	----	----	----	----	2 UNCH
725	----	----	----/0.1465A	0.1485B/0.1465A	----	0.1475 - 0.0030	.2556	----	----	----	----	48 UNCH
740	----	----	----/0.1230A	0.1245B/0.1230A	----	0.1235 - 0.0030	.2201	----	----	----	----	54 UNCH
750	----	----	----/0.1095A	0.1105B/0.1095A	----	0.1095 - 0.0035	.1988	----	----	----	----	85 UNCH
775	----	----	----/0.0835A	0.0830B/0.0835A	----	0.0820 - 0.0035	.1544	----	----	----	----	1 UNCH
800	----	----	----/0.0645A	0.0630B/0.0645A	----	0.0625 - 0.0030	.1208	----	----	----	----	1 UNCH
850	----	----	0.0385B/----	0.0385B/0.0415A	----	0.0385 + 0.0005	.0765	----	----	----	----	7 UNCH
900	----	----	----	0.0245B/0.0280A	----	0.0255 + 0.0010	.0510	----	----	----	----	1 UNCH
925	----	----	----	0.0200B/0.0240A	----	0.0215 + 0.0010	.0429	----	----	----	----	1 UNCH
975	----	----	----	0.0135B/0.0180A	----	0.0150 + 0.0005	.0299	----	----	----	----	41 UNCH
TOTAL										2		433 + 1
DEC26												
525	----	----	----	1.1795B/1.2730A	----	1.2395 + 0.0070	.9073	----	----	----	----	123 UNCH
535	----	----	----	----	----	1.1515 + 0.0065	.8891	----	----	----	----	1 UNCH
550	----	----	----	----	----	1.0250 + 0.0050	.8559	----	----	----	----	2 UNCH
555	----	----	----	----	----	0.9845 + 0.0050	.8434	----	----	----	----	1 UNCH
565	----	----	----	0.8475B/0.9410A	----	0.9060 + 0.0035	.8162	----	----	----	----	45 UNCH
575	----	----	----	0.7735B/0.8670A	----	0.8310 + 0.0025	.7860	----	----	----	----	123 UNCH
585	----	----	0.7700B/0.7450A	0.7700B/0.7450A	----	0.7605 + 0.0015	.7534	----	----	----	----	1 UNCH
590	----	----	0.7360B/0.7125A	0.7360B/0.7125A	----	0.7265 + 0.0010	.7362	----	----	----	----	200 UNCH
595	----	----	0.7025B/0.6805A	0.7025B/0.6805A	----	0.6935 + 0.0005	.7188	----	----	----	----	163 UNCH
600	----	----	0.6705B/0.6500A	0.6705B/0.6500A	----	0.6620 UNCH	.7009	----	----	----	----	610 UNCH
610	----	----	0.6095B/0.5910A	0.6095B/0.5910A	----	0.6020 UNCH	.6642	----	----	----	----	200 UNCH
620	----	----	0.5530B/0.5365A	0.5530B/0.5365A	----	0.5460 UNCH	.6267	----	----	----	----	421 UNCH
625	----	----	0.5255B/0.5110A	0.5255B/0.5110A	----	0.5200 UNCH	.6078	----	----	----	----	89 UNCH
630	----	----	0.5010B/0.4830A	0.5010B/0.4830A	----	0.4945 UNCH	.5889	----	----	----	----	310 UNCH
635	----	----	0.4750B/0.4595A	0.4750B/0.4595A	----	0.4705 UNCH	.5699	----	----	----	----	1 UNCH
640	----	----	0.4525B/0.4375A	0.4525B/0.4375A	----	0.4475 UNCH	.5511	----	----	----	----	29 UNCH
650	----	----	0.4085B/0.3965A	0.4085B/0.3965A	----	0.4045 + 0.0005	.5141	----	----	51	----	411 - 9
655	----	----	0.3880B/0.3770A	0.3880B/0.3770A	----	0.3845 + 0.0005	.4960	----	----	----	----	10 UNCH
660	----	----	0.3685B/0.3585A	0.3685B/0.3585A	----	0.3650 UNCH	.4781	----	----	----	----	301 UNCH
670	----	----	0.3325B/0.3245A	0.3325B/0.3245A	----	0.3295 UNCH	.4435	----	----	----	----	5 UNCH
675	0.3200	0.3200	0.3220/0.3075	0.3220/0.3075	----	0.3130 UNCH	.4268	----	----	57	----	105 + 57
680	----	----	0.3005B/0.2930A	0.3005B/0.2930A	----	0.2975 UNCH	.4106	----	----	1	----	663 UNCH
685	----	----	0.2850B/0.2785A	0.2850B/0.2785A	----	0.2825 - 0.0005	.3947	----	----	----	----	28 UNCH
690	----	----	0.2710B/0.2645A	0.2710B/0.2645A	----	0.2680 - 0.0010	.3792	----	----	----	----	1 UNCH
700	----	----	0.2440B/0.2385A	0.2440B/0.2385A	----	0.2415 - 0.0015	.3496	----	----	----	----	1954 UNCH
705	----	----	----/0.2280A	0.2315B/0.2280A	----	0.2290 - 0.0025	.3353	----	----	----	----	2 UNCH
710	----	----	----/0.2165A	0.2200B/0.2165A	----	0.2175 - 0.0025	.3218	----	----	----	----	50 UNCH
725	----	----	----/0.1845A	0.1885B/0.1845A	----	0.1860 - 0.0035	.2835	----	----	----	----	708 UNCH
730	----	----	----/0.1765A	0.1780B/0.1765A	----	0.1765 - 0.0035	.2716	----	----	----	----	4 UNCH
740	----	----	----/0.1590A	0.1600B/0.1590A	----	0.1590 - 0.0040	.2491	----	----	----	----	227 UNCH
750	----	----	----/0.1440A	0.1445B/0.1440A	----	0.1435 - 0.0045	.2285	----	----	----	----	630 UNCH
775	----	----	----/0.1125A	0.1110B/0.1125A	----	0.1110 - 0.0045	.1834	----	----	----	----	217 UNCH
800	----	----	----/0.0895A	0.0860B/0.0895A	----	0.0865 - 0.0040	.1474	----	----	----	----	463 UNCH
825	----	----	----	0.0675B/0.0720A	----	0.0675 - 0.0035	.1182	----	----	----	----	78 UNCH
850	----	----	----	0.0540B/0.0585A	----	0.0535 - 0.0025	.0956	----	----	----	----	161 UNCH
875	0.0445	0.0445	0.0445/0.0445	0.0445/0.0445	----	0.0425 - 0.0020	.0774	----	----	5	----	0 - 5
900	----	----	----	0.0350B/0.0400A	----	0.0350 - 0.0020	.0642	----	----	100	----	535 - 24
925	----	----	----	0.0285B/0.0345A	----	0.0290 - 0.0015	.0535	----	----	----	----	7 UNCH
950	----	----	----	0.0240B/0.0295A	----	0.0240 - 0.0015	.0446	----	----	----	----	119 UNCH
975	----	----	----	0.0200B/0.0255A	----	0.0200 - 0.0015	.0374	----	----	----	----	14 UNCH
1000	----	----	----	0.0170B/0.0225A	----	0.0170 - 0.0010	.0318	----	----	----	----	10 UNCH
TOTAL										214		9022 + 19
JAN27												
500	----	----	----	----	----	1.5655 + 0.0100	.9335	----	----	----	----	1 UNCH
650	----	----	0.4995B/0.4920A	0.4995B/0.4920A	----	0.4975 - 0.0015	.5495	----	----	----	----	28 UNCH
675	----	----	----/0.3945A	0.3980B/0.3945A	----	0.3975 - 0.0025	.4694	----	----	----	----	1 UNCH
680	----	----	----/0.3770A	0.3810B/0.3770A	----	0.3800 - 0.0025	.4542	----	----	----	----	1 UNCH
690	----	----	----/0.3450A	0.3475B/0.3450A	----	0.3470 - 0.0030	.4246	----	----	----	----	1 UNCH
725	----	----	----/0.2525A	0.2515B/0.2525A	----	0.2525 - 0.0035	.3319	----	----	----	----	2 UNCH
750	----	----	----/0.2030A	0.1995B/0.2030A	----	0.2010 - 0.0040	.2761	----	----	----	----	25 UNCH
775	----	----	----	0.1580B/0.1650A	----	0.1600 - 0.0040	.2285	----	----	----	----	1 UNCH
900	----	----	----	0.0545B/0.0645A	----	0.0545 - 0.0030	.0885	----	----	----	----	2 UNCH
1000	----	----	----	0.0260B/0.0385A	----	0.0285 - 0.0020	.0474	----	----	----	----	4 UNCH
TOTAL												66
FEB27												
610	----	----	----/0.7340A	0.7385B/0.7340A	----	0.7400 + 0.0010	.6744	----	----	----	----	1 UNCH
620	----	----	----/0.6795A	0.6820B/0.6795A	----	0.6840 + 0.0005	.6438	----	----	----	----	1 UNCH
625	----	----	----/0.6540A	0.6555B/0.6540A	----	0.6575 UNCH	.6285	----	----	----	----	2 UNCH
640	----	----	----/0.5815A	0.5800B/0.5815A	----	0.5830 - 0.0005	.5822	----	----	----	----	2 UNCH
650	----	----	----/0.5365A	0.5350B/0.5365A	----	0.5375 - 0.0005	.5516	----	----	----	----	41 UNCH
700	----	----	----	0.3510B/0.3575A	----	0.3565 - 0.0005	.4099	----	----	----	----	50 UNCH
725	----	----	----	0.2835B/0.2925A	----	0.2890 - 0.0020	.3489	----	----	----	----	9 UNCH
750	----	----	----	0.2290B/0.2405A	----	0.2345 - 0.0025	.2953	----	----	----	----	100 UNCH
850	----	----	----	0.0990B/0.1140A	----	0.1030 - 0.0030	.1474	----	----	----	----	60 UNCH
900	----	----	----	0.0675B/0.0835A	----	0.0690 - 0.0025	.1035	----	----	----	----	50 UNCH
1000	----	----	----	0.0330B/0.0515A	----	0.0380 - 0.0020	.0584	----	----	----	----	51 UNCH
TOTAL												367
MAR27												
580	----	----	----/0.9510A	0.9545B/0.9510A	----	0.9595 + 0.0035	.7495	----	----	----	----	1 UNCH
595	----	----	----/0.8590A	0.8590B/0.8590A	----	0.8640 + 0.0025	.7093	----	----	----	----	2 UNCH
605	----	----	----/0.8015A	0.7995B/0.8015A	----	0.8050 + 0.0025	.6816	----	----	----	----	1 UNCH
625	----	----	----	0.6900B/0.6960A	----	0.6965 + 0.0025	.6249	----	----	----	----	14 UNCH
640	----	----	----	0.6160B/0.6245A	----	0.6230 + 0.0020	.5821	----	----	----	----	1 UNCH
660	----	----	----	0.5280B/0.5355A	----	0.5360 + 0.0020	.5258	----	----	----	----	15 UNCH
680	----	----	----	0.4510B/0.4610A	----	0.4605 + 0.0015	.4721	----	----	----	----	30 UNCH
700	0.3925	0.3925	0.3925/0.3925	0.3925/0.3925	----	0.3950 + 0.0010	.4217	----	----	1	----	280 + 1
755	----	----	----	0.2465B/0.2660A	----	0.2580 - 0.0010	.3029	----	----	----	----	1 UNCH
800	----	----	----	0.1735B/0.1945A	----	0.1830 - 0.0010	.2284	----	----	----	----	25 UNCH
950	----	----	----	0.0580B/0.0800A	----	0.0735 - 0.0015	.0992	----	----	----	----	3 UNCH
1000	----	----	----	0.0415B/0.0645A	----	0.0600 - 0.0005	.0805	----	----	----	----	2 UNCH
TOTAL										1		375 + 1
HX PUT		COMEX COPPER OPTIONS										
AUG26												
330	----	----	----	----/0.0045A	----	0.0005 UNCH	----	----	----	----	----	3 UNCH
405	----	----	----	----/0.0045A	----	0.0005 UNCH	----	----	----	----	----	3 UNCH
420	----	----	----	----/0.0045A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
440	----	----	----	----/0.0045A	----	0.0005 UNCH	----	----	----	----	----	5 UNCH
450	----	----	----	----/0.0045A	----	0.0005 UNCH	----	----	----	----	----	9 UNCH
460	----	----	----	----/0.0045A	----	0.0005 UNCH	----	----	----	----	----	3 UNCH
465	----	----	----	----/0.0020A	----	0.0005 UNCH	.0000	----	----	----	----	1 UNCH
470	----	----	----	----/0.0020A	----	0.0005 UNCH	.0000	----	----	----	----	3 UNCH
475	----	----	----	----/0.0020A	----	0.0005 UNCH	.0000	----	----	----	----	15 UNCH
480	----	----	----	----/0.0020A	----	0.0005 UNCH	.0000	----	----	----	----	13 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 62

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX PUT		COMEX COPPER OPTIONS										
AUG26												
485	----	----	----	----/0.0015A	----	0.0005 UNCH	.0000	----	----	----	----	10 UNCH
490	----	----	----	----/0.0020A	----	0.0005 UNCH	.0001	----	----	----	----	33 UNCH
495	----	----	----	----/0.0020A	----	0.0005 UNCH	.0002	----	----	----	----	5 UNCH
500	----	----	----	----/0.0020A	----	0.0005 UNCH	.0004	----	----	----	----	28 UNCH
505	----	----	----	----/0.0020A	----	0.0005 - 0.0005	.0007	----	----	----	----	3 UNCH
510	----	----	----	----/*0.0020A	----	0.0005 - 0.0005	.0011	----	----	----	----	14 UNCH
515	----	----	----	----/*0.0020A	----	0.0010 UNCH	.0023	----	----	----	----	4 UNCH
520	----	----	----	----/0.0020A	----	0.0010 - 0.0005	.0025	----	----	----	----	357 UNCH
525	----	----	----/0.0010A	----/0.0010A	----	0.0010 - 0.0005	.0026	----	----	----	----	56 UNCH
530	----	----	----	0.0005B/*0.0025	----	0.0015 - 0.0005	.0041	----	----	1	----	56 - 1
535	----	----	----	----/0.0025A	----	0.0015 - 0.0005	.0043	----	----	----	----	161 UNCH
540	----	----	----	0.0010B/0.0030A	----	0.0015 - 0.0010	.0045	----	----	----	----	191 UNCH
545	----	----	----/0.0010A	----/0.0010A	----	0.0015 - 0.0010	.0048	----	----	----	----	96 UNCH
550	----	----	----/0.0015A	----/0.0015A	----	0.0015 - 0.0010	.0051	----	----	----	----	408 UNCH
555	----	----	----/*0.0010A	----/*0.0010A	----	0.0015 - 0.0015	.0054	----	----	2	----	75 - 1
560	----	----	----/0.0015A	----/0.0015A	----	0.0015 - 0.0015	.0058	----	----	----	34	536 UNCH
565	----	----	----/0.0015A	----/0.0015A	----	0.0015 - 0.0020	.0062	----	----	----	----	127 UNCH
570	----	----	----/0.0015A	0.0015B/0.0015A	----	0.0015 - 0.0020	.0067	----	----	----	----	232 UNCH
575	----	----	----/0.0020A	----/0.0020A	----	0.0015 - 0.0020	.0072	----	----	1	----	425 - 1
580	----	----	----/*0.0020A	----/*0.0020A	----	0.0020 - 0.0020	.0103	----	----	----	34	2049 - 34
585	----	----	----/*0.0025A	0.0020B/*0.0025	----	0.0020 - 0.0020	.0112	----	----	----	----	401 UNCH
590	----	----	----/*0.0025A	0.0030B/*0.0025	----	0.0020 - 0.0025	.0124	----	----	----	----	345 UNCH
593	----	----	----/*0.0020A	0.0035B/*0.0020	----	0.0020 - 0.0030	.0132	----	----	----	----	2 UNCH
595	----	----	----/*0.0020A	0.0045B/*0.0020	----	0.0020 - 0.0030	.0139	----	----	----	34	187 - 34
598	----	----	----/*0.0020A	0.0055B/*0.0020	----	0.0020 - 0.0035	.0149	----	----	----	----	3 UNCH
600	----	----	----/*0.0020A	0.0060B/*0.0020	----	0.0020 - 0.0040	.0157	----	----	1	----	2211 UNCH
605	0.0025	0.0025	0.0025/*0.0025	0.0080B/*0.0025	----	0.0030 - 0.0050	.0256	----	----	3	34	613 - 36
609	0.0035	0.0035	0.0110B/*0.0035	0.0110B/*0.0035	----	0.0035 NEW	.0329	----	----	2	----	2 + 2
610	0.0040	0.0040	0.0120B/*0.0040	0.0120B/*0.0040	----	0.0040 - 0.0070	.0379	----	----	4	----	663 - 1
611	----	----	0.0130B/*0.0045	0.0130B/*0.0045	----	0.0040 - 0.0080	.0392	----	----	----	----	8 UNCH
613	----	----	#0.0160B/*0.005	#0.0160B/*0.005	----	0.0050 - 0.0090	.0501	----	----	----	----	1 UNCH
615	0.0085	0.0085	0.0190B/*0.0055	0.0190B/*0.0055	----	0.0060 - 0.0100	.0620	----	----	68	----	794 - 18
616	0.0070	0.0070	#0.0215B/*0.007	#0.0215B/*0.007	----	0.0070 - 0.0105	.0721	----	----	3	----	4 + 3
617	0.0080	0.0080	#0.0240B/*0.008	#0.0240B/*0.008	----	0.0080 - 0.0110	.0825	----	----	2	----	4 + 2
618	----	----	#0.0265B/0.0095	#0.0265B/0.0095	----	0.0090 NEW	.0932	----	----	2	----	1 + 1
619	----	----	#0.0290B/0.0100	#0.0290B/0.0100	----	0.0100 - 0.0130	.1042	----	----	----	----	6 UNCH
620	0.0215	0.0215	0.0320B/0.0120A	0.0320B/0.0120A	----	0.0115 - 0.0135	.1190	----	----	12	----	690 UNCH
621	----	----	#0.0355B/0.0135	#0.0355B/0.0135	----	0.0130 - 0.0145	.1341	----	----	----	----	1 UNCH
622	0.0160	0.0160	#0.0385B/0.0145	#0.0385B/0.0145	----	0.0150 - 0.0150	.1525	----	----	2	----	4 + 2
623	----	----	#0.0420B/0.0165	#0.0420B/0.0165	----	0.0170 - 0.0160	.1711	----	----	----	----	1 UNCH
625	0.0315	0.0315	0.0495B/0.0210A	0.0495B/0.0210A	----	0.0215 - 0.0175	.2116	----	----	64	----	632 + 3
626	----	----	#0.0540B/0.0240	#0.0540B/0.0240	----	0.0240 NEW	.2335	----	----	16	----	16 + 16
628	----	----	#0.0635B/0.0295	#0.0635B/0.0295	----	0.0300 - 0.0205	.2820	----	----	----	----	1 UNCH
629	0.0710	0.0710	#0.0710/0.0330A	#0.0710/0.0330A	----	0.0335 NEW	.3082	----	----	2	----	1 + 1
630	0.0645	0.0645	0.0735/0.0355A	0.0735/0.0355A	----	0.0370 - 0.0225	.3344	----	----	66	----	283 + 32
631	0.0710	0.0710	#0.0790B/0.0400	#0.0790B/0.0400	----	0.0405 NEW	.3608	----	----	12	----	11 + 11
632	0.0765	0.0765	#0.0850B/0.0450	#0.0850B/0.0450	----	0.0450 - 0.0240	.3893	----	----	5	----	6 + 5
633	0.0825	0.0825	#0.0905B/0.0490	#0.0905B/0.0490	----	0.0495 NEW	.4176	----	----	9	----	9 + 9
634	0.0850	0.0850	#0.0970B/0.0540	#0.0970B/0.0540	----	0.0540 - 0.0255	.4458	----	----	52	----	76 + 51
635	0.0890	0.0890	0.1020B/0.0570	0.1020B/0.0570	----	0.0590 - 0.0260	.4743	----	----	147	----	185 + 47
636	----	----	#0.1090B/0.0640	#0.1090B/0.0640	----	0.0645 - 0.0265	.5025	----	----	----	----	3 UNCH
639	----	----	#0.1260B/0.0825	#0.1260B/0.0825	----	0.0825 - 0.0265	.5838	----	----	----	----	25 UNCH
640	0.0900	0.0900	0.1335B/0.0870A	0.1335B/0.0870A	----	0.0890 - 0.0265	.6093	----	----	16	----	775 - 11
643	----	----	#0.1510B/0.1095	#0.1510B/0.1095	----	0.1100 - 0.0265	.6794	----	----	----	----	1 UNCH
645	----	----	----/0.1235A	0.1505B/0.1235A	----	0.1255 - 0.0255	.7189	----	----	----	----	67 UNCH
648	----	----	----/0.1530A	0.1640B/0.1530A	----	0.1500 - 0.0250	.7691	----	----	----	----	2 UNCH
649	----	----	----/0.1615A	0.1725B/0.1615A	----	0.1585 - 0.0245	.7834	----	----	----	----	2 UNCH
650	----	----	0.2150B/0.1665A	0.2150B/0.1665A	----	0.1670 - 0.0245	.7971	----	----	----	----	105 UNCH
651	----	----	----/0.1790A	0.1905B/0.1790A	----	0.1760 - 0.0240	.8082	----	----	----	----	9 UNCH
652	----	----	----/0.1880A	0.1995B/0.1880A	----	0.1845 - 0.0240	.8211	----	----	----	----	5 UNCH
653	----	----	----/0.1965A	0.2085B/0.1965A	----	0.1935 - 0.0240	.8290	----	----	----	----	1 UNCH
654	----	----	----/0.2060A	0.2180B/0.2060A	----	0.2030 - 0.0235	.8388	----	----	----	----	5 UNCH
655	----	----	0.2605B/0.2050A	0.2605B/0.2050A	----	0.2120 - 0.0235	.8481	----	----	----	----	213 UNCH
656	----	----	----/0.2240A	0.2370B/0.2240A	----	0.2215 - 0.0230	.8549	----	----	----	----	47 UNCH
660	----	----	0.3075B/0.2530A	0.3075B/0.2530A	----	0.2590 - 0.0220	.8787	----	----	----	----	43 UNCH
665	----	----	0.3550B/0.3010A	0.3550B/0.3010A	----	0.3070 - 0.0205	.9012	----	----	----	----	4 UNCH
670	----	----	0.4030B/0.3455A	0.4030B/0.3455A	----	0.3555 - 0.0195	.9198	----	----	----	----	311 UNCH
675	----	----	0.4510B/0.3970A	0.4510B/0.3970A	----	0.4040 - 0.0200	.9313	----	----	----	----	2 UNCH
TOTAL									136	492		13703 + 48
SEP26												
335	----	----	----	----/0.0020A	----	0.0005 UNCH	----	----	----	----	----	3 UNCH
400	----	----	----	----/0.0025A	----	0.0005 UNCH	.0002	----	----	----	----	5 UNCH
440	----	----	----	----/0.0040A	----	0.0010 UNCH	.0031	----	----	----	----	8 UNCH
445	----	----	----	----/0.0040A	----	0.0010 UNCH	.0032	----	----	----	----	5 UNCH
450	----	----	----	----/0.0045A	----	0.0010 - 0.0005	.0033	----	----	----	----	757 UNCH
455	----	----	----	----/0.0045A	----	0.0015 UNCH	.0047	----	----	----	----	2 UNCH
460	----	----	----	----/0.0050A	----	0.0015 - 0.0005	.0049	----	----	----	----	13 UNCH
470	----	----	----	----/0.0050A	----	0.0020 - 0.0005	.0066	----	----	----	----	4 UNCH
475	----	----	----	----/0.0055A	----	0.0025 - 0.0005	.0081	----	----	----	----	58 UNCH
480	----	----	----	0.0005B/0.0055A	----	0.0025 - 0.0005	.0084	----	----	----	----	9 UNCH
485	----	----	----	0.0005B/0.0060A	----	0.0025 - 0.0005	.0086	----	----	----	----	1 UNCH
490	----	----	----	0.0010B/0.0060A	----	0.0030 - 0.0005	.0103	----	----	----	----	11 UNCH
495	----	----	----	0.0015B/0.0065A	----	0.0030 - 0.0005	.0107	----	----	----	----	1 UNCH
500	0.0050	0.0050	0.0050/0.0050	0.0050/0.0050	----	0.0030 - 0.0005	.0110	----	----	3	----	599 UNCH
510	----	----	----	0.0025B/0.0075A	----	0.0045 - 0.0005	.0163	----	----	----	----	35 UNCH
515	----	----	----	0.0035B/0.0080A	----	0.0050 - 0.0010	.0183	----	----	----	----	3 UNCH
520	----	----	----	0.0040B/0.0085A	----	0.0060 - 0.0010	.0218	----	----	1	----	231 - 1
525	----	----	----	0.0070B/0.0080A	----	0.0065 - 0.0015	.0241	----	----	----	----	333 UNCH
530	----	----	----	0.0080B/0.0100A	----	0.0070 - 0.0025	.0265	----	----	----	----	133 UNCH
535	----	----	----/*0.0090A	0.0100B/*0.0090	----	0.0080 - 0.0030	.0305	----	----	----	----	361 UNCH
540	0.0090	0.0090	0.0090/*0.0090	0.0110B/*0.0090	----	0.0090 - 0.0035	.0346	----	----	2	----	458 UNCH
545	----	----	----/0.0105A	0.0130B/0.0105A	----	0.0100 - 0.0045	.0390	----	----	----	----	7 UNCH
550	----	----	----/0.0125A	0.0155B/0.0125A	----	0.0120 - 0.0050	.0464	----	----	1	----	330 - 1
555	----	----	----/0.0145A	0.0185B/0.0145A	----	0.0135 - 0.0060	.0527	----	----	----	----	20 UNCH
560	----	----	----/0.0170A	0.0220B/0.0170A	----	0.0160 - 0.0070	.0620	----	----	2	----	327 - 1
565	----	----	----/0.0200A	0.0265B/0.0200A	----	0.0190 - 0.0080	.0730	----	----	6	----	110 - 4
570	----	----	----/0.0235A	0.0310B/0.0235A	----	0.0225 - 0.0095	.0855	----	----	----	44	331 - 44
575	0.0300	0.0300	0.0300/0.0280A	0.0375B/0.0280A	----	0.0270 - 0.0110	.1009	----	----	4	----	1724 - 1
580	0.0370	0.0370	0.0370/0.0325	0.0450B/0.0325	----	0.0330 - 0.0120	.1199	----	----	59	----	895 - 28
585	0.0420	0.0420	0.0420/0.0405A	0.0535B/0.0405A	----	0.0400 - 0.0135	.1413	----	----	6	----	58 - 1
590	0.0590	0.0590	0.0590/0.0485A	0.0635B/0.0485A	----	0.0485 - 0.0150	.1657	----	----	16	----	981 + 16
595	----	----	0.0760B/0.0590A	0.0760B/0.0590A	----	0.0585 - 0.0165	.1928	----	----	2	----	68 UNCH
600	0.0710	0.0710	0.0910B/0.0705A	0.0910B/0.0705A	----	0.0705 - 0.0180	.2231	----	----	3	94	1956 + 1
605	0.0920	0.0920	0.1075B/0.0850A	0.1075B/0.0850A	----	0.0845 - 0.0195	.2558	----	----	26	----	198 + 4
610	0.1210	0.1210	0.1260B/0.1005A	0.1260B/0.1005A	----	0.1010 - 0.0205	.2910	----	----	25	----	1087 + 17
615	0.1280	0.1280	0.1470B/0.1190A	0.1470B/0.1190A	----	0.1190 - 0.0220	.3271	----	----	102	----	502 + 97
620	0.1525	0.1525	0.1695B/0.1395A	0.1695B/0.1395A	----	0.1400 - 0.0225	.3647	----	----	14	44	1595 - 53
625	0.1745	0.1745	0.1940B/0.1620A	0.1940B/0.1620A	----	0.1630 - 0.0230	.4026	----	----	100	----	1219 + 85
630	0.2170	0.2170	0.2225/0.1870A	0.2225/0.1870A	----	0.1880 - 0.0240	.4403	----	----	9	----	354 UNCH
635	0.2465	0.2465	0.2505/0.2135A	0.2505/0.2135A	----	0.2155 - 0.0240	.4774	----	----	73	----	558 - 5
640	0.2425	0.2425	0.2805B/0.2420A	0.2805B/0.2420A	----	0.2445 - 0.0245	.5135	----	----	2	----	479 - 1
645	----	----	0.3120B/0.2745A	0.3120B/0.2745A	----	0.2760 - 0.0240	.5482	----	----	----	44	63 - 27
650	----	----	0.3445B/0.3060A	0.3445B/0.3060A	----	0.3090 - 0.0240	.5811	----	----	----	----	125 UNCH
655	----	----	0.3790B/0.3430A	0.3790B/0.3430A	----	0.3435 - 0.0235	.6125	----	----	----	----	61 UNCH
660	----	----	0.4160B/0.3780A	0.4160B/0.3780A	----	0.3800 - 0.0230	.6417	----	----	----	----	108 UNCH
665	----	----	0.4540B/0.4150A	0.4540B/0.4150A	----	0.4175 - 0.0225	.6692	----	----	----	----	60 UNCH
670	----	----	0.4930B/0.4505A	0.4930B/0.4505A	----	0.4560 - 0.0220	.6946	----	----	----	----	211 UNCH
680	----	----	0.5735B/0.5340A	0.5735B/0.5340A	----	0.5365 - 0.0210	.7400	----	----	----	----	2 UNCH
685	----	----	0.6005B/0.5725A	0.6005B/0.5725A	----	0.5780 - 0.0205	.7605	----	----	----	----	14 UNCH
695	----	----	0.6875B/0.6625A	0.6875B/0.6625A	----	0.6635 - 0.0190	.7969	----	----	----	----	2 UNCH
700	----	----	0.7315B/0.7055A	0.7315B/0.7055A	----	0.7075 - 0.0185	.8126	----	----	----	----	7 UNCH
710	----	----	0.8215B/0.7935A	0.8215B/0.7935A	----	0.7965 - 0.0175	.8404	----	----	----	----	1 UNCH
725	----	----	0.9590B/0.9300A	0.9590B/0.9300A	----	0.9335 - 0.0170	.8753	----	----	----	----	2 UNCH
TOTAL									226	456		16485 + 53
OCT26												
300	----	----	----	----/0.0055A	----	0.0005 UNCH	.0000	----	----	----	----	1 UNCH
320	----	----	----	----/0.0055A	----	0.0005 UNCH	.0001	----	----	----	----	3 UNCH
345	----	----	----	----/0.0060A	----	0.0005 UNCH	.0004	----	----	----	----	1 UNCH
375	----	----	----	----/0.0065A	----	0.0010 - 0.0005	.0023	----	----	----	----	2 UNCH
400	----	----	----	----/0.0070A	----	0.0020 UNCH	.0045	----	----	----	----	1 UNCH
430	----	----	----	0.0010B/0.0080A	----	0.0035 - 0.0005	.0082	----	----	----	----	10 UNCH
435	----	----	----	0.0010B/0.0080A	----	0.0035 - 0.0010	.0084	----	----	----	----	1 UNCH
450	----	----	----	0.0020B/*0.0070	----	0.0045 - 0.0015	.0111	----	----	----	----	2 UNCH
460	----	----	----	0.0030B/0.0080A	----	0.0055 - 0.0010	.0137	----	----	----	----	4 UNCH
470	----	----	----	0.0035B/*0.0090	----	0.0060 - 0.0015	.0154	----	----	----	----	1 UNCH
475	----	----	----	0.0045B/0.0100A	----	0.0065 - 0.0015	.0169	----	----	----	----	3 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX PUT		COMEX COPPER OPTIONS										
OCT26												
490	----	----	----	0.0060B/0.0105A	----	0.0075 - 0.0025	.0205	----	----	----	----	3 UNCH
500	----	----	----/*0.0100A	0.0085B/*0.0100	----	0.0090 - 0.0030	.0249	----	----	----	----	35 UNCH
510	0.0110	0.0110	0.0110/*0.0105	0.0110/*0.0105	----	0.0110 - 0.0030	.0307	----	----	12	----	13 + 11
520	----	----	----/0.0160A	0.0145B/0.0160A	----	0.0135 - 0.0040	.0380	----	----	----	----	2 UNCH
525	0.0220	0.0220	0.0220/0.0175	0.0220/0.0175	----	0.0150 - 0.0045	.0423	----	----	2	----	410 UNCH
530	----	----	----/0.0195A	0.0190B/0.0195A	----	0.0170 - 0.0050	.0477	----	----	----	----	35 UNCH
535	----	----	----/0.0205A	0.0220B/0.0205A	----	0.0190 - 0.0060	.0533	----	----	----	----	11 UNCH
540	----	----	----/0.0245A	0.0255B/0.0245A	----	0.0220 - 0.0065	.0609	----	----	----	----	1 UNCH
545	----	----	----/0.0270A	0.0300B/0.0270A	----	0.0255 - 0.0070	.0695	----	----	----	----	21 UNCH
550	0.0375	0.0375	0.0375/0.0305A	0.0375/0.0305A	----	0.0295 - 0.0075	.0792	----	----	2	----	20 UNCH
555	----	----	----/0.0350A	0.0400B/0.0350A	----	0.0340 - 0.0080	.0898	----	----	----	----	28 UNCH
560	----	----	----/0.0400A	0.0460B/0.0400A	----	0.0390 - 0.0090	.1014	----	----	----	----	6 UNCH
570	----	----	----/0.0530A	0.0615B/0.0530A	----	0.0520 - 0.0095	.1294	----	----	2	----	10 + 1
575	----	----	----/0.0610A	0.0700B/0.0610A	----	0.0600 - 0.0100	.1457	----	----	----	----	307 UNCH
580	----	----	0.0805B/0.0695A	0.0805B/0.0695A	----	0.0690 - 0.0105	.1632	----	----	2	----	42 + 1
585	----	----	0.0915B/0.0795A	0.0915B/0.0795A	----	0.0790 - 0.0110	.1820	----	----	----	----	4 UNCH
590	----	----	0.1045B/0.0905A	0.1045B/0.0905A	----	0.0905 - 0.0120	.2024	----	----	----	----	7 UNCH
595	----	----	0.1185B/0.1035A	0.1185B/0.1035A	----	0.1030 - 0.0140	.2237	----	----	1	----	15 - 1
600	0.1230	0.1230	0.1340B/0.1170A	0.1340B/0.1170A	----	0.1165 - 0.0155	.2460	----	----	15	----	277 + 3
605	----	----	0.1505B/0.1330A	0.1505B/0.1330A	----	0.1320 - 0.0170	.2697	----	----	----	----	18 UNCH
610	0.1475	0.1475	0.1690B/0.1475	0.1690B/0.1475	----	0.1485 - 0.0185	.2941	----	----	2	----	7 UNCH
615	----	----	0.1885B/0.1680A	0.1885B/0.1680A	----	0.1670 - 0.0190	.3194	----	----	----	----	6 UNCH
620	----	----	0.2100B/0.1875A	0.2100B/0.1875A	----	0.1870 - 0.0190	.3453	----	----	----	----	2 UNCH
625	----	----	0.2325B/0.2085A	0.2325B/0.2085A	----	0.2080 - 0.0195	.3713	----	----	----	----	87 UNCH
630	----	----	0.2565B/0.2315A	0.2565B/0.2315A	----	0.2310 - 0.0195	.3977	----	----	----	----	6 UNCH
635	----	----	0.2820B/0.2555A	0.2820B/0.2555A	----	0.2555 - 0.0190	.4242	----	----	----	----	17 UNCH
640	0.3120	0.3120	0.3120/0.2815A	0.3120/0.2815A	----	0.2815 - 0.0190	.4504	----	----	1	----	3 + 1
645	0.3405	0.3405	0.3405/0.3085A	0.3405/0.3085A	----	0.3085 NEW	.4764	----	----	1	----	1 + 1
650	0.3650	0.3650	0.3700/0.3370A	0.3700/0.3370A	----	0.3375 - 0.0185	.5019	----	----	4	----	14 + 2
655	----	----	0.3985B/0.3670A	0.3985B/0.3670A	----	0.3675 - 0.0190	.5269	----	----	----	----	2 UNCH
660	----	----	0.4315B/0.3985A	0.4315B/0.3985A	----	0.3990 - 0.0190	.5511	----	----	----	----	1 UNCH
700	----	----	0.7230B/0.6885A	0.7230B/0.6885A	----	0.6895 - 0.0195	.7142	----	----	----	----	24 UNCH
745	----	----	----	----	----	1.0730 - 0.0170	.8326	----	----	----	----	1 UNCH
750	----	----	----	1.1000B/1.1570A	----	1.1180 - 0.0165	.8424	----	----	----	----	5 UNCH
TOTAL										44		1470 + 19
NOV26												
400	----	----	----	0.0020B/0.0085A	----	0.0045 - 0.0005	.0088	----	----	----	----	10 UNCH
475	----	----	----	0.0110B/0.0170A	----	0.0135 - 0.0020	.0292	----	----	----	----	8 UNCH
480	----	----	----	0.0120B/0.0165A	----	0.0145 - 0.0020	.0316	----	----	----	----	2 UNCH
500	0.0190	0.0190	0.0190/*0.0190	0.0190/*0.0190	----	0.0200 - 0.0030	.0443	----	----	1	----	13 UNCH
510	----	----	----/0.0270A	0.0240B/0.0270A	----	0.0240 - 0.0040	.0531	----	----	----	----	7 UNCH
520	----	----	----/0.0320A	0.0305B/0.0320A	----	0.0295 - 0.0045	.0646	----	----	----	----	4 UNCH
530	----	----	----/0.0395A	0.0390B/0.0395A	----	0.0370 - 0.0055	.0794	----	----	----	----	1 UNCH
535	----	----	----/0.0435A	0.0445B/0.0435A	----	0.0410 - 0.0065	.0874	----	----	----	----	14 UNCH
540	----	----	----/0.0485A	0.0500B/0.0485A	----	0.0465 - 0.0070	.0973	----	----	----	----	4 UNCH
550	----	----	----/0.0605A	0.0635B/0.0605A	----	0.0585 - 0.0085	.1187	----	----	----	----	1 UNCH
560	----	----	----/0.0755A	0.0805B/0.0755A	----	0.0735 - 0.0105	.1439	----	----	----	----	2 UNCH
580	0.1320	0.1320	0.1320/0.1170A	0.1320/0.1170A	----	0.1150 - 0.0130	.2060	----	----	1	----	0 - 1
590	----	----	----/0.1440A	0.1545B/0.1440A	----	0.1420 - 0.0145	.2421	----	----	----	----	2 UNCH
600	----	----	----/0.1755A	0.1885B/0.1755A	----	0.1740 - 0.0150	.2810	----	----	----	----	5 UNCH
605	----	----	----/0.1930A	0.2070B/0.1930A	----	0.1915 - 0.0155	.3012	----	----	----	----	1 UNCH
610	----	----	0.2270B/0.2120A	0.2270B/0.2120A	----	0.2105 - 0.0155	.3219	----	----	----	----	2 UNCH
620	----	----	0.2705B/0.2535A	0.2705B/0.2535A	----	0.2520 - 0.0155	.3642	----	----	----	----	1 UNCH
630	----	----	0.3190B/0.2995A	0.3190B/0.2995A	----	0.2985 - 0.0155	.4071	----	----	----	----	1 UNCH
645	----	----	0.4005B/0.3775A	0.4005B/0.3775A	----	0.3775 - 0.0150	.4710	----	----	----	----	1 UNCH
700	----	----	0.7735B/0.7440A	0.7735B/0.7440A	----	0.7445 - 0.0165	.6741	----	----	----	----	24 UNCH
735	----	----	----	----	----	1.0250 - 0.0165	.7683	----	----	----	----	2 UNCH
TOTAL										2		105 - 1
DEC26												
380	----	----	----	0.0030B/0.0100A	----	0.0065 UNCH	.0108	----	----	----	----	2 UNCH
385	----	----	----	0.0035B/0.0105A	----	0.0070 + 0.0005	.0117	----	----	----	----	1 UNCH
395	----	----	----	0.0045B/0.0115A	----	0.0080 + 0.0005	.0135	----	----	----	----	3 UNCH
400	----	----	----	0.0050B/0.0120A	----	0.0085 + 0.0005	.0145	----	----	----	----	31 UNCH
420	----	----	----	0.0070B/0.0140A	----	0.0105 UNCH	.0186	----	----	----	----	2 UNCH
460	----	----	----	0.0135B/0.0195A	----	0.0165 - 0.0015	.0313	----	----	----	----	2 UNCH
475	----	----	----	0.0175B/0.0235A	----	0.0205 - 0.0025	.0393	----	----	----	----	74 UNCH
480	----	----	----	0.0195B/0.0255A	----	0.0220 - 0.0025	.0424	----	----	----	----	9 UNCH
490	----	----	----/0.0285A	0.0235B/0.0285A	----	0.0255 - 0.0035	.0494	----	----	----	----	5 UNCH
500	----	----	0.0360B/0.0340A	0.0360B/0.0340A	----	0.0305 - 0.0045	.0587	----	----	----	----	182 UNCH
510	----	----	----/0.0405A	0.0360B/0.0405A	----	0.0370 - 0.0050	.0703	----	----	----	----	7 UNCH
515	----	----	----/0.0445A	0.0405B/0.0445A	----	0.0405 - 0.0055	.0766	----	----	----	----	1 UNCH
520	----	----	----/0.0490A	0.0450B/0.0490A	----	0.0450 - 0.0060	.0841	----	----	----	----	2 UNCH
525	----	----	----/0.0535A	0.0505B/0.0535A	----	0.0500 - 0.0060	.0923	----	----	----	----	1 UNCH
540	----	----	----/0.0720A	0.0705B/0.0720A	----	0.0680 - 0.0075	.1206	----	----	----	----	3 UNCH
545	----	----	----/0.0790A	0.0790B/0.0790A	----	0.0755 - 0.0080	.1317	----	----	----	----	1 UNCH
550	----	----	----/0.0875A	0.0880B/0.0875A	----	0.0840 - 0.0080	.1437	----	----	----	200	239 UNCH
560	----	----	----/0.1060A	0.1085B/0.1060A	----	0.1030 - 0.0090	.1696	----	----	----	----	300 UNCH
565	----	----	----/0.1170A	0.1200B/0.1170A	----	0.1135 - 0.0100	.1835	----	----	----	----	11 UNCH
570	----	----	----/0.1285A	0.1325B/0.1285A	----	0.1255 - 0.0105	.1984	----	----	----	----	8 UNCH
575	----	----	----/0.1410A	0.1460B/0.1410A	----	0.1380 - 0.0110	.2136	----	----	----	----	21 UNCH
580	----	----	----/0.1550A	0.1605B/0.1550A	----	0.1520 - 0.0115	.2298	----	----	----	----	224 UNCH
590	----	----	----/0.1850A	0.1925B/0.1850A	----	0.1825 - 0.0120	.2634	----	----	----	----	213 UNCH
595	----	----	----/0.2020A	0.2105B/0.2020A	----	0.1990 - 0.0130	.2808	----	----	----	----	19 UNCH
600	----	----	----/0.2195A	0.2290B/0.2195A	----	0.2170 - 0.0130	.2987	----	----	----	----	406 UNCH
610	----	----	0.2700B/0.2580A	0.2700B/0.2580A	----	0.2560 - 0.0130	.3354	----	----	----	----	100 UNCH
620	----	----	0.3155B/0.3010A	0.3155B/0.3010A	----	0.2990 - 0.0135	.3729	----	----	----	----	17 UNCH
625	----	----	0.3390B/0.3245A	0.3390B/0.3245A	----	0.3225 - 0.0135	.3918	----	----	----	----	8 UNCH
630	----	----	0.3645B/0.3485A	0.3645B/0.3485A	----	0.3465 - 0.0135	.4107	----	----	----	----	18 UNCH
640	----	----	0.4180B/0.3995A	0.4180B/0.3995A	----	0.3985 - 0.0130	.4485	----	----	----	----	10 UNCH
650	----	----	0.4755B/0.4545A	0.4755B/0.4545A	----	0.4545 - 0.0130	.4855	----	----	----	----	12 UNCH
670	----	----	0.6015B/0.5760A	0.6015B/0.5760A	----	0.5775 - 0.0135	.5561	----	----	----	----	1 UNCH
680	----	----	0.6670B/0.6425A	0.6670B/0.6425A	----	0.6445 - 0.0135	.5890	----	----	----	----	2 UNCH
750	----	----	----	----	----	1.1845 - 0.0175	.7712	----	----	----	----	1 UNCH
TOTAL									200			1936
JAN27												
400	----	----	----	0.0040B/0.0190A	----	0.0110 - 0.0015	.0170	----	----	----	----	8 UNCH
465	----	----	----	0.0160B/0.0305A	----	0.0230 - 0.0025	.0388	----	----	----	----	2 UNCH
500	----	----	----	0.0340B/0.0470A	----	0.0395 - 0.0040	.0661	----	----	----	----	1 UNCH
510	----	----	----	0.0425B/0.0550A	----	0.0470 - 0.0050	.0777	----	----	----	----	1 UNCH
525	----	----	----	0.0590B/0.0700A	----	0.0620 - 0.0060	.0994	----	----	----	----	3 UNCH
540	0.0855	0.0855	0.0855/0.0855	0.0855/0.0855	----	0.0820 NEW	.1263	----	----	1	----	1 + 1
605	----	----	----/0.2555A	0.2580B/0.2555A	----	0.2500 - 0.0135	.3007	----	----	----	----	1 UNCH
645	----	----	----/0.4350A	0.4440B/0.4350A	----	0.4310 - 0.0155	.4334	----	----	----	----	3 UNCH
800	----	----	----	----	----	1.5715 - 0.0180	.8111	----	----	----	----	1 UNCH
1000	----	----	----	----	----	3.4665 - 0.0155	.9524	----	----	----	----	1 UNCH
TOTAL										1		22 + 1
FEB27												
400	----	----	----	0.0040B/0.0200A	----	0.0140 - 0.0015	.0204	----	----	----	----	2 UNCH
500	----	----	----	0.0440B/0.0630A	----	0.0515 - 0.0055	.0779	----	----	----	----	1 UNCH
620	----	----	----/0.3570A	0.3550B/0.3570A	----	0.3490 - 0.0135	.3556	----	----	----	----	1 UNCH
630	----	----	----/0.4030A	0.4025B/0.4030A	----	0.3955 - 0.0135	.3864	----	----	----	----	1 UNCH
650	----	----	----/0.5055A	0.5070B/0.5055A	----	0.4985 - 0.0140	.4479	----	----	----	----	60 UNCH
TOTAL												65
MAR27												
580	----	----	----/0.2405A	0.2295B/0.2405A	----	0.2310 - 0.0105	.2499	----	----	----	----	10 UNCH
595	----	----	----/0.2920A	0.2835B/0.2920A	----	0.2840 - 0.0110	.2901	----	----	----	----	16 UNCH
600	----	----	----/0.3115A	0.3035B/0.3115A	----	0.3030 - 0.0110	.3039	----	----	----	----	95 UNCH
660	----	----	----/0.6015A	0.6000B/0.6015A	----	0.5950 - 0.0120	.4736	----	----	----	----	3 UNCH
TOTAL												124
HXE CALL		COPPER OPTIONS										
JUL26												
600	----	----	0.3690B/0.3205A	0.3690B/0.3205A	----	0.3575 + 0.0135	----	----	----	----	----	0 - 1
625	0.1010	0.1010	0.1215B/0.0865A	0.1215B/0.0865A	----	0.1075 + 0.0015	----	----	----	3	----	0 - 2
629	0.0500	0.0500	0.0850B/*0.0500	0.0850B/*0.0500	----	0.0675 NEW	----	----	----	3	----	0 UNCH
630	0.0565	0.0565	0.0760B/*0.0440	0.0760B/*0.0440	----	0.0575 - 0.0115	----	----	----	1	----	0 - 30
633	----	----	0.0525B/*0.0235	0.0525B/*0.0235	----	0.0275 - 0.0240	----	----	----	----	----	0 - 3
635	----	----	----/*0.0125A	0.0390B/*0.0125	----	0.0075 - 0.0350	----	----	----	----	----	0 - 10
635	----	----	----/0.1000A	0.1185B/0.1000A	----	0.1095 - 0.0090	.5197	----	----	----	----	1 UNCH
637	0.0340	0.0340	0.0340/*0.0055A	0.0340/*0.0055A	----	0.0000 NEW	----	----	----	9	----	0 UNCH
638	0.0210	0.0210	0.0245B/*0.0050	0.0245B/*0.0050	----	0.0000 - 0.0315	----	----	----	11	----	0 - 10
640	0.0200	0.0200	0.0215/*0.0005	0.0215/*0.0005	----	0.0000 - 0.0260	----	----	----	4	----	0 - 33
644	0.0020	0.0020	0.0020/*0.0020	0.0090B/*0.0020	----	0.0000 - 0.0180	----	----	----	1	----	0 - 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000
FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HXE CALL		COPPER OPTIONS										
JUL26												
645	----	----	----/*0.0040A	0.0085B/*0.0040	----	0.0000 - 0.0165	----	----	----	----	----	0 - 75
645	0.0790	0.0790	0.0790/0.0655A	0.0790/0.0655A	----	0.0725 - 0.0100	.3709	----	----	2	----	1 UNCH
646	----	----	----/*0.0040A	0.0075B/*0.0040	----	0.0000 - 0.0150	----	----	----	----	----	0 - 1
647	0.0070	0.0070	0.0070/*0.0040A	0.0070/*0.0040A	----	0.0000 - 0.0140	----	----	----	1	----	0 - 2
650	0.0070	0.0070	0.0070/*0.0045A	0.0070/*0.0045A	----	0.0000 - 0.0110	----	----	----	1	----	0 - 9
650	0.0500	0.0500	0.0500/*0.0495	0.0635B/*0.0495	----	0.0590 - 0.0100	.3086	----	----	16	----	28 + 16
655	----	----	----/*0.0040A	0.0030B/*0.0040	----	0.0000 - 0.0070	----	----	----	----	----	0 - 102
660	----	----	----/*0.0040A	0.0015B/*0.0040	----	0.0000 - 0.0045	----	----	----	----	----	0 UNCH
660	----	----	----/*0.0370A	0.0430B/*0.0370	----	0.0400 - 0.0095	.2119	----	----	1	----	10 - 1
665	----	----	----	0.0005B/*0.0040	----	0.0000 - 0.0025	----	----	----	----	----	0 - 83
670	----	----	----	----/*0.0040A	----	0.0000 - 0.0020	----	----	----	----	----	0 - 8
670	----	----	----/*0.0275A	0.0305B/*0.0275	----	0.0285 - 0.0080	.1480	----	----	----	----	1 UNCH
675	----	----	----	----/*0.0040A	----	0.0000 - 0.0010	----	----	----	----	----	0 - 1
680	----	----	----	----/*0.0035A	----	0.0000 - 0.0010	----	----	----	----	----	0 - 2
685	----	----	----	----/*0.0035A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 2
690	----	----	----	----/*0.0035A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 4
690	0.0190	0.0190	0.0190/*0.0175A	0.0190/*0.0175A	----	0.0175 - 0.0040	.0821	----	----	2	----	19 + 2
700	----	----	----	----/*0.0035A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 1
700	----	----	----/*0.0150A	0.0150B/*0.0150	----	0.0145 - 0.0030	.0642	----	----	----	----	1 UNCH
710	----	----	----	----/*0.0035A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 1
725	----	----	----	0.0085B/*0.0110	----	0.0070 - 0.0025	.0291	----	----	----	----	3 UNCH
800	----	----	----	----/0.0065A	----	0.0005 - 0.0005	.0017	----	----	----	----	2 UNCH
TOTAL										55		66 - 364
AUG26												
650	0.0945	0.0945	0.0945/0.0900A	0.1025B/0.0900A	----	0.0945 - 0.0100	.3633	----	----	2	----	6 + 2
660	----	----	----/0.0680A	0.0770B/0.0680A	----	0.0705 - 0.0100	.2809	----	----	----	----	13 UNCH
670	----	----	----/*0.0520A	0.0585B/*0.0520	----	0.0540 - 0.0085	.2178	----	----	----	----	1 UNCH
685	----	----	----/*0.0365A	0.0395B/*0.0365	----	0.0380 - 0.0050	.1521	----	----	----	----	4 UNCH
695	----	----	----/*0.0295A	0.0315B/*0.0295	----	0.0310 - 0.0035	.1221	----	----	----	----	5 UNCH
700	----	----	----/*0.0270A	0.0280B/*0.0270	----	0.0280 - 0.0030	.1095	----	----	----	----	31 UNCH
710	----	----	----/*0.0225A	0.0225B/*0.0225	----	0.0230 - 0.0025	.0885	----	----	----	----	1 UNCH
725	----	----	----/*0.0180A	0.0165B/*0.0180	----	0.0170 - 0.0025	.0643	----	----	----	----	79 UNCH
TOTAL										2		140 + 2
HXE PUT		COPPER OPTIONS										
JUL26												
500	----	----	----	----/0.0045A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 10
500	----	----	----	----/0.0040A	----	0.0005 UNCH	----	----	----	----	----	2 UNCH
550	----	----	----	----/*0.0055A	----	0.0005 - 0.0005	.0026	----	----	----	----	2 UNCH
580	----	----	----	----/*0.0030A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 12
580	----	----	----	0.0040B/*0.0080	----	0.0045 - 0.0030	.0260	----	----	----	----	1 UNCH
590	----	----	----	----/*0.0030A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 1
595	----	----	----	----/*0.0030A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 1
600	----	----	----/0.0135A	0.0145B/0.0135A	----	0.0110 - 0.0075	.0724	----	----	----	----	1 UNCH
605	----	----	----	0.0005B/*0.0035	----	0.0000 - 0.0005	----	----	----	----	----	0 - 6
610	----	----	----	----/*0.0040A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 10
610	0.0205	0.0205	0.0205/*0.0205	0.0320B/0.0205	----	0.0195 - 0.0125	.1307	----	----	10	----	11 + 10
615	----	----	----	----/0.0040A	----	0.0000 - 0.0020	----	----	----	----	----	0 - 9
615	0.0395	0.0395	0.0450B/0.0315A	0.0450B/0.0315A	----	0.0280 NEW	.1808	----	----	5	----	5 + 5
620	----	----	----/*0.0040A	0.0010B/*0.0040	----	0.0000 - 0.0050	----	----	----	----	----	0 - 22
620	0.0605	0.0605	0.0625B/0.0430	0.0625B/0.0430	----	0.0395 NEW	.2427	----	----	2	----	2 + 2
625	----	----	----/*0.0040A	0.0085B/*0.0040	----	0.0000 - 0.0125	----	----	----	----	----	0 - 2
630	0.0020	0.0020	0.0260B/*0.0020	0.0260B/*0.0020	----	0.0000 - 0.0255	----	----	----	2	----	0 - 4
630	----	----	0.1080B/0.0795A	0.1080B/0.0795A	----	0.0765 - 0.0220	.3982	----	----	----	----	100 UNCH
632	0.0420	0.0420	#0.0420/*0.0050	0.0420/*0.0050A	----	0.0000 NEW	----	----	----	2	----	0 UNCH
635	0.0040	0.0040	0.0560B/*0.0040	0.0560B/*0.0040	----	0.0000 - 0.0490	----	----	----	2	----	0 - 8
635	----	----	0.1365B/0.1040A	0.1365B/0.1040A	----	0.1020 - 0.0230	.4800	----	----	----	----	1 UNCH
636	0.0200	0.0200	0.0630B/*0.0095	0.0630B/*0.0095	----	0.0025 NEW	----	----	----	1	----	0 UNCH
640	----	----	0.0955B/0.0380A	0.0955B/0.0380A	----	0.0425 - 0.0400	----	----	----	----	----	0 - 2
644	----	----	0.1315B/0.0770A	0.1315B/0.0770A	----	0.0825 - 0.0320	----	----	----	----	----	0 - 2
645	----	----	0.1405B/0.0870A	0.1405B/0.0870A	----	0.0925 - 0.0305	----	----	----	----	----	0 - 57
650	----	----	----/0.2035A	0.2075B/0.2035A	----	0.2015 - 0.0240	.6912	----	----	----	----	11 UNCH
TOTAL										24		136 - 129
AUG26												
550	----	----	----	0.0020B/*0.0075	----	0.0020 - 0.0015	.0109	----	----	----	----	3 UNCH
600	----	----	----/0.0285A	0.0355B/0.0285A	----	0.0260 - 0.0120	.1334	----	----	----	----	3 UNCH
615	----	----	----/0.0590A	0.0765B/0.0590A	----	0.0570 - 0.0195	.2562	----	----	----	----	1 UNCH
645	----	----	0.2390B/0.2040A	0.2390B/0.2040A	----	0.2025 - 0.0230	.5879	----	----	----	----	1 UNCH
655	----	----	0.3135B/0.2745A	0.3135B/0.2745A	----	0.2740 - 0.0235	.6798	----	----	----	----	22 UNCH
685	----	----	0.5740B/0.5460A	0.5740B/0.5460A	----	0.5490 - 0.0215	.8058	----	----	----	----	1 UNCH
695	----	----	0.6645B/0.6340A	0.6645B/0.6340A	----	0.6375 - 0.0200	.8423	----	----	----	----	1 UNCH
TOTAL												32

ALUMINIUM OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST

PLATINUM OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
PAO CALL		NYMEX PALLADIUM OPTIONS										
SEP26												
1210	----	----	----/71.70A	63.20B/71.70A	----	78.00 - 6.70	.6496	----	----	----	----	1 UNCH
1235	----	----	----/59.40A	64.50B/59.40A	----	64.20 - 5.90	.5763	----	----	----	----	1 UNCH
1260	54.00	54.00	54.00/49.20A	54.00/49.20A	----	52.70 - 5.00	.5032	----	----	2	----	4 + 2
1300	----	----	----/*36.60A	36.50B/*36.60A	----	38.50 - 3.50	.3959	----	----	----	----	1 UNCH
1345	----	----	----/*26.40A	24.10B/*26.40A	----	27.20 - 2.20	.2965	----	----	----	----	21 UNCH
1350	----	----	----/*25.40A	23.00B/*25.40A	----	26.10 - 2.20	.2866	----	----	----	----	50 UNCH
1375	----	----	----/*21.30A	18.10B/*21.30A	----	21.40 - 1.80	.2418	----	----	----	----	100 UNCH
1400	----	----	----/*17.80A	14.40B/*17.80A	----	17.60 - 1.30	.2035	----	----	----	----	265 UNCH
1450	----	----	----	8.50B/*13.00A	----	12.10 - 0.50	.1446	----	----	----	----	150 UNCH
1500	----	----	----	4.40B/*10.10A	----	8.40 - 0.20	.1027	----	----	----	----	364 UNCH
1515	----	----	----	3.50B/*9.40A	----	7.40 - 0.30	.0916	----	----	----	----	18 UNCH
1560	----	----	----	1.50B/*7.90A	----	4.90 - 0.70	.0632	----	----	----	----	9 UNCH
1575	----	----	----	1.00B/*7.50A	----	4.30 - 0.70	.0561	----	----	----	----	34 UNCH
1585	----	----	----	0.80B/*7.30A	----	3.90 - 0.70	.0513	----	----	----	----	9 UNCH
1600	----	----	----	0.40B/*6.90A	----	3.50 - 0.70	.0462	----	----	----	----	360 UNCH
1625	----	----	----	----/*6.40A	----	2.90 - 0.60	.0385	----	----	----	----	20 UNCH
1640	----	----	----	----/*6.10A	----	2.60 - 0.60	.0347	----	----	----	----	9 UNCH
1665	----	----	----	----/*5.70A	----	2.30 - 0.40	.0304	----	----	----	----	9 UNCH
1700	----	----	----	----/*5.30A	----	2.00 - 0.20	.0259	----	----	----	----	65 UNCH
1800	----	----	1.50B/----	1.50B/*4.60A	----	1.70 + 0.50	.0202	----	----	----	----	111 UNCH
1875	----	----	----	----/*4.30A	----	1.10 + 0.30	.0131	----	----	----	----	25 UNCH
1885	----	----	----	----/*4.30A	----	1.10 + 0.30	.0130	----	----	----	----	100 UNCH
1900	----	----	----	----/*4.20A	----	1.00 + 0.30	.0118	----	----	----	----	15 UNCH
2000	----	----	----	----/*4.00A	----	0.60 + 0.20	.0071	----	----	----	----	50 UNCH
2100	----	----	----	----/*3.90A	----	0.40 + 0.20	.0046	----	----	----	----	30 UNCH
2200	----	----	----	----/*3.80A	----	0.20 UNCH	.0024	----	----	----	----	5 UNCH
2400	----	----	----	----/*3.60A	----	0.10 UNCH	.0005	----	----	----	----	15 UNCH
2550	----	----	----	----/3.60A	----	0.10 UNCH	.0001	----	----	----	----	50 UNCH
TOTAL										2		1891 + 2
OCT26												
1500	----	----	----	17.90B/*22.80A	----	21.70 - 0.90	.1896	----	----	----	----	1 UNCH
TOTAL												1 0
DEC26												
1250	----	----	----/115.40A	115.00B/115.40A	----	118.40 - 5.00	.5712	----	----	----	----	200 UNCH
1300	----	----	----/95.70A	93.50B/95.70A	----	97.00 - 4.40	.4996	----	----	----	----	6 UNCH
1500	----	----	----	38.00B/*45.40A	----	43.60 - 1.70	.2705	----	----	----	----	100 UNCH
1600	----	----	----	24.70B/33.30A	----	30.50 - 0.90	.1984	----	----	----	----	115 UNCH
1775	----	----	----	12.20B/*21.90A	----	17.80 - 0.50	.1207	----	----	----	----	100 UNCH
1800	----	----	----	10.90B/*20.80A	----	16.60 - 0.50	.1130	----	----	----	----	50 UNCH
2000	----	----	----	4.60B/*15.10A	----	10.20 - 0.40	.0702	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 65

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
PAO CALL		NYMEX PALLADIUM OPTIONS										
DEC26												
3000	----	----	----	----/*7.70A	----	1.70 - 0.10	.0118	----	----	----	----	1 UNCH
TOTAL												573 0
MAR27												
1350	----	----	----	----	----	128.60 - 3.90	.4951	----	----	----	----	75 UNCH
TOTAL												75 0
JUN27												
1375	----	----	----	----	----	157.20 - 3.70	.5103	----	----	----	----	50 UNCH
TOTAL												50 0
PAO PUT		NYMEX PALLADIUM OPTIONS										
SEP26												
995	----	----	----	----/5.20A	----	1.30 UNCH	.0206	----	----	----	----	25 UNCH
1000	----	----	----	----/5.30A	----	1.40 UNCH	.0222	----	----	----	----	125 UNCH
1050	----	----	----	0.70B/7.00A	----	3.20 UNCH	.0486	----	----	----	----	140 UNCH
1100	----	----	----	5.60B/10.60A	----	7.50 + 0.20	.1036	----	----	----	----	15 UNCH
1115	----	----	----	7.90B/12.30A	----	9.50 + 0.30	.1269	----	----	----	----	1 UNCH
1150	----	----	15.40B/----	15.40B/18.20A	----	15.70 + 0.60	.1934	----	----	----	----	146 UNCH
1175	----	----	22.90B/----	22.90B/24.30A	----	22.30 + 1.20	.2541	----	----	----	----	25 UNCH
1200	----	----	32.40B/----	32.40B/32.20A	----	30.60 + 1.70	.3216	----	----	----	----	5 UNCH
1225	----	----	44.10B/----	44.10B/42.00A	----	40.90 + 2.40	.3940	----	----	----	----	5 UNCH
1250	----	----	58.00B/----	58.00B/53.70A	----	53.40 + 3.30	.4677	----	----	----	----	9 UNCH
1300	----	----	91.70B/----	91.70B/83.20A	----	84.80 + 5.20	.6040	----	----	----	----	18 UNCH
1355	----	----	----	----	----	126.30 + 6.60	.7227	----	----	----	----	21 UNCH
1360	----	----	----	----	----	130.30 + 6.70	.7320	----	----	----	----	12 UNCH
1375	----	----	152.00B/----	152.00B/139.10A	----	142.60 + 7.00	.7581	----	----	----	----	100 UNCH
1460	----	----	----	----	----	217.20 + 8.20	.8644	----	----	----	----	75 UNCH
1465	----	----	----	----	----	221.80 + 8.30	.8689	----	----	----	----	150 UNCH
1550	----	----	314.50B/----	314.50B/297.00A	----	301.30 + 8.20	.9309	----	----	----	----	100 UNCH
1575	----	----	338.80B/----	338.80B/321.10A	----	325.10 + 8.00	.9438	----	----	----	----	25 UNCH
1650	----	----	412.50B/----	412.50B/394.40A	----	398.20 + 8.20	.9667	----	----	----	----	50 UNCH
1925	----	----	686.10B/----	686.10B/667.30A	----	671.60 + 8.80	.9893	----	----	----	----	75 UNCH
TOTAL												1122 0
OCT26												
1100	----	----	----	15.10B/20.10A	----	16.40 + 0.70	.1511	----	----	----	----	10 UNCH
TOTAL												10 0
DEC26												
1050	----	----	----	21.80B/30.40A	----	25.00 + 0.80	.1582	----	----	----	----	5 UNCH
1300	----	----	129.60B/----	129.60B/130.90A	----	127.10 + 3.30	.5000	----	----	----	----	100 UNCH
1400	----	----	198.60B/----	198.60B/196.30A	----	193.90 + 4.80	.6283	----	----	----	----	150 UNCH
1500	----	----	278.80B/----	278.80B/272.70A	----	271.90 + 6.00	.7291	----	----	----	----	40 UNCH
TOTAL												295 0
MAR27												
1350	----	----	----	----	----	192.60 + 3.10	.5043	----	----	----	----	75 UNCH
TOTAL												75 0
PAW OOF		PALLADIUM WEEKLY FRIDAY OPTION Week										
JUL26												
1450	----	----	----	----/*3.60A	----	0.00 - 0.10	----	----	----	----	----	0 - 8
TOTAL												0 - 8
PLW OOF		PLATINUM WEEKLY FRIDAY OPTION Week5										
JUL26												
1525	7.00	7.00	9.20B/7.00	9.20B/7.00	----	5.90 NEW	.1287	----	----	5	----	5 + 5
1550	----	----	----	----/*2.00A	----	0.00 - 0.50	----	----	----	----	----	0 - 5
1550	10.00	10.00	16.80B/10.00	16.80B/10.00	----	11.60 NEW	.2251	----	----	10	----	10 + 10
1575	----	----	3.70B/*2.00A	3.70B/*2.00A	----	0.00 - 2.60	----	----	----	----	----	0 - 10
1625	----	----	----/*2.00A	3.10B/*2.00A	----	0.00 - 8.40	----	----	----	----	----	0 - 36
1625	----	----	41.40B/16.10A	41.40B/16.10A	----	20.90 - 3.70	----	----	----	----	----	0 - 20
1650	----	----	65.50B/37.00A	65.50B/37.00A	----	45.90 + 1.70	----	----	----	----	----	0 - 20
1675	----	----	----	----/*2.00A	----	0.00 - 1.00	----	----	----	----	----	0 - 16
1700	----	----	----	----/*2.00A	----	0.00 - 0.30	----	----	----	----	----	0 - 2
1900	----	----	----	----/3.00A	----	0.70 - 0.60	.0108	----	----	----	----	6 UNCH
TOTAL										15		21 - 94
PO CALL		PLATINUM OPTIONS										
SEP26												
1610	----	----	64.10B/53.30A	64.10B/53.30A	----	59.80 - 3.50	.5038	----	----	----	----	32 UNCH
1640	----	----	51.00B/42.40A	51.00B/42.40A	----	47.20 - 3.50	.4280	----	----	----	----	70 UNCH
1675	33.00	33.00	35.30/*32.50A	38.30B/*32.50A	----	35.20 - 3.70	.3453	----	----	30	----	60 + 30
1680	31.80	31.80	34.00/*31.40A	36.70B/*31.40A	----	33.70 - 3.70	.3341	----	----	30	----	60 + 30
1690	----	----	----/*29.20A	33.80B/*29.20A	----	31.00 - 3.70	.3130	----	----	----	----	30 UNCH
1700	29.40	29.40	29.40/27.20A	31.00B/27.20A	----	28.60 - 3.60	.2931	----	----	15	----	77 + 15
1710	----	----	----/*25.40A	28.50B/*25.40A	----	26.40 - 3.50	.2744	----	----	----	----	15 UNCH
1725	----	----	----/*22.90A	25.20B/*22.90A	----	23.60 - 3.20	.2489	----	----	----	----	16 UNCH
1730	----	----	----/*22.20A	24.20B/*22.20A	----	22.70 - 3.20	.2407	----	----	----	----	15 UNCH
1740	----	----	----/*20.90A	22.40B/*20.90A	----	21.20 - 2.90	.2261	----	----	----	----	15 UNCH
1750	----	----	----/*19.60A	20.70B/*19.60A	----	19.70 - 2.80	.2118	----	----	----	----	23 UNCH
1770	----	----	----/*17.40A	17.80B/*17.40A	----	17.30 - 2.40	.1873	----	----	----	----	15 UNCH
1775	----	----	----/*16.90A	17.10B/*16.90A	----	16.70 - 2.30	.1813	----	----	----	----	37 UNCH
1780	----	----	----/*16.40A	16.50B/*16.40A	----	16.20 - 2.20	.1760	----	----	----	----	15 UNCH
1790	----	----	----/*15.50A	15.40B/*15.50A	----	15.20 - 2.00	.1656	----	----	----	----	15 UNCH
1800	----	----	----/*14.70A	14.30B/*14.70A	----	14.20 - 2.00	.1554	----	----	----	----	67 UNCH
1825	----	----	----/*12.80A	12.00B/*12.80A	----	12.10 - 1.70	.1332	----	----	----	----	1 UNCH
1850	----	----	----/*11.20A	9.90B/*11.20A	----	10.30 - 1.50	.1142	----	----	----	----	10 UNCH
1900	----	----	----	6.70B/*8.80A	----	7.60 - 1.20	.0847	----	----	----	----	5 UNCH
2000	----	----	----	2.90B/*5.90A	----	4.30 - 0.70	.0480	----	----	----	----	217 UNCH
2100	----	----	----	1.00B/*4.50A	----	2.40 - 0.50	.0270	----	----	----	----	53 UNCH
2200	----	----	----	----/*3.80A	----	1.20 - 0.30	.0138	----	----	----	----	2 UNCH
TOTAL										75		850 + 75
OCT26												
1500	----	----	153.00B/135.40A	153.00B/135.40A	----	146.30 - 4.50	.7128	----	----	----	----	4 UNCH
1575	----	----	108.90B/96.40A	108.90B/96.40A	----	104.10 - 4.40	.5796	----	----	----	----	3 UNCH
1600	84.00	84.00	96.80B/84.00	96.80B/84.00	----	92.50 - 4.30	.5351	----	----	2	----	8 - 1
1615	----	----	----/79.80A	90.00B/79.80A	----	86.00 - 4.30	.5089	----	----	----	----	4 UNCH
1630	----	----	----/74.30A	83.70B/74.30A	----	80.00 - 4.20	.4832	----	----	----	----	26 UNCH
1635	----	----	----/72.50A	81.70B/72.50A	----	78.10 - 4.10	.4748	----	----	----	----	28 UNCH
1650	----	----	----/67.40A	75.80B/67.40A	----	72.50 - 4.00	.4499	----	----	----	----	83 UNCH
1690	----	----	----/55.60A	62.00B/55.60A	----	59.40 - 3.60	.3873	----	----	----	----	176 UNCH
1700	51.00	51.00	58.90B/*51.00	58.90B/*51.00	----	56.60 - 3.40	.3728	----	----	9	----	132 + 1
1720	----	----	----/48.40A	53.20B/48.40A	----	51.30 - 3.10	.3448	----	----	----	----	1 UNCH
1750	----	----	----/42.50A	45.70B/42.50A	----	44.40 - 2.80	.3064	----	----	----	----	133 UNCH
1775	----	----	----/38.30A	40.50B/38.30A	----	39.50 - 2.60	.2775	----	----	----	----	65 UNCH
1800	----	----	----/*34.70A	36.10B/*34.70A	----	35.50 - 2.20	.2523	----	----	----	----	36 UNCH
1885	----	----	----/*25.70A	25.30B/*25.70A	----	25.50 - 1.70	.1851	----	----	----	----	30 UNCH
1895	----	----	----/*24.90A	24.30B/*24.90A	----	24.60 - 1.70	.1788	----	----	----	----	30 UNCH
1900	----	----	----/*24.50A	23.90B/*24.50A	----	24.20 - 1.70	.1759	----	----	----	----	128 UNCH
1930	----	----	----/*22.20A	21.30B/*22.20A	----	21.70 - 1.60	.1584	----	----	----	----	1 UNCH
2000	----	----	----/*17.70A	16.20B/*17.70A	----	16.90 - 1.40	.1245	----	----	----	----	633 UNCH
2050	----	----	----/*15.20A	13.20B/*15.20A	----	14.20 - 1.10	.1052	----	----	----	----	6 UNCH
2100	----	----	----	10.70B/*13.00A	----	11.80 - 1.10	.0883	----	----	----	----	15 UNCH
2125	----	----	----	9.60B/*12.10A	----	10.80 - 1.00	.0812	----	----	----	----	12 UNCH
2135	----	----	----	9.20B/*11.80A	----	10.40 - 1.00	.0783	----	----	----	----	12 UNCH
2200	----	----	----	6.90B/*9.90A	----	8.30 - 0.80	.0630	----	----	----	----	156 UNCH
2250	----	----	----	5.50B/*8.80A	----	7.10 - 0.70	.0540	----	----	----	----	111 UNCH
2300	----	----	----	4.40B/*7.90A	----	6.10 - 0.60	.0465	----	----	----	----	7 UNCH
2375	----	----	----	3.10B/*6.90A	----	5.00 - 0.50	.0379	----	----	----	----	50 UNCH
2400	----	----	----	2.80B/*6.70A	----	4.70 - 0.40	.0356	----	----	----	----	757 UNCH
2500	----	----	----	1.80B/*5.90A	----	3.80 - 0.30	.0284	----	----	----	----	365 UNCH
2600	----	----	----	1.10B/*5.30A	----	3.20 - 0.20	.0234	----	----	----	----	23 UNCH
2635	----	----	----	0.90B/*5.10A	----	3.00 - 0.20	.0219	----	----	----	----	200 UNCH
2650	----	----	----	0.80B/*5.10A	----	2.90 - 0.20	.0211	----	----	----	----	25 UNCH
2700	----	----	----	0.60B/*4.90A	----	2.60 - 0.20	.0189	----	----	----	----	541 UNCH
2800	----	----	----	0.20B/*4.50A	----	2.20 - 0.20	.0158	----	----	----	----	39 UNCH
2850	----	----	----	----/*4.30A	----	2.10 - 0.20	.0148	----	----	----	----	155 UNCH
2900	----	----	----	----/*4.20A	----	2.00 - 0.20	.0140	----	----	----	----	110 UNCH
2950	----	----	----	----/4.10A	----	1.90 - 0.20	.0131	----	----	----	----	56 UNCH
3000	----	----	----	----/*3.90A	----	1.70 - 0.10	.0118	----	----	----	----	348 UNCH
3200	----	----	----	----/3.60A	----	0.90 - 0.10	.0065	----	----	----	----	10 UNCH
3500	----	----	----	----/3.20A	----	0.50 UNCH	.0036	----	----	----	----	10 UNCH
4000	----	----	----	----/2.90A	----	0.20 UNCH	.0014	----	----	----	----	5 UNCH
TOTAL										11		4534 0
JAN27												

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
PO CALL		PLATINUM OPTIONS										
JAN27												
2360	----	----	----	----	----	17.30 - 0.70	.0951	----	----	----	----	100 UNCH
TOTAL												100 0
APR27												
1775	----	----	----	----	----	131.50 - 2.40	.4384	----	----	----	----	100 UNCH
TOTAL												100 0
PO PUT		PLATINUM OPTIONS										
SEP26												
1250	----	----	----	----/3.10A	----	0.20 UNCH	.0035	----	----	----	----	10 UNCH
1325	----	----	----	0.60B/4.40A	----	1.10 - 0.10	.0175	----	----	----	----	117 UNCH
1400	----	----	----	4.50B/7.20A	----	4.50 - 0.20	.0627	----	----	----	----	21 UNCH
1450	----	----	10.90B/----	10.90B/11.60A	----	10.50 - 0.20	.1280	----	----	----	----	15 UNCH
1460	----	----	12.80B/----	12.80B/13.00A	----	12.00 - 0.20	.1434	----	----	----	----	30 UNCH
1475	----	----	16.20B/----	16.20B/15.40A	----	14.70 - 0.10	.1695	----	----	----	----	15 UNCH
1480	----	----	17.40B/----	17.40B/16.30A	----	15.60 - 0.10	.1783	----	----	----	----	15 UNCH
1490	----	----	20.10B/----	20.10B/18.30A	----	17.80 UNCH	.1981	----	----	----	----	15 UNCH
1495	23.60	23.60	23.60/23.60	23.60/19.30A	----	19.00 UNCH	.2085	----	----	15	----	30 + 15
1500	25.00	25.00	25.00/25.00	25.00/20.50A	----	20.20 UNCH	.2189	----	----	15	----	177 + 15
1505	----	----	24.70B/----	24.70B/21.70A	----	21.50 UNCH	.2298	----	----	----	----	8 UNCH
1510	----	----	26.40B/----	26.40B/23.00A	----	22.90 UNCH	.2411	----	----	----	----	15 UNCH
1515	----	----	28.10B/----	28.10B/24.30A	----	24.30 UNCH	.2524	----	----	----	----	15 UNCH
1520	----	----	30.00B/25.70A	30.00B/25.70A	----	25.80 UNCH	.2641	----	----	----	----	15 UNCH
1525	----	----	31.90B/27.20A	31.90B/27.20A	----	27.40 UNCH	.2761	----	----	----	----	30 UNCH
1530	----	----	33.80B/28.70A	33.80B/28.70A	----	29.10 UNCH	.2885	----	----	----	----	15 UNCH
1535	----	----	35.90B/30.30A	35.90B/30.30A	----	30.80 - 0.10	.3008	----	----	----	----	15 UNCH
1540	----	----	38.00B/32.00A	38.00B/32.00A	----	32.60 - 0.10	.3133	----	----	----	----	15 UNCH
1550	----	----	42.50B/35.60A	42.50B/35.60A	----	36.50 UNCH	.3390	----	----	----	----	42 UNCH
1575	----	----	54.90B/45.80A	54.90B/45.80A	----	47.60 + 0.50	.4047	----	----	----	----	15 UNCH
1600	----	----	68.80B/57.70A	68.80B/57.70A	----	60.30 + 1.10	.4702	----	----	----	----	20 UNCH
1610	----	----	74.70B/62.90A	74.70B/62.90A	----	65.70 + 1.20	.4960	----	----	----	----	38 UNCH
1625	----	----	84.10B/71.00A	84.10B/71.00A	----	74.20 + 1.40	.5343	----	----	----	----	10 UNCH
1650	----	----	101.00B/85.80A	101.00B/85.80A	----	89.30 + 1.20	.5963	----	----	----	----	42 UNCH
1675	----	----	119.30B/101.90A	119.30B/101.90A	----	105.90 + 1.00	.6546	----	----	----	----	15 UNCH
1700	----	----	139.10B/119.50A	139.10B/119.50A	----	124.30 + 1.10	.7067	----	----	----	----	20 UNCH
1850	----	----	273.70B/247.50A	273.70B/247.50A	----	255.70 + 3.20	.8857	----	----	----	----	16 UNCH
TOTAL										30		791 + 30
OCT26												
1300	----	----	----	4.90B/8.50A	----	6.30 - 0.10	.0590	----	----	----	----	4 UNCH
1400	----	----	----	17.40B/18.50A	----	17.50 + 0.10	.1430	----	----	----	----	12 UNCH
1425	----	----	22.70B/----	22.70B/22.90A	----	22.10 + 0.10	.1733	----	----	----	----	30 UNCH
1450	----	----	29.20B/----	29.20B/28.30A	----	27.70 + 0.10	.2075	----	----	----	----	2 UNCH
1500	----	----	46.20B/----	46.20B/42.50A	----	42.70 + 0.20	.2870	----	----	----	----	20 UNCH
1600	----	----	96.20B/86.20A	96.20B/86.20A	----	88.40 + 0.30	.4647	----	----	----	----	28 UNCH
1630	----	----	114.70B/103.10A	114.70B/103.10A	----	105.80 + 0.50	.5166	----	----	----	----	23 UNCH
1650	----	----	127.90B/115.10A	127.90B/115.10A	----	118.20 + 0.70	.5498	----	----	----	----	230 UNCH
1690	----	----	----	----	----	144.90 + 1.10	.6125	----	----	----	----	175 UNCH
1700	----	----	163.60B/147.90A	163.60B/147.90A	----	152.00 + 1.20	.6270	----	----	----	----	79 UNCH
1720	----	----	----	----	----	166.60 + 1.50	.6549	----	----	----	----	2 UNCH
1750	----	----	203.00B/184.40A	203.00B/184.40A	----	189.60 + 1.90	.6934	----	----	----	----	175 UNCH
1800	----	----	245.40B/224.40A	245.40B/224.40A	----	230.50 + 2.40	.7475	----	----	----	----	75 UNCH
1820	----	----	----	----	----	247.60 + 2.60	.7661	----	----	----	----	5 UNCH
1850	----	----	289.80B/267.00A	289.80B/267.00A	----	273.90 + 2.80	.7903	----	----	----	----	275 UNCH
1865	----	----	----	----	----	287.20 + 2.80	.8013	----	----	----	----	1 UNCH
1900	----	----	335.40B/311.40A	335.40B/311.40A	----	318.80 + 3.00	.8239	----	----	----	----	225 UNCH
1950	----	----	381.70B/357.00A	381.70B/357.00A	----	364.80 + 3.20	.8515	----	----	----	----	50 UNCH
2000	----	----	428.50B/403.30A	428.50B/403.30A	----	411.30 + 3.40	.8753	----	----	----	----	1 UNCH
2100	----	----	523.70B/497.50A	523.70B/497.50A	----	505.90 + 3.70	.9115	----	----	----	----	100 UNCH
2130	----	----	----	----	----	534.60 + 3.70	.9201	----	----	----	----	41 UNCH
2135	----	----	----	----	----	539.40 + 3.70	.9215	----	----	----	----	12 UNCH
2140	----	----	----	----	----	544.30 + 3.80	.9224	----	----	----	----	12 UNCH
2400	----	----	817.20B/789.10A	817.20B/789.10A	----	798.40 + 4.40	.9642	----	----	----	----	200 UNCH
2500	----	----	916.30B/888.10A	916.30B/888.10A	----	897.40 + 4.40	.9715	----	----	----	----	1 UNCH
TOTAL												1778 0
JAN27												
1500	----	----	----	----	----	87.10 + 1.00	.3258	----	----	----	----	160 UNCH
1800	----	----	----	----	----	262.30 + 2.50	.6369	----	----	----	----	1 UNCH
1900	----	----	----	----	----	340.10 + 2.90	.7145	----	----	----	----	100 UNCH
2000	----	----	----	----	----	423.40 + 3.20	.7772	----	----	----	----	200 UNCH
TOTAL												461 0

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 67

FINAL

OPTIONS EOO'S AND BLOCKS

PRODUCT	STRIKE PRICE	EOO VOLUME	BLOCK VOLUME
OG CALL	COMEX GOLD OPTIONS		
AUG26 CALL			
OG	4150	0	50
TOTALS		0	50
SEP26 CALL			
OG	4050	0	130
OG	4300	0	300
TOTALS		0	430
OCT26 CALL			
OG	4800	0	360
TOTALS		0	360
FEB27 CALL			
OG	4600	0	1416
OG	4800	0	840
TOTALS		0	2256
OG PUT	COMEX GOLD OPTIONS		
SEP26 PUT			
OG	3850	0	150
OG	4050	0	130
TOTALS		0	280
NOV26 PUT			
OG	4000	0	400
OG	4120	0	50
TOTALS		0	450
DEC26 PUT			
OG	3400	0	100
OG	3650	0	150
TOTALS		0	250
FEB27 PUT			
OG	3700	0	576
TOTALS		0	576
SO CALL	COMEX SILVER OPTIONS		
JAN27 CALL			
SO	10000	0	25
TOTALS		0	25
SO PUT	COMEX SILVER OPTIONS		
AUG26 PUT			
SO	4700	0	28
TOTALS		0	28
MAR27 PUT			
SO	5500	0	25
TOTALS		0	25
HX CALL	COMEX COPPER OPTIONS		
AUG26 CALL			
HX	620	0	34
HX	635	0	34
HX	655	0	34
HX	680	0	34
TOTALS		0	136
SEP26 CALL			
HX	670	0	44
HX	680	0	50
HX	695	0	44
HX	730	0	44
HX	775	0	44
TOTALS		0	226
HX PUT	COMEX COPPER OPTIONS		
AUG26 PUT			
HX	560	0	34
HX	580	0	34
HX	595	0	34
HX	605	0	34
TOTALS		0	136
SEP26 PUT			
HX	570	0	44
HX	600	0	94
HX	620	0	44
HX	645	0	44
TOTALS		0	226
DEC26 PUT			
HX	550	0	200
TOTALS		0	200
HRO OPT	U.S. MIDWEST DOMESTIC HOT-ROLLED CO		
NOV26 CALL			
HRO	120000	0	200
TOTALS		0	200
GMW MON	GOLD WEEKLY MONDAY OPTION WEEK4		
JUL26 PUT			
G4M	4030	0	100
TOTALS		0	100
GWT TUE	GOLD WEEKLY TUESDAY OPTION Week2		
AUG26 PUT			
G2T	4050	0	130
TOTALS		0	130
GWT TUE	GOLD WEEKLY TUESDAY OPTION Week2		
AUG26 CALL			
G2T	4050	0	130
TOTALS		0	130

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.