Отчёт по 1 этапу проекта

Сайт научного работника

Ёров Муроджон

Содержание

1 Цель работы **5**

2 Выполнение работы **6**

3 Выводы **13**

Список иллюстраций

2.1 Создание репозитория из шаблона 7
2.2 Создание локальных репозиториев 8
2.3 Инициализация hugo 9
2.4 Подготовка репозитория 10
2.5 Подготовка папки public 11
2.6 Развертывание сайта 12

Список таблиц

1 Цель работы

Подготовить репозиторий на основе шаблона. Ознакомиться с генератором сайтов hugo.

2 Выполнение работы

Клонирую репозиторий с шаблоном сайта-визитки.



Рисунок 2.1: Создание репозитория из шаблона

Создаю локальные репозитории для размещение сайта.

```
merov@merov:~$ gh repo create Murodjon207.github.io --public
✓ Created repository Murodjon207/Murodjon207.github.io on github.com
  https://github.com/Murodjon207/Murodjon207.github.io
merov@merov:~$ mkdir site
merov@merov:~$ cd site
merov@merov:~/site$ git clone --recursive git@github.com:Murodjon207/Murodjon207.github.io.git Murodjon
207.github.io
Cloning into 'Murodjon207.github.io'...
warning: You appear to have cloned an empty repository.
merov@merov:~/site$ git clone --recursive git@github.com:Murodjon207/blog.git blog
Cloning into 'blog'...
remote: Enumerating objects: 133, done.
remote: Counting objects: 100% (133/133), done.
remote: Compressing objects: 100% (110/110), done.
remote: Total 133 (delta 3), reused 108 (delta 2), pack-reused 0 (from 0)
Receiving objects: 100% (133/133), 3.28 MiB | 5.23 MiB/s, done.
Resolving deltas: 100% (3/3), done.
merov@merov:~/site$
```

Рисунок 2.2: Создание локальных репозиториев

Тестирую запуск hugo.

```
merov@merov:~/site$ cd blog
merov@merov:~/site/blog$ npm install tailwindcss @tailwindcss/cli

added 34 packages, and audited 35 packages in 5s

7 packages are looking for funding
  run `npm fund` for details

found 0 vulnerabilities
merov@merov:~/site/blog$ hugo
hugo: downloading modules …
hugo: collected modules in 6429 msStart building sites …
hugo v0.152.2+extended linux/amd64 BuildDate=2025-12-14T00:00:00+00:00 VendorInfo=Fedora:0.152.2-1.fc43
```

Рисунок 2.3: Инициализация hugo

Подготовка репозитория для файлов сайта.

```
merov@merov:~/site/blog$ rm -rf public
merov@merov:~/site/blog$ cd ..
merov@merov:~/site$ cd Murodjon207.github.io
merov@merov:~/site/Murodjon207.github.io$ git checkout -b main
Switched to a new branch 'main'
merov@merov:~/site/Murodjon207.github.io$ touch README.md
merov@merov:~/site/Murodjon207.github.io$ git add .
merov@merov:~/site/Murodjon207.github.io$ git commit -m 'upload'
[main (root-commit) 123bfc2] upload
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 README.md
merov@merov:~/site/Murodjon207.github.io$ git push
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Writing objects: 100% (3/3), 858 bytes | 858.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To github.com:Murodjon207/Murodjon207.github.io.git
 * [new branch]      main -> main
merov@merov:~/site/Murodjon207.github.io$
```

Рисунок 2.4: Подготовка репозитория

Связывание папки public с подготовленным репозиторием.

```
merov@merov:~/site/Murodjon207.github.io$ cd ..
merov@merov:~/site$ cd blog
merov@merov:~/site/blog$ rm -rf .gitignore
merov@merov:~/site/blog$ git submodule add -b main git@github.com:Murodjon207/Murodjon207.github.io.git
 public
Cloning into '/home/merov/site/blog/public'...
remote: Enumerating objects: 3, done.
remote: Counting objects: 100% (3/3), done.
Receiving objects: 100% (3/3), done.
remote: Total 3 (delta 0), reused 3 (delta 0), pack-reused 0 (from 0)
merov@merov:~/site/blog$ hugo
Start building sites …
hugo v0.152.2+extended linux/amd64 BuildDate=2025-12-14T00:00:00+00:00 VendorInfo=Fedora:0.152.2-1.fc43
```

Рисунок 2.5: Подготовка папки public

Развертывание сайта на основе HitHub Pages.

```
 create mode 100644 resources/_gen/images/publications/preprint/featured_hu_216378f479d089e2.webp
 create mode 100644 resources/_gen/images/publications/preprint/featured_hu_47c5f54e3dc64b98.webp
 create mode 100644 resources/_gen/images/publications/preprint/featured_hu_5dd9fcde147756f9.webp
 create mode 100644 resources/_gen/images/publications/preprint/featured_hu_5de39ecabc69529c.webp
 create mode 100644 resources/_gen/images/publications/preprint/featured_hu_65307b05715d095f.webp
 create mode 100644 resources/_gen/images/publications/preprint/featured_hu_792365770e11538f.webp
 create mode 100644 resources/_gen/images/publications/preprint/featured_hu_adc7062ffe748119.webp
 create mode 100644 resources/_gen/images/publications/preprint/featured_hu_c3a51e02eae28075.webp
 create mode 100644 resources/_gen/images/publications/preprint/featured_hu_cc54dfe38f3af5a5.jpg
 create mode 100644 resources/_gen/images/publications/preprint/featured_hu_e33c5291b16e805.jpg
Enumerating objects: 898, done.
Counting objects: 100% (898/898), done.
Delta compression using up to 8 threads
Compressing objects: 100% (873/873), done.
Writing objects: 100% (895/895), 65.51 MiB | 5.36 MiB/s, done.
Total 895 (delta 80), reused 1 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (80/80), completed with 2 local objects.
remote: warning: See https://gh.io/lfs for more information.
remote: warning: File node_modules/@pagefind/linux-x64/bin/pagefind_extended is 65.64 MB; this is large
r than GitHub's recommended maximum file size of 50.00 MB
remote: warning: GH001: Large files detected. You may want to try Git Large File Storage - https://git-
lfs.github.com.
To github.com:Murodjon207/blog.git
   37774b2..c7de8df  main -> main
merov@merov:~/site/blog$
```

Рисунок 2.6: Развертывание сайта

3 Выводы

Подготовили репозиторий и установили hugo.