

----- Network Simulator Version 2.3 -----

Enter the number of messages to simulate: 100  
Packet loss probability [enter number between 0.0 and 1.0]: 0.3  
Packet corruption probability [0.0 for no corruption]: 0.3  
Packet out-of-order probability [0.0 for no out-of-order]: 0.3  
Average time between messages from sender's layer5 [ > 0.0]: 0.3  
Enter Level of tracing desired: 1  
Do you want actions randomized: (1 = yes, 0 = no)? 1  
Do you want Bidirectional: (1 = yes, 0 = no)? 0

Input parameters:

Number of Messages = 100 Lost Packet Prob. = 0.300  
Corrupt Packet Prob. = 0.300 Out Of Order Prob. = 0.300  
Ave. time between messages = 1000.00 Trace level = 1  
Randomize = 1 Bi-directional = 0

A: 594.8238, Layer 5 to 4 Message = !fEVhy->Pbs'2J3m~2DU  
B: 1610.1083, Layer 4 to 5 Message = !fEVhy->Pbs'2J3m~2DU  
A: 1797.7781, Layer 5 to 4 Message = ##i.Qt9]!Eh-Ps8[~Dg,  
B: 1821.0461, Layer 4 to 5 Message = ##i.Qt9]!Eh-Ps8[~Dg,  
A: 3579.9330, Layer 5 to 4 Message = \$X\$d:oFzQ(j3h>sJ~U,a  
B: 3585.1277, Layer 4 to 5 Message = \$X\$d:oFzQ(j3h>sJ~U,a  
A: 4644.6068, Layer 5 to 4 Message = %kS%\$jR:~iQ9!hP8~gO7  
B: 4652.4209, Layer 4 to 5 Message = %kS%\$jR:~iQ9!hP8~gO7  
A: 4712.1726, Layer 5 to 4 Message = &}wq&e\_XRLF?93-~xrl  
B: 4723.6392, Layer 4 to 5 Message = &}wq&e\_XRLF?93-~xrl  
A: 5055.4171, Layer 5 to 4 Message = '2=IT'kv\$x:FQ]hs~,7C  
A: 6618.4966, Layer 5 to 4 Message = (Eb~=Z(6SpxLi(Eb~=Zw  
B: 6747.0931, Layer 4 to 5 Message = '2=IT'kv\$x:FQ]hs~,7C  
A: 7975.9861, Layer 5 to 4 Message = dW(V'U&)%S\$R2Q!P~O}N  
A: 8725.6504, Layer 5 to 4 Message = \*jL.nP2r\*6vX:z]>~aC%  
B: 8758.8445, Layer 4 to 5 Message = (Eb~=Z(6SpxLi(Eb~=Zw  
A: 10334.4876, Layer 5 to 4 Message = +fpdWK>2&+k\_RF3-~rfY  
B: 10772.2701, Layer 4 to 5 Message = dW(V'U&)%S\$R2Q!P~O}N  
A: 11486.0878, Layer 5 to 4 Message = ,16;AFKPUZ,ejoty~&+0  
A: 11802.2003, Layer 5 to 4 Message = -DZq\*AWn'=T-\$:Qh~7Ne  
B: 11807.1855, Layer 4 to 5 Message = \*jL.nP2r\*6vX:z]>~aC%  
B: 12837.5120, Layer 4 to 5 Message = +fpdWK>2&+k\_RF3-~rfY  
A: 13356.1260, Layer 5 to 4 Message = .V~Iq;d.V~Iq;d.V~Iq;  
A: 14298.2938, Layer 5 to 4 Message = xiE~Z6pL(b=wSxiE~Z6p  
A: 14420.2689, Layer 5 to 4 Message = d{iVD1|jWE2}2X03~lYG  
A: 14454.7682, Layer 5 to 4 Message = 10x.-,~\*)(~%\$#1~)|{  
B: 14887.9470, Layer 4 to 5 Message = ,16;AFKPUZ,ejoty~&+0  
A: 16284.4674, Layer 5 to 4 Message = 2CSdt'7HXiy,<M^'n21BR  
A: 16958.0210, Layer 5 to 4 Message = 3Uw;^!Df\*Ln2Tv:~3e)  
B: 17982.1004, Layer 4 to 5 Message = -DZq\*AWn'=T-\$:Qh~7Ne  
A: 18123.8959, Layer 5 to 4 Message = 4f=qGzP&Yxc8lB3K~T4^  
A: 19370.4279, Layer 5 to 4 Message = 5zbI0u]D+pW>&kR9~fM5

A: 20153.7000, Layer 5 to 4 Message = 6x(~wpibZSLE=6x(~wpi  
A: 21753.5339, Layer 5 to 4 Message = d7LVaku!,6AK2`jt~+5?  
A: 22520.5243, Layer 5 to 4 Message = 8T8.Jf\$?[w5Qm+Gc~<Xt  
A: 23095.4382, Layer 5 to 4 Message = 9g693a0^~Z\*W"TS\$Q~N{K  
A: 23377.0377, Layer 5 to 4 Message = :yZ;:[<{]=|^>}\_?~`A!  
A: 24220.7323, Layer 5 to 4 Message = ;.~qd;I;.~qdVI;.~qdV  
A: 25495.5711, Layer 5 to 4 Message = <AEIMQ<Y^bfjnrVz~%)-  
A: 27170.3786, Layer 5 to 4 Message = =fi~6Lb=xEZp(=3i~6Lb  
A: 28316.5709, Layer 5 to 4 Message = dfxV}Gn7>(Ov2g0W~Ho8  
A: 29789.2829, Layer 5 to 4 Message = ?xS.gBzU0?D|W2kF~Y4m  
B: 30027.2395, Layer 4 to 5 Message = .V~Iq;d.V~Iq.d.V~Iq;  
A: 30916.3505, Layer 5 to 4 Message = A-wdP<)s`LA%o[H4~kWD  
B: 32069.2083, Layer 4 to 5 Message = xiE~Z6pL(b=wSxiE~Z6p  
A: 32813.9362, Layer 5 to 4 Message = B?~=;97531x-B)%#~|zx  
A: 33762.1956, Layer 5 to 4 Message = CRbq#2BQap!1CP`o~0?O  
A: 34039.0807, Layer 5 to 4 Message = De(Ij-No2St7XD<^~Bc&  
A: 35646.4215, Layer 5 to 4 Message = EwL~S(Zxb6i=pEEL~S(Z  
B: 36080.6503, Layer 4 to 5 Message = d{iVD1|jWE2}2X03~IYG  
A: 37538.3165, Layer 5 to 4 Message = d,pV<#gM3w^D2nTF~eK1  
B: 38143.9173, Layer 4 to 5 Message = 10x.-,\*)(`&%\$#1~)|{|  
A: 39432.8525, Layer 5 to 4 Message = Gf6.&{skcZRJB93)Gvnf  
A: 41003.7653, Layer 5 to 4 Message = HQZdmv!+4=GPYclu~H3<  
B: 41179.3562, Layer 4 to 5 Message = 2CSdt'7HXiy,<M^N21BR  
A: 41389.1369, Layer 5 to 4 Message = Id~;Vq.Id~;Vq.Id~;Iq  
A: 41851.8855, Layer 5 to 4 Message = JvEq?!:g5b0]+W&R~MyJ  
B: 43193.2898, Layer 4 to 5 Message = 3Uw;^!Df\*Ln2Tv:]~3e)  
A: 43267.6435, Layer 5 to 4 Message = K+iI)gG'eE%cC#aA~\_>|  
B: 44234.9312, Layer 4 to 5 Message = 4f=qGzP&Yxc8lB3K~T4^  
A: 45179.7938, Layer 5 to 4 Message = LLx~pbSE6(wiZL=x~pbS  
A: 46209.5549, Layer 5 to 4 Message = dPMVY)`cfilo2ux{~\$\*  
A: 46959.2356, Layer 5 to 4 Message = NcwNCWl#7Lau,AUj~5J\_  
A: 48026.9574, Layer 5 to 4 Message = Ou=dORxAgxU{Dj2X~Gm5  
B: 48410.0869, Layer 4 to 5 Message = 5zbI0u]D+pW>&kR9~fM5  
A: 49553.9276, Layer 5 to 4 Message = Pfb;sP'\_8pJ\$[53G~X2j  
A: 50787.2237, Layer 5 to 4 Message = Q<(q)HQ|hS>\*s\_J5~jUA  
A: 50903.4251, Layer 5 to 4 Message = ROLIFC?R9630-\*\$~{xu  
A: 51899.3980, Layer 5 to 4 Message = Sbp~x=LZSw(6ESbp~x=L  
A: 53791.3266, Layer 5 to 4 Message = dt6Vv8Xx:Tz<2|>\_~Aa#  
B: 54448.8579, Layer 4 to 5 Message = 6x(~wpibZSLE=6x(~wpi  
A: 54558.3195, Layer 5 to 4 Message = U)Z.`3e8j=UCtHyM~R&W  
A: 56244.4311, Layer 5 to 4 Message = V;~dI.qV;~dV.qV;~dI.  
A: 56655.4067, Layer 5 to 4 Message = WNE;2)}tkbXOW<3\*~ulc  
A: 57998.9238, Layer 5 to 4 Message = Xaiqy\$,4<EMU^Xnv~)19  
A: 58548.4668, Layer 5 to 4 Message = YfxIc|8Rl(B[u1Ye~:Tn  
B: 59478.3441, Layer 4 to 5 Message = d7LVaku!,6AK2`jt~+5?  
B: 59505.3036, Layer 4 to 5 Message = 8T8.Jf\$?[w5Qm+Gc~<Xt  
B: 59571.9100, Layer 4 to 5 Message = 9g693a0^~Z\*W"TS\$Q~N{K  
A: 59603.8096, Layer 5 to 4 Message = Z(S~LwEp=i6bxZ(Z~LwE  
A: 60211.1870, Layer 5 to 4 Message = d:wV5rQ0mL+h2&cB[^<y

A: 60404.6511, Layer 5 to 4 Message = ]M=.|m^N>x}n\_O?0~]`P  
B: 60583.6420, Layer 4 to 5 Message = :yZ;:[<{]=|^>}\_?~`A!  
A: 61954.3316, Layer 5 to 4 Message = ^`bdfhjlInprtvxz|~#^'  
A: 62389.4052, Layer 5 to 4 Message = \_r(;Ocv,?Sgz0DWk~4H\_  
B: 62593.6637, Layer 4 to 5 Message = ;.~qd;l;.~qdVI;.~qdV  
A: 62671.1872, Layer 5 to 4 Message = `Lq8^%Jo6[#Hm4Y~Fk2  
A: 63012.3927, Layer 5 to 4 Message = aapI!X1hAwP)`8oH~W0g  
A: 63652.9376, Layer 5 to 4 Message = bLb~iS=(pZExwbL6~iS=  
A: 65498.9881, Layer 5 to 4 Message = dfZcRNJFB=952-3%~zv  
A: 65906.2107, Layer 5 to 4 Message = dq~.dIVdq~.;IVdq~.;I  
B: 66610.9483, Layer 4 to 5 Message = <AEIMQ<Y^bfjnrz~%)-  
A: 67420.8820, Layer 5 to 4 Message = e&Ed%ec\$Cb#Ba!A`~?\_}  
B: 67644.5082, Layer 4 to 5 Message = =fi~6Lb=xEZp(=3i~6Lb  
B: 67658.6653, Layer 4 to 5 Message = dfxV}Gn7>(Ov2g0W~Ho8  
B: 67681.3781, Layer 4 to 5 Message = ?xS.gBzU0?D|W2kF~Y4m  
B: 68690.6422, Layer 4 to 5 Message = A-wdP<)s`LA%o[H4~kWD  
B: 68729.1556, Layer 4 to 5 Message = B?=:;97531x-B)'%#~|zx

Printing the contents of the Simulation Event Q  
Event Time = 69711.788 A: Timer

A: 68977.2555, Layer 5 to 4 Message = f8i;l>fBrEuHxK{N~Q\$T

Printing the contents of the Simulation Event Q  
Event Time = 70925.986 A: LAYER 5

Printing the contents of the Simulation Event Q  
Event Time = 70925.986 A: LAYER 5

Printing the contents of the Simulation Event Q  
Event Time = 71711.788 A: Timer

A: 70925.9864, Layer 5 to 4 Message = gKxqU9{gD(jN2tX<~cG+

Printing the contents of the Simulation Event Q  
Event Time = 72714.611 A: LAYER 5

Printing the contents of the Simulation Event Q  
Event Time = 72711.788 A: Timer  
Event Time = 72714.611 A: LAYER 5

Printing the contents of the Simulation Event Q  
Event Time = 72711.788 A: Timer  
Event Time = 72714.611 A: LAYER 5

Printing the contents of the Simulation Event Q

Event Time = 72714.611 A: LAYER 5

Event Time = 72731.304 A: Timer

Printing the contents of the Simulation Event Q

Event Time = 72731.304 A: Timer

A: 72714.6108, Layer 5 to 4 Message = h^SI>4\*}hi\_TJ?5+~tj`

Printing the contents of the Simulation Event Q

Event Time = 74714.406 A: LAYER 5

Printing the contents of the Simulation Event Q

Event Time = 74714.406 A: LAYER 5

Printing the contents of the Simulation Event Q

Event Time = 74714.406 A: LAYER 5

Event Time = 74731.304 A: Timer

Printing the contents of the Simulation Event Q

Event Time = 74714.406 A: LAYER 5

Event Time = 74731.304 A: Timer

Printing the contents of the Simulation Event Q

Event Time = 74714.406 A: LAYER 5

Event Time = 74740.589 A: Timer

B: 73747.1358, Layer 4 to 5 Message = CRbq#2BQap!1CP`o~0?O

A: 74714.4056, Layer 5 to 4 Message = ipw~(x6=EiSZbipw~(x6

A: 75379.5396, Layer 5 to 4 Message = d%=Vo\*C[txja24Mf~9Rk

A: 76400.9059, Layer 5 to 4 Message = k7b.X%OyFp<k3^\*T~KuB

B: 76819.9518, Layer 4 to 5 Message = De(Ij-No2St7XD<^~Bc&

B: 76829.3322, Layer 4 to 5 Message = EwL~S(Zxb6i=pEEL~S(Z

B: 76840.0139, Layer 4 to 5 Message = d,pV<#gM3w^D2nTF~eK1

B: 76889.3786, Layer 4 to 5 Message = Gf6.&{skcZRJB93)Gvnf

B: 76915.2059, Layer 4 to 5 Message = HQZdmv!+4=GPYclu~H3<

A: 76991.4425, Layer 5 to 4 Message = lf(dB}[9uS1ml)3C~]:v

A: 77164.5511, Layer 5 to 4 Message = m]L;+xhWG6&scmB1~n^M

A: 78600.7627, Layer 5 to 4 Message = nopqrstuvwxyz{n}~!#\$

B: 79950.4582, Layer 4 to 5 Message = Id~;Vq.Id~;Vq.Id~;Iq

A: 80265.9045, Layer 5 to 4 Message = o\$6I[n#5HZm!4GYo~3FX

A: 80707.9253, Layer 5 to 4 Message = p6Z~EixSw=b(Lp6ZpEix

A: 81752.0460, Layer 5 to 4 Message = dI~V.d;qI~V.2;qI~q.d

B: 82018.1004, Layer 4 to 5 Message = JvEq?!:g5b0]+W&R~MyJ  
B: 82030.0638, Layer 4 to 5 Message = K+iI)gG'eE%cC#aA~\_>|  
B: 82056.6062, Layer 4 to 5 Message = LLx~pbSE6(wiZL=x~pbS  
B: 82082.7078, Layer 4 to 5 Message = dPMVY]'cfilo2ux{~\$'\*  
B: 82105.5083, Layer 4 to 5 Message = NcwNCWl#7Lau,AUj~5J\_  
A: 82797.3854, Layer 5 to 4 Message = r[E.u\_H1xbK4{eN7~hr:  
B: 84125.9636, Layer 4 to 5 Message = Ou=dORxAgxU{Dj2X~Gm5  
A: 84505.5491, Layer 5 to 4 Message = snid\_YTOJE?:50+&~yts  
A: 86085.3718, Layer 5 to 4 Message = t#x;HTamy(4AMYfr~-9F  
B: 87207.5037, Layer 4 to 5 Message = Pfb;sP'\_8pJ\$[53G~X2j  
A: 87450.5163, Layer 5 to 4 Message = uuSq1Om-Ki)Ge%3a~>]z  
B: 88229.5526, Layer 4 to 5 Message = Q<(q)HQ|hS>\*s\_J5~jUA  
A: 88560.5054, Layer 5 to 4 Message = vHvIxJyKzL{M|N}O~P!Q  
B: 89280.1919, Layer 4 to 5 Message = ROLIFC?R9630-\*\$~{xu  
A: 90178.3280, Layer 5 to 4 Message = wZ=wbE(iLxpS6wZ=~bE(  
B: 90320.6468, Layer 4 to 5 Message = Sbp~x=LZSw(6ESbp~x=L  
A: 92142.4445, Layer 5 to 4 Message = dmbVx?4){peY2C7,~sh]  
A: 93945.0711, Layer 5 to 4 Message = y!(.4yAGMSY`flrx~'-3  
B: 94353.6431, Layer 4 to 5 Message = dt6Vv8Xx:Tz<2|>\_~Aa#  
A: 95135.1496, Layer 5 to 4 Message = z4Ld{5ze|6Nf}7Og~8Ph  
A: 95316.5158, Layer 5 to 4 Message = {Gp;e0Y{NwCl7a,U~Js>  
B: 95435.9124, Layer 4 to 5 Message = U)Z.`3e8j=UCtHyM~R&W  
A: 95539.8623, Layer 5 to 4 Message = |Y6qN+fC|Z7rO,gD~[8s  
A: 96424.3710, Layer 5 to 4 Message = }lZI7&raO},xgUD2~m[J  
B: 96488.1696, Layer 4 to 5 Message = V;~dI.qV;~dV.qV;~dI.  
B: 97543.5891, Layer 4 to 5 Message = WNE;2)}tkbXOW<3\*~ulc  
A: 98362.7268, Layer 5 to 4 Message = ~fDUgx,=Oa~&7I3l}1CT  
B: 98600.8644, Layer 4 to 5 Message = Xaiqy\$,4<EMU^Xnv~)19  
A: 98919.7451, Layer 5 to 4 Message = !3EVhy->Pbs'2J[m~2DU  
A: 99392.5424, Layer 5 to 4 Message = ##i.Qt9)!Eh-Ps8[~Dg,  
A: 99698.1402, Layer 5 to 4 Message = \$X\$d:oFzQ(]3h>sJ~U,a  
A: 99971.5283, Layer 5 to 4 Message = %kS%\$jR:#iQ9!hP8~gO7  
A: 100804.5577, Layer 5 to 4 Message = &}wq&e\_XRLF?93-'~xrl  
A: 101374.4484, Layer 5 to 4 Message = '2=IT'kv\$X:FQ]hs~,7C  
A: 101527.2960, Layer 5 to 4 Message = (Eb~=Z(6SpxLi(Eb~=Zw  
B: 101669.2865, Layer 4 to 5 Message = YfxIc|8Rl(B[u1Ye~:Tn  
A: 102436.0680, Layer 5 to 4 Message = dW(V'U&)%S\$R2Q!P~O}N  
B: 102735.9631, Layer 4 to 5 Message = Z(S~LwEp=i6bxZ(Z~LwE  
B: 102749.8256, Layer 4 to 5 Message = d:wV5rQ0mL+h2&cB[^<y  
B: 102779.5271, Layer 4 to 5 Message = ]M=,|m^N>x}n\_O?0~]'P  
A: 104389.1237, Layer 5 to 4 Message = \*fL.nP2r\*6vX:z3>~aC%  
A: 105783.5856, Layer 5 to 4 Message = +|pdWK>2&+k\_RF9~rfY  
A: 105890.5710, Layer 5 to 4 Message = ,16;AFKPUZ,ejoty~&+0  
A: 105994.0403, Layer 5 to 4 Message = -DZq\*AWn'=T-\$:Qh~7Ne  
B: 106779.2336, Layer 4 to 5 Message = ^`bdfhjlnprtvxz|~#^'  
B: 106809.0630, Layer 4 to 5 Message = \_r(;Ocv,?Sgz0DWk~4H\_  
A: 107003.4286, Layer 5 to 4 Message = .V~Iq;d.V~Iq.d.V~Iq;  
B: 107831.5228, Layer 4 to 5 Message = `Lq8^%Jo6[#Hm4Y~Fk2  
A: 107853.9959, Layer 5 to 4 Message = xiE~Z6pL(b=wSxiE~Z6p

B: 111886.4325, Layer 4 to 5 Message = aapI!X1hAwP)`8oH~W0g  
B: 116988.5252, Layer 4 to 5 Message = bLb~iS=(pZExwbL6~iS=  
B: 119018.2712, Layer 4 to 5 Message = dfZcRNJFB=952-3%~zvr  
B: 127135.2344, Layer 4 to 5 Message = dq~.dIVdq~.;IVdq~.;I

Printing the contents of the Simulation Event Q  
Event Time = 128115.008 A: Timer

Printing the contents of the Simulation Event Q  
Event Time = 128145.753 A: Timer

Printing the contents of the Simulation Event Q  
Event Time = 128145.753 A: Timer

Printing the contents of the Simulation Event Q

Printing the contents of the Simulation Event Q  
Event Time = 129171.812 A: Timer

B: 128179.7226, Layer 4 to 5 Message = e&Ed%ec\$Cb#Ba!A`~?\_}  
B: 128260.8260, Layer 4 to 5 Message = f8i;l>fBrEuHxK{N~Q\$T  
B: 129294.1712, Layer 4 to 5 Message = gKxqU9{gD(jN2tX<~cG+  
B: 133283.0382, Layer 4 to 5 Message = h^SI>4\*}hi\_TJ?5+~tj`  
B: 134321.0321, Layer 4 to 5 Message = ipw~(x6=EiSZbipw~(x6  
B: 135376.2357, Layer 4 to 5 Message = d%=Vo\*C[txja24Mf~9Rk  
B: 142384.1710, Layer 4 to 5 Message = k7b.X%OyFp<k3^\*T~KuB  
B: 146442.5415, Layer 4 to 5 Message = lf(dB}[9uS1ml)3C~]:v  
B: 147496.8902, Layer 4 to 5 Message = m]L;+xhWG6&scmB1~n^M  
B: 147509.0487, Layer 4 to 5 Message = nopqrstuvwxyz{n}~!#\$  
B: 151605.1722, Layer 4 to 5 Message = o\$6I[n#5HZm!4GYo~3FX  
B: 153615.5992, Layer 4 to 5 Message = p6Z~EixSw=b(Lp6ZpEix  
B: 158683.9694, Layer 4 to 5 Message = dI~V.d;qI~V.2;qI~q.d  
B: 163721.4981, Layer 4 to 5 Message = r[E.u\_H1xbK4{eN7~hr:  
B: 164754.1142, Layer 4 to 5 Message = snid\_YTOJE?:50+&~yts  
B: 165784.2268, Layer 4 to 5 Message = t#x;HTamy(4AMYfr~-9F  
B: 167792.0786, Layer 4 to 5 Message = uuSq1Om-Ki)Ge%3a~>]z  
B: 167840.2426, Layer 4 to 5 Message = vHvIxJyKzL{M|N}O~P!Q  
B: 170885.2973, Layer 4 to 5 Message = wZ=wbE(iLxpS6wZ=~bE(  
B: 172893.8280, Layer 4 to 5 Message = dmbVx?4){peY2C7,~sh]  
B: 176918.6355, Layer 4 to 5 Message = y!(.4yAGMSY`flrx~'-3  
B: 179992.9271, Layer 4 to 5 Message = z4Ld{5ze|6Nf}7Og~8Ph  
B: 180007.7708, Layer 4 to 5 Message = {Gp;e0Y{NwCl7a,U~Js>  
B: 185064.5363, Layer 4 to 5 Message = |Y6qN+fC|Z7rO,gD~[8s  
B: 186091.4633, Layer 4 to 5 Message = }lZI7&raO},xgUD2~m[J  
B: 187139.4999, Layer 4 to 5 Message = ~fDUgx,=Oa~&7I3l}1CT

B: 189158.3966, Layer 4 to 5 Message = !3EVhy->Pbs'2J[m~2DU  
B: 191173.7332, Layer 4 to 5 Message = ##i.Qt9]!Eh-Ps8[~Dg,  
B: 195201.8373, Layer 4 to 5 Message = \$X\$d:oFzQ(]3h>sJ~U,a  
B: 195220.1333, Layer 4 to 5 Message = %kS%\$jR:#iQ9!hP8~gO7  
B: 197383.5046, Layer 4 to 5 Message = &}wq&e\_XRLF?93-'~xrl  
B: 197475.0322, Layer 4 to 5 Message = '2=IT'kv\$x:FQ]hs~,7C  
B: 197487.7587, Layer 4 to 5 Message = (Eb~=Z(6SpxLi(Eb~=Zw

Printing the contents of the Simulation Event Q  
Event Time = 198482.803 A: Timer

Printing the contents of the Simulation Event Q  
Event Time = 198517.349 A: Timer

Printing the contents of the Simulation Event Q

Printing the contents of the Simulation Event Q  
Event Time = 199517.349 A: Timer

Printing the contents of the Simulation Event Q  
Event Time = 199517.349 A: Timer

Printing the contents of the Simulation Event Q  
Event Time = 199571.983 A: Timer

B: 198586.4749, Layer 4 to 5 Message = dW(V'U&)%S\$R2Q!P~O}N  
B: 199617.4411, Layer 4 to 5 Message = \*fL.nP2r\*6vX:z3>~aC%

Simulator terminated at time 199621.252194  
after receiving 100 msgs at layer5

Simulator Analysis:

Number of messages sent from 5 to 4: 104  
Number of messages received at Layer 5, side A: 0  
Number of messages received at Layer 5, side B: 100  
Number of messages incorrectly received at layer 5: 0  
Number of packets entering the network: 608  
Average number of packets already in network: 0.000  
Number of packets that the network lost: 193  
Number of packets that the network corrupted: 126  
Number of packets that the network put out of order: 145