
Type 2 Diabetes Clinical Trials in India: Landscape Report

Nov 1, 2026 · Murshidha

Type 2 diabetes research in India is mostly finished, late-stage and industry-led: of 585 registered trials, 74% are completed, 65% of trials with a stated phase are Phase 3, and seven drug companies ran 51% of all trials.

Status: 74% of trials are completed




ClinicalTrials.gov · Type 2 diabetes trials with an Indian site · downloaded 1 Nov 2026 · 585 trials

Only 55 trials are recruiting or not yet recruiting, and 38 were terminated or withdrawn.

Phase: Phase 3 dominates

251 of 389 trials with a stated phase (65%) are Phase 3

Trials by phase, 585 in all; 389 list a phase



Trials with no phase listed are observational or other non-phased studies; they are not counted in the 65%.


ClinicalTrials.gov · Type 2 diabetes trials with an Indian site · downloaded 1 Nov 2026 · 585 trials

Phase 3 trials are the large, late-stage studies run shortly before a medicine is submitted for approval, so the mix points to many medicines near the end of testing. Phase 4, run after approval, is the next largest phase.

Sponsors: drug companies run half of the trials

Seven drug companies ran 298 of 585 trials (51%)


The 11 lead sponsors with the most trials, out of 585 trials



ClinicalTrials.gov · lead sponsor of Type 2 diabetes trials with an Indian site · downloaded 1 Nov 2026 · 585 trials

Novo Nordisk alone ran 110 trials (19%). Indian institutions such as PGIMER Chandigarh are in the top 11 but run fewer trials each. These are lead sponsors of trials with at least one Indian site, so many are global programmes.

Trend: starts fell after 2010 and are recovering



ClinicalTrials.gov · Type 2 diabetes trials with an Indian site · downloaded 1 Nov 2026 · 579 trials with a start date

Part of the early peak may reflect the registration rules of that period, so read this as a registry trend, not a direct measure of research effort.

Method and limitations

The counts come from one ClinicalTrials.gov download, cleaned and counted in Excel pivot tables.

- **Data:** ClinicalTrials.gov search for condition "type 2 diabetes" and location India, downloaded as CSV on 1 November 2026.
- **Cleaning:** The download had 611 rows. 26 were broken fragments of the Locations text, so they were removed, leaving 585 trials with unique NCT numbers. A Start Year column was added from the start date; 6 trials have no start date, so the year chart covers 579.
- **"India" means at least one site in India.** Many trials are global, so the sponsor counts show who runs trials that include Indian sites, not only India-based studies.
- **Sponsor** is the lead sponsor only; collaborators are not counted.

- **Registry coverage:** trials registered only in other registries, such as India's own national registry, are not in this data.
- **No phase:** 196 trials list no phase: 102 interventional, 93 observational and 1 expanded access. The interventional ones are likely non-drug studies such as diet, lifestyle or devices, which have no phase.
- **Start years** in 2026 may include trials that are planned but not yet begun.

Sources

- ClinicalTrials.gov, US National Library of Medicine. Search: condition "type 2 diabetes", location India. Downloaded 1 November 2026.