# 1. Onboarding + Auth (first time / access)

### 1.1 First Launch — Intro + Permissions — Specs

Purpose
First-time entry screen that:

- explains what Ledstjarnan is for (in 10 seconds)
- asks for notifications permission (recommended)
- routes into Login

Layout

Top bar

- Title: Welcome
- Right action: Skip

Intro content

- Simple icon/illustration placeholder
- Headline: Ledstjarnan helps you support clients
- Bullet list (short):
- create/manage clients
- baseline + follow-up
- plans + assign Livbojen chapters
- shared schedule (locked sessions)

Permissions card

- Title: Notifications (recommended)
- Text: Get reminders for follow-ups and sessions.
- Row:
- Allow notifications + toggle (or a button)

Bottom buttons

- Primary: Continue
- Secondary: Continue without

Interactions

- Continue → triggers OS notification permission prompt
- If allowed/denied → proceed to Login
- Continue without → proceed to Login without requesting permission
- Skip → also goes to Login (no permission prompt)

Data / State (MVP)

- Local flag: has_seen_onboarding = true
- Local preference: notifications_prompted = true (optional)

Acceptance Criteria

- On first launch, this screen appears once
- On subsequent launches, app opens directly to Login (or main tabs if already logged in)
- Permission choice does not block app use
- Navigation always ends at Login

### 1.2 Login

Purpose
Allow staff to securely sign in and enter the app.

Layout

Top bar

- Title: Login

Content

- Logo placeholder (optional)
- Field: Email
- Field: Password
- Link: Forgot password?

Actions

- Primary button: Sign in
- Secondary button: Sign in with SSO (only if you support it; otherwise remove)
- Helper text: Need access? Contact your admin.

Interactions

- Sign in → Supabase Auth sign-in
- Success → Unit selection (if needed) or Main tabs
- Error → inline error message (e.g., Incorrect email or password)
- Forgot password? → Password reset flow (email)
- SSO → SSO provider flow (optional)

Data (Supabase)

- Uses Supabase Auth:
- signInWithPassword(email, password)
- resetPasswordForEmail(email)

States

- Loading: disable inputs + spinner on button
- Error: show message under fields
- Success: route forward automatically

Acceptance Criteria

- Valid credentials create a session and route forward
- Invalid credentials show clear error
- Password reset sends email
- Session persists between launches

**1.3 Auth — Reset Password (email)**

Purpose

Let staff reset password via email (Supabase Auth).

Layout

Top bar

- < Back
- Title: Reset password

Instructions

- “Enter your email and we will send a reset link.”

Field

- Email (text input)

Primary action

- Send reset link

Note box

- Check spam/junk folder
- Link expires after 1 hour

Secondary link
- Back to login

Interactions
- Send reset link:
- validates email format
- triggers Supabase resetPasswordForEmail(email)
- shows success toast: “Email sent”
- < Back / Back to login → returns to Login screen

Data (Supabase)
- Supabase Auth password reset email flow
- App handles deep link → open “Set new password” screen (next)

Validation (MVP)
- Email required
- If email doesn’t exist: still show generic success (avoid account enumeration)

Acceptance Criteria
- Staff receives reset email (if account exists)
- App can handle reset link and allow setting a new password

**1.4 Auth — Set New Password (Deep link)**

Purpose

Complete password reset after opening the email reset link (deep link), and set a new password.

Layout

Top bar
- Title: Set new password

Instruction
- “Create a new password for your account.”

Fields
- New password
- Confirm password

Password rules (helper card)
- At least 8 characters
- Mix of letters and numbers

Primary action
- Update password

Interactions
- Update password:
- validates passwords match
- calls Supabase auth update password flow (within reset session)
- shows success: “Password updated”
- routes to Login (or directly into app if session is active)

Data (Supabase)
- Uses Supabase Auth “recovery” session from the deep link
- Calls updateUser({ password })

Validation (MVP)

- Password required
- Confirm must match
- Minimum length 8

Acceptance Criteria

- Reset link opens the app to this screen
- Password updates successfully
- User can log in with the new password

**1.5 Onboarding — Enter Unit Code (Join your unit)**

Purpose

Attach staff to one single unit (required before they can see any clients).

Layout

Top bar

- < Back
- Title: Join your unit

Intro text

- “Enter the unit code from your manager.”
- “You can only belong to one unit.”

Unit code input

- Label: Unit code
- 6-character code input (6 separate boxes)

Help text

- “Don’t have a code? Contact your manager.”

Unit preview (after valid code)

- Card: Unit found
- Unit name (e.g., Västerbo • Malmö)
- Rule reminder: “You will only see clients in this unit.”

Primary action

- Confirm unit

Interactions

- Typing fills boxes automatically
- When 6 chars entered → validate code
- Confirm unit:
- saves unit membership
- moves to Privacy & Access (or directly to “Setup complete” if you skip that step)

Data (Supabase)

Reads:

- units by join_code (or unit_invites)

Writes:

- staff_profiles.unit_id = selected_unit_id
- staff_profiles.unit_joined_at

Optional:

- store unit_join_code_used in audit log

Validation (MVP)

- Must be 6 chars
- If invalid → inline error: “Code not found”
- If code expired → “Code expired, ask manager for new one”

Acceptance Criteria

- Staff can belong to exactly one unit
- After confirming, app access is scoped to that unit only

**1.6 Onboarding — Unit Code Error**

Purpose

Clear error state when the unit code is invalid/expired.

Layout

Top bar

- < Back
- Title: Join your unit

Unit code input

- 6-box code input (shows what user typed)

Error message (inline)

- Title: Code not found.
- Helper: “Check the code or ask your manager for a new one.”

Actions

- Primary: Try again
- Secondary: Contact manager

Interactions

- Try again → clears code boxes and focuses first box
- Contact manager → opens:
- mailto template (optional), or
- shows a simple message: “Ask your manager for a new unit code.”

Data (Supabase)

Reads:

- units by join_code

If not found / expired:

- show this error state (no writes)

Acceptance Criteria

- Wrong code never attaches staff to a unit
- Error message is simple and actionable
- User can retry immediately

**1.7 Onboarding — Unit Confirmed**

Purpose

Confirm the staff is successfully attached to one unit and explain the access scope.

Layout

Top bar

- < Back
- Title: Join your unit

Success block

- ✓ icon
- Text:
- Unit confirmed.
- You are now in:

Unit card

- Unit name (e.g., Villa Hilleröd HVB)
- Rule: “Staff access is limited to this unit.”
- Reminder: “Clients outside this unit are hidden.”

Primary action

- Continue setup

Interactions

- Continue setup → goes to Privacy & Access (or Setup Done if you skip that)

Data (Supabase)

Reads:

- staff_profiles.unit_id joined with units to show unit name

No new writes here (already saved on “Confirm unit”).

Acceptance Criteria

- Shows the correct unit
- Makes unit restriction clear
- Continues onboarding smoothly

**1.8 Onboarding — Complete Staff Profile**

Purpose

Collect minimal staff profile info and confirm the unit is locked (single-unit rule).

Layout

Top bar

- < Back
- Title: Complete Profile

Intro text

- “Just to personalize Ledstjarnan.”

Form fields

- Full name (text)
- Role (dropdown)
- MVP default: Behandlingsassistent
- Unit (locked) (read-only)
- shows the unit selected via Unit Code
- small label: Locked

Note box

- “You will only see clients in your unit.”
- “Data is shared with Livbojen only when a client is linked.”

Primary action

- Finish setup

Interactions

- Finish setup:
- validates name + role
- saves profile
- navigates to Home (Clients list)

Data (Supabase)

Writes to staff_profiles:

- id (user_id)
- full_name
- role
- unit_id (already set from unit code)
- timestamps

Reads:

- units to display unit name

Validation (MVP)

- Full name required (min 2 characters)
- Role required
- Unit cannot be edited here

Acceptance Criteria

- Staff profile saved successfully
- Staff lands on Clients list after setup
- Staff can only access clients in their unit (enforced by RLS later)

**1.9 Onboarding — Privacy & Access**

Purpose
Set clear expectations about what staff can access, what is shared with Livbojen, and basic consent for using the app.

Layout

Top bar

- < Back
- Title: Privacy & Access

Content card
Section: What you can access

- Only clients in your unit
- Notes & flags are staff-only
- Schedule is shared only when client is linked
- Locked sessions: client can view, not edit

Section: Data handling

- Minimal data stored for MVP
- Sync with Livbojen uses same Supabase project
- Access rules are enforced by roles

Consent

- Checkbox: I understand and agree

Primary action

- Button: Continue to app

Interactions

- Button is disabled until checkbox is ticked
- Continue to app → completes onboarding and goes to Home (Clients list)

Data (Supabase)

Writes (optional but recommended):

- staff_consents:
- staff_id
- consent_version
- accepted_at

Reads:

- none required

Validation (MVP)

- Must check consent box to continue

Acceptance Criteria

- Staff understands single-unit access and sharing rules
- Consent recorded (or at least respected in local onboarding completion)
- User lands on Clients list after continuing

**1.10 Onboarding — Enable Notifications**

Purpose

Ask staff to enable notifications for important reminders (follow-ups, sessions, schedule changes).

Layout

Top bar

- < Back
- Title: Enable notifications

Info text

- “Get reminders for:”
- Follow-ups that are due
- Booked sessions
- Schedule changes

Toggle preview card

- “Allow notifications for Ledstjarnan” (visual hint)

Actions

- Primary: Enable
- Secondary: Not now

Interactions

- Enable → triggers OS permission prompt
- If allowed → save preference and continue
- If denied → continue anyway (can enable later in Settings)

Data (Supabase)

Optional (MVP):

- store staff preference in staff_profiles.notifications_enabled (true/false)

Local:

- device token for push notifications (Phase 2 if you add push)

Acceptance Criteria
- Flow continues whether user enables or skips
- Setting can be changed later in Settings

**1.11 Onboarding — Setup Complete**

Purpose

Confirm onboarding is finished and route staff into the app.

Layout

Top bar
- Title: Setup complete

Success block
- Big ✓ icon
- Text:
- "You're ready to use Ledstjarnan."
- "You will see only clients in your unit."

Actions
- Primary: Go to Clients list
- Secondary: Go to Schedule

Interactions
- Go to Clients list → opens Clients (Home)
- Go to Schedule → opens Schedule Dashboard
- This screen appears only once (unless onboarding reset)

Data (Supabase)

Optional write:
- staff_onboarding.completed_at

Local:
- store onboarding_complete=true to skip next time

Acceptance Criteria
- After this screen, staff lands in the correct home section
- On next app launch, onboarding is skipped and user goes to Home

**1.12 Select Unit (Confirm unit after login)**

What changes
- This screen is always shown after login.
- Staff still usually has one unit, but they must confirm it (simple, consistent workflow).
- No "skip screen if only one unit".

Purpose

Make staff confirm their unit (even if it's only one) before entering the app. This ensures:
- correct client list + schedule scope
- clean audit trail ("staff confirmed unit")

Layout (same as before)
- Top bar: Select unit + Sign out

- Info text: Confirm your unit to continue.
- Unit list:
- If only one unit → show one unit card selected by default
- Button: Continue

Interactions
- If one unit: already selected → Continue goes to Main tabs
- If multiple units (future): choose one → Continue
- Sign out goes back to login

Data (Supabase)

Read
- staff's unit from staff_profile.unit_id (or staff_units)

Write
- Store active_unit_id (even if same as default)
- local storage (required)
- optional: save in staff_profile.active_unit_id for audit consistency

Acceptance Criteria
- Screen always appears after login
- Continue works even with one unit (preselected)
- Active unit is stored and used for filtering
- Sign out works

# 2. App Shell (after onboarding)

**2.1 Main Tabs (App Shell)**

Purpose
Provide a stable navigation structure for staff with 5 tabs:
- Clients
- Assess
- Plans
- Schedule
- Settings

Layout

Top area (tab root)
- Title: depends on active tab (e.g., Clients, Assess, etc.)
- Optional: quick actions per tab (later)

Bottom Tab Bar (fixed)
Tabs:
1. Clients
2. Assess
3. Plans
4. Schedule
5. Settings

Behavior
- Last selected tab persists for session
- Default tab after login: Clients

Recommended MVP Tab Responsibilities
- Clients: list + create + profile hub + link + notes/history

- Assess: assess dashboard + baseline/follow-up flows
- Plans: plan list + plan builder + assign Livbojen
- Schedule: schedule dashboard + client schedule + add item
- Settings: profile/unit confirm, language, notifications, sign out

Data / State
- Local: last_selected_tab
- Unit scope: active_unit_id applied across tabs (clients, schedule, assessments, plans)

Acceptance Criteria
- Tabs always visible and consistent
- Back behavior is predictable (within each tab stack)
- Switching tabs does not lose unsaved form data (MVP can warn if leaving drafts)
- Default after login is Clients

# 3. Clients (core clients management)

**3.1 Clients List**

Purpose
Let staff quickly:
- find a client (search)
- filter by status (due soon, not linked, flags)
- open a client profile
- create a new client

Layout

Top Bar
- Title: Clients
- Right: Search icon (optional if you already have search field)

Search field
- Placeholder: Search name / code
- Filters list live as you type

Filter chips
- ( All ) ( My clients ) ( Due soon ) ( Not linked ) ( Flags )
- Multiple select optional (MVP: single select)

List items (Client Cards)
Each card shows:
- Name/Code
- Status badges: [Baseline] [Plan] [Linked/Not linked]
- Next: Follow-up: {date}
- Small flags (optional): [Trauma] [Low readiness]
- Chevron > (tap opens Client Profile)

Floating button
- + New client

Interactions
- Tap a card → Client Profile (hub)
- Tap chip → filters list
- Tap + New client → New Client form

Data (Supabase)

Reads:

- clients filtered by unit_id
- staff_client_access (to show “My clients”)
- plans.next_follow_up_at (for due soon/overdue)
- client_flags (optional)

Derived logic:

- Due soon = next_follow_up_at within next 14 days
- Not linked = missing linked_user_id (or no row in client_links)
- Flags = has any active flag

States

- Loading: skeleton list
- Empty: No clients found + New client
- Error: Couldn’t load clients + Retry

Acceptance Criteria

- Search works by name and code
- Filters match the badges and follow-up logic
- Card opens the correct client
- New client button always visible

**3.2 New Client**

Purpose
Create a new client entry inside the staff unit and assign responsible staff (default = me).

Layout

Top Bar

- Left: < Back
- Title: New client

Form

- Name/Code (text)
- Unit (dropdown) (pre-filled with staff unit)
- Responsible staff (dropdown) (default = me)

Action

- Button: Create

Interactions

- Create:
- validates required fields
- creates client
- routes to Client Profile (hub)

Data (Supabase)

Writes:

- insert into clients:
- name_or_code
- unit_id
- created_by_staff_id
- insert into staff_client_access:
- staff_id = responsible_staff
- client_id

Reads:

- staff unit (for default)
- staff list (for dropdown)

States
- Loading (creating): disable button + spinner
- Error: inline message Couldn't create client
- Success: go to Client Profile

Acceptance Criteria
- Client is created with correct unit
- Responsible staff is linked to the client
- After create, client appears in Clients list immediately

**3.3 Client Profile (Hub)**

Purpose
Single "home" for the client where staff can quickly jump to:
- link to Livbojen
- assessments
- plan
- schedule
- notes/flags
- timeline/history

Layout

Top bar
- Left: < Back
- Title: Client Profile

Client header card
- Name/Code
- Unit
- Link status: Linked / Not linked
- Status badges (right side):
- Baseline
- Plan
- Linked/Not linked

Quick actions (list)
Rows (tap opens screen):
- Link to Livbojen (shows status badge)
- Assessments (baseline + follow-up history)
- Plan (view/create plan)
- Schedule (shared planner)
- Notes & Flags (staff only)
- Timeline / History (event log)

Interactions
- Tap a row → navigate to that feature
- Status badges are read-only indicators

Data (Supabase)

Reads:
- clients (name/code, unit_id, link status)
- client_links or clients.linked_user_id
- assessments (exists baseline?)
- plans (active plan exists?)

- planner_items (optional: next event / next follow-up)
- notes_flags count (optional badge later)

Writes:
- none on hub (writes happen in subflows)

States
- Loading: skeleton header + rows
- Error: Couldn't load client + Retry

Acceptance Criteria
- Always shows correct client + link status
- Quick actions open correct screens
- Badges reflect current data (baseline/plan/link)

**3.4 Link to Livbojen (Generate Code)**

Purpose

Staff generates a 6-digit link code that the client enters in Livbojen to connect both apps.

---

Layout

Top bar
- Left: < Back
- Title: Link to Livbojen

Client header
- Client Name/Code
- Status: Linked / Not linked

Code card
- Label: Link code (6 digits)
- Big code display
- Timer text: Expires in 15 minutes

Actions
- Button: Copy code
- Button: Generate new code

Help card (client steps)
1. Open Livbojen
2. Settings → Link
3. Enter code
4. Confirm

Interactions
- Copy code → copies to clipboard
- Generate new code → invalidates old code and generates new
- Screen listens for "linked" state change:
- when client redeems code → show Linked badge (and next screen can be "Link success")

Data (Supabase)

Writes
- link_codes insert:
- code (6 digits, unique per active window)

- client_id
- unit_id
- created_by_staff_id
- expires_at
- is_used=false

Reads
- client link status from client_links OR clients.linked_user_id

When client redeems (in Livbojen)
- mark link_codes.is_used=true
- create client_links row (or set clients.linked_user_id)
- record event in timeline

States
- Loading: show placeholder code
- Expired: show Code expired + Generate new code
- Error: show Couldn't generate code + Retry

Acceptance Criteria
- Code is 6 digits and expires
- Only one active code per client at a time
- Redeeming links the correct client
- Staff sees status update to "Linked" without needing restart

**3.5 Link Success**

Purpose
Confirm the client is now linked to Livbojen, and guide staff to the next best action:
- assign chapters
- continue to client profile

Layout

Top bar
- Left: < Back
- Title: Link success

Success block
- ✅ icon
- Headline: Client is now linked to Livbojen
- Client name/code shown

Info banner
- "You can now:"
- • Assign Livbojen chapters
- • Share schedule items

Actions
- Button: Open Client Profile
- Button: Assign chapters now

Interactions
- Open Client Profile → Client Profile (hub)
- Assign chapters now → Assign Livbojen Chapters (Picker) for this client
- < Back → returns to Link screen (read-only, shows status Linked)

Data (Supabase)

Reads:

- client_links (or clients.linked_user_id) to confirm linked state

Writes:

- none here (link already completed)

States

- Loading: if waiting for realtime link update
- Error (edge case): if link not confirmed → show Not linked yet + Refresh

Acceptance Criteria

- Only shown when link is confirmed (or used as confirmed state)
- Buttons navigate correctly
- Status in Client Profile updates to Linked

**3.6 Client Profile → Notes & Flags (Staff only)**

Purpose

Staff-only place to store sensitive context:

- flags (quick indicators)
- internal notes (not visible to client in Livbojen)

Layout

Top bar

- < Back
- Title: Notes & Flags

Client header

- Name/Code
- Label: Staff-only view
- Last updated

Flags section

- Chip-style toggles (multi-select), example:
- Trauma
- Low readiness
- Risk
- Needs interpreter

Notes section

- List of note cards:
- Author + date
- Note text
- Optional actions: Edit, Delete

Bottom action

- + Add note

Interactions

- Tap flag chip → toggle on/off (saves)
- + Add note → opens add note modal/screen
- Edit/Delete note (staff only)

Data (Supabase)

Tables:

- client_flags
- client_id
- flag_key
- is_on

- updated_by_staff_id
- updated_at
- client_notes
- id
- client_id
- staff_id
- note_text
- created_at
- updated_at

Permissions (MVP)
- Only staff in the same unit_id can read/write
- Never synced to Livbojen

States
- Loading: skeleton chips + notes
- Empty: No notes yet + add note
- Error: Couldn't save + Retry

Acceptance Criteria
- Flags persist immediately and show on Client Card (if you choose to display them)
- Notes are staff-only and never appear in Livbojen
- Only unit staff can access this screen

**3.7 Notes — Add Note**

Purpose

Create a staff-only note for a client (never synced to Livbojen).

Layout

Top bar
- < Back
- Title: Add note
- Right: Save

Client header
- Client: {name/code}
- Helper text: Notes are staff-only

Note input
- Large multiline text area

Visibility (fixed)
- Info card:
- Staff-only (not shared to Livbojen)

Interactions
- Save:
- validates note not empty
- creates note
- returns to Notes & Flags screen
- < Back:
- if text entered → confirm discard (optional MVP)

Data (Supabase)

Writes to client_notes:
- id

- client_id
- staff_id
- note_text
- created_at

Reads:
- none (unless editing mode later)

Validation (MVP)
- Note required (min 3 chars)

Permissions (MVP)
- Only staff in same unit can create/read notes
- No client access

Acceptance Criteria
- Notes appear instantly in Notes list after save
- Notes never show in Livbojen
- Only unit staff can view/edit later

**3.8 Notes — Edit Note**

Purpose

Edit or delete an existing staff-only client note.

Layout

Top bar
- < Back
- Title: Edit note
- Right: Save

Meta card
- Client name/code
- Author + date
- Label: Staff-only

Note input
- Prefilled multiline text area

Destructive action
- Delete

Interactions
- Save → updates note text and returns to Notes & Flags
- Delete → confirm modal → deletes note → returns to Notes & Flags
- < Back → confirm discard if text changed (optional MVP)

Data (Supabase)

Reads:
- client_notes by id

Writes:
- update client_notes.note_text, updated_at
- delete client_notes row on delete

Permissions (MVP)
- Only staff in same unit can edit

- Optional: only author can edit/delete (or allow all unit staff)

Validation
- Note required (min 3 chars)

Acceptance Criteria
- Note updates persist and show in list immediately
- Deleted note disappears from list
- Notes remain staff-only and never sync to Livbojen

**3.9 Client Profile → Timeline/History — Specs (Ledstjarnan)**

Purpose

One place to view the client's key history:
- baseline completed
- plan created/activated
- chapters assigned
- link created/removed
- schedule sessions booked
- follow-ups completed

Layout

Top bar
- < Back
- Title: Timeline / History

Client header
- Name/Code
- Subtitle: All key actions in one place

History list
- Chronological list (newest first)

Each event card shows:
- Date
- Title (e.g., Plan activated)
- Short description (e.g., Focus areas: Health, Economy)

Interactions
- Tap an event (optional MVP) → opens related screen (plan, assessment, link, schedule)
- Scroll for older events

Data (Supabase)

Read:
- client_timeline_events filtered by client_id ordered desc

Write events from other flows:
- baseline completed
- recommendation created
- plan activated
- chapters assigned
- planner item created/cancelled
- follow-up completed
- linked/unlinked

Table example:
- client_timeline_events

- id
- client_id
- unit_id
- event_type
- title
- description
- metadata (json)
- created_by_staff_id
- created_at

Permissions (MVP)
- Only staff in the same unit can view

States
- Empty: No history yet
- Error: Couldn't load history + Retry

Acceptance Criteria
- Events appear automatically when actions happen elsewhere
- Order is correct (newest first)
- Timeline helps staff quickly understand current status

**3.10 Client Profile → unLink Livbojen — Confirm Modal**
Purpose

Prevent accidental unlinking, and clearly explain what unlinking changes.

Layout

Background
- Client Profile (dimmed), showing current Link status: Linked

Modal (center)
- Title: Unlink client?
- Message:
- "This will stop syncing schedule and chapter assignments to Livbojen."
- "Staff notes & flags stay in Ledstjarnan."

Optional checkbox (MVP = optional)
- Also remove shared planner items from client

(If you don't want complexity, hide this in MVP.)

Buttons
- Cancel
- Unlink (destructive)

Interactions
- Cancel → closes modal
- Unlink → unlinks client and returns to Client Profile with status Not linked
- If checkbox enabled → also hides/removes previously shared items (depending on rule)

Data (Supabase)

Writes:

- client_links.status = 'unlinked'
- client_links.unlinked_at
- client_links.unlinked_by_staff_id

Optional:
- set planner_items.visibility='private' for that client (only those created by staff)

Permissions (MVP)
- Only staff in same unit can unlink

Acceptance Criteria
- After unlink, Livbojen stops receiving:
- new chapter assignments
- shared schedule items
- Staff notes/flags remain unchanged in Ledstjarnan

**3.11 Client Profile → unLink Success**

Purpose

Confirm unlinking and explain the impact (sync stops).

Layout

Top bar
- Title: Client unlinked

Success block
- ✓ icon
- Text:
- “This client is no longer linked to Livbojen.”
- “Chapters and schedule will not sync.”

Actions
- Back to profile
- Generate new link code

Interactions
- Back to profile → Client Profile (status shows Not linked)
- Generate new link code → goes to Link to Livbojen screen and creates a new invite code

Data (Supabase)

Reads:
- current client_links.status

Writes (only if “Generate new link code”):
- creates new invite_code record (or updates link record with new code + expiry)

Acceptance Criteria
- User clearly understands unlink effect
- Staff can immediately relink if needed

# 4. Assess (baseline + follow-up)

### 4.1 Assess Dashboard

Purpose

A single place for staff to:

- pick a client
- start Baseline or Follow-up
- see what's due + recent assessments

Layout

Top bar

- Title: Assess

Client selector

- Search field: Select client (search name/code)
- Tap opens client picker (or filters inline)

Quick stats (2 cards)

- Baseline needed (count)
- Follow-ups due (count)

Selected client card
Shows:

- Name/Code
- Baseline status (Completed / Not started)
- Next follow-up date
- Badge (e.g., Baseline / Follow-up due)

Primary actions

- Start follow-up
- Start baseline

(MVP rule: disable Start baseline if baseline already completed, or show "View baseline".)

Recent assessments (list)
Rows show:

- Date
- Type: Baseline / Follow-up
- Client name/code
- Badge: Done / Due
- Tap opens Summary/details

Interactions

- Select client → updates selected client card + available actions
- Tap Start baseline → goes to Baseline Flow → Domains Overview
- Tap Start follow-up → goes to Follow-up Flow → Domains Overview
- Tap a recent item → opens Assessment Summary

Data (Supabase)

Reads:

- clients (within unit)
- assessments (latest per client)
- derived:
- baseline needed = no baseline assessment exists
- follow-up due = plans.next_follow_up_at <= today (or within X days)

Writes:

- creates assessment_session (draft) when starting baseline/follow-up (recommended)
- or create assessments row at the end only (MVP)

States

- Loading: skeleton cards + list
- Empty: No assessments yet
- Error: Couldn't load assessments + Retry

Acceptance Criteria

- Staff can always start baseline or follow-up for a selected client
- Counts match real data
- Recent list opens correct summaries
- Follow-up due logic is consistent with Plan next_follow_up date

**4.2 Baseline Flow → Domains Overview**

Purpose
Let staff complete baseline by domain, with clear progress and the ability to pause and continue later.

Layout

Top bar

- Left: < Back
- Title: Baseline domains

Progress

- Text: Progress: X/Y completed
- Progress bar

Domain list
Rows:

- Domain name
- Status:
- Not started
- In progress
- Completed
- Tap > opens Domain Form (per domain)

Example domains (MVP):

- Housing
- Health
- School/Work
- Economy
- Social
- Self-care

Bottom action

- Button: Finish later (saves draft)

Interactions

- Tap a domain → opens 3.3 Domain Form
- Back → confirmation if unsaved changes
- Finish later → saves draft session and returns to Assess Dashboard

Data (Supabase)

Reads:

- baseline domains config (static list for MVP)
- existing draft/completed answers for this assessment session

Writes:

- update assessment_sessions (draft) with:
- status = in_progress
- completed_domains_count
- store answers per domain in assessment_answers

States

- Loading: skeleton list
- Empty: if no domains configured (should never happen)
- Error: Couldn't load baseline + Retry

Acceptance Criteria

- Progress updates when a domain is completed
- Domain status updates correctly
- Draft can be resumed from Assess Dashboard
- Staff can't "complete baseline" until required domains are completed

**4.3 Domain Form (per domain)**

Purpose
Capture baseline/follow-up data one domain at a time in a simple, repeatable form.

Layout

Top bar

- Left: < Back
- Title: Domain: {DomainName} (example: Health)
- Right: Save (saves draft)

Domain meta (optional)

- Text: {DomainName} • X questions

Questions (example pattern)
MVP uses consistent question types across domains:

1. Readiness (1–5) (required)
2. Notes (optional text)
3. Needs / risks (checkbox list)

Bottom action

- Button: Mark as completed

Interactions

- Save → saves draft answers but domain stays In progress
- Mark as completed:
- validates required questions
- sets domain status Completed
- returns to Domains Overview
- < Back:
- if unsaved changes → confirm Discard changes?

Data (Supabase)

Reads

- assessment_sessions (current session id)
- domain config (questions + options)
- existing answers (draft)

Writes

- assessment_answers upsert:
- assessment_session_id
- domain_key
- question_key
- value (number/text/array)
- update domain status in session:
- assessment_domain_status(domain_key) = completed

Validation (MVP)

- Readiness is required (1–5)
- Notes optional
- Needs/risks optional

States

- Loading: skeleton
- Error: Couldn't save + Retry
- Saved toast: Saved

Acceptance Criteria

- Answers persist if you exit and return
- Domain can only be completed if required fields are filled
- Completing a domain updates progress on Domains Overview

**4.4 Assessment Summary**

Purpose

Show a clear overview of what was filled in, before finishing:

- completed domains
- basic results per domain
- key notes summary
- next step: recommendation

Layout

Top bar

- Left: < Back
- Title: Summary

Client card

- Client Name/Code
- Assessment type: Baseline or Follow-up
- Completion: X/Y domains

Domain results (list)
Rows:

- Domain name
- Simple score (example: 2/5) or status
- Tap > opens that domain form (read-only or editable if still in draft)

Key notes (box)

- Short combined summary (manual or auto-generated from notes)

Bottom actions

- View recommendation
- Finish assessment

Interactions

- Tap domain row → open domain details
- View recommendation → goes to 3.5 Recommendation
- Finish assessment:
- locks the assessment as completed
- writes timeline event
- returns to Assess Dashboard (or Client Profile)

Data (Supabase)

Reads:
- assessment_session + answers
- derived domain score/status (from readiness question per domain)
- notes aggregation (from domain notes)

Writes on Finish:
- create final assessments record (or mark session completed)
- store computed domain results snapshot (recommended)
- timeline event: Baseline completed / Follow-up completed

Validation (MVP)
- Can't finish unless required domains are completed
- If some domains incomplete → show banner:
- Complete all required domains first

States
- Loading: skeleton
- Error: Couldn't load summary + Retry

Acceptance Criteria
- Summary reflects saved answers
- Finish locks the assessment (cannot be edited afterward in MVP)
- Recommendation is reachable from here
- Returning to dashboard shows the assessment as completed

**4.5 Recommendation**

Purpose
Convert assessment results into actionable next steps:
- suggested focus areas for the plan
- suggested Livbojen chapters to assign to the client

Layout

Top bar
- Left: < Back
- Title: Recommendation

Header card
- Client Name/Code
- Context: Based on baseline results (or follow-up)

Recommended focus areas (list)
Each row shows:
- Area name
- Priority label: High / Medium / Low
- Action: Add to plan

Suggested Livbojen chapters (box)
- Simple list of recommended chapters
- Helper text: Tap Assign to send to Livbojen.

Bottom actions

- Go to plan builder
- Assign chapters (picker)

Interactions

- Tap Add to plan:
- adds that focus area to a draft plan (or plan builder pre-fill)
- Go to plan builder → opens Plan Builder Wizard with preselected areas
- Assign chapters (picker) → opens Assign Livbojen Chapters (Picker) for this client
- Back → returns to Summary

Data (Supabase)

Reads:

- assessment results snapshot (domain readiness scores + notes)
- mapping rules (MVP can be simple hard-coded mapping)

Writes:

- draft plan state (local) OR insert a draft plans row:
- client_id
- focus_areas[]
- status=draft

Optional write:

- create timeline event: Recommendations viewed

Validation (MVP)

- If no plan exists: create a draft plan on first “Add to plan”
- If plan exists: ask Add to existing plan? (optional). MVP: always add to current draft.

States

- Loading: skeleton
- Empty: if no results → show Complete baseline first
- Error: Couldn’t load recommendation + Retry

Acceptance Criteria

- Recommended areas reflect assessment data
- “Go to plan builder” carries selected areas forward
- “Assign chapters” opens correct picker for this client

**4.6 Follow-up Flow — Domains Overview**

Purpose

Run a follow-up assessment using the same domains as baseline, while showing previous (baseline) score for comparison.

Layout

Top bar

- < Back
- Title: Follow-up Assessment

Client header

- Client name/code

- Baseline: {date}
- Follow-up: {date}

Instructions
- “Update the domains (same as baseline).”
- “You can see the previous score for comparison.”

Domains list
Each row shows:
- Domain name
- Prev: X/5 and Now: Y/5
- Chevron > to open the Domain Form

Bottom action
- Review summary

Interactions
- Tap a domain → opens Domain Form (follow-up mode)
- Review summary → opens Follow-up Summary
- If a domain not updated yet → show Now: —/5 (until saved)

Data (Supabase)

Reads:
- latest baseline scores for the client:
- assessments where type='baseline' (latest)
- domain values

Writes:
- assessments new row:
- type='followup'
- client_id, unit_id
- followup_date
- assessment_domain_scores for follow-up (same structure as baseline)

Validation (MVP)
- Allow partial saving domain-by-domain
- To proceed to summary:
- require all domains filled (or show warning: “2 domains missing”)

Acceptance Criteria
- Staff can see baseline vs follow-up quickly
- Domain values save and persist when leaving/returning
- Summary is reachable only when requirements are met (or clearly warned)

**4.7 Follow-up Flow — Summary**
Purpose

Show baseline vs follow-up results, highlight changes, and finish the follow-up.

Layout

Top bar
- < Back
- Title: Follow-up Summary
- Right: Save (draft)

Client header

- Client name/code
- Subtitle: Baseline vs Follow-up
- Follow-up date

Changes by domain
List of domain cards showing:
- Domain name
- Prev → Now values
- Change badge (e.g., +1, 0, -1)

Optional staff note
- Text box: Staff note (optional)

Primary action
- Finish follow-up

Interactions
- Save → saves draft (does not complete)
- Finish follow-up:
- marks follow-up assessment as completed
- creates timeline event
- returns to Client Profile (or Assess Dashboard)

Data (Supabase)

Reads:
- baseline assessment domain scores
- follow-up domain scores (draft)

Writes:
- assessments (follow-up) update:
- status = completed
- completed_at
- optional note:
- assessment_notes (or store in assessments metadata)
- timeline event:
- Follow-up completed

Validation (MVP)
- Must have all domains filled to finish
- Staff note optional

Acceptance Criteria
- Summary shows correct diffs per domain
- Finishing follow-up updates “Next follow-up” logic (if you decide to set next date later)
- Timeline receives a follow-up event

# 5. Plans (care plan builder + Livbojen chapters)

**5.1 Plan List**

Purpose
Let staff see and manage all plans:
- active plans (used in daily work)
- drafts (not finished)
- archived (old plans)

Layout

Top bar
- Title: Plans

Filter chips
- ( Active ) ( Drafts ) ( Archived )
- MVP: single select

Plan cards (list)
Each plan card shows:
- Client name/code + plan title
- Status: Active / Draft / Archived
- Next follow-up date (if set)
- Chapters summary (assigned chapters count or names)
- Chevron > opens plan detail

Floating button
- + New plan

Interactions
- Tap a plan card → opens Plan Builder (Wizard) in view/edit mode
- Tap + New plan → starts Plan Builder with client selection step (or from client profile)

Data (Supabase)

Reads:
- plans filtered by unit_id
- join clients for name/code
- optional join:
- plan_chapters (assigned Livbojen chapters)
- plan_actions (count)

Writes:
- none on list (writes happen in builder)

States
- Loading: skeleton cards
- Empty state per filter:
- Active empty: No active plans yet
- Drafts empty: No drafts
- Archived empty: No archived plans
- Error: Couldn't load plans + Retry

Acceptance Criteria
- Filtering shows correct plans
- Opening a plan loads correct content
- "New plan" creates a draft plan flow quickly
- Next follow-up shown consistently with plan data

**5.2 Plan Builder — Step 1: Focus Areas**
Purpose

Choose 1–3 focus areas to build the plan from baseline results (can be adjusted later).

Layout

Top bar

- < Back
- Title: Plan builder (1/4)

Progress
- Progress bar (25%)
- Step label: Step 1: Focus areas

Content
- Header: Select focus areas
- Helper text: “Pick 1–3 areas based on baseline results.”

Focus list (cards)
Each row:
- Checkbox (selected/unselected)
- Domain name (e.g., Kropp & hälsa)
- Baseline score label (e.g., Baseline: 2.1/5)

Tip card
- “You can adjust later in follow-up.”

Bottom actions
- Primary: Next
- Secondary: Back (text)

Interactions & Rules
- Tap row toggles checkbox
- Enforce max 3 selections
- If user tries 4th → show small message: “Max 3 focus areas”
- Next enabled only when at least 1 selected
- Back returns to Plan List or previous step entry point

Data (Supabase)

Table (suggested): care_plans
- id, client_id, unit_id, created_by_staff_id
- focus_domains (array of domain ids)
- status (draft|active|archived)
- created_at, updated_at

Acceptance Criteria
- Staff can pick focus areas in < 30 seconds
- Limit rules work (1–3 only)
- Selected domains carry into Step 2 (Goals)

**5.3 Plan Builder — Step 2: Goals**

Purpose

Turn selected focus areas into clear goals (one or more goals per area).

Layout

Top bar
- Left: < Back
- Title: Plan Builder
- Right: Save (saves draft)

Step indicator
- Step 2 of 4
- Progress bar (50%)

Selected areas summary

- Small chips: e.g. Health, Economy

Goals section
For each selected area:

- Area heading
- Goal input field (text)
- Button: Add (adds the goal as a chip/list item below, or stores it)

Bottom navigation

- Back
- Next

Interactions

- Type goal → Add saves it under that area
- Multiple goals per area supported
- Save → saves draft and stays
- Next → goes to Step 3 — Actions
- Back → returns to Step 1

Data (Supabase)

Writes (draft):

- plan_goals (recommended table) OR JSON array in plans
- plan_id
- area_key
- goal_text
- created_by_staff_id

Reads:

- existing goals for the draft plan (when returning)

Validation (MVP)

- Require at least 1 goal total to proceed
- If none → show inline message Add at least one goal

States

- Loading: skeleton
- Error: Couldn't save goal + Retry
- Saved toast: Draft saved

Acceptance Criteria

- Goals persist when leaving/returning
- Can add multiple goals per area
- Next is blocked until at least one goal exists

**5.4 Plan Builder — Step 3: Actions**

Purpose

Define concrete actions for the plan (what will be done, by who, how often), and whether the action creates a locked staff session or a shared task.

Layout

Top bar

- Left: < Back
- Title: Plan Builder
- Right: Save (saves draft)

Step indicator

- Step 3 of 4
- Progress bar (75%)

Area selector

- Dropdown: Area (shows only selected focus areas)

Actions list
Each action card shows:

- Action title
- Who: Staff / Client / Shared
- Frequency: Daily / Weekly / Custom
- Locked session: Yes/No
- Button: Edit

Action button

- Add action

Bottom navigation

- Back
- Next

Interactions

- Add action → opens “Add Action” modal/screen:
- title
- who
- frequency
- optional date/time
- locked session toggle
- Edit → edit that action
- Next → goes to Step 4 — Follow-up + Review
- Save → saves draft

Data (Supabase)

Writes (draft):

- plan_actions:
- plan_id
- area_key
- title
- who enum (staff, client, shared)
- frequency (string or enum)
- locked_session boolean
- default_duration (optional)
- notes (optional)

Optional: create schedule templates (later), but MVP can wait until plan is activated.

Validation (MVP)

- Require at least 1 action before proceeding
- If none → show Add at least one action

States

- Loading: skeleton
- Error: Couldn’t save action + Retry
- Saved toast: Draft saved

Acceptance Criteria

- Actions persist across navigation

- Staff vs client actions are clearly distinguished
- Locked session flag is stored (used later in Schedule logic)
- Next is blocked until at least one action exists

**5.5 Plan Builder — Step 4: Follow-up + Review**

Purpose

Finalize the plan:
- set the follow-up date
- review focus areas, goals, and actions
- activate the plan
- optionally go straight to assigning Livbojen chapters

Layout

Top bar
- Left: < Back
- Title: Plan Builder
- Right: Save (saves draft)

Step indicator
- Step 4 of 4
- Progress bar (100%)

Follow-up date picker
- Field: Follow-up date
- Opens date/time picker

Review section
Summary cards:
- Focus areas (list)
- Goals (list)
- Actions (list with who/frequency/locked)

Bottom actions
- Primary: Activate plan
- Secondary: Assign Livbojen chapters

Interactions
- Change follow-up date → updates plan
- Activate plan:
- sets plan status to Active
- writes timeline event
- returns to Plan Detail (or Client Profile)
- Assign Livbojen chapters → opens Assign Chapters (Picker)

Data (Supabase)

Writes:
- plans update:
- status = active
- next_follow_up_at
- activated_at
- timeline event:
- Plan activated

Optional (recommended for Schedule logic):
- generate schedule items from actions (only for actions that have a date/time or locked sessions)

Validation (MVP)

- Follow-up date required to activate
- Must have:
- ≥1 focus area
- ≥1 goal
- ≥1 action
- If missing → show banner Complete previous steps first

States

- Loading: disable activate button
- Error: Couldn't activate plan + Retry
- Success: toast Plan activated

Acceptance Criteria

- Activating makes plan appear under "Active" in Plan List
- Next follow-up date is used in Clients "Due soon" filter
- Assign chapters flow is reachable from here

**5.6 Assign Livbojen Chapters (Picker)**

Purpose
Staff selects which Livbojen chapters to unlock/assign for the client (requires client is linked).

Layout

Top bar

- Left: < Back
- Title: Assign Livbojen chapters

Client header

- Client: {name/code}
- Status: Linked (or show warning if not linked)

Search

- Field: Search chapters

Filter chips

- ( All ) ( Recommended ) ( Assigned )

Chapter list
Rows with:

- Checkbox (multi-select)
- Chapter name
- Optional tag badge: Recommended

Bottom action

- Button: Assign to Livbojen

Interactions

- Toggle checkbox → selects/deselects chapter
- Assign to Livbojen:
- sends assignments
- goes to Assign Success
- If client not linked → disable button + banner Link client first

Data (Supabase)

Reads:

- livbojen_chapters (master list)

- chapter_recommendations (optional, from assessment/plan)
- client_chapter_assignments (already assigned)

Writes:
- insert/update client_chapter_assignments:
- client_id
- chapter_id
- assigned_by_staff_id
- assigned_at
- status = assigned/unlocked

Optional:
- timeline event: Chapters assigned: X

States
- Loading: skeleton list
- Empty search: No chapters found
- Error: Couldn't assign chapters + Retry
- Success: navigate to success screen

Acceptance Criteria
- Can select multiple chapters
- Assigned chapters appear in "Assigned" filter
- Assign action writes correct rows for this client
- Client Livbojen app reflects unlocked chapters after sync

**5.7 Assign Livbojen Chapters — Success**

Purpose

Confirm chapters were assigned and the client can now open them inside Livbojen.

Layout

Top bar
- Left: < Back
- Title: Chapters assigned

Success block
- ✓ icon
- Headline: Assigned to Livbojen
- Client name/code

Assigned list card
- Title: Chapters
- Bullet list of assigned chapters
- Helper text: The client can open them in Livbojen now.

Actions
- Open Client Profile
- Assign more

Interactions
- Open Client Profile → Client Profile hub
- Assign more → back to Chapters Picker
- < Back → returns to picker (with selections cleared)

Data (Supabase)

Reads:
- client_chapter_assignments for the client (to show what was assigned)

Writes:
- none on this screen (already assigned)

Optional:
- timeline event already created at assignment time

States
- Loading: if fetching assigned list after write
- Error: Couldn't load assigned chapters + Retry

---

Acceptance Criteria
- Shows correct client and newly assigned chapters
- Navigation works to profile and back to picker
- Client Livbojen app can fetch and show the unlocked chapters

# 6. Schedule (unit + client schedule + planner items)

### 6.1 Schedule Dashboard

Purpose

Give staff a clear overview of shared schedule items:
- locked staff sessions (staff-controlled)
- client tasks/activities (client-controlled)
- both visible across Ledstjarnan + Livbojen (when linked)

Layout

Top bar
- Title: Schedule

Week header card
- This week
- Subtext: Week view • Unit schedule
- View toggle: Day / Week / List

Filter chips
- ( All ) ( Locked sessions ) ( Client tasks )

Schedule list (grouped by day)
Each item shows:
- Time
- Title
- Who/Type (e.g., Staff + Client, Client task)
- Optional badge: LOCK (locked session)
- Chevron > opens item detail (or Client Schedule screen)

Floating button
- + Add

Interactions
- Tap item → opens detail (or jumps into client schedule)
- Tap + Add → opens Add Planner Item (choose type)
- Filters apply instantly

- View toggle switches between day/week/list (MVP can ship with List first)

Data / Logic (Supabase)

Source table (recommended unified model):
- planner_items
- id
- client_id (nullable for unit-wide items)
- unit_id
- created_by (staff/client)
- type (session, task, activity)
- title
- start_at, end_at
- locked boolean
- visibility (shared, staff_only, client_only) (MVP: shared + staff_only)
- status (planned, done, cancelled)

Rules:
- Locked session: locked=true AND created_by=staff
- client can view (if linked) but cannot edit
- Client task/activity: created_by=client OR (locked=false)
- both can view; edit permissions based on owner (see below)

Permissions (simple MVP)
- Staff can create/edit/delete:
- any item for clients in their unit
- Client can create/edit/delete:
- only items where created_by=client AND locked=false
- Client can view locked sessions but cannot edit

---

Acceptance Criteria
- Staff sees locked sessions and client tasks in one list
- Filters work (LOCK vs client tasks)
- Items created in Ledstjarnan appear in Livbojen for linked clients (shared visibility)
- Client cannot change locked sessions

**6.2 Client Schedule**

Purpose

Show one client's shared schedule, and let staff:
- book a locked staff session
- add a task/activity
- start follow-up assessment from the schedule context

Layout

Top bar
- Left: < Back
- Title: Client Schedule

Client header
- Name/Code
- Next follow-up date
- Link status

View toggle

- ( Day ) ( Week ) ( List )

Timeline / list
Items show:
- Time
- Title
- Type label (Session / Task / Activity)
- LOCK badge if locked session
- Chevron > opens item detail

Buttons
- + Book session (locked=true)
- + Add task (locked=false)
- Start follow-up assessment

Interactions
- Tap item → opens Planner Item Detail
- + Book session → opens Add Planner Item with:
- type = session
- locked = true
- owner = staff
- + Add task → opens Add Planner Item with:
- type = task/activity
- locked = false
- Start follow-up assessment → opens Assess flow (follow-up) for this client

Data / Logic (Supabase)

Reads:
- planner_items where client_id = this client
- ordered by start_at

Writes:
- inserts into planner_items from add flows:
- locked=true for sessions booked by staff
- locked=false for tasks/activities
- visibility=shared (so Livbojen can show it)

Permissions (MVP):
- client can view locked sessions but cannot edit
- staff can edit all items for clients in their unit

States
- Loading: skeleton list
- Empty: No items yet + add buttons
- Error: Couldn't load schedule + Retry

Acceptance Criteria
- Locked sessions appear with LOCK
- Tasks/activities appear without lock
- Items created here show in Livbojen for linked client (shared visibility)
- Follow-up button opens follow-up assessment for this client

**6.3 Add Planner Item**

Purpose

Create a schedule item that can be:
- Session (LOCK) = staff controlled, client can only view
- Task = editable by owner

- Activity = editable by owner

Layout

Top bar
- Left: < Back
- Title: Add Planner Item
- Right: Save

Type selector
- Chips: Session (LOCK) / Task / Activity

Fields
- Title (text)
- Start (date/time picker)
- End (date/time picker)

Visibility
- Toggle: Shared with client (ON/OFF)
- MVP default: ON

Rules info box
- Session (LOCK): client can view, cannot edit
- Task/Activity: editable by owner

Interactions
- Selecting Session (LOCK) automatically sets:
- locked = true
- created_by = staff
- Selecting Task/Activity sets:
- locked = false
- Save:
- validates required fields (title + start)
- creates planner_item
- returns to Client Schedule (or Schedule Dashboard)

Data (Supabase)

Writes to planner_items:
- client_id
- unit_id
- type (session/task/activity)
- title
- start_at, end_at
- locked boolean
- created_by_role (staff/client)
- created_by_user_id
- visibility (shared or staff_only)

Reads:
- none (unless editing existing item)

Validation (MVP)
- Title required
- Start required
- End optional (if missing, default duration by type, e.g., session=60min)

Permissions (MVP)
- Staff can create any item for clients in their unit
- Client can create tasks/activities only (locked=false)

- Client cannot create locked sessions

Acceptance Criteria
- LOCK sessions appear with lock badge in schedules
- Shared items show in Livbojen for linked client
- Client cannot edit locked sessions
- Editing rules depend on owner + locked flag

**6.4 Date Picker (Planner Item)**

Purpose

Pick a date for a planner item (task/activity/session).

Layout

Top bar
- < Back
- Title: Pick date
- Right: Done

Month header
- Month name (e.g., February 2026)
- < previous month, > next month

Calendar grid
- Weekday labels (M–S)
- Day cells (tap selects)
- Selected day highlighted

Bottom preview (optional)
- Selected date
- Shows full formatted date (e.g., Thu 12 Feb 2026)

Interactions
- Tap day → selects day (updates preview)
- < / > changes month
- Done returns to Add Planner Item with selected date

Data
- Local UI only (no Supabase call)
- Returns selected_date to the form

Acceptance Criteria
- Date selection is clear (highlight)
- Works for past + future dates (rule depends on item type)
- Returns correct date to planner form

**6.5 Time Picker (Planner Item)**

Purpose

Pick a time for a planner item (task/activity/session).

Layout

Top bar
- < Back

- Title: Pick time
- Right: Done

Time selector
- Wheel-style selector (or native time picker)
- Two columns:
- Hour
- Minute

Bottom preview (optional)
- Selected time
- Shows formatted time (e.g., 15:00)

Interactions
- Scroll hour/minute wheels → updates selected time
- Done returns to Add Planner Item with selected time

Data
- Local UI only (no Supabase call)
- Returns selected_time to the form

Rules (MVP)
- If Type = Session and Lock = ON → client cannot edit time in Livbojen
- If time causes conflict → show Conflict Warning (your existing screen)

Acceptance Criteria
- Time selection is clear and fast
- Returns correct time to planner form
- Works in 24-hour format (Sweden)

**6.6 Planner Item Detail**

Purpose

View (and if allowed, edit) one schedule item: session/task/activity.

Layout

Top bar
- Left: < Back
- Title: Planner Item
- Right: Edit (only visible if user has permission)

Header card
- Title (item name)
- Client name/code
- Date + time range
- Type: Session / Task / Activity
- Badge: LOCK if locked session
- Visibility: Shared / Staff only

Notes
- Notes text area (read-only unless editing)

Edit rules info
- Simple explanation of permissions (LOCK rules)

Actions
- Mark as done
- Cancel / delete item

Interactions

- Tap Edit → opens edit mode (same fields as Add Planner Item)
- Mark as done → sets status done and returns to schedule list
- Cancel / delete item
- For sessions: “Cancel session” (recommended wording)
- For tasks/activities: “Delete”

(MVP can use one label but logic should differ.)

Data / Logic (Supabase)

Reads:

- planner_items by id

Writes:

- update planner_items.status:
- planned → done (mark done)
- planned → cancelled (cancel)
- update fields when editing (title, time, notes, visibility)

Permissions (MVP):

- If locked=true:
- client: view only
- staff: can edit/cancel
- If locked=false:
- owner can edit/delete
- staff can edit for clients in their unit

States

- Loading: skeleton
- Error: Couldn’t load item + Retry

Acceptance Criteria

- LOCK items show lock badge
- Edit button appears only when allowed
- Mark done/cancel updates list immediately
- Changes sync to Livbojen if visibility=shared and client is linked

**6.7 Edit Planner Item**

Purpose

Edit an existing planner item (session/task/activity) with correct permissions and LOCK rules.
Layout

Top bar

- < Back
- Title: Edit Planner Item
- Right: Save

Lock warning (only if locked=true)

- Banner card:
- LOCK session
- “Client can see it, but cannot edit.”

Fields

- Type (read-only if editing an existing item)
- Title
- Start (date/time)

- End (date/time)
- Visibility (Shared with client ON/OFF)

Actions
- Secondary destructive:
- Cancel session (if type=session)
- Delete item (if task/activity)
- Primary:
- Save

Interactions
- Save:
- validates fields
- updates item
- returns to Planner Item Detail
- Cancel session / Delete item:
- confirm modal
- updates status=cancelled (recommended) or deletes (MVP choice)

Data (Supabase)

Reads:
- planner_items by id

Writes:
- update planner_items fields:
- title, start_at, end_at, visibility
- cancel:
- status = cancelled
- cancelled_at, cancelled_by

Permissions (MVP)
- If locked=true:
- client: cannot access edit screen
- staff: can edit/cancel
- If locked=false:
- owner can edit/delete
- staff can edit for clients in unit

Validation (MVP)
- Title required
- Start required
- End optional (must be after start if provided)

Acceptance Criteria
- LOCK sessions cannot be edited by client
- Changes sync to Livbojen when visibility=shared and client is linked
- Cancelled items disappear from default view (or appear as cancelled, depending on UI rule)

**6.8 Scheduling Conflict Warning**

Purpose

Warn staff if the new/edited planner item overlaps with an existing item (same staff or same client).

Layout

Top bar

- < Back
- Title: Scheduling conflict

Warning block
- Icon !
- Text: “This time overlaps with another item:”

Conflict card
- Existing item title
- Date/time range
- Type + lock label if relevant
- Client name/code

Actions
- Primary: Change time
- Secondary: Save anyway (override)

Interactions
- Change time → returns to Add/Edit screen with time picker focused
- Save anyway (override) → saves item and sets conflict_override=true

Data / Logic (Supabase)

Conflict check query:
- find items where:
- same client_id OR same staff_id (created_by staff)
- time overlap: start_at < new_end AND end_at > new_start
- status = planned
- If matches → show this screen

Writes (if override):
- planner_items.conflict_override = true
- optionally planner_items.conflict_with_item_id

Validation (MVP)
- Allow override (because real work can require overlaps)
- Still show conflict clearly

Acceptance Criteria
- Overlapping items trigger this warning
- Staff can either change time or override
- Override is recorded (for audit and future reporting)

# 7. Settings + Support + Legal

### 7.1 Settings (home)

Purpose
Basic staff account + unit settings, notifications, support, and logout.

Layout

Top bar
- Title: Settings

Profile section
- Avatar placeholder
- Staff name + role

- Unit name (single unit only)
- Role label: Behandlingsassistent

Settings list
Rows (tap opens detail):
- Unit (shows selected unit)
- Notifications (On/Off)
- Privacy & access
- Support
- About (version)

Logout
- Log out

Interactions
- Tap Unit:
- shows chosen unit (MVP: read-only after onboarding; admin-only change later)
- Tap Notifications:
- opens notification settings (simple toggle)
- Tap Support:
- opens help info / contact
- Tap About:
- shows app version + legal
- Tap Log out:
- confirm modal → sign out

Data (Supabase)

Reads:
- staff_profiles (name, unit_id, role)
- units (unit display name)
- staff_settings (notification preferences)

Writes:
- staff_settings updates (notifications)
- auth sign-out (Supabase auth)

States
- Loading: skeleton profile + rows
- Error: Couldn't load settings + Retry

Acceptance Criteria
- Staff sees correct unit (single-unit rule)
- Notification setting persists across sessions
- Logout clears session and returns to login screen

**Notifications**

**7.2 Settings → Notifications**

Purpose

Let staff control what reminders they receive (and quiet hours).

Layout

Top bar
- < Back
- Title: Notifications settings

Master toggle

- Allow notifications (global on/off)

Reminder toggles

- Follow-ups due (notify near follow-up date)
- Sessions (notify 30 min before)
- Schedule changes (updated/cancelled)

Quiet hours

- Row/card: Quiet hours
- Shows range: 22:00 — 07:00
- Tap opens picker screen (or modal)

Interactions

- Toggling a reminder saves immediately
- If OS notifications are disabled:
- show a small helper text: “Enable in device settings”
- Quiet hours row opens time range selector

Data (Supabase)

Optional (recommended):
Store in staff_profiles.notification_prefs:

- enabled (bool)
- followups_due (bool)
- sessions (bool)
- schedule_changes (bool)
- quiet_start, quiet_end (time)

Local:

- also store in device settings for quick access

Acceptance Criteria

- Preferences persist across sessions/devices
- Quiet hours prevents notifications during the set range
- Master toggle disables all reminders fast

**7.3 Notifications → Quiet Hours**

Purpose

Let staff set a time range where the app sends no notifications.

Layout

Top bar

- < Back
- Title: Quiet hours
- Right: Save

Explanation

- “No notifications will be sent during this time.”

Time range picker card

- Start row → time picker
- End row → time picker

Preview card

- Shows selected range: Quiet hours: 22:00 — 07:00

Interactions

- Tap Start → open time picker
- Tap End → open time picker
- Save → stores range and returns to Notifications settings
- If end is earlier than start → treat as “overnight range” (valid)

Data (Supabase)

Store in staff_profiles.notification_prefs:

- quiet_start (time)
- quiet_end (time)

Validation (MVP)

- Both start and end required
- Allow overnight ranges (22:00 → 07:00)

Acceptance Criteria

- Quiet hours persist and apply to reminders
- Range displays correctly in Notifications settings

Privacy & Access

**7.4 Settings → Privacy & Access**

Purpose

Explain clearly what data is staff-only vs what can sync to Livbojen.

Layout

Top bar

- < Back
- Title: Privacy & access

Info card: “What staff can see”

- Clients in your unit
- Baseline, plans, follow-ups
- Staff notes & flags (staff-only)
- Clarify: Livbojen only receives shared chapters + shared schedule

Detail rows

- Data sharing with Livbojen → “Chapters + schedule”
- Role & permissions → “Staff”
- Device security → “Recommended”

Primary action

- I understand

Interactions

- Tapping rows can open detail pages (optional MVP)
- I understand → closes and returns to Settings (or completes onboarding step)

Data (Supabase)

Optional:

- store staff_profiles.privacy_ack_at timestamp when user taps “I understand”

Acceptance Criteria

- Staff understands:

- Notes/flags never sync
- Only selected chapters + shared schedule items sync
- Acknowledgement is recorded (optional)

**7.5 Privacy & Access → Data Sharing with Livbojen (Detail)**

Purpose

Make it crystal clear what information syncs to Livbojen and what stays staff-only.

Layout

Top bar
- < Back
- Title: Data sharing with Livbojen

Card 1 — What is shared
- ✅ Assigned Livbojen chapters
- ✅ Shared schedule items
- Reminder: “Notes & flags are never shared.”

Card 2 — What is NOT shared
- Staff notes
- Flags (trauma, readiness, etc.)
- Internal assessments/comments

Card 3 — Link required
- Sharing only works when client is linked via invite code
- If unlinked → syncing stops immediately

Interactions
- < Back returns to Privacy & Access screen
- (Optional) “Learn how linking works” deep-link → FAQ detail

Data (Supabase)
- No writes required
- Pure info screen (static copy)
- Optional: log privacy_viewed_at locally or in staff_profiles

Acceptance Criteria
- Staff understands:
- Only chapters + shared planner items sync
- Notes/flags never leave Ledstjarnan
- Link is required for any sync

**7.6 Privacy & Access → Role & Permissions**
Purpose

Show the staff member’s role and what they can/can’t do (clear boundaries).

Layout

Top bar
- < Back
- Title: Role & permissions

Role card

- Your role
- Staff (Behandlingsassistent)
- Unit name (e.g., Västerbo • Malmö)
- Note: “Access is limited to your unit.”

Permissions card

- Section: You can:
- Create/manage clients in your unit
- Run baseline + follow-up assessments
- Create plans and schedule sessions
- Assign Livbojen chapters (linked clients)
- Create staff-only notes & flags
- Section: You cannot:
- View clients in other units
- Share notes/flags to Livbojen
- Change unit without manager support

Interactions

- Read-only screen
- < Back returns to Privacy & Access

Data (Supabase)

Reads:

- staff_profiles.role
- staff_profiles.unit_id → units.name

No writes.

Acceptance Criteria

- Staff clearly understands boundaries
- Unit restriction is explicit

**7.7 Privacy & Access → Device Security**

Purpose

Encourage safe device practices (protect client data) + optional “App lock”.

Layout

Top bar

- < Back
- Title: Device security

Recommended card

- Use Face ID / fingerprint
- Use strong device passcode
- Don’t share your account
- Log out on shared devices
- Note: “These protect client privacy.”

Optional card (MVP optional)

- App lock (optional)
- Toggle: require Face ID / PIN when opening the app

Action

- Open device settings

Interactions

- Open device settings → deep-link to OS settings (if supported)
- App lock toggle (optional MVP):
- ON → require biometrics/PIN on app launch (local only)

Data (Supabase)

- No backend required
- App lock stored locally on device (secure storage)

Acceptance Criteria

- Staff sees clear security guidance
- Optional app lock can be enabled/disabled without breaking access

**Unit change (still single-unit rule)**

**7.8 Settings → Change Unit**

Purpose

Allow staff to switch to a new unit using a manager-provided code (still one unit only).

Layout

Top bar

- < Back
- Title: Change unit

Current unit card

- Label: Current unit
- Unit name (e.g., Västerbo • Malmö)
- Rule: “You can only belong to one unit.”

Info card: How it works

- Needs a new unit code from manager
- Access switches to new unit only

New unit code input

- 6-character code (6 separate boxes)

Actions

- Primary: Verify code
- Secondary: Contact manager

Interactions

- Enter 6 chars → enable Verify code
- Verify code:
- validates code
- shows confirmation screen (next) before switching
- Contact manager:
- opens a simple help text or email template (optional)

Data (Supabase)

Reads:

- units by join_code (or unit_invites)

Writes (after confirmation):

- staff_profiles.unit_id = new_unit_id

- staff_profiles.unit_changed_at

Security:
- after switch, all client queries must be filtered by the new unit_id

Acceptance Criteria
- Staff can only be in one unit
- After switching, old unit clients are no longer visible
- Switch requires valid manager code

**7.9 Settings → Confirm Unit Switch**

Purpose

Prevent accidental unit change and clearly explain the consequence (access scope changes).

Layout

Top bar
- < Back
- Title: Confirm unit switch

Warning block
- Icon !
- Text:
- “You are switching units.”
- “You will lose access to clients in your current unit.”

From / To cards
- From → current unit name
- To → new unit name

Actions
- Cancel
- Confirm switch (destructive)

Interactions
- Cancel → returns to Change Unit screen (code stays or resets—your choice)
- Confirm switch:
- updates staff unit
- clears cached client lists
- routes to Clients list (now scoped to new unit)

Data (Supabase)

Writes:
- staff_profiles.unit_id = new_unit_id
- staff_profiles.unit_changed_at

Optional:
- audit table unit_change_log

Security:
- all queries must be filtered by unit_id

Acceptance Criteria
- Unit cannot change without confirmation
- After switch, only new unit data is visible
- No “mixed unit” client list possible

### 7.10 Settings → Unit Switched (Success)

Purpose

Confirm the unit switch succeeded and guide staff back into the app flow.

Layout

Top area

- Title: Unit switched

Success block

- ✓ icon
- Text:
- “You are now in:”
- Unit name (e.g., Västerbo • Lund)
- “Your client list has been updated.”

Primary action

- Go to clients

Interactions

- Go to clients → navigates to Clients list, reloaded for the new unit

Data (Supabase)

Reads:

- staff_profiles.unit_id → fetch units.name to display

No writes (already done on Confirm).

Acceptance Criteria

- Staff sees the new unit clearly
- Clients list refreshes and shows only clients in the new unit

**Help / Support**

**7.11 Help (Home)**

Purpose

One place for staff to get support, report issues, and find answers (FAQ).

Layout

Top bar

- < Back
- Title: Help

Search

- Search field: Search help…

Quick actions list

- Contact support
- Report an issue
- FAQ

Common topics list

- Linking clients to Livbojen
- Shared schedule vs staff-only

- Assessments & follow-ups

Interactions
- Search filters FAQ/topics instantly
- Tapping a row opens:
- Contact support screen
- Report issue screen
- FAQ list / FAQ detail

Data
- FAQ content can be:
- static JSON in app (MVP), or
- fetched from Supabase table help_articles (Phase 2)

Acceptance Criteria
- Staff can reach “Report issue” in max 2 taps
- Search works and reduces visible items
- Common topics cover the most confusing parts (linking + sharing + follow-ups)

**7.12 Help → Contact Support**
Purpose

Give staff a clear way to contact support and know the support hours.

Layout

Top bar
- < Back
- Title: Contact support

Info card
- Title: How to reach us
- Email (example placeholder): support@vasterbo.se
- Hours: Mon–Fri 08:00–16:00
- Note: “For urgent matters, follow your unit routine.”

Quick actions
- Send email
- Call support
- View status / updates

Interactions
- Send email → opens mail client with pre-filled subject:
- “Ledstjarnan Support — [Unit] — [Short issue]”
- Call support → opens phone dialer (if phone number exists)
- View status / updates → opens an in-app status page (optional) or web page

Data (MVP)
- Support email/phone can be:
- static config in app, or
- fetched from Supabase app_config

Acceptance Criteria
- Staff can reach support in max 2 taps
- Contact info is always visible and readable
- Works even if offline (shows stored contact info)

**7.13 Help → Report an Issue (Form)**
Purpose

Let staff report bugs/data/sync issues with enough context for quick fixing.

Layout

Top bar
- < Back
- Title: Report an issue
- Right: Send

Form
- Issue type (dropdown): Bug / Data / Sync / Other
- Where did it happen? (text): example “Client profile > Link to Livbojen”
- Describe the issue (multiline):
- prompt: “What did you expect vs what happened?”
- Attach screenshot (optional)
- button: + Add image

Auto-included metadata (read-only)
- App version
- Device model
- Unit + staff ID

Interactions
- Send validates required fields and submits
- After send → show toast + route back to Help Home (or show “Thanks” screen)

Data (Supabase)

Table: support_tickets
- id
- created_by_staff_id
- unit_id
- issue_type
- location_path
- description
- attachment_url (optional)
- app_version, device_model
- created_at
- status (new|in_progress|resolved)

Validation (MVP)

Required:
- issue type
- location path
- description (min 10 chars)

Acceptance Criteria
- Ticket is created reliably (even on slow network)
- Attachments upload and link correctly
- Auto metadata is included without manual typing

**7.14 Help → Report Issue Sent (Success)**

Purpose

Confirm the issue report was submitted and give a reference ID.

Layout

Header
- Title: Sent

Success block
- ✓ icon
- Message: “Thanks! Your issue has been sent.”
- Ticket ID (example): #LS-1042
- Helper: “We will follow up via your unit manager if needed.”

Primary action
- Back to help

Interactions
- Back to help → returns to Help Home
- (Optional) auto-dismiss after 2–3 seconds and return to Help Home

Data (Supabase)

Reads:
- returned ticket id after insert into support_tickets

Writes:
- already done in previous screen (ticket created)

Acceptance Criteria
- Staff sees clear confirmation
- Ticket ID is shown (copyable optional)
- Navigation back to Help works consistently

**7.15 Help → FAQ (Home)**

Purpose

Give staff fast answers, organized by the real problems: linking, shared schedule, assessments, plans.

Layout

Top bar
- < Back
- Title: FAQ

Search
- Search field: Search FAQ…

Categories list
- Linking & invite codes
- Shared schedule & locking
- Assessments & follow-ups
- Plans & Livbojen chapters
- Account & security

Interactions
- Search filters categories + articles

- Tap category → opens FAQ Category List (next)
- < Back returns to Help Home

Data (MVP)

Option A (fast MVP): static FAQ JSON bundled in app
Option B (recommended later): Supabase help_articles + help_categories

Acceptance Criteria
- Staff can reach an answer in ≤ 3 taps
- Search quickly narrows results
- Categories match core app flows (linking, schedule, assess, plan)

**7.16 FAQ → Category List (Example: Linking & Invite Codes)**

Purpose

Show a list of FAQ articles inside one category, with short helpful previews.

Layout

Top bar
- < Back
- Title: Linking & invite codes

Search
- Search field: Search in this category…

Articles list (rows)
Each row shows:
- Article title
- Short subtitle/preview
- > chevron

Example articles:
- "How do invite codes work?"
- "Client says code is invalid"
- "Unlinking a client"
- "Privacy: what is shared"

Interactions
- Search filters the article list
- Tap article → opens FAQ Detail screen (your existing "FAQ detail" screen)
- < Back returns to FAQ Home

Data (MVP)
- Static list (JSON) or Supabase help_articles filtered by category_id

Fields:
- id, category_id, title, summary, content

Acceptance Criteria
- Staff can find an article in ≤ 10 seconds
- Search filters instantly
- Titles + summaries are clear and action-focused

**7.17 FAQ Detail**

Purpose

Show one FAQ question + answer in a readable, simple format.

Layout

Top bar
- < Back
- Title: FAQ Detail

Question
- Big heading (question text)

Answer card
- Numbered steps / short paragraphs
- Clear rules (what syncs, what does not)

Tip card (optional)
- One helpful tip below the answer

Interactions
- < Back returns to FAQ list
- (Optional later) “Was this helpful?” yes/no

Data (Supabase)

If using faq_items table:
- Reads one item by id:
- question
- answer
- optional tips

If hardcoded (MVP):
- no backend needed

Acceptance Criteria
- Answer is readable on one screen with scroll
- Staff understands the linking process and the “not shared” rule (notes/flags)

**Status & Updates (Optional but included in list)**

**7.18 Help → Status & Updates**

Purpose

Show if Ledstjarnan/Livbojen sync is working + communicate recent fixes/maintenance.

Layout

Top bar
- < Back
- Title: Status & updates

Status banner
- Service status
- Status text (examples):
- “All systems operational”
- “Degraded performance”
- “Incident ongoing”
- “Updated HH:MM”

Recent updates list

Each row:

- Tag chip: Update / Fix / Notice
- Title
- Date
- > chevron (opens detail)

Footer hint

- “Having issues? Report an issue from Help.”

Interactions

- Tap update row → opens an “Update detail” page (simple text)
- Pull to refresh (optional)
- < Back returns to Contact Support / Help

Data (Supabase)

Option A (MVP fast): static list in app
Option B (recommended): table status_updates

- id
- tag (update|fix|notice)
- title
- content
- published_at
- status_banner (optional)

Acceptance Criteria

- Staff can quickly see if the system is OK
- Updates are easy to scan
- Works offline (shows last cached status)

**7.19 Status & Updates → Update Detail**

Purpose

Show full details of one update/incident/maintenance notice.

Layout

Top bar

- < Back
- Title: Update detail

Header card

- Tag chip: Update / Fix / Notice
- Title
- Date + time range (if relevant)

Details card

- Section title: Details
- Body text (multi-line, readable)

Actions

- Share with unit (optional MVP)
- Back to status

Interactions

- < Back or Back to status → returns to Status & Updates list
- Share with unit (optional):
- opens native share sheet (copy/paste into internal channel)

Data (Supabase)

Reads:

- status_updates item by id:
- tag, title, content, published_at, time_window

No writes.

Acceptance Criteria

- Staff can read the full message easily
- Maintenance time window is clear
- Navigation back to list is consistent

**7.20 Status & Updates → Share Update**

Purpose

Let staff quickly share an official status/update message with their unit (copy/share sheet).

Layout

Top bar

- < Back
- Title: Share update

Preview card

- Shows the update:
- Tag (Notice/Fix/Update)
- Title
- Date/time window
- 1-line summary

Message to unit (optional)

- Multiline text input: “Add extra context for staff…”

Send via

- Dropdown: Copy text / Share sheet

Actions

- Primary: Share
- Secondary: Cancel

Interactions

- Share:
- If “Copy text” → copies formatted message to clipboard + toast “Copied”
- If “Share sheet” → opens OS share sheet
- Cancel → returns to Update Detail

Data (Supabase)

- No writes required (sharing is local)
- Reads the selected update’s content (already loaded from previous screen)

Acceptance Criteria

- Sharing works offline (copy/share of already-loaded text)
- Message is formatted consistently
- Staff can share in under 10 seconds

About + Legal

**7.21 About**

Purpose

Show basic app info + legal links, and clarify relationship to Livbojen.

Layout

Top bar
- < Back
- Title: About

Logo / app name (placeholder)
- Ledstjarnan mark + name

App information card
- Version (e.g., 0.1 (MVP))
- Build date (e.g., 2026.01.26)
- “For staff at Västerbo Social Omsorg”
- “Client app: Livbojen”
- Note: “Data is protected and scoped by unit.”

Links (rows)
- Privacy policy
- Terms of use
- Open source licenses

Interactions
- Tap links → opens in-app webview (or external browser)
- < Back returns to Settings

Data (Supabase)
- Not required (can be local constants)
- Optional: fetch build/version from config

Acceptance Criteria
- Staff can see app version for bug reports
- Legal links open reliably
- Mentions Livbojen clearly

**7.22 About → Privacy Policy (In-app Summary)**

Purpose

Show a short, readable privacy summary inside the app + link to full policy.

Layout

Top bar
- < Back
- Title: Privacy policy

Summary card
Title: Summary (MVP)
Bullets:
- Data is stored securely (Supabase)

- Access is scoped by unit
- Only assigned chapters + shared schedule sync to Livbojen
- Notes and flags are staff-only
- You can request unlinking at any time

Full policy section
- Text: “Open the full policy in browser.”
- Button: Open in browser

Interactions
- Open in browser → opens full privacy policy URL (webview/external browser)
- < Back returns to About

Data
- Summary is static copy (MVP)
- Full policy URL from app config (or constants)

Acceptance Criteria
- Staff can understand the core privacy rules in 30 seconds
- Full policy opens reliably
- Copy clearly states what syncs to Livbojen and what does not

**7.23 About → Terms of Use (In-app Summary)**

Purpose

Short, practical terms summary for staff + link to full terms.

Layout

Top bar
- < Back
- Title: Terms of use

Summary card
Title: Summary (MVP)
Bullets:
- For authorized staff only
- Do not share login credentials
- Use the app according to unit routines
- Report suspected data incidents
- Client safety and privacy come first

Full terms section
- Text: “Open the full terms in browser.”
- Button: Open in browser

Interactions
- Open in browser → opens full terms URL (webview/external browser)
- < Back returns to About

Data
- Static summary copy (MVP)
- Full terms URL stored in app config/constants

Acceptance Criteria
- Staff can understand the main rules quickly
- Full terms open reliably
- Summary is clear and non-legalistic

**7.24 About → Open Source Licenses**
Purpose

List key libraries used in the app and show their license text.

Layout

Top bar
- < Back
- Title: Open source licenses

Libraries list (rows)
Each row shows:
- Library name
- Version
- > chevron

Example:
- Supabase SDK
- Kotlin Coroutines / Swift Concurrency
- Jetpack Compose / SwiftUI
- Other dependencies

Footer note
- "Tap a library to view license text."

Interactions
- Tap a row → opens License Detail screen (shows full license text)
- < Back returns to About

Data (MVP)
- Local static list generated at build time, or hardcoded for MVP
- License text stored in app bundle (recommended)

Acceptance Criteria
- Every third-party dependency has a visible license entry
- License text loads instantly (offline)
- Staff can navigate back reliably

**7.25 Open Source Licenses → License Detail**

Purpose

Show full license text for one dependency (offline-friendly).

Layout

Top bar
- < Back
- Title: License detail

Header card
- Library name (e.g., Supabase SDK)
- Version
- License type (e.g., MIT)

License text container

- Section title: License text
- Scrollable text block

Action
- Copy text button (optional but useful)

Interactions
- Scroll license text
- Copy text → copies license to clipboard + toast “Copied”
- < Back returns to Open Source Licenses list

Data (MVP)
- Load license text from app bundle (recommended)
- No Supabase needed

Acceptance Criteria
- License text loads instantly and offline
- Copy works reliably
- Back navigation returns to the correct library row

**Logout**

**7.26 Log out — Confirm Modal**

Purpose

Prevent accidental logout.

Layout

Background
- Settings screen visible behind (dimmed)

Modal (center)
- Title: Log out?
- Message: “You will need to sign in again with your email and password.”

Buttons
- Left: Cancel
- Right: Log out (destructive)

Interactions
- Cancel → closes modal, stays in Settings
- Log out → signs out and returns to Login (1.2)
- Tap outside modal → closes (optional MVP)

Data (Supabase)
- Supabase Auth: signOut()
- Clear local cached unit/profile/session state

Acceptance Criteria
- Logout requires confirmation
- After logout, user cannot access any client data until login again