Ledstjarnan Wireframes (Text)

Global (all screens)

Top bar
Left: Back (if not root)
Center: Screen title
Right: Search / Menu (optional)

Bottom tabs
Clients | Assess | Plan | Schedule | Settings

1) CLIENTS TAB

1.1 Clients List

Purpose
Let staff quickly find clients, filter by operational status (due soon, not linked, flags), and open the Client Profile hub.

Layout (Wireframe)

Top Bar
- Title: Clients
- Right icon: 🔍 Search (focuses search field)
- (Optional) overflow menu ⋯ for sort

Search
- Search field placeholder: Search name / code
- Behavior:
- typing filters list instantly (debounced)
- clear button x appears when text exists

Filter Chips (horizontal scroll)
- Chips (single-select):
- All (default selected)
- My clients
- Due soon
- Not linked
- Flags
- Optional tiny badge counts:
- Due soon: 3
- Not linked: 5
- Flags: 2

List (scroll)

Each row is a Client Card (tap target full card)

Client Card content
- Left: Avatar circle (initials) or generic icon
- Main column

- Name/Code (bold)
- Badges row
- Baseline: Not started / In progress / Done
- Plan: None / Active
- Livbojen: Linked / Not linked
- Next line
- Follow-up: 12 Feb (or No follow-up date if null)
- Flags row (only if any)
- small pills/icons: Trauma, Low readiness, Mental health, etc.
- Right: chevron > (optional)

Floating Action Button (FAB)

- Button: +
- Label (optional): New client
- Action: opens Create Client screen

States

Empty State (no clients / no matches)

- Title: No clients found
- Text: Try another search or create a new client.
- Button: New client

Loading State

- Skeleton cards (3–6)
- Search and chips visible (disabled)

Error State

- Text: Couldn't load clients
- Button: Retry

Interactions

- Tap a client card → open Client Profile (Hub) for that client
- Tap chip → apply filter immediately
- Pull to refresh (optional)
- Search icon → cursor focuses in search field
- FAB → Create Client

Data needed (Supabase-ready, minimal)

For each client row:

- client_id
- display_name (or code)
- baseline_status (derived: latest assessment exists?)
- plan_status (active plan exists?)
- linked_user_id (null = Not linked)
- next_follow_up_at (from plan or next scheduled follow-up item)
- flags[] (from latest assessment summary)

Sorting (recommended default)

1. Due soon (ascending by follow-up date) first
2. Then others alphabetically by name/code

1.2 Create Client

Purpose

Let staff create a new client record quickly with the minimum required fields, then land on the Client Profile (Hub).

Layout (Wireframe)

Top Bar

- Left: < Back
- Title: New client
- (Optional) Right: none

Form Section

Field 1 — Name/Code (Text input)

- Label: Name/Code
- Placeholder: Enter name or code
- Keyboard: default
- Validation:
- Required
- Min 2 characters
- Trim whitespace
- Helper text (optional):
- Use a code if you prefer not to store full names.

Field 2 — Unit (Dropdown)

- Label: Unit
- Placeholder: Select unit
- Source: units available for the logged-in staff user
- Default:
- If staff has only 1 unit → preselect it
- If multiple units → empty until selected
- Validation: required

Field 3 — Responsible staff (Dropdown)

- Label: Responsible staff
- Default: Me (current staff user)
- Options: staff members in the selected unit
- Validation: required

Primary Button

Create

- Text: Create
- State:
- Disabled until Name/Code + Unit + Responsible staff are valid
- Shows loading spinner while saving
- On success:
- Navigate to Client Profile (Hub) for the new client
- On error:
- Inline error banner: Couldn’t create client. Try again.

States

Loading Units/Staff

- Show field placeholders (disabled)
- Spinner next to Unit/Responsible staff fields

Empty Units

- Message: No units available. Contact admin.
- Button: Back

Interactions

- Changing Unit refreshes Responsible staff list
- Back confirms if there are unsaved changes:
- Discard changes? [Cancel] [Discard]

Data / Supabase (MVP)

Tables touched

- clients
- staff_client_access
- (optional) profiles (to read current staff unit/role)

Insert logic (recommended)

1. Insert into clients
- display_name = Name/Code
- unit_id = selected unit
- created_by = current staff user id
2. Insert access rows into staff_client_access
- (staff_user_id = responsibleStaffId, client_id = newClientId)
- (optional) also grant creator access if different from responsible staff

Acceptance Criteria (test checklist)

- Cannot tap Create with empty fields
- If staff has one unit → unit is preselected
- Responsible staff defaults to “Me”
- After successful create → user lands on the correct Client Profile
- Error handling works when network fails

1.3 Client Profile (Hub)

Purpose
This is the main hub for one client. Staff should be able to:

- See status at a glance (Baseline / Mapping / Plan / Link / Next follow-up)
- Jump into the next task (continue mapping, plan, schedule)
- Link to Livbojen via 6-digit code
- See a preview of the Shared Planner
- Navigate to deeper sections (timeline, assessments, plans, follow-ups, notes)

Layout (Wireframe)

Top Bar

- Left: < Back
- Title: Client Profile
- Right: ⋯ (More actions)
- Edit client
- Archive client
- Remove access (admin-only)
- View staff notes

Header

- Client Name/Code (large, bold)
- Unit name (small)
- Link status line
- Linked to Livbojen: Yes/No + link icon

Status Row (3 cards)

- Baseline: Not started / In progress / Done
- Mapping: Not started / In progress / Done

- Plan: None / Active

Rule

- If Baseline not done → highlight Baseline card
- If Follow-up overdue → show warning badge near follow-up line

Next follow-up line

- Icon + text: Next follow-up: 3 June
- If none: Next follow-up: Not set

Quick Actions (2x2 grid buttons)

- Continue Mapping (opens Assess flow at last incomplete domain)
- Create/Update Plan (opens Plan Builder)
- Assign Livbojen Chapters (opens assignment picker)
- Open Schedule (opens Client Schedule)

Enable/disable logic

- If not linked to Livbojen → “Assign Livbojen Chapters” is still allowed, but shows banner:
- Client is not linked to Livbojen yet. Assignments will appear after linking.
- If no plan exists → “Create/Update Plan” label becomes “Create Plan”

Link to Livbojen Card

- Title: Link to Livbojen
- Primary row:
- Button: Generate 6-digit code
- Shows generated code on the right (if exists)
- Secondary buttons:
- Copy
- Generate new code (expires old active code)

State rules

- If already linked: card shows
- Linked ✅ and hides code generation by default (optional: allow “relink” only with admin)
- If code expired: show Expired + regenerate button

Shared Planner Preview Card

- Title: Shared Planner
- Shows 2–3 upcoming items:
- 🔒 Session 10:00 Tue
- 🏷️ Gym 17:00
- Button: View all schedule → opens Client Schedule

Inner tabs (within profile)

Tabs (horizontal):

- Timeline | Assessments | Plans | Follow-ups | Notes

Default tab: Timeline

States

Loading

- Skeleton for header + status cards + action buttons

Not linked

- Link card visible with Generate code

- “Assign Livbojen” shows info banner as noted above

Overdue follow-up
- “Next follow-up” line becomes warning style
- Schedule shortcut stays prominent

Data needed (Supabase)

Reads:
- clients (name/code, unit_id, linked_user_id)
- link_codes (latest active code for client — optional if you only show after generation)
- assessments (latest baseline + mapping completion state)
- plans (active plan, next_follow_up_at)
- planner_items (next 2–3 upcoming items)
- staff_client_access (permission gate)

Writes:
- Generate code → RPC generate_link_code(client_id)
- Copy is local UI only
- Quick actions route into other flows

Acceptance Criteria (test checklist)
- Always shows correct Baseline/Mapping/Plan status
- Generate code works and expires after 15 minutes
- Copy copies exact 6 digits
- Shared Planner preview shows next upcoming items only
- Buttons route correctly:
- Continue Mapping → last unfinished domain
- Open Schedule → client schedule view
- Assign Livbojen → assignment picker

1.4 Client Profile -> Timeling/History

Purpose
Give staff a chronological overview of everything that happened for the client, and allow quick access to the source objects:
- Assessments (baseline/follow-up)
- Plans (created/updated)
- Livbojen assignments (pushed/updated)
- Schedule events (created/edited)

Layout (Wireframe)

Top Bar
- Left: < Back
- Title: Timeline
- (Optional) Right: filter icon

Client Header (compact)
- Name/Code
- Unit
- Linked to Livbojen: Yes/No

Timeline List (newest first)

Each row = Timeline event card
- Left: icon + vertical line (timeline)
- Title (e.g., “Baseline assessment”)

- Date (e.g., “Feb 12, 2024”)
- Right action
- View button (preferred) OR chevron >
- Optional subtext (small)
- “Created by: Staff name”
- “Changed: 3 modules assigned”

Event types (MVP)

- ✅ Baseline assessment completed
- ✅ Follow-up assessment completed
- ✅ Plan created / Plan updated
- ✅ Assignments pushed to Livbojen
- ✅ Schedule item created / updated
- (Optional later) Link to Livbojen completed

Sticky Info Banner (optional)

At the bottom (inside profile tabs) show:

- “Next follow-up: June 3” (tap → Schedule)

Interactions

- Tap View on an Assessment event → opens read-only assessment summary
- Tap View on Plan event → opens Plan detail
- Tap on Assignments event → opens Assignments list for that date
- Tap on Schedule event → opens the specific planner item (read-only or editable depending on role/lock)

Filters (optional for MVP)

- All | Assessments | Plans | Schedule | Livbojen

States

Loading

- Skeleton timeline rows

Empty Timeline

- Text: No history yet
- CTA: Start baseline assessment

Error

- Banner: Couldn’t load history + Retry

Data Model (Supabase)

You have two ways:

Option A (Recommended MVP): “Union feed” in app

Query latest from each table and merge/sort client-side:

- assessments where client_id = X
- plans where client_id = X
- assignments grouped by created_at::date where client_id = X
- planner_items where client_id = X

Then map to a unified TimelineEvent in app:

- id, type, title, date, target_route, meta

✅ Fast to implement, no extra DB objects.

Option B (Later): timeline_events table

Write a single event row on every create/update.

Acceptance Criteria (test checklist)

- Timeline shows newest events first
- Each event opens the correct detail view
- Works even if client is not linked to Livbojen (Livbojen events just absent)
- No sensitive staff-only notes appear in timeline (keep that under Notes screen)

1.5 Client Profile —> Link to Livbojen

Purpose
Let staff securely link a Ledstjarnan client record to the youth's Livbojen account using a single-use 6-digit code.

Layout (Wireframe)

Top Bar

- Left: < Back
- Title: Link to Livbojen

Client header (compact)

- Client Name/Code
- Unit name
- Status: Not linked / Linked

Main card: "Generate 6-digit code"

State A — Not linked, no active code yet

- Instruction text:
- "Have the client enter this 6-digit code in their Livbojen app to complete the link."
- "Code expires in 15 minutes."
- Button: Generate code

State B — Not linked, active code exists

- Large code display: 482913
- Secondary actions:
- Copy
- Generate new code (expires old code immediately)
- Expiry text:
- Expires in: 12:34 (countdown)

State C — Linked

- Show:
- Linked ✅
- Linked account: ******** (masked or last 4 chars of user id)
- Optional (admin-only):
- Re-link (forces unlink + generate new code)

Interactions

- Generate code → calls Supabase RPC generate_link_code(client_id) and displays returned code.
- Copy → copies 6 digits to clipboard + toast: Copied
- Generate new code → calls RPC again (expires old active code).

- Auto refresh:
- Countdown ticks locally
- If code expires → switch to “no active code” state
- On link completion:
- Poll every ~3–5 seconds OR subscribe (realtime) to client row change
- When clients.linked_user_id becomes non-null → show Linked ✅

Data needed (Supabase)

Reads:
- clients.id, clients.unit_id, clients.linked_user_id
- link_codes active code for this client (optional; you can rely purely on RPC result)

Writes:
- RPC generate_link_code(client_id) → returns 6-digit code
- Linking itself happens in Livbojen via redeem_link_code(code) (client side)

States / Errors
- Network error: banner Couldn’t generate code. Try again.
- Permission error: You don’t have access to link this client.
- Already linked: disable code generation (unless admin override)

Acceptance Criteria (test checklist)
- Code is always 6 digits and single-use
- Old code becomes invalid after “Generate new code”
- Expiry is enforced (15 min)
- UI updates to “Linked ✅” after Livbojen redeems the code
- Copy works correctly

1.6 Client Profile → Notes & Flags (Staff only)

Purpose
A staff-only space to store:
• quick risk/needs flags (fast filtering + attention)
• private notes that must never appear in Livbojen

This screen also supports your “Clients list filters” (Flags / Due soon etc.).

Layout (Wireframe)

Top Bar
• Left: < Back
• Title: Staff Notes
• Right: ⋯ (optional)
• Clear notes (admin-only)
• View edit history (later)

Client header (compact)
• Name/Code
• Unit name
• Label: Private to staff

Section 1: Flags (checkbox list)

Title: Flags

Checkbox items (MVP):
• [ ] Trauma risk

• [ ] Mental health concern
• [ ] Substance use concern
• [ ] Low readiness (motivation, etc.)

Rules
• Changes are saved only when user taps Save (avoid accidental toggles)
• When a flag is checked, that client should appear in:
• Clients List → filter chip Flags
• And show mini-badge(s) on the client card

Section 2: Notes (text area)

Title: Notes
• Large multiline field
• Placeholder:
• Notes are private to staff and not shared with the client.
• Character limit (recommended MVP): 2,000–5,000 chars
• Auto-expand while typing

Primary button
• Save
• Disabled until something changed (dirty state)
• Shows loading while saving

On success
• Toast: Saved

On error
• Banner: Couldn't save. Try again.

States

Loading
• Skeleton for checkboxes + notes

Read-only (optional)

If staff doesn't have edit permission (e.g., not assigned):
• Disable inputs
• Banner: You can view but not edit.

Data model (Supabase)

Best MVP approach: one table for staff-private client metadata.

client_staff_notes
• client_id uuid (PK, FK -> clients.id)
• updated_by uuid
• updated_at timestamptz
• flags jsonb
Example:

```
{
  "trauma_risk": true,
  "mental_health_concern": true,
  "substance_use_concern": false,
  "low_readiness": false
}
```

• notes text

Reads
• Fetch client_staff_notes by client_id

Writes
• Upsert client_staff_notes for client_id

RLS (plain English)
• Only staff with access to the client can SELECT/INSERT/UPDATE
• Clients can never read this table

Acceptance Criteria (test checklist)
- Client cannot access staff notes in Livbojen under any circumstance
- Flags update client list badges + filters
- Notes save and persist correctly
- Save button only enables when changes exist
- Offline/failed save shows error state clearly

2) ASSESS TAB

2.1 Assess Dashboard

Purpose
A staff “start point” to:
- pick the right client
- start a Baseline or Follow-up assessment
- continue any draft assessments
- jump to overdue follow-ups (Schedule)

Layout (Wireframe)

Top Bar
- Title: Assess
- (Optional) Right icon: client switch / search

Selected Client (card)
- Client Name/Code
- Unit name
- Small label: Private to staff
- (Optional) “Change client” dropdown

Primary actions (large buttons)
- Start Baseline
- Start Follow-up

Enable rules
- If baseline already completed:
- Start Baseline becomes New Baseline (optional) or disabled with hint
- If no baseline exists:
- Start Follow-up disabled with hint: Baseline required first

Section: Continue drafts

List of draft items (0–N)
Each item:
- Icon + title (e.g., Draft baseline)
- Client name + “last edited” time (e.g., 4d ago)
- Button: Continue

Section: Overdue Follow-ups (shortcut)

Card with bell icon:

- Title: Overdue Follow-ups
- Subtitle: View overdue follow-ups
- Button: View
- Tap → routes to Schedule → Overdue list

Interactions

- Change client → updates available actions and drafts list
- Start Baseline → opens Baseline Domains Overview
- Start Follow-up → opens Follow-up Domains Overview
- Continue draft → resumes at last incomplete domain
- View overdue follow-ups → opens Schedule overdue filter

States

Loading

- Skeleton client card + buttons + draft list placeholders

No client selected

- Show button: Select client
- Selecting opens a modal list (search + recent)

No drafts

- Empty text: No drafts to continue

Error

- Banner: Couldn't load assessments + Retry

Data needed (Supabase)

Reads:

- clients (only those staff has access to)
- assessments (to determine baseline exists + latest follow-up)
- assessment_drafts (recommended separate table) OR assessments where status='draft'
- plans.next_follow_up_at or planner_items type='follow_up' (for overdue counts)

Writes:

- Create new assessment row (status=draft) when starting Baseline/Follow-up
- Update draft progress as domains are filled

Acceptance Criteria

- Staff can start baseline for a selected client
- Follow-up can't start without a baseline (unless you intentionally allow it)
- Draft "Continue" resumes correctly
- Overdue link opens Schedule with the correct filter
- All actions respect staff access (RLS)

2.2 Baseline Flow → Domains Overview

Purpose
Give staff a clear checklist of all domains to complete for a Baseline assessment, with:

- progress (X/Y done)
- status per domain (Not started / In progress / Done)
- quick resume at the next incomplete domain

- ability to save as draft anytime

Layout (Wireframe)

Top Bar
- Left: < Back
- Title: Baseline Assessment
- Right: Save draft (text button)

Client header (compact)
- Name/Code
- Unit
- Label: Private to staff

Progress Card
- Icon + text: 0 / 10 Domains complete
- Short helper text:
- Work through each domain to complete the baseline assessment.
- Primary button:
- Begin Assessment (or Continue Assessment if already started)
- Behavior:
- If no domains started → opens first domain
- If some domains completed → opens next incomplete domain

Domains list (grouped)

Section A: Salutogenic Life Areas

Rows (example labels — match your final chapter naming):
- Body & Health
- Education/Work
- Daily Independence
- Social arenas/skills
- Relationships/Network
- Identity/Development

Each row shows:
- Domain icon + name
- Right-side status: Not started / In progress / Done + chevron
- Thin progress bar (0–100%) (optional but nice)

Section B: Problem Areas

Rows:
- Mental health
- Trauma
- Harmful substance use
- Attachment / Relationship difficulties

Same row structure as above.

Bottom sticky actions (optional, recommended)
- Left: Save draft
- Right: View Summary (disabled until at least 1 domain is filled)

(If you already have Save draft in top bar, the bottom can just be “View Summary”.)

Interactions
- Tap any domain row → opens Domain Form for that domain
- “Begin/Continue Assessment” → opens next incomplete domain

- “Save draft”:
- Saves current assessment state + domain statuses
- Toast: Draft saved
- “View Summary”:
- Opens summary screen with top priorities/flags (even if partially complete, if you allow)

Status rules (per domain)
- Not started = no values saved
- In progress = some fields saved but not marked complete
- Done = all required fields saved and domain marked complete

Required fields for Done (MVP)
- Score 1–5
- I (Need) 1–5
- M (Readiness) 1–5
- P (Priority) 1–5

(You can relax requirements for problem domains if needed, but keep it consistent for MVP.)

Data (Supabase)

Reads
- Client info: clients
- Active baseline assessment: assessments where client_id=X and type='baseline' and status in ('draft','completed')
- Domain completion state: assessment_domain_scores (recommended table)

Writes
- When starting baseline:
- create assessments row (status=draft)
- When saving draft:
- update assessments.updated_at
- Domain completion updates happen in Domain Form screen

Acceptance Criteria
- Shows correct total domains and completion count
- Tapping a domain opens the correct form and returns here
- “Begin/Continue” always goes to the next incomplete domain
- Draft saves without losing progress
- Staff can jump between domains freely

2.3 Domain Form (per domain)

Purpose
Capture the domain’s scores + staff notes in a fast, structured way, and control domain completion status:
- Score (1–5)
- I (Need) 1–5
- M (Readiness) 1–5
- P (Priority) 1–5
- Staff-only notes
- Mark domain complete / save draft / next domain

Layout (Wireframe)

Top Bar
- Left: < Back (returns to Domains Overview)
- Title: {Domain name} (e.g., “Body & Health”)
- Right: Save draft

Client header (compact)

- Name/Code
- Unit
- Label: Private to staff

Domain Progress Card (optional but helpful)

- Status: Not started / In progress / Done
- Progress bar (simple)
- Helper text: “Score, Need, Readiness, Priority required.”

Scoring blocks (4)

Each block has:

- Label + short hint
- 1–5 selector (segmented control or buttons)
- Optional meaning line: 1 = Low … 5 = High

Block 1: Domain Score (S)

- Label: Domain Score (S)

(For salutogenic domains this can be “Satisfaction/Strength”; for problem domains “Severity/Burden”. Pick one consistent label set.)

Block 2: I — Need

- Label: Client's Needs (I)

Block 3: M — Readiness

- Label: Motivation/Readiness (M)

Block 4: P — Priority

- Label: Priority (P)

Validation rule (MVP)

- Domain can only be marked Done if all 4 scores are selected.

Notes (staff-only)

- Label: Detailed notes
- Multiline text box
- Placeholder: Optional. Add any pertinent notes.
- Character limit: 2,000–5,000

Bottom actions

- Primary: Mark domain as complete
- Secondary: Save draft
- (Optional) Next domain (only active after marking complete)

Behavior

- If required scores missing → show inline error under missing block(s)
- When “Mark complete” succeeds → toast Domain completed
- Auto-return to Domains Overview OR show “Next domain” CTA

Interactions

- Changing any score updates domain status to In progress
- Save draft can be pressed anytime
- Back warns if unsaved changes (optional)

Data (Supabase)

Recommended tables for assessment data:

assessments

- id, client_id, type (baseline/followup), status (draft/completed), created_by, updated_at

assessment_domain_scores
- assessment_id
- domain_id
- score_s int
- score_i int
- score_m int
- score_p int
- notes text
- status (not_started/in_progress/done)
- updated_at

Writes
- Upsert domain row on every save / autosave
- “Mark complete” sets status='done'

Acceptance Criteria
- Can’t mark domain complete without all required scores
- Domain status updates correctly across navigation
- Saving draft does not lose any values
- Returning to Domains Overview shows updated status + completion count

---

2.4 Summary

Purpose
Give staff a clear baseline summary before finishing the assessment:
- progress (domains completed)
- Top priorities (based on highest P)
- key flags (low readiness, specialist indicators)
- quick access back to domain forms
- next step buttons: Recommendation and Create Plan

Layout (Wireframe)

Top Bar
- Left: < Back
- Title: Summary
- Right: Complete assessment (enabled only when minimum completion rule is met)

Client header (compact)
- Name/Code
- Unit
- Label: Private to staff

Progress Card
- 6 / 10 Domains complete
- Helper text:
- Review priorities and flags before completing the assessment.

Section: Top Priorities

A ranked list (Top 3 by default, expandable to Top 5)
Each priority card shows:
- Domain icon + name
- Right label: Priority (P=5) or Highest priority
- Mini bar showing P level
- Short excerpt from notes (optional, 1–2 lines)
- Tap → opens that Domain Form (read/edit)

Section: Flags / Alerts (auto-generated)

Show only if triggered:

- Low readiness (if any M ≤ 2) → list affected domains
- Specialist needed (e.g., Trauma ≥ 3 or Mental health ≥ 3) → warning style
- Link missing (if client not linked to Livbojen) → info style

Section: Domain Completion List

Grouped list:

- ✅ Completed domains (X)
- ⏳ Not started / In progress (Y)

Each row:

- Domain name
- Status badge: Done / In progress / Not started
- Tap → opens Domain Form

Bottom CTA (recommended)

- Primary: See Recommendation
- Secondary: Create Livbojen Plan (goes to Plan Builder with suggested focus areas)

(If you prefer, “See Recommendation” can be the next screen after “Complete assessment”.)

Completion rules (MVP)

Choose one clear rule:

Option A (strict)

- Can only “Complete assessment” when all domains are Done.

Option B (recommended MVP)

- Require:
- all Salutogenic domains completed, and
- at least 2 problem domains completed

This lets staff finish even if some sensitive areas are intentionally postponed.

Data logic (Supabase)

Reads:

- Current assessment + domain scores:
- assessments
- assessment_domain_scores
- Client link status:
- clients.linked_user_id

Derived:

- Top priorities = domains sorted by score_p desc
- Flags:
- low readiness = any score_m <= 2
- specialist needed = any problem domain severity/need above threshold (your rule)

Writes:

- If “Complete assessment”:
- update assessments.status = 'completed'
- set completed_at = now()

Acceptance Criteria

- Top priorities always reflect latest saved P scores
- Tapping any domain opens correct Domain Form
- Flags appear only when triggered
- Complete assessment respects completion rule and shows clear error if not met
- Next step routes correctly to Recommendation and Plan

2.5 Recommendation

Purpose
Turn the baseline summary into a clear recommended track + next actions, so staff can:

- understand what level is recommended (Livbojen / Livbojen 2 / Livlinan)
- see why (rules/flags driving the recommendation)
- optionally override with a required reason
- jump directly to Plan and Assign Livbojen chapters

Layout (Wireframe)

Top Bar

- Left: < Back
- Title: Recommendation
- Right: Next step (routes to Plan Builder)

Client header (compact)

- Name/Code
- Unit
- Label: Private to staff

Recommendation Card (main)

- Title: Recommended track
- 3 option chips (single-select):
- Livbojen
- Livbojen 2
- Livlinan
- Highlight the system recommendation as selected by default.

“Why” section (inside the card)

Bullet list of rule-driven reasons, e.g.:

- Trauma score ≥ 3 → specialist support suggested
- Low readiness (M ≤ 2) → start with motivation steps
- Top priority domains: Daily Independence, Relationships

(Short, explainable language.)

Override section

- Toggle: Override recommendation
- Off by default
- If ON:
- Dropdown: choose track (Livbojen / Livbojen 2 / Livlinan)
- Text box: Reason (required)
- Save button: Confirm override

Rule

- Override reason is mandatory (min 10 characters)

Suggested focus areas (list)

List of the domains to carry into the plan:

- Shows top domains + their P score

- Rows are tappable → open domain details read-only

Bottom CTAs
- Primary: Create Livbojen Plan (opens Plan Builder with suggested focus areas pre-checked)
- Secondary: Assign Livbojen Chapters (opens assignment picker)

Note
- If client is not linked to Livbojen yet:
- show info banner above buttons:
- Client is not linked to Livbojen. You can still prepare assignments; they will appear after linking.
- Buttons remain enabled.

Data logic (Supabase)

Reads (same assessment context):
- assessment_domain_scores for current baseline
- clients.linked_user_id (linked status)

Derived:
- recommended_track computed from rules (your MVP rule-set)
- suggested_focus_domains = top P domains

Writes:
- Save recommendation on the assessment:
- assessments.recommended_track
- assessments.recommendation_reason (system-generated)
- If override: assessments.override_track, assessments.override_reason, overridden_by

Acceptance Criteria
- Track recommendation is shown clearly and explainable (“Why”)
- Override requires a reason and is logged
- Buttons route correctly to Plan Builder and Assign Chapters
- Works even if Livbojen is not linked (shows banner)

3) PLAN TAB

3.1 Plan List

Purpose
Give staff a quick overview of all plans they’re responsible for, so they can:
- find a client’s active plan fast
- see who has follow-ups due soon/overdue
- open a plan to update goals/actions or assign Livbojen chapters

Layout (Wireframe)

Top Bar
- Title: Plans
- Right: Filter icon (optional) or + (create plan)

Search
- Placeholder: Search clients or plans...
- Debounced filtering across:
- client name/code
- plan name (if you have it)

Segmented tabs (top)

- Active (default)
- Drafts
- Archived

Filter chips row (optional, under tabs)

- Due soon
- Overdue
- Not linked
- Needs follow-up
- Flags

Plan Cards (list)

Each plan card includes:

- Client name/code (bold)
- Unit name (small)
- Status pill: Active / Draft
- Next follow-up date (e.g., Follow-up: 12 Feb)
- “Next step” hint (optional):
- Next step: Assign Livbojen chapters
- Next step: Schedule follow-up
- Quick indicators:
- Linked / Not linked icon
- small flags (trauma/low readiness) if you want

Tap card → Plan Detail (or Plan Builder review screen)

Interactions

- Tap a plan card → open plan detail (edit allowed if staff has access)
- Switch tabs → loads corresponding plans
- Search → filters within current tab
- Filters → apply to current tab

States

Empty state (no plans)

- Title: No plans yet
- Text: Create a plan after completing a baseline assessment.
- Button: Go to Assess

Loading

- Skeleton cards

Error

- Banner: Couldn’t load plans + Retry

Data (Supabase)

Reads:

- plans (by staff access to clients)
- clients (name/code, unit_id, linked_user_id)
- staff_client_access for access control
- Optional: client_staff_notes.flags for “Flags” filtering
- Optional: planner_items or plans.next_follow_up_at for due/overdue

Derived fields per plan card:

- is_linked = clients.linked_user_id != null
- due_state based on next_follow_up_at

Writes:

- None on this screen (unless you add “Create plan” button)

Acceptance Criteria

- Active plans are visible and sortable
- Search finds client quickly
- Due soon/overdue filters are correct
- Staff can only see plans for clients they have access to

3.2 Plan Builder (Wizard)

Purpose
Guide staff through creating/updating a simple, structured plan in 4 steps:

1. Focus Areas
2. Goals
3. Actions
4. Follow-up date + Review/Save

…and then optionally jump to Assign Livbojen chapters and Schedule.

Wizard structure (4 steps)

Shared UI (all steps)

Top Bar

- < Back
- Title: Plan Builder
- Right: Save draft (optional)

Client header (compact)

- Name/Code
- Unit
- Private to staff

Stepper (top of content)

- 1 Focus → 2 Goals → 3 Actions → 4 Follow-up
- Current step highlighted

Bottom navigation

- Left button: Back (disabled on Step 1)
- Right button: Next (or Save on Step 4)

Step 1 — Focus Areas

Purpose: Choose 2–4 domains to focus on first (pre-filled from assessment summary).

UI

- Guidance card:
- “Select focus areas the plan should address first.”
- “Suggested based on baseline assessment.”
- Checklist of domains with:
- checkbox
- domain name
- small hint (e.g., priority P score)
- optional View > to open read-only domain summary

Rules

- Default selection = Top priorities from Summary (Top 3 P scores)
- Minimum: select at least 1
- Recommended: show helper if >4 selected (“Keep it focused”)

Validation

- If none selected → Next disabled or inline error

Step 2 — Goals

Purpose: Write short, clear goals linked to focus areas.

UI

- List of Goal cards:
- “Goal title” text field
- Optional: “Linked focus area” dropdown (one of selected focus areas)
- Optional: “Success looks like…” short field
- Button: + Add goal

Rules

- Minimum: 1 goal
- Keep goals short (max 120 chars title)

Step 3 — Actions

Purpose: Turn goals into concrete actions (checklist tasks staff can track).

UI

- Action list (editable rows):
- Action text field
- Frequency dropdown (optional MVP): Daily / Weekly / Custom / One-time
- Optional “Assigned to”: Client / Staff / Shared
- Button: + Add action

Rules

- Minimum: 1 action
- Actions should be practical and measurable

Step 4 — Follow-up + Review

Purpose: Set follow-up cadence and save the plan.

UI

- Follow-up date picker:
- Label: Next follow-up
- Default: Today + 2 months
- Summary preview:
- Focus areas
- Goals count
- Actions count
- Save button:
- Save Plan (primary)
- After save: success screen or modal:
- Assign Livbojen chapters (CTA)
- Open Schedule (CTA)

Rules

- Follow-up date required (default set)
- Saving creates/updates “active plan” version

States

Draft mode

- Plan can be saved as draft if incomplete (optional)

- Show badge: Draft

Edit existing plan
- Pre-fill all values
- Save creates a new “version” or updates active plan (your choice)

Error
- Banner: Couldn’t save plan. Try again.

Data (Supabase) — minimal model

Tables
- plans
- id, client_id, status (draft|active|archived)
- focus_areas (jsonb array of domain ids)
- next_follow_up_at (timestamptz)
- created_by, updated_at
- plan_goals
- id, plan_id, title, focus_area_id (nullable), success_criteria (nullable)
- plan_actions
- id, plan_id, text, frequency (nullable), assigned_to (client|staff|shared)

Reads
- Active/draft plan for client (if edit)
- Suggested focus areas from latest assessment summary (optional)

Writes
- Upsert plans + replace goals/actions sets (or diff update)

Acceptance Criteria
- Stepper navigation works and preserves entered data
- Can’t save final plan without:
- ≥1 focus area, ≥1 goal, ≥1 action, follow-up date
- After save, plan appears in Plan List as Active
- Next follow-up date appears in Client Profile + Schedule due lists

---

3.3 Assign Livbojen Chapters (Picker)

Purpose
Let staff select and activate Livbojen chapters/modules for a client, based on the plan + mapping results.

Layout (Wireframe)

Top Bar
- Left: < Back
- Title: Assign Livbojen
- (Optional) Right: Done (only after activation)

Client header (compact)
- Client Name/Code
- Unit
- Link status badge: Linked / Not linked

Info banner
- Text: Select chapters/modules to activate in Livbojen. Suggested items are pre-selected.
- If Not linked show a note:
- Client not linked yet. Assignments will appear after linking.

Search field

- Placeholder: Search chapters or modules…
- Filters the browse list + suggestions

Section A: Suggested (pre-selected)

Checkbox list of suggested chapters/modules derived from:

- Top priority domains (P)
- Low readiness flags (M low)
- Active plan focus areas/goals

Each row:

- Checkbox
- Chapter → Module (or chapter only)
- Optional subtitle (modules included)

Section B: Browse chapters (accordion)

Accordion list:

- Chapter row (tap expands)
- Inside: module rows with checkboxes

(You can allow selecting a whole chapter = selects all default modules, or keep module-level only.)

Bottom sticky actions

- Secondary button: Preview
- Shows “what client will see” (Assigned list + order)
- Primary button: Activate
- Writes assignments to Supabase
- Success toast: Activated in Livbojen

Selection rules (MVP)

- Staff can activate:
- whole chapter (creates assignment per chapter), or
- specific modules (creates assignment per module)
- Prevent duplicates:
- If already assigned and active, show Assigned label and disable checkbox or turn it into “unassign” (your choice).
- Keep it simple: MVP can allow assign only (no unassign), and “Archive” later.

Data (Supabase)

Reads

- plans (active) for client → to generate suggestions
- assessment_domain_scores (latest baseline) → priority rules
- assignments (existing) → mark already assigned
- clients.linked_user_id → show Linked / Not linked banner

Writes

Insert into assignments:

- client_id
- chapter_id
- module_id (nullable)
- assigned_by
- status = 'assigned'

Activation behavior

- If not linked: still write assignments (they become visible in Livbojen after linking because Livbojen reads by client_id).

States

- Loading: skeleton list
- Empty (search no results): No chapters found
- Error on activate: Couldn't activate. Try again.

Acceptance Criteria

- Suggestions are pre-selected correctly
- Search filters both suggested + browse
- Activation creates assignment rows and instantly reflects status
- Works whether client is linked or not (with correct banner)

3.4 Assign Livbojen Success

3.4 Screen: Assign Livbojen Success — Specs (Ledstjarnan)

Purpose
Confirm to staff that the selected chapters/modules are successfully activated in Livbojen, show the assigned items, and provide clear next actions:

- go back to Client Profile
- go to Schedule to book sessions/tasks

Layout (Wireframe)

Top Bar

- Left: < Back
- Title: Activated
- (Optional) Right: none

Client header (compact)

- Name/Code
- Unit
- Link status: Linked / Not linked

Success block

- Large ✅ icon
- Headline: Chapters activated in Livbojen
- Subtext (optional):
- Assignments are now visible in the client app.

Section: Assigned items (list card)

- Title: Assigned items
- List rows (scrollable if more than ~6)

Row content

- Primary text: Module/Chapter name (bold)
- Secondary text: Chapter name • Status: assigned
- Right badge: Assigned

Row behaviors

- Tap row (optional): opens a read-only Assignment Details sheet:
- assigned date/time
- assigned by
- status (assigned/started/completed)

Info banner

- Text:
- The client will see these under "Assigned to you" inside Livbojen.

Primary actions (buttons)

- Button 1 (primary): Open Client Profile
- Button 2 (secondary): Open Schedule

Interactions

- < Back → returns to Assign Livbojen Chapters (Picker) (or previous route)
- Open Client Profile → routes to clients/{clientId} (Client Profile Hub)
- Open Schedule → routes to schedule/client/{clientId} (Client Schedule)

States

Loading

- Skeleton for success block + list rows

Empty (edge case)

- Text: No assigned items found
- Button: Back to picker

Error

- Banner: Couldn't load assigned items
- Button: Retry

Data needed (Supabase)

Reads

- assignments
- filter: client_id = {clientId}
- order: created_at desc
- limit: show latest 10–20
- clients.linked_user_id (to show Linked/Not linked badge)

Recommended (optional)

- Add activation_batch_id (uuid) to assignments so this screen shows only the items activated in the last action:
- Picker generates a batch_id
- Inserts all assignment rows with that batch_id
- Success screen queries: where activation_batch_id = last_batch_id

Writes

- None (activation already completed in the picker)

Acceptance Criteria (test checklist)

- Shows success state only after activation succeeds
- Assigned items list matches the activated selection (or the last batch if batch_id used)
- Buttons route correctly to Client Profile and Client Schedule
- Works even if client is not linked (still shows success + note banner)
- No duplicate items appear (dedup rule enforced at insert)

4) SCHEDULE TAB (includes follow-ups + shared planner)

4.1 Schedule Dashboard

Purpose
A single overview for staff to manage follow-ups + shared planner:

- see what's due soon
- see what's overdue
- see upcoming appointments/tasks
- quickly add a new schedule item

Layout (Wireframe)

Top Bar

- Title: Schedule
- Right: Filter icon (or "Sort")
- Filters: My clients, This week, Due soon, Overdue, Sessions only, Tasks only

Summary cards (3)

Row of 3 small cards:

- Due soon (14 days) → number
- Overdue → number
- Upcoming → number

Tap behavior

- Tapping a card scrolls/filters the list to that section.

Sections (lists)

Section A: Due soon (next 14 days)

List rows (tap opens client context):

- Time/Date
- Type: Follow-up / Session
- Client name/code
- Badge: Follow-up or Locked

Section B: Overdue

List rows:

- Follow-up overdue
- Client + due date
- Badge: Overdue
- Tap → opens client and suggests "Start follow-up" or "Reschedule"

Section C: Upcoming appointments

List rows (shared planner view):

- Today/Tomorrow date + time
- Item type: Session / Shared task / Activity
- Client + short title
- Badge: Locked or Shared

Floating action button (FAB)

- + Add item
- Opens: Add Planner Item screen
- Default type: Session
- If opened from "Due soon" card: default type = Follow-up

Interactions

- Tap list item:
- Follow-up item → opens Client Schedule with CTA Start follow-up assessment
- Session item → opens Planner Item details (edit if staff)
- Task item → opens Planner Item details
- Pull to refresh (optional)
- Filters apply instantly

Data (Supabase)

Reads:
- planner_items where staff has access (via staff_client_access)
- upcoming range: today → +30 days (or +14 for due soon)
- Follow-up due logic from either:
- plans.next_follow_up_at, or
- planner_items.type='follow_up'
- clients for name/code
- optional client_staff_notes.flags for filtering

Writes:
- none on dashboard (writes happen in Add/Edit item screens)

States
- Loading: skeleton cards + list
- Empty: No upcoming items + button Add item
- Error: Couldn't load schedule + Retry

Acceptance Criteria
- Counts on summary cards match the lists
- Overdue items always visible and prioritized
- Tapping follow-up takes staff to the correct client schedule and follow-up start flow
- FAB opens add-item flow correctly

4.2 Client Schedule (Shared Planner)

Purpose
One client's shared schedule where staff and client can both see items, with clear separation between:
- Locked staff sessions (staff controls)
- Client tasks/activities (shared visibility)

Also provides a direct entry to Follow-up assessment.

Layout

Top Bar
- Left: < Back
- Title: Client Schedule

Client header
- Name/Code
- Next follow-up: {date} (from active plan)

View toggle
- Segmented control: (Day) (Week) (List)
- Default: List (fastest for MVP)

Timeline / list
Rows show:

- Time
- Type + title
- Lock indicator if locked=true

Example rows:

- 10:00 [LOCK] Session with staff
- 15:00 Task: School assignment
- 17:30 Activity: Gym

Buttons (bottom)

- + Book session → creates locked=true
- + Add task → creates locked=false
- Start follow-up assessment → navigates to Assess > Follow-up for this client

Logic (shared schedule)

Who can create what

- Staff can create: sessions (locked), tasks (unlocked)
- Client can create: tasks/activities (unlocked only)

Who can edit/delete

- locked=true (sessions): staff only
- locked=false (tasks/activities):
- creator can edit/delete
- staff can edit if needed (optional), but safest MVP: creator-only + staff override

Visibility

- Both apps read the same table:
- Livbojen shows the same unlocked items + shows locked sessions as “Session with staff”
- Ledstjarnan shows all items with lock indicators

Data (Supabase)

Table: planner_items

- id
- client_id
- created_by_user_id
- created_by_role (staff / client)
- title
- type (session / task / activity / follow_up)
- start_at (timestamptz)
- end_at (optional)
- locked (bool)
- visibility (shared default)
- status (planned / done / canceled)
- updated_at

Reads

- Query by client_id + date range based on view (day/week/list)

Writes

- + Book session → insert with locked=true, type='session'
- + Add task → insert with locked=false, type='task'
- Follow-up is navigation only (no write) unless you also create a follow-up item.

States

- Loading: skeleton rows
- Empty: No items scheduled + CTA Book session / Add task
- Error: Couldn’t load schedule + Retry

Acceptance Criteria

- Locked sessions can't be edited by the client (RLS enforced)
- Both apps see the same items for the client
- List shows lock badge correctly
- Buttons create correct locked/unlocked items
- Start follow-up launches the follow-up assessment flow for this client

---

4.3 Add Planner Item

Purpose

Create a new schedule item for a client, with correct lock rules:

- Sessions are usually locked=true (staff-only edit)
- Client tasks/activities are locked=false (shared + editable by creator)

Layout

Top Bar

- Left: < Back
- Title: Add item

Client header

- Name/Code
- Helper line (optional): Type defaults based on entry point

Form fields

1) Type (required)
Picker chips:

- Session (locked) (default when staff taps "Book session")
- Task
- Activity
- Follow-up

Auto rules

- If Type = Session → set locked=true (and show toggle disabled or forced ON)
- If Type = Task or Activity → default locked=false
- If Type = Follow-up → default locked=true (optional)

2) Title (required)

- Placeholder examples:
- Session with staff
- School assignment
- Gym

3) Date & Time (required)

- Date picker
- Time picker
- (Optional) Duration or End time

Validation:

- Must be in the future (or allow same-day past only if you support logging history)

4) Locked toggle

- Label: Locked (staff-only edit)
- Behavior:
- For Session: locked forced ON (toggle disabled)
- For Task/Activity: toggle available (staff can lock if needed)

- For Client app: hide toggle entirely (always unlocked)

5) Notes (optional)
- Multiline text

Bottom action
- Primary button: Save

Logic / Permissions

Who can create
- Staff: Session/Task/Activity/Follow-up
- Client (Livbojen): Task/Activity only (unlocked)

Who can edit/delete
- locked=true → staff only
- locked=false → creator can edit/delete

(Optional MVP staff override: staff can edit unlocked items too.)

Data (Supabase)

Table: planner_items
- id
- client_id
- created_by_user_id
- created_by_role (staff|client)
- type (session|task|activity|follow_up)
- title
- start_at
- end_at (optional) or duration_min
- locked bool
- notes text (optional)
- status (planned|done|canceled)
- updated_at

Write
- Insert row on Save

States
- Loading (saving): disable form + spinner on Save
- Error: banner Couldn't save item. Try again.
- Success: return to Client Schedule and highlight the new item

Acceptance Criteria
- Session saves as locked=true (cannot be edited by client)
- Task/activity saves as locked=false by default
- Date/time required and validated
- Item appears in both apps immediately (shared schedule)

5) SETTINGS TAB

5.1 Settings

Picture (JPG):
sandbox:/mnt/data/A_grayscale_wireframe_settings.jpg
PDF backup:
sandbox:/mnt/data/A_grayscale_wireframe_settings.pdf

———

5.1 Screen: Settings — Specs (Ledstjarnan)

Purpose
Give staff quick access to:

- account info (who am I, which unit)
- language + notifications
- help/support
- security (password, sign out)

Layout

Top Bar

- Title: Settings

Profile card (top)

- Avatar placeholder
- Staff: {name}
- Unit: {unit name}
- (Optional) Role badge: Staff

Sections

A) Account

Rows (tap opens detail screen):

- My profile → view staff info + permissions
- Switch unit → only if staff belongs to multiple units
- Notifications → toggle or details screen

B) App

- Language → choose English / Swedish (MVP: just English)
- Privacy & roles → read-only info (what staff can/can't see)
- Help & support → contact + FAQ

C) Security

- Change password (if using email/password auth)
- Sign out

Interactions

- Tapping a row opens a sub-screen or modal
- Sign out requires confirm:
- Are you sure you want to sign out? → Cancel / Sign out

Data (Supabase)

Reads:

- auth.user() basic profile
- staff_profile table (recommended):
- name, unit_id, role, permissions

Writes:

- language preference (local device setting or staff_profile.preferences)
- notification preferences (local or backend)
- sign out (Supabase auth signOut)

States

- Loading: skeleton profile + rows

- Error: Couldn’t load settings + Retry

Acceptance Criteria

- Staff sees correct name + unit
- Language/notifications changes persist
- Sign out returns to login
- No client data is accessible from settings screens