










PNETLab | Topology LAB-1 LAN (key).pdf + Chat

QEMU (Win1)

```
Administrator: C:\Windows\system32\cmd.exe
Microsoft Windows [Version 6.1.7601]
Copyright (c) 2009 Microsoft Corporation. All rights reserved.

C:\Users\User>ipconfig

Windows IP Configuration

Ethernet adapter Local Area Connection:

    Connection-specific DNS Suffix  . : 
    Link-local IPv6 Address . . . . . : fe80::2ceb:cc85:788:1e35%11
    IPv4 Address. . . . . : 30.0.0.30
    Subnet Mask . . . . . : 255.0.0.0
    Default Gateway . . . . . : 

Tunnel adapter isatap.{4281F8D7-30A8-4EF7-818F-C694F5F3D81D}:

    Media State . . . . . : Media disconnected
    Connection-specific DNS Suffix  . : 
    IPv6 Address. . . . . : 2002::1e00:1e::1e00:1e
    Default Gateway . . . . . : 

Tunnel adapter 6T04 Adapter:

    Connection-specific DNS Suffix  . : 
    IPv6 Address. . . . . : 2002::1e00:1f::1e00:1f
    Default Gateway . . . . . : 

C:\Users\User>ping 30.0.0.31

Pinging 30.0.0.31 with 32 bytes of data:
Reply from 30.0.0.31: bytes=32 time=1ms TTL=128
Reply from 30.0.0.31: bytes=32 time=1ms TTL=128
Reply from 30.0.0.31: bytes=32 time=1ms TTL=128
Reply from 30.0.0.31: bytes=32 time=1ms TTL=128

Ping statistics for 30.0.0.31:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 1ms, Maximum = 1ms, Average = 1ms

C:\Users\User>
```

50.0.0.10

QEMU (Win2)

```
Administrator: C:\Windows\system32\cmd.exe
Microsoft Windows [Version 6.1.7601]
Copyright (c) 2009 Microsoft Corporation. All rights reserved.

C:\Users\User>ipconfig

Windows IP Configuration

Ethernet adapter Local Area Connection:

    Connection-specific DNS Suffix  . : 
    Link-local IPv6 Address . . . . . : fe80::35fd:cc8:9bd1:c87c%11
    IPv4 Address. . . . . : 30.0.0.31
    Subnet Mask . . . . . : 255.0.0.0
    Default Gateway . . . . . : 

Tunnel adapter 6T04 Adapter:

    Connection-specific DNS Suffix  . : 
    IPv6 Address. . . . . : 2002::1e00:1f::1e00:1f
    Default Gateway . . . . . : 

C:\Users\User>ping 30.0.0.30

Pinging 30.0.0.30 with 32 bytes of data:
Reply from 30.0.0.30: bytes=32 time=1ms TTL=128
Reply from 30.0.0.30: bytes=32 time=1ms TTL=128
Reply from 30.0.0.30: bytes=32 time=1ms TTL=128
Reply from 30.0.0.30: bytes=32 time=1ms TTL=128

Ping statistics for 30.0.0.30:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 1ms, Maximum = 1ms, Average = 1ms

C:\Users\User>
```

123

EN NETW
PLAY WITH TECH

NG-1

WINDOWS PASSWORD : Test123

LAB-1 Physical 01 : 00 : 00 START

32°C Sunny Search ENG IN 11:22 29-09-2026

