```
Windows PowerShell
Copyright (C) Microsoft Corporation. All rights reserved.

PS C:\Users\Muruganantham> mongosh
Current Mongosh Log ID: 6abd1c1c33ef0bb734e7c971
Connecting to:          mongodb://127.0.0.1:27017/?directConnection=true&serverSelectionTimeoutMS=2000&appName=mongosh+2.12.0
Using MongoDB:          9.0.2
Using Mongosh:          2.12.0

For mongosh info see: https://www.mongodb.com/docs/mongodb-shell/

------
   The server generated these startup warnings when booting
   2026-09-30T18:18:49.556+05:30: Access control is not enabled for the database. Read and write access to data and configuration is unrestricted
------

test> use studentDB
switched to db studentDB
studentDB> db.createCollection("students")
{ ok: 1 }
studentDB> show dbs
admin       40.00 KiB
config     108.00 KiB
local       64.00 KiB
ltodo       64.00 KiB
school      48.00 KiB
studentDB    8.00 KiB
studentDB> show collections
students
```

```
studentDB> db.students.insertOne({
|     name: "Murugan",
|     age: 21,
|     course: "MERN Stack",
|     status: "ongoing"
| })
{
  acknowledged: true,
  insertedId: ObjectId('6abd1ce333ef0bb734e7c972')
}
studentDB> db.students.insertMany([
|     {
|         name: "Arun",
|         age: 22,
|         course: "MERN Stack",
|         status: "ongoing"
|     },
|     {
|         name: "Karthik",
|         age: 20,
|         course: "Data Analytics",
|         status: "completed"
|     },
|     {
|         name: "Priya",
|         age: 23,
|         course: "MERN Stack",
|         status: "completed"
|     },
|     {
|         name: "Divya",
|         age: 21,
|         course: "Python",
|         status: "ongoing"
|     }
| ])
{
  acknowledged: true,
  insertedIds: {
    '0': ObjectId('6abd1cfb33ef0bb734e7c973'),
    '1': ObjectId('6abd1cfb33ef0bb734e7c974'),
```

```
studentDB> db.students.find()
[
  {
    _id: ObjectId('6abd1ce333ef0bb734e7c972'),
    name: 'Murugan',
    age: 21,
    course: 'MERN Stack',
    status: 'ongoing'
  },
  {
    _id: ObjectId('6abd1cfb33ef0bb734e7c973'),
    name: 'Arun',
    age: 22,
    course: 'MERN Stack',
    status: 'ongoing'
  },
  {
    _id: ObjectId('6abd1cfb33ef0bb734e7c974'),
    name: 'Karthik',
    age: 20,
    course: 'Data Analytics',
    status: 'completed'
  },
  {
    _id: ObjectId('6abd1cfb33ef0bb734e7c975'),
    name: 'Priya',
    age: 23,
    course: 'MERN Stack',
    status: 'completed'
  },
  {
    _id: ObjectId('6abd1cfb33ef0bb734e7c976'),
    name: 'Divya',
    age: 21,
    course: 'Python',
    status: 'ongoing'
  }
]
```

```
studentDB> db.students.find({
|       course: "MERN Stack"
|   })
[
  {
    _id: ObjectId('6abd1ce333ef0bb734e7c972'),
    name: 'Murugan',
    age: 21,
    course: 'MERN Stack',
    status: 'ongoing'
  },
  {
    _id: ObjectId('6abd1cfb33ef0bb734e7c973'),
    name: 'Arun',
    age: 22,
    course: 'MERN Stack',
    status: 'ongoing'
  },
  {
    _id: ObjectId('6abd1cfb33ef0bb734e7c975'),
    name: 'Priya',
    age: 23,
    course: 'MERN Stack',
    status: 'completed'
  }
]
```

```
studentDB> db.students.find({
|       status: "completed"
|   })
[
  {
    _id: ObjectId('6abd1cfb33ef0bb734e7c974'),
    name: 'Karthik',
    age: 20,
    course: 'Data Analytics',
    status: 'completed'
  },
  {
    _id: ObjectId('6abd1cfb33ef0bb734e7c975'),
    name: 'Priya',
    age: 23,
    course: 'MERN Stack',
    status: 'completed'
  }
]
```

```
studentDB> db.students.updateOne(
|       { name: "Murugan" },
|       { $set: { status: "completed" } }
| )
{
  acknowledged: true,
  insertedId: null,
  matchedCount: 1,
  modifiedCount: 1,
  upsertedCount: 0
}
studentDB> db.students.find({
|       name: "Murugan"
| })
[
  {
    _id: ObjectId('6abd1ce333ef0bb734e7c972'),
    name: 'Murugan',
    age: 21,
    course: 'MERN Stack',
    status: 'completed'
  }
]
```

```
studentDB> db.students.updateMany(
...     {
...         course: "MERN Stack",
...         status: "ongoing"
...     },
...     {
...         $set: { status: "completed" }
...     }
... )
{
  acknowledged: true,
  insertedId: null,
  matchedCount: 1,
  modifiedCount: 1,
  upsertedCount: 0
}
```

```
studentDB> db.students.find({
|       course: "MERN Stack"
| })
[
  {
    _id: ObjectId('6abd1ce333ef0bb734e7c972'),
    name: 'Murugan',
    age: 21,
    course: 'MERN Stack',
    status: 'completed'
  },
  {
    _id: ObjectId('6abd1cfb33ef0bb734e7c973'),
    name: 'Arun',
    age: 22,
    course: 'MERN Stack',
    status: 'completed'
  },
  {
    _id: ObjectId('6abd1cfb33ef0bb734e7c975'),
    name: 'Priya',
    age: 23,
    course: 'MERN Stack',
    status: 'completed'
  }
]
```

```
studentDB> db.students.find({
|       age: { $gt: 21 }
| })
[
  {
    _id: ObjectId('6abd1cfb33ef0bb734e7c973'),
    name: 'Arun',
    age: 22,
    course: 'MERN Stack',
    status: 'completed'
  },
  {
    _id: ObjectId('6abd1cfb33ef0bb734e7c975'),
    name: 'Priya',
    age: 23,
    course: 'MERN Stack',
    status: 'completed'
  }
]
```

```
studentDB> db.students.find({
|     age: { $lt: 22 }
| })
[
  {
    _id: ObjectId('6abd1ce333ef0bb734e7c972'),
    name: 'Murugan',
    age: 21,
    course: 'MERN Stack',
    status: 'completed'
  },
  {
    _id: ObjectId('6abd1cfb33ef0bb734e7c974'),
    name: 'Karthik',
    age: 20,
    course: 'Data Analytics',
    status: 'completed'
  },
  {
    _id: ObjectId('6abd1cfb33ef0bb734e7c976'),
    name: 'Divya',
    age: 21,
    course: 'Python',
    status: 'ongoing'
  }
]
```

```
studentDB> db.students.find({
|     course: {
|         $in: ["MERN Stack", "Python"]
|     }
| })
[
  {
    _id: ObjectId('6abd1ce333ef0bb734e7c972'),
    name: 'Murugan',
    age: 21,
    course: 'MERN Stack',
    status: 'completed'
  },
  {
    _id: ObjectId('6abd1cfb33ef0bb734e7c973'),
    name: 'Arun',
    age: 22,
    course: 'MERN Stack',
    status: 'completed'
  },
  {
    _id: ObjectId('6abd1cfb33ef0bb734e7c975'),
    name: 'Priya',
    age: 23,
    course: 'MERN Stack',
    status: 'completed'
  },
  {
    _id: ObjectId('6abd1cfb33ef0bb734e7c976'),
    name: 'Divya',
    age: 21,
    course: 'Python',
    status: 'ongoing'
  }
]
```

```
studentDB> db.students.find({
...     $and: [
...         { age: { $gt: 20 } },
...         { course: "MERN Stack" }
...     ]
... })
[
  {
    _id: ObjectId('6abd1ce333ef0bb734e7c972'),
    name: 'Murugan',
    age: 21,
    course: 'MERN Stack',
    status: 'completed'
  },
  {
    _id: ObjectId('6abd1cfb33ef0bb734e7c973'),
    name: 'Arun',
    age: 22,
    course: 'MERN Stack',
    status: 'completed'
  },
  {
    _id: ObjectId('6abd1cfb33ef0bb734e7c975'),
    name: 'Priya',
    age: 23,
    course: 'MERN Stack',
    status: 'completed'
  }
]
```

```
studentDB> db.students.find({
|     $or: [
|         { course: "MERN Stack" },
|         { course: "Data Analytics" }
|     ]
| })
[
  {
    _id: ObjectId('6abd1ce333ef0bb734e7c972'),
    name: 'Murugan',
    age: 21,
    course: 'MERN Stack',
    status: 'completed'
  },
  {
    _id: ObjectId('6abd1cfb33ef0bb734e7c973'),
    name: 'Arun',
    age: 22,
    course: 'MERN Stack',
    status: 'completed'
  },
  {
    _id: ObjectId('6abd1cfb33ef0bb734e7c974'),
    name: 'Karthik',
    age: 20,
    course: 'Data Analytics',
    status: 'completed'
  },
  {
    _id: ObjectId('6abd1cfb33ef0bb734e7c975'),
    name: 'Priya',
    age: 23,
    course: 'MERN Stack',
    status: 'completed'
  }
]
```

```
studentDB> db.students.find({
|     status: { $exists: true }
| })
[
  {
    _id: ObjectId('6abd1ce333ef0bb734e7c972'),
    name: 'Murugan',
    age: 21,
    course: 'MERN Stack',
    status: 'completed'
  },
  {
    _id: ObjectId('6abd1cfb33ef0bb734e7c973'),
    name: 'Arun',
    age: 22,
    course: 'MERN Stack',
    status: 'completed'
  },
  {
    _id: ObjectId('6abd1cfb33ef0bb734e7c974'),
    name: 'Karthik',
    age: 20,
    course: 'Data Analytics',
    status: 'completed'
  },
  {
    _id: ObjectId('6abd1cfb33ef0bb734e7c975'),
    name: 'Priya',
    age: 23,
    course: 'MERN Stack',
    status: 'completed'
  },
  {
    _id: ObjectId('6abd1cfb33ef0bb734e7c976'),
    name: 'Divya',
    age: 21,
    course: 'Python',
    status: 'ongoing'
  }
]
```

```
studentDB> db.students.deleteOne({
|     name: "Divya"
| })
{ acknowledged: true, deletedCount: 1 }
studentDB> db.students.find()
[
  {
    _id: ObjectId('6abd1ce333ef0bb734e7c972'),
    name: 'Murugan',
    age: 21,
    course: 'MERN Stack',
    status: 'completed'
  },
  {
    _id: ObjectId('6abd1cfb33ef0bb734e7c973'),
    name: 'Arun',
    age: 22,
    course: 'MERN Stack',
    status: 'completed'
  },
  {
    _id: ObjectId('6abd1cfb33ef0bb734e7c974'),
    name: 'Karthik',
    age: 20,
    course: 'Data Analytics',
    status: 'completed'
  },
  {
    _id: ObjectId('6abd1cfb33ef0bb734e7c975'),
    name: 'Priya',
    age: 23,
    course: 'MERN Stack',
    status: 'completed'
  }
]
```

```
studentDB> db.createCollection("books")
{ ok: 1 }
studentDB> db.books.insertMany([
|       {
|           title: "JavaScript Basics",
|           author: "John Smith",
|           category: "Programming",
|           price: 450,
|           available: true
|       },
|       {
|           title: "MongoDB Guide",
|           author: "David Brown",
|           category: "Database",
|           price: 550,
|           available: true
|       },
|       {
|           title: "React for Beginners",
|           author: "James Wilson",
|           category: "Programming",
|           price: 600,
|           available: false
|       }
| ])
{
  acknowledged: true,
  insertedIds: {
    '0': ObjectId('6abd211633ef0bb734e7c977'),
    '1': ObjectId('6abd211633ef0bb734e7c978'),
    '2': ObjectId('6abd211633ef0bb734e7c979')
  }
}
```

```
studentDB> db.books.find({
|       category: "Programming"
|   })
[
  {
    _id: ObjectId('6abd211633ef0bb734e7c977'),
    title: 'JavaScript Basics',
    author: 'John Smith',
    category: 'Programming',
    price: 450,
    available: true
  },
  {
    _id: ObjectId('6abd211633ef0bb734e7c979'),
    title: 'React for Beginners',
    author: 'James Wilson',
    category: 'Programming',
    price: 600,
    available: false
  }
]
```

```
studentDB> db.books.find({
|       price: { $lt: 500 }
| })
[
  {
    _id: ObjectId('6abd211633ef0bb734e7c977'),
    title: 'JavaScript Basics',
    author: 'John Smith',
    category: 'Programming',
    price: 450,
    available: true
  }
]
studentDB> db.books.updateOne(
|       { title: "MongoDB Guide" },
|       { $set: { available: false } }
| )
{
  acknowledged: true,
  insertedId: null,
  matchedCount: 1,
  modifiedCount: 1,
  upsertedCount: 0
}
```

```
studentDB> db.books.find({
|     title: "MongoDB Guide"
| })
[
  {
    _id: ObjectId('6abd211633ef0bb734e7c978'),
    title: 'MongoDB Guide',
    author: 'David Brown',
    category: 'Database',
    price: 550,
    available: false
  }
]
studentDB> db.books.find({
|     available: true
| })
[
  {
    _id: ObjectId('6abd211633ef0bb734e7c977'),
    title: 'JavaScript Basics',
    author: 'John Smith',
    category: 'Programming',
    price: 450,
    available: true
  }
]
```

```
studentDB> db.students.deleteMany({})
{ acknowledged: true, deletedCount: 4 }
studentDB> db.students.find()

studentDB> show collections
books
students
studentDB>
```