RaceDay REST API Endpoint Plan

System: RaceDay | Database: SQL Server | API Base Path: /api

Roles

Organiser: Creates and manages race events and categories, views enrolments, and records/updates race results.
Participant: Registers/logs in, manages profile, enrols in categories, and views enrolments/results.
Public: Unauthenticated users may view published events and categories.

Endpoints

POST /api/auth/register
POST /api/auth/login
GET /api/users/me
PUT /api/users/me
GET /api/events
GET /api/events/{id}
POST /api/events
PUT /api/events/{id}
DELETE /api/events/{id}
GET /api/events/{id}/categories
POST /api/events/{id}/categories
PUT /api/categories/{id}
DELETE /api/categories/{id}
POST /api/categories/{id}/enrolments
GET /api/users/me/enrolments
DELETE /api/enrolments/{id}
GET /api/events/{id}/enrolments
GET /api/enrolments/{id}/result
POST /api/enrolments/{id}/result
PUT /api/results/{id}
GET /api/events/{id}/results

Design Notes

Authentication endpoints are public; protected endpoints require a valid bearer token.
Authorisation must be checked in addition to authentication.
Participant enrolments are unique per category.
Each enrolment can have at most one result.
The API uses JSON request/response bodies.
GET and DELETE endpoints normally have no request body.
Plural resource names are used for consistency.