



## **CLOUD COMPUTING**

### **BSE ( V-B )**

Submitted By:

Musfira Farooq

Roll No:

2023-BSE-045

Submitted To:

Sir Muhammad Shoaib

## **LAB 02**

## **HANDS-ON GIT & VERSION CONTROL LAB**

# TASK 01

## Create Private GitHub Repository

1

General

Owner \*

Musfira-Farooq

Repository name \*

cc-lab02

cc-lab02 is available.

Great repository names are short and memorable. How about [congenial-journey?](#)

Description

0 / 350 characters

2

Configuration

Choose visibility \*

Choose who can see and commit to this repository

Private

Add README

READMEs can be used as longer descriptions. [About READMEs](#)

Off

Add .gitignore

.gitignore tells git which files not to track. [About ignoring files](#)

No .gitignore

Add license


Licenses explain how others can use your code. [About licenses](#)

No license

# TASK 02

## Connect Repository via SSH

```
Musfi@DESKTOP-QVT1R8O MINGW64 ~
$ ssh-keygen -t ed25519 -C "23-22411-045@se.fjwu.edu.pk@example.com"
generating public/private ed25519 key pair.
Enter file in which to save the key (/c/Users/Musfi/.ssh/id_ed25519):
Enter passphrase for "/c/Users/Musfi/.ssh/id_ed25519" (empty for no passphrase):
Enter same passphrase again:
Your identification has been saved in /c/Users/Musfi/.ssh/id_ed25519
Your public key has been saved in /c/Users/Musfi/.ssh/id_ed25519.pub
The key fingerprint is:
SHA256:C/LFD/xVyrhw19TJZ5faUgY3NME3GboIpP+ZOxbGgvI 23-22411-045@se.fjwu.edu.pk@example.com
The key's randomart image is:
+--[ED25519 256]--+
  .      .OB+
  o      ==*
  .      .O*B
  o. .o.*.o
  . .S.+.=+..
  + + O.Bo .
  + . *+.
  E   o.
  . . .
+----[SHA256]-----+
Musfi@DESKTOP-QVT1R8O MINGW64 ~
$
```



```
Musfi@DESKTOP-QVT1R80 MINGW64 ~  
$ rm -rf cc-Lab02  
git clone git@github.com:Musfira-Farooq/cc-Lab02.git  
cd cc-Lab02  
ls -a  
Cloning into 'cc-Lab02'...  
remote: Enumerating objects: 23, done.  
remote: Counting objects: 100% (23/23), done.  
remote: Compressing objects: 100% (15/15), done.  
remote: Total 23 (delta 4), reused 19 (delta 1), pack-reused 0 (from 0)  
Receiving objects: 100% (23/23), done.  
Resolving deltas: 100% (4/4), done.  
./ ../.git/ notes.txt
```

## TASK 03

### Configure Git Username and Email

```
MINGW64:/c/Users/Musfi/cc-Lab02/cc-Lab02  
  
Musfi@DESKTOP-QVT1R80 MINGW64 ~/cc-Lab02/cc-Lab02 (main)  
$ git config --global user.name "Musfira-Farooq"  
  
Musfi@DESKTOP-QVT1R80 MINGW64 ~/cc-Lab02/cc-Lab02 (main)  
$ git config --global user.email "23-22411-045@se.fjwu.edu.pk@example.com"  
  
Musfi@DESKTOP-QVT1R80 MINGW64 ~/cc-Lab02/cc-Lab02 (main)  
$
```

```
Musfi@DESKTOP-QVT1R80 MINGW64 ~/cc-Lab02/cc-Lab02 (main)
$ git config --list
diff.astextplain.textconv=astextplain
filter.lfs.clean=git-lfs clean -- %f
filter.lfs.smudge=git-lfs smudge -- %f
filter.lfs.process=git-lfs filter-process
filter.lfs.required=true
http.sslbackend=schannel
core.autocrlf=true
core.fscache=true
core.symlinks=false
pull.rebase=false
credential.helper=manager
credential.https://dev.azure.com.usehttppath=true
init.defaultbranch=master
core.editor="C:\Users\Musfi\AppData\Local\Programs\Microsoft VS Code\bin\code" --wait
user.name=Musfira-Farooq
user.email=23-22411-045@se.fjwu.edu.pk@example.com
core.repositoryformatversion=0
core.filemode=false
core.bare=false
core.logallrefupdates=true
core.symlinks=false
core.ignorecase=true
remote.origin.url=git@github.com:Musfira-Farooq/cc-Lab02.git
remote.origin.fetch=+refs/heads/*:refs/remotes/origin/*
branch.main.remote=origin
branch.main.merge=refs/heads/main
```

## TASK 04

Explore the .git Folder

```
MINGW64:/c:/Users/Musfi/cc-Lab02/cc-Lab02

Musfi@DESKTOP-QVT1R80 MINGW64 ~/cc-Lab02/cc-Lab02 (main)
$ ls -a
./ ../ .git/

Musfi@DESKTOP-QVT1R80 MINGW64 ~/cc-Lab02/cc-Lab02 (main)
$ ls -a .git
./ ../ HEAD config description hooks/ info/ objects/ refs/
```

## TASK 05

Local Repository Management

```
Musfi@DESKTOP-QVT1R80 MINGW64 ~/cc-Lab02/cc-Lab02 (main)
$ rm -rf .git
```

```
Musfi@DESKTOP-QVT1R80 MINGW64 ~/cc-Lab02/cc-Lab02 (main)
$ git init
Initialized empty Git repository in C:/Users/Musfi/cc-Lab02/cc-Lab02/.git/
```

```
Musfi@DESKTOP-QVT1R80 MINGW64 ~/cc-Lab02/cc-Lab02 (master)
$ echo "# Lab2 Git Practice" > README.md

Musfi@DESKTOP-QVT1R80 MINGW64 ~/cc-Lab02/cc-Lab02 (master)
$ git add README.md
git commit -m "Initial commit"
warning: in the working copy of 'README.md', LF will be replaced by CRLF the next time Git touches it
[master (root-commit) f2128e4] Initial commit
1 file changed, 1 insertion(+)
create mode 100644 README.md
```

```
Musfi@DESKTOP-QVT1R80 MINGW64 ~/cc-Lab02/cc-Lab02 (master)
$ git remote add origin git@github.com:Musfira-Farooq/cc-Lab02.git

Musfi@DESKTOP-QVT1R80 MINGW64 ~/cc-Lab02/cc-Lab02 (master)
$ git push -u origin master
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Writing objects: 100% (3/3), 255 bytes | 255.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote: This repository moved. Please use the new location:
remote:   git@github.com:Musfira-Farooq/cc-lab02.git
To github.com:Musfira-Farooq/cc-Lab02.git
 * [new branch]      master -> master
branch 'master' set up to track 'origin/master'.
```

## TASK 06

### File Status & Staging

```
Musfi@DESKTOP-QVT1R80 MINGW64 ~/cc-Lab02/cc-Lab02 (master)
$ echo "This is my first note" > notes.txt

Musfi@DESKTOP-QVT1R80 MINGW64 ~/cc-Lab02/cc-Lab02 (master)
$ git status
On branch master
Your branch is up to date with 'origin/master'.

Untracked files:
  (use "git add <file>..." to include in what will be committed)
      notes.txt
```

```
Musfi@DESKTOP-QVT1R80 MINGW64 ~/cc-Lab02/cc-Lab02 (master)
$ git add notes.txt
git commit -m "Add notes.txt"
warning: in the working copy of 'notes.txt', LF will be replaced by CRLF the next time Git touches it
[master 16c9d71] Add notes.txt
1 file changed, 1 insertion(+)
create mode 100644 notes.txt
```

```

Musfi@DESKTOP-QVT1R80 MINGW64 ~/cc-Lab02/cc-Lab02 (master)
$ echo "Adding a third line to notes.txt" >> notes.txt

Musfi@DESKTOP-QVT1R80 MINGW64 ~/cc-Lab02/cc-Lab02 (master)
$ git status
On branch master
Your branch is up to date with 'origin/master'.

Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   notes.txt

no changes added to commit (use "git add" and/or "git commit -a")

Musfi@DESKTOP-QVT1R80 MINGW64 ~/cc-Lab02/cc-Lab02 (master)
$ git add notes.txt
warning: in the working copy of 'notes.txt', LF will be replaced by CRLF the next time Git touches it


Musfi@DESKTOP-QVT1R80 MINGW64 ~/cc-Lab02/cc-Lab02 (master)
$ git commit -m "Add third line to notes.txt"
[master 3fa2994] Add third line to notes.txt
1 file changed, 1 insertion(+)

Musfi@DESKTOP-QVT1R80 MINGW64 ~/cc-Lab02/cc-Lab02 (master)
$ git push
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 6 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 334 bytes | 334.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote: This repository moved. Please use the new location:
remote: git@github.com:Musfira-Farooq/cc-lab02.git
To github.com:Musfira-Farooq/cc-Lab02.git
   629ffb1..3fa2994  master -> master

```

## TASK 07

### Branch Creation Using GitHub GUI



```

Musfi@DESKTOP-QVT1R80 MINGW64 ~/cc-Lab02/cc-Lab02 (main)
$ git fetch origin
From github.com:Musfira-Farooq/cc-Lab02
* [new branch]      bugfix/user-auth-error -> origin/bugfix/user-auth-error

Musfi@DESKTOP-QVT1R80 MINGW64 ~/cc-Lab02/cc-Lab02 (main)
$ git checkout bugfix/user-auth-error
branch 'bugfix/user-auth-error' set up to track 'origin/bugfix/user-auth-error'.
Switched to a new branch 'bugfix/user-auth-error'

Musfi@DESKTOP-QVT1R80 MINGW64 ~/cc-Lab02/cc-Lab02 (bugfix/user-auth-error)
$ git branch
* bugfix/user-auth-error
  main

```

## TASK 08

### Branch Creation and Push Using Git Bash

```
Musfi@DESKTOP-QVT1R80 MINGW64 ~/cc-Lab02/cc-Lab02 (bugfix/user-auth-error)
$ git checkout -b feature/db-connection
Switched to a new branch 'feature/db-connection'

Musfi@DESKTOP-QVT1R80 MINGW64 ~/cc-Lab02/cc-Lab02 (feature/db-connection)
$ git push origin feature/db-connection
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote: This repository moved. Please use the new location:
remote:  git@github.com:Musfira-Farooq/cc-lab02.git
remote:
remote: Create a pull request for 'feature/db-connection' on GitHub by visiting:
remote:  https://github.com/Musfira-Farooq/cc-lab02/pull/new/feature/db-connection
remote:
To github.com:Musfira-Farooq/cc-Lab02.git
 * [new branch]      feature/db-connection -> feature/db-connection

Musfi@DESKTOP-QVT1R80 MINGW64 ~/cc-Lab02/cc-Lab02 (feature/db-connection)
$ git branch -a
bugfix/user-auth-error
* feature/db-connection
main
remotes/origin/HEAD -> origin/master
remotes/origin/bugfix/user-auth-error
remotes/origin/feature/db-connection
remotes/origin/main
remotes/origin/master
```

## TASK 09


### Branching & Merging

```
Musfi@DESKTOP-QVT1R80 MINGW64 ~/cc-Lab02/cc-Lab02 (feature/db-connection)
$ git checkout -b feature-1
Switched to a new branch 'feature-1'

Musfi@DESKTOP-QVT1R80 MINGW64 ~/cc-Lab02/cc-Lab02 (feature-1)
$
```

```
Musfi@DESKTOP-QVT1R80 MINGW64 ~/cc-Lab02/cc-Lab02 (feature-1)
$ echo "def new_function():" > main.py
echo "    print('Hello from feature-1')" >> main.py


Musfi@DESKTOP-QVT1R80 MINGW64 ~/cc-Lab02/cc-Lab02 (feature-1)
$ git add main.py
git commit -m "Add new function to main.py"
warning: in the working copy of 'main.py', LF will be replaced by CRLF the next time Git touches it
[feature-1 77d5edc] Add new function to main.py
1 file changed, 2 insertions(+)
create mode 100644 main.py
```





```
Musfi@DESKTOP-QVT1R80 MINGW64 ~/cc-Lab02/cc-Lab02 (main)
$ git push origin main
git push origin feature-1
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 6 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 358 bytes | 358.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote: This repository moved. Please use the new location:
remote:   git@github.com:Musfira-Farooq/cc-lab02.git
To github.com:Musfira-Farooq/cc-Lab02.git
    3fa2994..77d5edc  main -> main
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote: This repository moved. Please use the new location:
remote:   git@github.com:Musfira-Farooq/cc-lab02.git
remote: Create a pull request for 'feature-1' on GitHub by visiting:
remote:   https://github.com/Musfira-Farooq/cc-lab02/pull/new/feature-1
remote:
To github.com:Musfira-Farooq/cc-Lab02.git
* [new branch]      feature-1 -> feature-1
```

## TASK 10

### Pull Request and Branch Review (GitHub GUI)







## TASK 11

### Detailed Branch Strategy (Develop/Staging)

```
Musfi@DESKTOP-QVT1R80 MINGW64 ~/cc-Lab02 (master)
$ git checkout main
branch 'main' set up to track 'origin/main'.
Switched to a new branch 'main'

Musfi@DESKTOP-QVT1R80 MINGW64 ~/cc-Lab02 (main)
$ git checkout -b develop
Switched to a new branch 'develop'

Musfi@DESKTOP-QVT1R80 MINGW64 ~/cc-Lab02 (develop)
$ git push origin develop
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote: This repository moved. Please use the new location:
remote:   git@github.com:Musfira-Farooq/cc-lab02.git
remote:
remote: Create a pull request for 'develop' on GitHub by visiting:
remote:   https://github.com/Musfira-Farooq/cc-lab02/pull/new/develop
remote:
To github.com:Musfira-Farooq/cc-Lab02.git
 * [new branch]      develop -> develop

Musfi@DESKTOP-QVT1R80 MINGW64 ~/cc-Lab02 (develop)
$ git checkout -b staging
Switched to a new branch 'staging'

Musfi@DESKTOP-QVT1R80 MINGW64 ~/cc-Lab02 (staging)
$ git branch -a
develop
main
master
* staging
remotes/origin/HEAD -> origin/master
remotes/origin/bugfix/user-auth-error
remotes/origin/develop
remotes/origin/feature-1
remotes/origin/main
remotes/origin/master
```

```

MINGW64/c/Users/Musfi/cc-Lab02
$ git checkout -b feature/login-page
Switched to a new branch 'feature/login-page'

Musfi@DESKTOP-QVT1R80 MINGW64 ~/cc-Lab02 (feature/login-page)
$ echo "print('Login feature added')" > login.py

Musfi@DESKTOP-QVT1R80 MINGW64 ~/cc-Lab02 (feature/login-page)
$ git add login.py
warning: in the working copy of 'login.py', LF will be replaced by CRLF the next time Git touches it

Musfi@DESKTOP-QVT1R80 MINGW64 ~/cc-Lab02 (feature/login-page)
$ git commit -m "Add login feature"
[feature/login-page 925d99e] Add login feature
1 file changed, 1 insertion(+)
create mode 100644 login.py

Musfi@DESKTOP-QVT1R80 MINGW64 ~/cc-Lab02 (feature/login-page)
$ git push origin feature/login-page
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 6 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 359 bytes | 179.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote: This repository moved. Please use the new location:
remote: git@github.com:Musfira-Farooq/cc-lab02.git
remote:
remote: Create a pull request for 'feature/login-page' on GitHub by visiting:
remote: https://github.com/Musfira-Farooq/cc-lab02/pull/new/feature/login-page
remote:
To github.com:Musfira-Farooq/cc-Lab02.git
 * [new branch] feature/login-page -> feature/login-page

Musfi@DESKTOP-QVT1R80 MINGW64 ~/cc-Lab02 (feature/login-page)
$ git checkout develop
git merge feature/login-page
git push origin develop
Switched to branch 'develop'
Updating 77d5edc..925d99e
Fast-forward
 login.py | 1 +
1 file changed, 1 insertion(+)
create mode 100644 login.py
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote: This repository moved. Please use the new location:
remote: git@github.com:Musfira-Farooq/cc-lab02.git
To github.com:Musfira-Farooq/cc-Lab02.git
77d5edc..925d99e develop -> develop

```

```

Musfi@DESKTOP-QVT1R80 MINGW64 ~/cc-Lab02 (develop)
$ git checkout staging
git merge develop
git push origin staging
Switched to branch 'staging'
Updating 77d5edc..925d99e
Fast-forward
 login.py | 1 +
1 file changed, 1 insertion(+)
create mode 100644 login.py
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote: This repository moved. Please use the new location:
remote: git@github.com:Musfira-Farooq/cc-lab02.git
remote:
remote: Create a pull request for 'staging' on GitHub by visiting:
remote: https://github.com/Musfira-Farooq/cc-lab02/pull/new/staging
remote:
To github.com:Musfira-Farooq/cc-Lab02.git
 * [new branch] staging -> staging

Musfi@DESKTOP-QVT1R80 MINGW64 ~/cc-Lab02 (staging)
$ git checkout main
git merge staging
git push origin main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.
Updating 77d5edc..925d99e
Fast-forward
 login.py | 1 +
1 file changed, 1 insertion(+)
create mode 100644 login.py
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote: This repository moved. Please use the new location:
remote: git@github.com:Musfira-Farooq/cc-lab02.git
To github.com:Musfira-Farooq/cc-Lab02.git
77d5edc..925d99e main -> main

```

# BONUS TASK

## Simulated Team Collaboration

```
Musfi@DESKTOP-QVT1R80 MINGW64 ~/cc-Lab02 (collab)
$ git checkout main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.

Musfi@DESKTOP-QVT1R80 MINGW64 ~/cc-Lab02 (main)
$ git merge collab
Updating 925d99e..8f4c2b0
Fast-forward
 notes.txt | 3 +++
 1 file changed, 3 insertions(+)

Musfi@DESKTOP-QVT1R80 MINGW64 ~/cc-Lab02 (main)
$ git push origin main
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote: This repository moved. Please use the new location:
remote:   git@github.com:Musfira-Farooq/cc-lab02.git
To   github.com:Musfira-Farooq/cc-Lab02.git
    925d99e..8f4c2b0  main -> main
```

```
Musfi@DESKTOP-QVT1R80 MINGW64 ~/cc-Lab02 (collab)
$ git checkout collab2
Switched to branch 'collab2'

Musfi@DESKTOP-QVT1R80 MINGW64 ~/cc-Lab02 (collab2)
$ # Add another line as Collaborator 2
echo "Teammate: I enjoy solving bugs!" >> notes.txt
git add notes.txt
git commit -m "Add teammate's fun fact"
git push origin collab2
warning: in the working copy of 'notes.txt', LF will be replaced by CRLF the next time Git touches it
[collab2 8f4c2b0] Add teammate's fun fact
 1 file changed, 1 insertion(+)
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 6 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 309 bytes | 154.00 KiB/s, done.
Total 3 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (2/2), completed with 2 local objects.
remote: This repository moved. Please use the new location:
remote:   git@github.com:Musfira-Farooq/cc-lab02.git
To   github.com:Musfira-Farooq/cc-Lab02.git
    1e7039d..8f4c2b0  collab2 -> collab2

Musfi@DESKTOP-QVT1R80 MINGW64 ~/cc-Lab02 (collab2)
$ git checkout collab
git merge collab2
Switched to branch 'collab'
Updating 1e7039d..8f4c2b0
Fast-forward
 notes.txt | 1 +
 1 file changed, 1 insertion(+)

Musfi@DESKTOP-QVT1R80 MINGW64 ~/cc-Lab02 (collab)
$ git add notes.txt
git commit -m "Resolve conflict and keep both contributions"
On branch collab
nothing to commit, working tree clean
```

```
remote:
remote: Create a pull request for 'collab2' on GitHub by visiting:
remote:   https://github.com/Musfira-Farooq/cc-lab02/pull/new/collab2
remote:
To github.com:Musfira-Farooq/cc-Lab02.git
* [new branch]      collab2 -> collab2

Musfi@DESKTOP-QVT1R80 MINGW64 ~/cc-Lab02 (collab2)
$ git checkout collab
git merge collab2
Switched to branch 'collab'
Updating c5bbdfe..1e7039d
Fast-forward
 notes.txt | 1 +
 1 file changed, 1 insertion(+)
```

```
Musfi@DESKTOP-QVT1R80 MINGW64 ~/cc-Lab02 (collab)
$ echo "Musfira: I love working with Git!" >> notes.txt

Musfi@DESKTOP-QVT1R80 MINGW64 ~/cc-Lab02 (collab)
$ git add notes.txt
warning: in the working copy of 'notes.txt', LF will be replaced by CRLF the next time Git touches it

Musfi@DESKTOP-QVT1R80 MINGW64 ~/cc-Lab02 (collab)
$ git commit -m "Add Musfira's fun fact"
[collab c5bbdfe] Add Musfira's fun fact
1 file changed, 1 insertion(+)

Musfi@DESKTOP-QVT1R80 MINGW64 ~/cc-Lab02 (collab)
$ git push origin collab
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 6 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 340 bytes | 170.00 KiB/s, done.
Total 3 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (2/2), completed with 2 local objects.
remote: This repository moved. Please use the new location:
remote:   git@github.com:Musfira-Farooq/cc-lab02.git
To github.com:Musfira-Farooq/cc-Lab02.git
 925d99e..c5bbdfe  collab -> collab

Musfi@DESKTOP-QVT1R80 MINGW64 ~/cc-Lab02 (collab)
$ git checkout -b collab2 collab
Switched to a new branch 'collab2'

Musfi@DESKTOP-QVT1R80 MINGW64 ~/cc-Lab02 (collab2)
$ echo "Teammate: I enjoy solving bugs!" >> notes.txt
git add notes.txt
git commit -m "Add teammate's fun fact"
git push origin collab2
warning: in the working copy of 'notes.txt', LF will be replaced by CRLF the next time Git touches it
[collab2 1e7039d] Add teammate's fun fact
1 file changed, 1 insertion(+)
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 6 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 339 bytes | 339.00 KiB/s, done.
Total 3 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (2/2), completed with 2 local objects.
remote: This repository moved. Please use the new location:
remote:   git@github.com:Musfira-Farooq/cc-lab02.git
```

```
Musfi@DESKTOP-QVT1R80 MINGW64 ~/cc-Lab02 (main)
$ git checkout -b collab
Switched to a new branch 'collab'

Musfi@DESKTOP-QVT1R80 MINGW64 ~/cc-Lab02 (collab)
$ git push origin collab
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote: This repository moved. Please use the new location:
remote:   git@github.com:Musfira-Farooq/cc-lab02.git
remote:
remote: Create a pull request for 'collab' on GitHub by visiting:
remote:   https://github.com/Musfira-Farooq/cc-lab02/pull/new/collab
remote:
To github.com:Musfira-Farooq/cc-Lab02.git
* [new branch]      collab -> collab
```

# EXAM EVALUATION QUESTIONS

## Q1 – Advanced Branching & Merge Verification

```
Musfi@DESKTOP-QVT1R80 MINGW64 ~/cc-Lab02 (main)
$ git checkout -b q1-branch
Switched to a new branch 'q1-branch'

Musfi@DESKTOP-QVT1R80 MINGW64 ~/cc-Lab02 (q1-branch)
$ echo "Q1 test line" >> notes.txt
git add notes.txt
git commit -m "Q1: Add test line"
warning: in the working copy of 'notes.txt', LF will be replaced by CRLF the next time Git touches it
[q1-branch a9b20f9] Q1: Add test line
1 file changed, 1 insertion(+)

Musfi@DESKTOP-QVT1R80 MINGW64 ~/cc-Lab02 (q1-branch)
$ git checkout main
git merge q1-branch
Switched to branch 'main'
Your branch is up to date with 'origin/main'.
Updating 8f4c2b0..a9b20f9
Fast-forward
 notes.txt | 1 +
1 file changed, 1 insertion(+)

Musfi@DESKTOP-QVT1R80 MINGW64 ~/cc-Lab02 (main)
$ git log --oneline --graph --all
* a9b20f9 (HEAD -> main, q1-branch) Q1: Add test line
* 8f4c2b0 (origin/main, origin/collab2, collab2, collab) Add teammate's fun fact
* 1e7039d Add teammate's fun fact
* c5bbdfe (origin/collab) Add Musfira's fun fact
* 925d99e (origin/staging, origin/feature/login-page, origin/develop, staging, feature/login-page, develop) Add login feature
* 77d5edc (origin/feature-1) Add new function to main.py
* 4317672 (origin/master, origin/HEAD, master) Merge pull request #1 from Musfira-Farooq/feature/db-connection
|/
| * 6dfc7a0 Update notes.txt from db-connection branch
|/
* 3fa2994 (origin/bugfix/user-auth-error) Add third line to notes.txt
* 629ffb1 Update notes.txt with second line
* c20bf90 Update notes.txt and fix README.md
* 52ed362 Update notes.txt with second line
* 16c9d71 Add notes.txt
* f2128e4 Initial commit
```

## Q2 – Multi-Stage Workflow Simulation

```
Musfi@DESKTOP-QVT1R80 MINGW64 ~/MultiStageRepo (staging)
$ git log --oneline --graph --all
* bca2fd8 (HEAD -> staging, feature-xyz, develop) Added Feature XYZ
* 0b7668f (master) Initial commit
```

## Q3: Collaboration & Conflict Resolution

```
Musfi@DESKTOP-QVT1R80 MINGW64 ~/MultiStageRepo (collaborator2)
$ cat shared.txt
Line from Collaborator 1
Line from Collaborator 2
```