

The background is a dark blue gradient. It features several decorative elements: a horizontal line with dots at both ends near the top and bottom; a complex network of interconnected hexagons on the left and right sides; and abstract line patterns with circular nodes in the corners.

Technical Specifications

Transmitter Specifications

- **Frame:**
 - Preamble | SYNC word | Length | Payload | CRC | Postamble**
 - **Preamble, Postamble : 16 bytes**
 - **SYNC word : 32-bit CCSDS Attached Sync Marker (0x1ACFFC1D)**
 - **Payload Max : 4096 bytes**
 - **Length Header : 2 bytes**
 - **CRC : IEEE 802.3 CRC-32 (0x04C11DB7)**
- **Modulation Scheme : BPSK / QPSK (Differentially Encoded)**
- **Pulse Shaping: Root-Raised Cosine (RRC)**
- **Center Frequency : 410MHz**
- **Transmitters : ANT SDR**
- **Baseband Sample Rate: 1.5Msps**
- **Symbol Rate: 375 kBd (kSps)**

Receiver Specifications

- **Center Frequency : 410MHz**
- **Sampling Rate: 1.5 MSps**
- **Gain Control: Automatic Gain Control**
- **Two-Stage Carrier Synchronization**
- **Twice corrected Carrier Frequency**
- **Symbol Timing Recovery: Symbol Sync (yy' maximum TED)**
- **Interpolation Method : Minimum Mean Square Error , 8 Tap FIR**
- **Ambiguity Resolution: Differential Decoder**

