

GitHub Security Report

Repository

<https://github.com/gin-gonic/gin>

Risk Summary

Risk Score: 170
Risk Level: CRITICAL
Total Vulnerabilities: 27
Errors: 7
Warnings: 20
Info: 0
Scan Duration: 12.759155847s

Summary By Type

go.lang.security.audit.xss.no-direct-write-to-responsewriter.no-direct-write-to-responsewriter : 17
go.lang.security.audit.xss.no-fprintf-to-responsewriter.no-fprintf-to-responsewriter : 1
generic.secrets.security.detected-private-key.detected-private-key : 1
generic-api-key : 3
private-key : 3
go.lang.security.audit.net.cookie-missing-httponly.cookie-missing-httponly : 1
go.lang.security.audit.net.cookie-missing-secure.cookie-missing-secure : 1

Vulnerabilities

Vulnerability #1

Severity : ERROR
Type : generic.secrets.security.detected-private-key.detected-private-key
File : repos/scan-1782484192595888598/testdata/certificate/key.pem
Line : 1

Description :
Private Key detected. This is a sensitive credential and should not be hardcoded here. Instead, store this in a separate, private file.

Vulnerability #2

Severity : ERROR
Type : generic-api-key
File : context_test.go

Line : 825

Description :

Detected a Generic API Key, potentially exposing access to various services and sensitive operations.

Vulnerability #3

Severity : ERROR

Type : private-key

File : examples/http2/testdata/server.key

Line : 1

Description :

Identified a Private Key, which may compromise cryptographic security and sensitive data encryption.

Vulnerability #4

Severity : ERROR

Type : private-key

File : fixtures/testdata/key.pem

Line : 1

Description :

Identified a Private Key, which may compromise cryptographic security and sensitive data encryption.

Vulnerability #5

Severity : ERROR

Type : private-key

File : examples/http-pusher/testdata/server.key

Line : 1

Description :

Identified a Private Key, which may compromise cryptographic security and sensitive data encryption.

Vulnerability #6

Severity : ERROR

Type : generic-api-key

File : context_test.go

Line : 438

Description :

Detected a Generic API Key, potentially exposing access to various services and sensitive operations.

Vulnerability #7

Severity : ERROR

Type : generic-api-key

File : context_test.go

Line : 430

Description :

Detected a Generic API Key, potentially exposing access to various services and sensitive operations.

Vulnerability #8

Severity : WARNING

Type : go.lang.security.audit.xss.no-direct-write-to-responsewriter.no-direct-write-to-responsewriter

File : repos/scan-1782484192595888598/render/json.go

Line : 142

Description :

Detected directly writing or similar in 'http.ResponseWriter.write()'. This bypasses HTML escaping that prevents cross-site scripting vulnerabilities. Instead, use the 'html/template' package and render data using 'template.Execute()'.

Vulnerability #9

Severity : WARNING

Type : go.lang.security.audit.xss.no-fprintf-to-responsewriter.no-fprintf-to-responsewriter

File : repos/scan-1782484192595888598/render/text.go

Line : 36

Description :

Detected 'Fprintf' or similar writing to 'http.ResponseWriter'. This bypasses HTML escaping that prevents cross-site scripting vulnerabilities. Instead, use the 'html/template' package to render data to users.

Vulnerability #10

Severity : WARNING

Type : go.lang.security.audit.xss.no-direct-write-to-responsewriter.no-direct-write-to-responsewriter

File : repos/scan-1782484192595888598/render/json.go

Line : 130

Description :

Detected directly writing or similar in 'http.ResponseWriter.write()'. This bypasses HTML escaping that prevents cross-site scripting vulnerabilities. Instead, use the 'html/template' package and render data using 'template.Execute()'.

Vulnerability #11

Severity : WARNING

Type : go.lang.security.audit.xss.no-direct-write-to-responsewriter.no-direct-write-to-responsewriter

File : repos/scan-1782484192595888598/render/json.go

Line : 134

Description :

Detected directly writing or similar in 'http.ResponseWriter.write()'. This bypasses HTML escaping that prevents cross-site scripting vulnerabilities. Instead, use the 'html/template' package and render data using 'template.Execute()'.

Vulnerability #12

Severity : WARNING

Type : go.lang.security.audit.xss.no-direct-write-to-responsewriter.no-direct-write-to-responsewriter

File : repos/scan-1782484192595888598/render/json.go

Line : 138

Description :

Detected directly writing or similar in 'http.ResponseWriter.write()'. This bypasses HTML escaping that prevents cross-site scripting vulnerabilities. Instead, use the 'html/template' package and render data using 'template.Execute()'.

Vulnerability #13

Severity : WARNING

Type : go.lang.security.audit.net.cookie-missing-httponly.cookie-missing-httponly

File : repos/scan-1782484192595888598/context.go

Line : 1163

Description :

A session cookie was detected without setting the 'HttpOnly' flag. The 'HttpOnly' flag for cookies instructs the browser to forbid client-side scripts from reading the cookie which mitigates XSS attacks. Set the 'HttpOnly'

flag by setting 'HttpOnly' to 'true' in the Cookie.

Vulnerability #14

Severity : WARNING

Type : go.lang.security.audit.xss.no-direct-write-to-responsewriter.no-direct-write-to-responsewriter

File : repos/scan-1782484192595888598/render/json.go

Line : 174

Description :

Detected directly writing or similar in 'http.ResponseWriter.write()'. This bypasses HTML escaping that prevents cross-site scripting vulnerabilities. Instead, use the 'html/template' package and render data using 'template.Execute()'.

Vulnerability #15

Severity : WARNING

Type : go.lang.security.audit.xss.no-direct-write-to-responsewriter.no-direct-write-to-responsewriter

File : repos/scan-1782484192595888598/render/pdf.go

Line : 19

Description :

Detected directly writing or similar in 'http.ResponseWriter.write()'. This bypasses HTML escaping that prevents cross-site scripting vulnerabilities. Instead, use the 'html/template' package and render data using 'template.Execute()'.

Vulnerability #16

Severity : WARNING

Type : go.lang.security.audit.xss.no-direct-write-to-responsewriter.no-direct-write-to-responsewriter

File : repos/scan-1782484192595888598/render/protobuf.go

Line : 29

Description :

Detected directly writing or similar in 'http.ResponseWriter.write()'. This bypasses HTML escaping that prevents cross-site scripting vulnerabilities. Instead, use the 'html/template' package and render data using 'template.Execute()'.

Vulnerability #17

Severity : WARNING

Type : go.lang.security.audit.xss.no-direct-write-to-responsewriter.no-direct-write-to-responsewriter
File : repos/scan-1782484192595888598/render/json.go
Line : 125

Description :

Detected directly writing or similar in 'http.ResponseWriter.write()'. This bypasses HTML escaping that prevents cross-site scripting vulnerabilities. Instead, use the 'html/template' package and render data using 'template.Execute()'.

Vulnerability #18

Severity : WARNING

Type : go.lang.security.audit.xss.no-direct-write-to-responsewriter.no-direct-write-to-responsewriter
File : repos/scan-1782484192595888598/render/text.go
Line : 39

Description :

Detected directly writing or similar in 'http.ResponseWriter.write()'. This bypasses HTML escaping that prevents cross-site scripting vulnerabilities. Instead, use the 'html/template' package and render data using 'template.Execute()'.

Vulnerability #19

Severity : WARNING

Type : go.lang.security.audit.xss.no-direct-write-to-responsewriter.no-direct-write-to-responsewriter
File : repos/scan-1782484192595888598/render/toml.go
Line : 29

Description :

Detected directly writing or similar in 'http.ResponseWriter.write()'. This bypasses HTML escaping that prevents cross-site scripting vulnerabilities. Instead, use the 'html/template' package and render data using 'template.Execute()'.

Vulnerability #20

Severity : WARNING

Type : go.lang.security.audit.xss.no-direct-write-to-responsewriter.no-direct-write-to-responsewriter
File : repos/scan-1782484192595888598/render/yaml.go
Line : 29

Description :

Detected directly writing or similar in 'http.ResponseWriter.write()'. This bypasses HTML escaping that prevents cross-site scripting vulnerabilities. Instead, use the 'html/template' package and render data using 'template.Execute()'.

Vulnerability #21

Severity : WARNING

Type : go.lang.security.audit.xss.no-direct-write-to-responsewriter.no-direct-write-to-responsewriter

File : repos/scan-1782484192595888598/render/json.go

Line : 107

Description :

Detected directly writing or similar in 'http.ResponseWriter.write()'. This bypasses HTML escaping that prevents cross-site scripting vulnerabilities. Instead, use the 'html/template' package and render data using 'template.Execute()'.

Vulnerability #22

Severity : WARNING

Type : go.lang.security.audit.xss.no-direct-write-to-responsewriter.no-direct-write-to-responsewriter

File : repos/scan-1782484192595888598/render/json.go

Line : 103

Description :

Detected directly writing or similar in 'http.ResponseWriter.write()'. This bypasses HTML escaping that prevents cross-site scripting vulnerabilities. Instead, use the 'html/template' package and render data using 'template.Execute()'.

Vulnerability #23

Severity : WARNING

Type : go.lang.security.audit.xss.no-direct-write-to-responsewriter.no-direct-write-to-responsewriter

File : repos/scan-1782484192595888598/render/json.go

Line : 84

Description :

Detected directly writing or similar in 'http.ResponseWriter.write()'. This bypasses HTML escaping that prevents cross-site scripting vulnerabilities. Instead, use the 'html/template' package and render data using 'template.Execute()'.

Vulnerability #24

Severity : WARNING

Type : go.lang.security.audit.xss.no-direct-write-to-responsewriter.no-direct-write-to-responsewriter

File : repos/scan-1782484192595888598/render/json.go

Line : 73

Description :

Detected directly writing or similar in 'http.ResponseWriter.write()'. This bypasses HTML escaping that prevents cross-site scripting vulnerabilities. Instead, use the 'html/template' package and render data using 'template.Execute()'.

Vulnerability #25

Severity : WARNING

Type : go.lang.security.audit.xss.no-direct-write-to-responsewriter.no-direct-write-to-responsewriter

File : repos/scan-1782484192595888598/render/data.go

Line : 24

Description :

Detected directly writing or similar in 'http.ResponseWriter.write()'. This bypasses HTML escaping that prevents cross-site scripting vulnerabilities. Instead, use the 'html/template' package and render data using 'template.Execute()'.

Vulnerability #26

Severity : WARNING

Type : go.lang.security.audit.xss.no-direct-write-to-responsewriter.no-direct-write-to-responsewriter

File : repos/scan-1782484192595888598/render/bson.go

Line : 26

Description :

Detected directly writing or similar in 'http.ResponseWriter.write()'. This bypasses HTML escaping that prevents cross-site scripting vulnerabilities. Instead, use the 'html/template' package and render data using 'template.Execute()'.

Vulnerability #27

Severity : WARNING

Type : go.lang.security.audit.net.cookie-missing-secure.cookie-missing-secure

File : repos/scan-1782484192595888598/context.go

Line : 1163

Description :

A session cookie was detected without setting the 'Secure' flag. The 'secure' flag for cookies prevents the client from transmitting the cookie over insecure channels such as HTTP. Set the 'Secure' flag by setting 'Secure' to 'true' in the Options struct.

Severity	Type	File	Line	Description
ERROR	generic-secrets.security.detected-private-key	examples/http2/testdata/certificate/key.pem	1	Private Key detected. This is a sensitive credential.
ERROR	generic-api-key	context_test.go	825	Detected a Generic API Key, potentially exposing sensitive information.
ERROR	private-key	examples/http2/testdata/server.key	1	Identified a Private Key, which may compromise security.
ERROR	private-key	fixtures/testdata/key.pem	1	Identified a Private Key, which may compromise security.
ERROR	private-key	examples/http-pusher/testdata/server.key	1	Identified a Private Key, which may compromise security.
ERROR	generic-api-key	context_test.go	438	Detected a Generic API Key, potentially exposing sensitive information.
ERROR	generic-api-key	context_test.go	430	Detected a Generic API Key, potentially exposing sensitive information.
WARNING	go.lang.security.audit.xss.no-directly-writing	examples/http2/testdata/server.go	142	Detected directly writing or similar in 'http.ResponseWriter'.
WARNING	go.lang.security.audit.xss.no-fprintf	context_test.go	36	Detected 'Fprintf' or similar writing to 'http.ResponseWriter'.
WARNING	go.lang.security.audit.xss.no-directly-writing	examples/http2/testdata/server.go	139	Detected directly writing or similar in 'http.ResponseWriter'.
WARNING	go.lang.security.audit.xss.no-directly-writing	examples/http2/testdata/server.go	134	Detected directly writing or similar in 'http.ResponseWriter'.
WARNING	go.lang.security.audit.xss.no-directly-writing	examples/http2/testdata/server.go	139	Detected directly writing or similar in 'http.ResponseWriter'.
WARNING	go.lang.security.audit.net.cookie-missing-secure-flag	context_test.go	1163	A session cookie was detected without setting the 'Secure' flag.
WARNING	go.lang.security.audit.xss.no-directly-writing	examples/http2/testdata/server.go	147	Detected directly writing or similar in 'http.ResponseWriter'.
WARNING	go.lang.security.audit.xss.no-directly-writing	examples/http2/testdata/server.go	139	Detected directly writing or similar in 'http.ResponseWriter'.
WARNING	go.lang.security.audit.xss.no-directly-writing	examples/http2/testdata/server.go	139	Detected directly writing or similar in 'http.ResponseWriter'.
WARNING	go.lang.security.audit.xss.no-directly-writing	examples/http2/testdata/server.go	125	Detected directly writing or similar in 'http.ResponseWriter'.
WARNING	go.lang.security.audit.xss.no-directly-writing	examples/http2/testdata/server.go	39	Detected directly writing or similar in 'http.ResponseWriter'.
WARNING	go.lang.security.audit.xss.no-directly-writing	examples/http2/testdata/server.go	20	Detected directly writing or similar in 'http.ResponseWriter'.
WARNING	go.lang.security.audit.xss.no-directly-writing	examples/http2/testdata/server.go	20	Detected directly writing or similar in 'http.ResponseWriter'.
WARNING	go.lang.security.audit.xss.no-directly-writing	examples/http2/testdata/server.go	107	Detected directly writing or similar in 'http.ResponseWriter'.
WARNING	go.lang.security.audit.xss.no-directly-writing	examples/http2/testdata/server.go	103	Detected directly writing or similar in 'http.ResponseWriter'.
WARNING	go.lang.security.audit.xss.no-directly-writing	examples/http2/testdata/server.go	66	Detected directly writing or similar in 'http.ResponseWriter'.
WARNING	go.lang.security.audit.xss.no-directly-writing	examples/http2/testdata/server.go	70	Detected directly writing or similar in 'http.ResponseWriter'.
WARNING	go.lang.security.audit.xss.no-directly-writing	examples/http2/testdata/server.go	24	Detected directly writing or similar in 'http.ResponseWriter'.
WARNING	go.lang.security.audit.xss.no-directly-writing	examples/http2/testdata/server.go	26	Detected directly writing or similar in 'http.ResponseWriter'.

