

PR #1 — Phase 0 — Django scaffold, settings split, Tailwind tokens, auth & dashboard shell

MussaJabir/DIEYNEM-Co.-Limited · phase0/setup → develop

Overview

Pull Request	#1 — Phase 0 — Django scaffold, settings split, Tailwind tokens, auth & dashboard shell
Author	MussaJabir
Source branch	phase0/setup
Target branch	develop
Merged by	MussaJabir on 2026-06-09
Test / CI status	FAILED
Link	https://github.com/MussaJabir/DIEYNEM-Co.-Limited/pull/1

Change summary

79

FILES CHANGED

+1814

ADDITIONS

−1

DELETIONS

Description

Summary

Phase 0 foundations: a Django 5.2 project scaffold with a settings split, the seven app skeletons, the Tailwind design system (navy/amber tokens), a custom branded dashboard shell + login (not Django admin), role-based access (Administrator/Editor), and a passing test suite.

Phase / Feature

Phase 0 — Foundations (see `implementation_plan.md`).

Changes

- **Project:** `config/`` with `settings/{base,dev,prod}.py`` via `django-env``; `manage.py`/wsgi/asgi`` wired to dev/prod.
- **Apps:** `core`, `services`, `projects`, `credentials`, `media_center`, `leads`, `dashboard`` under `apps/``.
- **Frontend:** `tailwind.config.js`` with the build-scope \$5 tokens (`navy`, `amber`, semantic chips`), `package.json`` build scripts, base public layout + branded home (verified credentials only).
- **Dashboard:** custom navy-sidebar shell, overview + Administrator-only settings, branded login page. The client-facing admin is bespoke; `admin`` is kept for developer/superuser maintenance only.
- **Auth/roles:** `Administrator` & `Editor`` groups via data migration; `DashboardAccessMixin` /`

```

`AdministratorRequiredMixin`.
- Tooling: pinned `requirements*.txt`, `pyproject.toml` (ruff + black), `.env.example`.

## Tests
- [x] Tests added (7): home returns 200, brand renders, role groups created, dashboard redirects anonymous, Editor allowed on overview, Editor denied settings (403), Administrator allowed settings.
- [x] `python manage.py test` passes locally (7/7).
- [x] `ruff check .` and `black --check .` pass; `pip-audit` clean; `manage.py check` clean.

## Checklist
- [x] Targets `develop` (not `main`)
- [x] Follows the design tokens & conventions in `CLAUDE.md` / build scope §5
- [x] No secrets, `.env`, `node_modules`, `venv`, db, or source PDF committed

## Notes for the reviewer
- Run the site locally: `pip install -r requirements-dev.txt`, `npm install` & `npm run tailwind:build`, `python manage.py migrate`, `createsuperuser`, then `runserver` → `/` (public) and `/dashboard/` (admin).
- Fonts load via Google Fonts for now; self-hosting Inter/Manrope is a small Phase 1/2 follow-up.

```

Commits (1)

SHA	MESSAGE	AUTHOR
e415782	feat(phase0): Django scaffold, settings split, Tailwind tokens, auth ...	MussaJabir

Files changed (79)

PATH	+	-
.env.example	+23	-0
.github/scripts/generate_report.py	+2	-1
apps/__init__.py	+0	-0
apps/core/__init__.py	+0	-0
apps/core/admin.py	+1	-0
apps/core/apps.py	+6	-0
apps/core/context_processors.py	+9	-0
apps/core/migrations/0001_create_groups.py	+24	-0
apps/core/migrations/__init__.py	+0	-0
apps/core/models.py	+1	-0
apps/core/tests.py	+19	-0
apps/core/urls.py	+7	-0
apps/core/views.py	+5	-0
apps/credentials/__init__.py	+0	-0

apps/credentials/admin.py	+1	-0
apps/credentials/apps.py	+6	-0
apps/credentials/migrations/__init__.py	+0	-0
apps/credentials/models.py	+1	-0
apps/credentials/tests.py	+1	-0
apps/credentials/views.py	+1	-0
apps/dashboard/__init__.py	+0	-0
apps/dashboard/admin.py	+1	-0
apps/dashboard/apps.py	+6	-0
apps/dashboard/migrations/__init__.py	+0	-0
apps/dashboard/mixins.py	+19	-0
apps/dashboard/models.py	+1	-0
apps/dashboard/tests.py	+31	-0
apps/dashboard/urls.py	+10	-0
apps/dashboard/views.py	+11	-0
apps/leads/__init__.py	+0	-0
apps/leads/admin.py	+1	-0
apps/leads/apps.py	+6	-0
apps/leads/migrations/__init__.py	+0	-0
apps/leads/models.py	+1	-0
apps/leads/tests.py	+1	-0
apps/leads/views.py	+1	-0
apps/media_center/__init__.py	+0	-0
apps/media_center/admin.py	+1	-0
apps/media_center/apps.py	+6	-0
apps/media_center/migrations/__init__.py	+0	-0
apps/media_center/models.py	+1	-0
apps/media_center/tests.py	+1	-0
apps/media_center/views.py	+1	-0
apps/projects/__init__.py	+0	-0
apps/projects/admin.py	+1	-0
apps/projects/apps.py	+6	-0
apps/projects/migrations/__init__.py	+0	-0
apps/projects/models.py	+1	-0
apps/projects/tests.py	+1	-0

apps/projects/views.py	+1	-0
apps/services/__init__.py	+0	-0
apps/services/admin.py	+1	-0
apps/services/apps.py	+6	-0
apps/services/migrations/__init__.py	+0	-0
apps/services/models.py	+1	-0
apps/services/tests.py	+1	-0
apps/services/views.py	+1	-0
config/__init__.py	+0	-0
config/asgi.py	+16	-0
config/settings/__init__.py	+0	-0
config/settings/base.py	+107	-0
config/settings/dev.py	+8	-0
config/settings/prod.py	+31	-0
config/urls.py	+24	-0
config/wsgi.py	+16	-0
manage.py	+23	-0
package-lock.json	+1029	-0
package.json	+14	-0
pyproject.toml	+24	-0
requirements-dev.txt	+4	-0
requirements.txt	+6	-0
static/src/input.css	+15	-0
tailwind.config.js	+40	-0
templates/dashboard/base.html	+52	-0
templates/dashboard/overview.html	+37	-0
templates/dashboard/settings.html	+15	-0
templates/public/base.html	+40	-0
templates/public/home.html	+37	-0
templates/registration/login.html	+50	-0

Checks

CHECK	STATUS	CONCLUSION
generate-pr-report	completed	failure
test	completed	success

