

# PR #1 — Phase 0 — Django scaffold, settings split, Tailwind tokens, auth & dashboard shell

MussaJabir/DIEYNEM-Co.-Limited · phase0/setup → develop

## Overview

|                         |                                                                                                                                 |
|-------------------------|---------------------------------------------------------------------------------------------------------------------------------|
| <b>Pull Request</b>     | #1 — Phase 0 — Django scaffold, settings split, Tailwind tokens, auth & dashboard shell                                         |
| <b>Author</b>           | MussaJabir                                                                                                                      |
| <b>Source branch</b>    | phase0/setup                                                                                                                    |
| <b>Target branch</b>    | develop                                                                                                                         |
| <b>Merged by</b>        | MussaJabir on 2026-06-09                                                                                                        |
| <b>Test / CI status</b> | <b>FAILED</b>                                                                                                                   |
| <b>Link</b>             | <a href="https://github.com/MussaJabir/DIEYNEM-Co.-Limited/pull/1">https://github.com/MussaJabir/DIEYNEM-Co.-Limited/pull/1</a> |

## Change summary

**79**

FILES CHANGED

**+1814**

ADDITIONS

**−1**

DELETIONS

## Description

### ## Summary

Phase 0 foundations: a Django 5.2 project scaffold with a settings split, the seven app skeletons, the Tailwind design system (navy/amber tokens), a custom branded dashboard shell + login (not Django admin), role-based access (Administrator/Editor), and a passing test suite.

### ## Phase / Feature

Phase 0 — Foundations (see `implementation_plan.md`).

### ## Changes

- **Project:** `config/` with `settings/{base,dev,prod}.py` via `django-environ`; `manage.py` `/wsgi/asgi` wired to `dev/prod`.
- **Apps:** `core`, `services`, `projects`, `credentials`, `media_center`, `leads`, `dashboard` under `apps/`.
- **Frontend:** `tailwind.config.js` with the build-scope \$5 tokens (`navy`, `amber`, semantic chips), `package.json` build scripts, base public layout + branded home (verified credentials only).
- **Dashboard:** custom navy-sidebar shell, overview + Administrator-only settings, branded login page. The client-facing admin is bespoke; `/admin` is kept for developer/superuser maintenance only.
- **Auth/roles:** `Administrator` & `Editor` groups via data migration; `DashboardAccessMixin` /

```

`AdministratorRequiredMixin`.
- Tooling: pinned `requirements*.txt`, `pyproject.toml` (ruff + black), `.env.example`.

## Tests
- [x] Tests added (7): home returns 200, brand renders, role groups created, dashboard redirects anonymous, Editor allowed on overview, Editor denied settings (403), Administrator allowed settings.
- [x] `python manage.py test` passes locally (7/7).
- [x] `ruff check .` and `black --check .` pass; `pip-audit` clean; `manage.py check` clean.

## Checklist
- [x] Targets `develop` (not `main`)
- [x] Follows the design tokens & conventions in `CLAUDE.md` / build scope §5
- [x] No secrets, `.env`, `node_modules`, `venv`, db, or source PDF committed

## Notes for the reviewer
- Run the site locally: `pip install -r requirements-dev.txt`, `npm install` & `npm run tailwind:build`, `python manage.py migrate`, `createsuperuser`, then `runserver` → `/` (public) and `/dashboard/` (admin).
- Fonts load via Google Fonts for now; self-hosting Inter/Manrope is a small Phase 1/2 follow-up.

```

## Commits (1)

| SHA     | MESSAGE                                                                     | AUTHOR     |
|---------|-----------------------------------------------------------------------------|------------|
| e415782 | feat(phase0): Django scaffold, settings split, Tailwind tokens, auth<br>... | MussaJabir |

## Files changed (79)

| PATH                                       | +   | -  |
|--------------------------------------------|-----|----|
| .env.example                               | +23 | -0 |
| .github/scripts/generate_report.py         | +2  | -1 |
| apps/__init__.py                           | +0  | -0 |
| apps/core/__init__.py                      | +0  | -0 |
| apps/core/admin.py                         | +1  | -0 |
| apps/core/apps.py                          | +6  | -0 |
| apps/core/context_processors.py            | +9  | -0 |
| apps/core/migrations/0001_create_groups.py | +24 | -0 |
| apps/core/migrations/__init__.py           | +0  | -0 |
| apps/core/models.py                        | +1  | -0 |
| apps/core/tests.py                         | +19 | -0 |
| apps/core/urls.py                          | +7  | -0 |
| apps/core/views.py                         | +5  | -0 |
| apps/credentials/__init__.py               | +0  | -0 |

|                                          |     |    |
|------------------------------------------|-----|----|
| apps/credentials/admin.py                | +1  | -0 |
| apps/credentials/apps.py                 | +6  | -0 |
| apps/credentials/migrations/__init__.py  | +0  | -0 |
| apps/credentials/models.py               | +1  | -0 |
| apps/credentials/tests.py                | +1  | -0 |
| apps/credentials/views.py                | +1  | -0 |
| apps/dashboard/__init__.py               | +0  | -0 |
| apps/dashboard/admin.py                  | +1  | -0 |
| apps/dashboard/apps.py                   | +6  | -0 |
| apps/dashboard/migrations/__init__.py    | +0  | -0 |
| apps/dashboard/mixins.py                 | +19 | -0 |
| apps/dashboard/models.py                 | +1  | -0 |
| apps/dashboard/tests.py                  | +31 | -0 |
| apps/dashboard/urls.py                   | +10 | -0 |
| apps/dashboard/views.py                  | +11 | -0 |
| apps/leads/__init__.py                   | +0  | -0 |
| apps/leads/admin.py                      | +1  | -0 |
| apps/leads/apps.py                       | +6  | -0 |
| apps/leads/migrations/__init__.py        | +0  | -0 |
| apps/leads/models.py                     | +1  | -0 |
| apps/leads/tests.py                      | +1  | -0 |
| apps/leads/views.py                      | +1  | -0 |
| apps/media_center/__init__.py            | +0  | -0 |
| apps/media_center/admin.py               | +1  | -0 |
| apps/media_center/apps.py                | +6  | -0 |
| apps/media_center/migrations/__init__.py | +0  | -0 |
| apps/media_center/models.py              | +1  | -0 |
| apps/media_center/tests.py               | +1  | -0 |
| apps/media_center/views.py               | +1  | -0 |
| apps/projects/__init__.py                | +0  | -0 |
| apps/projects/admin.py                   | +1  | -0 |
| apps/projects/apps.py                    | +6  | -0 |
| apps/projects/migrations/__init__.py     | +0  | -0 |
| apps/projects/models.py                  | +1  | -0 |
| apps/projects/tests.py                   | +1  | -0 |

|                                      |       |    |
|--------------------------------------|-------|----|
| apps/projects/views.py               | +1    | -0 |
| apps/services/__init__.py            | +0    | -0 |
| apps/services/admin.py               | +1    | -0 |
| apps/services/apps.py                | +6    | -0 |
| apps/services/migrations/__init__.py | +0    | -0 |
| apps/services/models.py              | +1    | -0 |
| apps/services/tests.py               | +1    | -0 |
| apps/services/views.py               | +1    | -0 |
| config/__init__.py                   | +0    | -0 |
| config/asgi.py                       | +16   | -0 |
| config/settings/__init__.py          | +0    | -0 |
| config/settings/base.py              | +107  | -0 |
| config/settings/dev.py               | +8    | -0 |
| config/settings/prod.py              | +31   | -0 |
| config/urls.py                       | +24   | -0 |
| config/wsgi.py                       | +16   | -0 |
| manage.py                            | +23   | -0 |
| package-lock.json                    | +1029 | -0 |
| package.json                         | +14   | -0 |
| pyproject.toml                       | +24   | -0 |
| requirements-dev.txt                 | +4    | -0 |
| requirements.txt                     | +6    | -0 |
| static/src/input.css                 | +15   | -0 |
| tailwind.config.js                   | +40   | -0 |
| templates/dashboard/base.html        | +52   | -0 |
| templates/dashboard/overview.html    | +37   | -0 |
| templates/dashboard/settings.html    | +15   | -0 |
| templates/public/base.html           | +40   | -0 |
| templates/public/home.html           | +37   | -0 |
| templates/registration/login.html    | +50   | -0 |

## Checks

| CHECK              | STATUS    | CONCLUSION |
|--------------------|-----------|------------|
| generate-pr-report | completed | failure    |
| test               | completed | success    |

