

1. Which of the following, from outermost to innermost, are components of the box model?

- **Answer:** a. margin, border, padding, content
- *Explanation:* The CSS Box Model wraps around every HTML element. From the very outside moving inward, the layers are: Margin (clears an area outside the border), Border (around the padding and content), Padding (clears an area around the content), and finally the actual Content.

2. Which of the following causes an element to display as a block of content with white space above and below?

- **Answer:** c. display: block;
- *Explanation:* Setting the display property to block forces the HTML element to take up the full width available, starting on a new line and creating structural block spacing around it.

3. Which of the following pseudo-classes is the default state for a hyperlink that has been clicked?

- **Answer:** d. :visited
- *Explanation:* The :visited CSS pseudo-class is specifically used to select and style links that the user has already clicked on and visited in their browser history.

4. Which HTML5 element has the purpose of providing tangential content?

- **Answer:** b. aside
- *Explanation:* The <aside> semantic element is designed to contain content that is tangentially related to the main content around it, often utilized for sidebars, callout boxes, or advertising sections.

Problem Statement: Configure a two-column page layout where the right column (navigation area) is exactly 150 pixels wide with a 1-pixel border. The main content area (left column) must have margins adjusted to prevent overlapping with the right column.

Completed and Fixed Source Code:

HTML

```
<!DOCTYPE html>
<html lang="en">
<head>
  <title>Trillium Media Design</title>
  <meta charset="utf-8">
  <style>
    /* Document structural setup */
```

```

body {
    margin: 0;
    padding: 0;
    font-family: Arial, sans-serif;
}

/* Right column: Navigation area configuration */
nav {
    float: right;
    width: 150px;
    border: 1px solid #333333;
    padding: 10px;
}

/* Left column: Main content structural spacing */
main {
    margin-right: 180px;
    padding: 10px;
}

/* Footer configuration */
footer {
    clear: both;
    text-align: center;
    padding: 15px;
    font-size: 0.8em;
}
</style>
</head>
<body>
    <nav>
        <ul>
            <li><a href="index.html">Home</a></li>
            <li><a href="products.html">Products</a></li>
            <li><a href="services.html">Services</a></li>
            <li><a href="about.html">About</a></li>
        </ul>
    </nav>

    <main>
        <h1>Trillium Media Design</h1>
        <p>Our professional staff takes pride in its working

```

relationship with our clients by offering personalized services that listen to their needs, develop their target areas, and incorporate these items into a website that works.</p>

</main>

<footer>

<p>Copyright © 2016 Trillium Media Design
 Last Updated on 06/03/16</p>

</footer>

</body>

</html>

Technical Explanation of Filled Properties:

- **float: right; width: 150px;**: Configures the <nav> element to shift to the right side of the screen, explicitly forcing its width to be 150 pixels as requested by the assignment criteria.
- **margin-right: 180px;**: Applied to the <main> tag. Since the navigation sits on the right side taking up 150px, giving the main content a right margin of 180px prevents text overlapping and leaves a clean, professional 30px white space gap between the two columns.
- **clear: both;**: Essential property for the footer area. It forces the footer to drop below both floated elements (left and right columns), maintaining a clean vertical sequence.