EGYSPY TRACKING SYSTEM

LITERATURE REVIEW SECTION: ANTI-TAMPERING & ANTI-FRAUD MECHANISMS

Review Title	Review of Anti-Tampering and Anti-Fraud Mechanisms
Project Phase	Pre-Implementation Phase – Literature Review
Research Question	How can anti-tampering and anti-fraud mechanisms protect the EgySpy system against unauthorized device modification and fraudulent tracking data?
Related Objectives	Protect the integrity and trustworthiness of workforce tracking data.
Version / Date	v1.0 Draft – 13/10/2026

1. INTRODUCTION AND METHOD

Anti-tampering and anti-fraud mechanisms are essential for maintaining the integrity and reliability of workforce tracking systems. In EgySpy, unauthorized device modification or fraudulent data submission could cause the system to display misleading information about employee attendance and movement.

Anti-tampering mechanisms aim to prevent or detect unauthorized changes to hardware, firmware, and device configurations. Anti-fraud mechanisms aim to prevent or detect attempts to deceive the system, including device impersonation, message manipulation, and replay attacks.

This review examines existing security mechanisms, compares their capabilities and limitations, and identifies potential approaches suitable for EgySpy. The review focuses on established cybersecurity guidance and research related to device integrity, authentication, message protection, and fraud detection.

2. POTENTIAL ANTI-TAMPERING AND ANTI-FRAUD THREATS

2.1 Hardware and Firmware Tampering

> Hardware tampering involves unauthorized physical modification of a tracking device. Firmware tampering involves modifying or replacing the software that controls the device's operation. Such modifications could compromise device integrity and allow unauthorized behavior.
>
> **Potential Countermeasures:** Secure Boot (verifies firmware authenticity), Signed Firmware Updates, Tamper Detection (detects physical interference), and Secure Key Storage [1].

2.2 Device Impersonation and Message Manipulation

> Device impersonation occurs when an unauthorized device attempts to act as a legitimate EgySpy device. Message manipulation occurs when transmitted data is modified to mislead the system, undermining confidence in device identity and data integrity.
>
> **Potential Countermeasures:** Unique Device Identity, Device Authentication, Message Authentication Codes (MACs), and Secure Communication channels [2].

2.3 Replay Attacks

A replay attack occurs when an attacker captures a previously valid message and retransmits it to make the system accept outdated information as current (e.g., retransmitting presence status after an employee leaves).

Potential Countermeasures: Timestamps, Sequence Numbers, Nonces (unique values in challenge-response protocols), and Freshness Validation checks [3].

2.4 Fraudulent Tracking Data and Spoofing

Fraudulent tracking data involves attempts to make the system accept false status reports or spoofed signals. These attacks reduce system reliability for management.

Potential Countermeasures: Secure UWB Ranging, Cross-Validation, Anomaly Detection, and Security Event Logging [4, 5, 6].

Note: Anomalies should not automatically be classified as fraud, since technical faults and communication problems may produce similar patterns.

3. COMPARISON OF ANTI-TAMPERING AND ANTI-FRAUD MECHANISMS

Table 1 – Comparison of anti-tampering and anti-fraud mechanisms.

MECHANISM	PRIMARY PURPOSE	MAIN LIMITATION
Secure Boot	Prevents execution of unauthorized firmware	Depends on correct implementation and key protection
Signed Firmware Updates	Restricts installation of unauthorized firmware	Does not prevent every form of physical tampering
Tamper Detection	Detects supported forms of physical interference	Detection capabilities depend on hardware design
Device Authentication	Prevents unauthorized devices from being accepted as legitimate	Requires secure identity and credential management
Message Authentication	Detects message modification and supports authenticity verification	Does not independently prove that reported data is truthful
Replay Protection	Prevents or detects reuse of outdated messages	Requires correct freshness and sequence management
Secure UWB Ranging	Helps protect distance measurements against specific attacks	Depends on hardware support and secure implementation
Anomaly Detection	Identifies suspicious behavior for further investigation	False positives and undetected attacks remain possible
Security Event Logging	Supports auditing and investigation	Logging alone does not prevent attacks

4. PROPOSED ANTI-TAMPERING AND ANTI-FRAUD APPROACH FOR EGYSPY

Based on the reviewed mechanisms, EgySpy could adopt a layered security approach focused on protecting device integrity and ensuring the trustworthiness of tracking data.

4.1 Device Integrity Protection

The system should use secure boot and authenticated firmware updates where supported. Device credentials and cryptographic keys should be protected against unauthorized access. Physical tamper detection may also be considered if the selected hardware supports it.

4.2 Device Authentication and Message Protection

Each tracking device should have a unique identity and authenticate using an appropriate security protocol. Messages should be protected against unauthorized modification, and the system should validate their authenticity before accepting them.

4.3 Replay and Fraud Prevention

The communication protocol should include suitable freshness mechanisms, such as sequence numbers, timestamps, or challenge-response procedures. The backend should reject invalid or outdated messages according to defined validation rules.

4.4 Fraud Detection and Auditing

The backend should monitor suspicious patterns and record security-relevant events. When potentially fraudulent behavior is detected, the system should flag the event for investigation rather than automatically assuming that every anomaly represents intentional misconduct.

The final selection of these mechanisms should depend on the hardware capabilities, communication protocol, and software architecture used in EgySpy.

5. KEY FINDINGS AND IMPLICATIONS

The reviewed mechanisms indicate that anti-tampering and anti-fraud protection requires multiple complementary controls rather than a single security feature.

First, device integrity mechanisms help reduce the risk of unauthorized hardware or firmware modification. Second, device authentication and message protection help establish trust in the source and integrity of transmitted data. Third, replay protection and backend validation help prevent outdated or suspicious information from being accepted without verification.

However, no individual mechanism guarantees complete protection. For example, a valid message authentication code does not prove that the original measurement was accurate, and anomaly detection cannot reliably distinguish every technical fault from deliberate fraud.

For EgySpy, the practical next step is to evaluate these mechanisms against the selected hardware and software architecture, define the relevant threat scenarios, and test the effectiveness of the chosen controls before deployment.

6. REFERENCES

[1] A. Regenscheid, “Platform Firmware Resiliency Guidelines,” NIST Special Publication 800-193, 2018. https://csrc.nist.gov/pubs/sp/800/193/final

[2] M. Fagan et al., “IoT Device Cybersecurity Guidance for the Federal Government: Establishing IoT Device Cybersecurity Requirements,” NIST Special Publication 800-213, 2021. https://csrc.nist.gov/pubs/sp/800/213/final

[3] NIST, “Digital Identity Guidelines: Authentication and Lifecycle Management,” Special Publication 800-63B. https://pages.nist.gov/800-63-3/sp800-63b.html

[4] P. Leu et al., “Ghost Peak: Practical Distance Reduction Attacks Against HRP UWB Ranging,” 2021. https://arxiv.org/abs/2111.05313

[5] IEEE, “Secure Ranging with IEEE 802.15.4z HRP UWB,” IEEE Symposium on Security and Privacy, 2024. https://doi.org/10.1109/SP54263.2024.00238

[6] C. Anliker, G. Camurati, and S. Čapkun, “Time for Change: How Clocks Break UWB Secure Ranging,” USENIX Security Symposium, 2023. https://www.usenix.org/conference/usenixsecurity23/presentation/anliker