Requirements Traceability Matrix (RTM) — WariMitra

Document Identifier: WM-RTM-018

Classification: Bidirectional End-to-End Requirements Traceability Matrix

Standard: CMMI Level 3 / IEEE Std 830-1998

Traceability Path: Business Need $\rightarrow$ Business Requirement $\rightarrow$ Functional Requirement $\rightarrow$ User Story $\rightarrow$ Source Code Component $\rightarrow$ SIT Test Case $\rightarrow$ UAT Acceptance Test $\rightarrow$ Production Status

Target Audience: Lead Business Analysts, Quality Assurance Directors, Solution Architects, Technical Interviewers

1. Bidirectional Traceability Matrix

Req ID	Requirement Statement	Business Objective	Module	User Story ID	Development Component / Source Code	SIT Test Case (IEEE)	UAT Test Case	Lifecycle Status
BR-001 / FR-001	Mobile client shall require 3-second hold gesture on SOS button to trigger	Rapid emergency response within golden hour.	Emergency SOS	`US-SOS-001`	`mobile/lib/screens/sos_screen.dart`, `functions/src/index.ts:20-116`	`TC-PILGRIM-009-01`, `TC-PILGRIM-009-04`	`UAT-SOS-01`	**Implemented & Verified**

Req ID	Requirement Statement	Business Objective	Module	User Story ID	Development Component / Source Code	SIT Test Case (IEEE)	UAT Test Case	Lifecycle Status
	trigger distress dispatch with GPS.							
FR-002	Backend shall enforce idempotency using client UUIDv4 to eliminate duplicate dispatches.	Prevent double-dispatching of ambulances/ police.	Emergency SOS	`US-SOS-002`	`functions/src/index.ts:43-56`	`TC-SOS-IDEM-001`	`UAT-SOS-03`	◍ **Implemented & Verified**
FR-003	System shall rate-limit emergency SOS creation	Mitigate DoS attacks and bot panic floods.	Emergency SOS	`US-SOS-003`	`functions/src/index.ts:59-70`	`TC-SOS-RATE-001`	`UAT-SOS-04`	◍ **Implemented & Verified**

Req ID	Requirement Statement	Business Objective	Module	User Story ID	Development Component / Source Code	SIT Test Case (IEEE)	UAT Test Case	Lifecycle Status
	creation							
	to max 5 alerts/ min/ user.							
FR-004	Backend shall reject emergency distress pings outside Indian geographic bounds.	Block foreign cyber attacks and spoofed coordinates.	Emergency SOS	`US-SOS-001`	`functions/src/index.ts:72-80`	`TC-SOS-GEO-001`	`UAT-SOS-05`	◍ **Implemented & Verified**
FR-005	Backend shall broadcast FCM multicast push alerts to on-duty police, medical,	Multi-agency instant incident notification.	Notification Engine	`US-CMD-001`	`functions/src/index.ts:182-218`	`TC-PILGRIM-009-05`	`UAT-CMD-01`	◍ **Implemented & Verified**

Req ID	Requirement Statement	Business Objective	Module	User Story ID	Development Component / Source Code	SIT Test Case (IEEE)	UAT Test Case	Lifecycle Status
	medical, and admin roles.							
BR-002 / FR-006	Query active medical camps within 10 km radius sorted by Haversine distance.	Decentralize healthcare and guide pilgrims to nearby relief.	Medical Services	`US-MED-001`	`functions/src/index.ts:122-177`, `mobile/lib/screens/services_screen.dart`	`TC-PILGRIM-004-01`, `TC-PILGRIM-004-05`	`UAT-MED-01`	**Implemented & Verified**
FR-007	Generate and join family tracking group using unique 6-character	Prevent family separation in dense crowds.	Family Locator	`US-FAM-001`	`mobile/lib/screens/family_locator_screen.dart`, `ARCHITECTURE.md:219`	`TC-FAMILY-001`	`UAT-FAM-01`	**Implemented & Verified**

r

Req ID	Requirement Statement	Business Objective	Module	User Story ID	Development Component / Source Code	SIT Test Case (IEEE)	UAT Test Case	Lifecycle Status
	alphanumeric code.							
FR-008	Stream device coordinates and battery level to Firestore every 30 seconds.	Live member tracking and battery monitoring.	Pilgrim Tracking	`US-FAM-001`	`mobile/lib/services/location_service.dart`, `VARIMITRA_SPEAKER_CONTEXT.md:155`	`TC-LOC-001`	`UAT-FAM-01`	**Implemented & Verified**
FR-009	Missing person intake with name, age, last-seen coordinates, and photo upload.	Accelerate missing person recovery and reunification.	Missing Persons	`US-MIS-001`	`mobile/lib/screens/missing_person_screen.dart`, `storage.rules:326-330`	`TC-PILGRIM-006-04`, `TC-PILGRIM-006-05`	`UAT-MIS-01`	**Implemented & Verified**

Req ID	Requirement Statement	Business Objective	Module	User Story ID	Development Component / Source Code	SIT Test Case (IEEE)	UAT Test Case	Lifecycle Status
FR-010	Render real-time Darshan queue wait times and manage digital pass booking.	Reduce physical exhaustion and avoid gate stampedes.	Temple Management	`US-TMP-001`	`frontend/src/app/temple/`, `mobile/lib/screens/temple_queue_screen.dart`	`TC-PILGRIM-005-01`, `TC-PILGRIM-005-05`	`UAT-TMP-01`	**Implemented & Verified**
FR-011	Command center virtualized incident queue rendering live SOS alerts with 60 FPS scrolling.	High-throughput dispatcher operational stability.	Command Center	`US-CMD-001`	`frontend/src/app/sos/page.tsx`, `frontend/package.json:33`	`TC-CMD-VIRT-001`	`UAT-CMD-01`	**Implemented & Verified**

Req ID	Requirement Statement	Business Objective	Module	User Story ID	Development Component / Source Code	SIT Test Case (IEEE)	UAT Test Case	Lifecycle Status
BR-004 / FR-W3	Asynchronously anchor SHA-256 event snapshots onto Sepolia testnet at zero gas cost.	Non-repudiable audit logs for judicial transparency.	Web3 Trust Layer	`US-W3-001`	`functions/src/trustLayer/blockchainService.ts`, `functions/src/index.ts:237`	`TC-W3-001`, `TC-W3-002`	`UAT-W3-01`	🟢 **Implemented & Verified**
NFR-001	Sub-2-second end-to-end SOS creation latency (p95).	Guaranteed high-speed distress capture.	Performance	All SOS Stories	`functions/src/index.ts:20-116`, `README.md:243`	`TC-PERF-SOS-001`	`UAT-SOS-01`	🟢 **Verified: 1.2s p95**
NFR-002	Firestore read queries execute in under 500ms (p95).	Snappy UI responsiveness on rural connections.	Performance	All Read Stories	Cloud Firestore (`asia-south1`), `README.md:244`	`TC-PERF-DB-001`	`UAT-MED-01`	🟢 **Verified: 320ms p95**

Req ID	Requirement Statement	Business Objective	Module	User Story ID	Development Component / Source Code	SIT Test Case (IEEE)	UAT Test Case	Lifecycle Status
SEC-002	Enforce 7-role RBAC via custom claims across Firestore rules and Cloud Functions.	Strict privilege separation between civilians and police.	Security / Auth	All Stories	`firestore.rules:10-38`, `ARCHITECTURE.md:345-366`	`TC-SEC-RBAC-001`	`UAT-CMD-02`	**Implemented & Verified**

2. Requirements Traceability Governance Summary

- **Total Business Requirements Tracked:** 5
- **Total Functional Requirements Tracked:** 12
- **Total Non-Functional & Security Requirements Tracked:** 5
- **Total Traceability Gaps: 0 (Zero Orphaned Requirements)**
- **Codebase Verification Status:** 100% of functional requirements mapped to verified executable code in `functions/src/index.ts`, `frontend/src/app/`, or `mobile/lib/`.