

```

using System;
using System.Collections.Generic;
using System.ComponentModel;
using System.Data;
using System.Drawing;
using System.Linq;
using System.Text;
using System.Threading.Tasks;
using System.Windows.Forms;

namespace WindowsFormsApplication1
{
    public partial class Form1 : Form
    {
        int sayac = 0;
        public Form1()
        {
            InitializeComponent();

            private void Form1_Load(object sender, EventArgs e)
            {
                foreach (Control x in this.Controls)
                    if (x is Button && ((Control)x).TabIndex < 10)
                        ((Control)x).Text = (((Control)x).TabIndex).ToString();
            }

            private void button1_Click(object sender, EventArgs e)
            {
                textBox1.Text = textBox1.Text + "0";
            }

            private void button5_Click(object sender, EventArgs e)
            {
                textBox1.Text = textBox1.Text + "4";
            }

            private void button2_Click(object sender, EventArgs e)
            {
                textBox1.Text = textBox1.Text + "1";
            }

            private void button8_Click(object sender, EventArgs e)
            {
                textBox1.Text = textBox1.Text + "7";
            }

            private void button3_Click(object sender, EventArgs e)
            {
                textBox1.Text = textBox1.Text + "2";
            }

            private void button4_Click(object sender, EventArgs e)
            {
                textBox1.Text = textBox1.Text + "3";
            }

            private void button6_Click(object sender, EventArgs e)

```

```

{
    textBox1.Text = textBox1.Text + "5";
}

private void button7_Click(object sender, EventArgs e)
{
    textBox1.Text = textBox1.Text + "6";
}

private void button9_Click(object sender, EventArgs e)
{
    textBox1.Text = textBox1.Text + "8";
}

private void button10_Click(object sender, EventArgs e)
{
    textBox1.Text = textBox1.Text + "9";
}

public void hesapla(string işlem)
{
    string işlem0 = label2.Text;
    double t,l;
    t=Convert.ToDouble(textBox1.Text);
    l=Convert.ToDouble(label1.Text);

    if (işlem0 == "=") label1.Text = (l + t).ToString();
    if (işlem0 == "+") label1.Text = (l + t).ToString();
    if (işlem0 == "*") label1.Text = (l * t).ToString();
    if (işlem0 == "/") label1.Text = (l / t).ToString();
    if (işlem0 == "-") label1.Text = (l - t).ToString();
    if (işlem0 == "c") label1.Text = "0";

    if (işlem == "=")
    {
        textBox1.Text = label1.Text;
        label1.Text = "0";
    }

    else textBox1.Text = "0";

    label2.Text = işlem;

}

private void button12_Click(object sender, EventArgs e)
{
    hesapla("=");
}

private void button14_Click(object sender, EventArgs e)
{
    hesapla("+");
}

private void button15_Click(object sender, EventArgs e)

```

```
{
    hesapla("-");
}

private void button16_Click(object sender, EventArgs e)
{
    hesapla("*");
}

private void button13_Click(object sender, EventArgs e)
{
    hesapla("/");
}

private void button11_Click(object sender, EventArgs e)
{
    hesapla("c");
}
}
```