

```
using System;
using System.Collections.Generic;
using System.ComponentModel;
using System.Data;
using System.Drawing;
using System.Linq;
using System.Text;
using System.Threading.Tasks;
using System.Windows.Forms;
using System.Collections;
```

```
namespace WindowsFormsApplication17
```

```
{
```

```
    public partial class Form1 : Form
```

```
    {
```

```
        ArrayList bilgiler = new ArrayList();
```

```
        public Form1()
```

```
        {
```

```
            InitializeComponent();
```

```
        }
```

```
        private void button1_Click(object sender, EventArgs e)
```

```
        {
```

```
            bilgiler.Add(textBox1.Text);
```

```
            bilgiler.Add(numericUpDown1.Value);
```

```
            bilgiler.Add(checkBox1.Checked);
```

```
        }
```

```
        private void checkedListBox1_SelectedIndexChanged(object sender, EventArgs e)
```

```
        {
```

```
    }  
/*  
    private void checkedListBox1_Click(object sender, EventArgs e)  
    {  
  
    }  
  
    private void checkedListBox1_SelectedValueChanged(object sender, EventArgs e)  
    {  
  
    }  
  
    private void listBox1_SelectedIndexChanged(object sender, EventArgs e)  
    {  
  
    }  
  
    private void button2_Click(object sender, EventArgs e)  
    {  
  
    }  
  
    private void button3_Click(object sender, EventArgs e)  
    {  
  
    }  
*/  
    private void numericUpDown2_ValueChanged(object sender, EventArgs e)  
    {  
        try
```

```

{

    listBox1.Items.Clear();

    int kayitno = Convert.ToInt16(numericUpDown2.Value) - 1;

    kayitno = 3 * kayitno;

    listBox1.Items.Add(bilgiler[kayitno]);

    listBox1.Items.Add(bilgiler[kayitno + 1]);

    listBox1.Items.Add(bilgiler[kayitno + 2]);

}

catch { }

}

private void numericUpDown1_ValueChanged(object sender, EventArgs e)
{
    char harf = (char) (numericUpDown1.Value+64);

    textBox1.Text = harf.ToString();

}

private void groupBox1_Enter(object sender, EventArgs e)
{

}

}

}

```