

```

using System;
using System.Collections.Generic;
using System.ComponentModel;
using System.Data;
using System.Drawing;
using System.Linq;
using System.Text;
using System.Windows.Forms;
using System.Data.OleDb; //Access bağlantı dosyaları

namespace emlak
{
    public partial class Form1 : Form
    {
        OleDbConnection baglanti = new
OleDbConnection("Provider=Microsoft.ACE.OLEDB.12.0;Data Source=emlak.accdb");
        OleDbCommand komut = new OleDbCommand();
        OleDbDataAdapter adtr = new OleDbDataAdapter();
        DataSet ds = new DataSet();

        public Form1()
        {
            InitializeComponent();

            //DataGridView üzerinde kayıtları listeleme bölümü
            void listele()
            {
                baglanti.Open();
                OleDbDataAdapter adtr = new OleDbDataAdapter("Select * from emlak", baglanti);
                adtr.Fill(ds, "emlak");
                dataGridView1.DataSource = ds.Tables["emlak"];
                adtr.Dispose();
                baglanti.Close();
            }
            private void Form1_Load(object sender, EventArgs e)
            {
                listele();
            }
            //Kayıt silme bölümü
            private void button1_Click(object sender, EventArgs e)
            {
                baglanti.Open();
                komut.Connection = baglanti;
                komut.CommandText = "Delete from emlak where s_no=" + tb1.Text + "";
                komut.ExecuteNonQuery();
                komut.Dispose();
                baglanti.Close();
                ds.Clear();
                listele();
            }
            //Kayıt arama bölümü
            private void button2_Click(object sender, EventArgs e)
            {
                baglanti = new OleDbConnection("Provider=Microsoft.ACE.Oledb.12.0;Data
Source=emlak.accdb");

```

```

        adtr = new OleDbDataAdapter("Select * from emlak where s_no like '" + tb1.Text
+ "%'", baglanti);
        ds = new DataSet();
        baglanti.Open();
        adtr.Fill(ds, "emlak");
        dataGridView1.DataSource = ds.Tables["emlak"];
        baglanti.Close();
    }
    //Kayıt ekleme bölümü
    private void button3_Click(object sender, EventArgs e)
    {
        label14.Text = pictureBox1.ImageLocation;
        if (tb1.Text != "" && tb2.Text != "" && tb3.Text != "" && tb4.Text != "" &&
tb5.Text != "" && tb6.Text != "" && tb7.Text != "" && tb8.Text != "" && tb9.Text != "" &&
tb10.Text != "" && tb11.Text != "" && label14.Text != "")
        {
            komut.Connection = baglanti;
            komut.CommandText = "Insert Into
emlak(s_no,il_ilce,adres,kat_sayisi,b_kat,daire_no,isitma,alani,oda_sayisi,bina_yasi,fiyat
,resim) Values ('" + tb1.Text + "','" + tb2.Text + "','" + tb3.Text + "','" + tb4.Text +
 "','" + tb5.Text + "','" + tb6.Text + "','" + tb7.Text + "','" + tb8.Text + "','" +
tb9.Text + "','" + tb10.Text + "','" + tb11.Text + "','" + tb12.Text + "')";
            baglanti.Open();
            komut.ExecuteNonQuery();
            komut.Dispose();
            baglanti.Close();
            MessageBox.Show("Kayıt Tamamlandı!");
            ds.Clear();
            listele();
        }
        else
        {
            MessageBox.Show("Kayıt Yapılamadı!");
        }
    }
    //Kayıt güncelleme bölümü
    private void button4_Click(object sender, EventArgs e)
    {
        komut = new OleDbCommand();
        baglanti.Open();
        komut.Connection = baglanti;
        komut.CommandText = "update emlak set il_ilce='" + tb2.Text + "',adres='" +
tb3.Text + "',kat_sayisi='" + tb4.Text + "',b_kat='" + tb5.Text + "',daire_no='" +
tb6.Text + "',isitma='" + tb7.Text + "',alani='" + tb8.Text + "',oda_sayisi='" + tb9.Text
+ "',bina_yasi='" + tb10.Text + "',fiyat='" + tb11.Text + "',resim='" +
pictureBox1.ImageLocation + "'where s_no=" + tb1.Text + "'";
        komut.ExecuteNonQuery();

        komut.ExecuteNonQuery();
        baglanti.Close();
        ds.Clear();
        listele();
    }
    //Resim seçme bölümü
    private void button5_Click(object sender, EventArgs e)
    {
        if (openFileDialog1.ShowDialog() == DialogResult.OK)
        {

```

```

        pictureBox1.ImageLocation = openFileDialog1.FileName;
        tb12.Text = openFileDialog1.FileName;
    }
}

private void dataGridView1_CellContentClick(object sender,
DataGridViewCellEventArgs e)
{
}

//DataGrid'e Tıklayınca kayıtları Textbox'lara yazdırma bölümü
private void dataGridView1_CellEnter(object sender, DataGridViewCellEventArgs e)
{
}

private void dataGridView1_CellEnter_1(object sender, DataGridViewCellEventArgs e)
{
    tb1.Text = dataGridView1.CurrentRow.Cells[0].Value.ToString();
    tb2.Text = dataGridView1.CurrentRow.Cells[1].Value.ToString();
    tb3.Text = dataGridView1.CurrentRow.Cells[2].Value.ToString();
    tb4.Text = dataGridView1.CurrentRow.Cells[3].Value.ToString();
    tb5.Text = dataGridView1.CurrentRow.Cells[4].Value.ToString();
    tb6.Text = dataGridView1.CurrentRow.Cells[5].Value.ToString();
    tb7.Text = dataGridView1.CurrentRow.Cells[6].Value.ToString();
    tb8.Text = dataGridView1.CurrentRow.Cells[7].Value.ToString();
    tb9.Text = dataGridView1.CurrentRow.Cells[8].Value.ToString();
    tb10.Text = dataGridView1.CurrentRow.Cells[9].Value.ToString();
    tb11.Text = dataGridView1.CurrentRow.Cells[10].Value.ToString();
    pictureBox1.ImageLocation =
dataGridView1.CurrentRow.Cells[11].Value.ToString();
}

private void pictureBox1_Click(object sender, EventArgs e)
{
}

private void tb7_TextChanged(object sender, EventArgs e)
{
}
}
}

```