

```
using System;
using System.Collections.Generic;
using System.ComponentModel;
using System.Data;
using System.Drawing;
using System.Linq;
using System.Text;
using System.Threading.Tasks;
using System.Windows.Forms;

namespace WindowsFormsApp6
{
    public partial class Form1 : Form
    {
        int yon=5,adım=50,sayaç=0,kalan=0;
        Keys tuş;
        Random rasgele = new Random();

        public Form1()
        {
            InitializeComponent();
        }

        private void Form1_Load(object sender, EventArgs e)
        {
        }

        private void Form1_KeyDown(object sender, KeyEventArgs e)
        {
        }
    }
}
```

```
tuş = e.KeyCode;
}

private void timer1_Tick(object sender, EventArgs e)
{
    sayaç++;
    kalan = (sayaç % 2) * 4;
    int f = -20 + rasgele.Next(40);
    this.BackColor = Color.FromArgb(50 + f, 50 + f, 200 + f);

    if (tuş == Keys.Up)
    {
        pictureBox1.Top -= adım;
        pictureBox1.Image = imageList1.Images[0+kalan];
    }

    if (tuş == Keys.Down)
    {
        pictureBox1.Top += adım;
        pictureBox1.Image = imageList1.Images[2 + kalan];
    }

    if (tuş == Keys.Right)
    {
        pictureBox1.Left += adım;
        pictureBox1.Image = imageList1.Images[3 + kalan];
    }

    if (tuş == Keys.Left)
    {
        pictureBox1.Left -= adım;
    }
}
```

```
        pictureBox1.Image = imageList1.Images[1 + kalan];  
    }  
}  
}
```