

```

using System;
using System.Collections.Generic;
using System.ComponentModel;
using System.Data;
using System.Drawing;
using System.Linq;
using System.Text;
using System.Threading.Tasks;
using System.Windows.Forms;

namespace WindowsFormsApplication1
{
    public partial class Form1 : Form
    {
        int sayi, fak = 1, i;
        public Form1()
        {
            InitializeComponent();

            private void numericUpDown1_ValueChanged(object sender, EventArgs e)
            {
                label1.Text = faktoriyel(Convert.ToInt16(numericUpDown1.Value)).ToString();
            }

            private int faktoriyel(int sayi)
            {
                fak = 1;
                for (i = 1; i <= sayi; i++) fak *= i;
                return fak;
            }

            private void numericUpDown2_ValueChanged(object sender, EventArgs e)
            {
                label2.Text = faktoriyel(Convert.ToInt16(numericUpDown2.Value)).ToString();
            }

            private void numericUpDown3_ValueChanged(object sender, EventArgs e)
            {
                label3.Text = faktoriyel(Convert.ToInt16(numericUpDown3.Value)).ToString();
            }

            private void numericUpDown4_ValueChanged(object sender, EventArgs e)
            {
                label4.Text = faktoriyel(Convert.ToInt16(numericUpDown4.Value)).ToString();
            }

            private void numericUpDown5_ValueChanged(object sender, EventArgs e)
            {
                label5.Text = faktoriyel(Convert.ToInt16(numericUpDown5.Value)).ToString();
            }
        }
    }
}

```