

```

using System;
using System.Collections.Generic;
using System.ComponentModel;
using System.Data;
using System.Drawing;
using System.Linq;
using System.Text;
using System.Threading.Tasks;
using System.Windows.Forms;

namespace WindowsFormsApplication1
{
    public partial class Form1 : Form
    {
        bool caps = false, shft = false, alt=false;
        public Form1()
        {
            InitializeComponent();
        }

        private void button2_Click(object sender, EventArgs e)
        {
            harfyz("a");
        }

        private void harfyz(string tuş)
        {
            string harf = "";
            harf=tuş;
            if (caps && !shft) harf = tuş.ToUpper();
            else if (caps && shft) harf = tuş.ToLower();
            else if (!caps && !shft) harf = tuş.ToLower();
            else if (!caps && shft) harf = tuş.ToUpper();
            textBox1.Text=textBox1.Text + harf;
        }

        private void button5_Click(object sender, EventArgs e)
        {
            harfyz("b");
        }

        private void button8_Click(object sender, EventArgs e)
        {
            harfyz("c");
        }

        private void button11_Click(object sender, EventArgs e)
        {
            harfyz("d");
        }

        private void button3_Click(object sender, EventArgs e)
        {
            shft = !shft;
            if (shft) button3.FlatStyle = FlatStyle.Flat;
            else button3.FlatStyle = FlatStyle.Standard;
        }

        private void button4_Click(object sender, EventArgs e)

```

```

{
    caps = !caps;
    if (caps) button4.FlatStyle = FlatStyle.Flat;
    else button4.FlatStyle = FlatStyle.Standard;
}

private void button7_Click(object sender, EventArgs e)
{
    alt = !alt;
    if (alt) button7.FlatStyle = FlatStyle.Flat;
    else button7.FlatStyle = FlatStyle.Standard;
}

private void button10_Click(object sender, EventArgs e)
{
    harfyz(" ");
}

private void button1_Click(object sender, EventArgs e)
{
    rakamyaz("7", "/", "{");
}
private void rakamyaz(string simge1, string simge2, string simge3)
{
    string harf="";
    if (alt) harf = simge3;
    else if (shft) harf = simge2;
    else harf=simge1;
    textBox1.Text = textBox1.Text + harf;
}

private void button6_Click(object sender, EventArgs e)
{
    rakamyaz("8", "(", "[");
}

private void button9_Click(object sender, EventArgs e)
{
    rakamyaz("9", ")", "]");
}

private void button12_Click(object sender, EventArgs e)
{
    rakamyaz("0", "=", "}");
}

}
}

```