

```

using System;
using System.Collections.Generic;
using System.ComponentModel;
using System.Data;
using System.Drawing;
using System.Linq;
using System.Text;
using System.Threading.Tasks;
using System.Windows.Forms;
using System.Data.OleDb;

namespace veritabani2
{
    public partial class Form1 : Form
    {
        //Veri Tabanı Değişkenlerini Tanımlama Bölümü

        OleDbConnection baglanti = new
OleDbConnection("Provider=Microsoft.ACE.OLEDB.12.0;Data Source=okul.accdb");
        OleDbCommand komut = new OleDbCommand();
        OleDbDataAdapter adtr = new OleDbDataAdapter();
        OleDbDataAdapter adtr2 = new OleDbDataAdapter();
        DataSet ds = new DataSet();
        DataSet ds2 = new DataSet();
        int satirno;

        public Form1()
        {
            InitializeComponent();
        }
        void komutbitisi()
        {
            komut.ExecuteNonQuery();
            komut.Dispose();
            baglanti.Close();
            ds.Clear();
            listele();
        }

        void listele()
        {
            baglanti.Open();
            OleDbDataAdapter adtr = new OleDbDataAdapter("Select * from ogrenci",
baglanti);
            adtr.Fill(ds, "ogrenci");
            dataGridView1.DataSource = ds.Tables["ogrenci"];
            adtr.Dispose();
            baglanti.Close();
        }

        private void groupBox1_Enter(object sender, EventArgs e)
        {

```

```

    }

    private void Form1_Load(object sender, EventArgs e)
    {
        listele();
    }

    private void button3_Click(object sender, EventArgs e)
    {
        if (openFileDialog1.ShowDialog()==DialogResult.OK)
        {
            pictureBox1.ImageLocation=openFileDialog1.FileName;
            textBox5.Text=openFileDialog1.FileName;
        }
    }

    private void button1_Click(object sender, EventArgs e)
    {
        komut.Connection = baglanti;
        komut.CommandText = "insert into ogrenci(numara,ad,soyad,adres,resim) Values
('" + textBox1.Text + "','" + textBox2.Text + "','" + textBox3.Text + "','" +
textBox4.Text + "','" + textBox5.Text + "') ";
        baglanti.Open();
        komutbitisi();
    }

    private void button4_Click(object sender, EventArgs e)
    {
        komut = new OleDbCommand();
        baglanti.Open();
        komut.Connection = baglanti;
        komut.CommandText = "Delete from ogrenci where ad='"+textBox6.Text+"' ";
        komutbitisi();
    }

    private void button5_Click(object sender, EventArgs e)
    {
        ds2.Clear();
        baglanti.Open();
        OleDbDataAdapter adtr2 = new OleDbDataAdapter("Select * from ogrenci where
ad='"+textBox7.Text+"'", baglanti);
        adtr2.Fill(ds2, "ogrenci");
        dataGridView2.DataSource = ds2.Tables["ogrenci"];
        adtr2.Dispose();
        baglanti.Close();
    }

    private void button2_Click(object sender, EventArgs e)
    {
        listele();
    }

    private void pictureBox1_Click(object sender, EventArgs e)
    {
    }

```

```

private void silToolStripMenuItem_Click(object sender, EventArgs e)
{
    baglanti.Open();
    string sql = "delete from ogrenci where numara=@no";
    OleDbCommand komut = new OleDbCommand(sql, baglanti);
    komut.Parameters.AddWithValue("@no", satirno);
    komut.ExecuteNonQuery();//www.yazilimkodlama.com
    //baglanti.Close();
    komutbitisi();
}

private void dataGridView1_MouseDown(object sender, MouseEventArgs e)
{
    int satir = dataGridView1.HitTest(e.X, e.Y).RowIndex;
    satirno = Convert.ToInt32(dataGridView1.Rows[satir].Cells["numara"].Value);
}

private void dataGridView1_CellContentClick(object sender,
DataGridViewCellEventArgs e)
{
}
}
}

```