

```
using System;
using System.Collections.Generic;
using System.ComponentModel;
using System.Data;
using System.Drawing;
using System.Linq;
using System.Text;
using System.Threading.Tasks;
using System.Windows.Forms;

namespace WindowsFormsApplication134
{
    public partial class Form1 : Form
    {
        Random rasgele = new Random();
        int [] sayılar = new int[100];
        int sayaç = 0;

        public Form1()
        {
            InitializeComponent();
        }

        private void Form1_Load(object sender, EventArgs e)
        {

        }

        private void button49_Click(object sender, EventArgs e)
        {

        }

        private void label1_Click(object sender, EventArgs e)
        {
            listBox1.Items.Clear();
            for (int i = 0; i < numericUpDown1.Value; i++)
            {
                sayılar[i] = rasgele.Next(55,95);
            }

            Array.Sort(sayılar);
            Array.Reverse(sayılar);

            for (int i = 0; i < numericUpDown1.Value; i++)
            {
                listBox1.Items.Add(sayılar[i]);
            }
        }

        private void tiklama(object sender, EventArgs e)
        {
            Button seçilenbuton = sender as Button;
        }
    }
}
```

```
        if (sayılar.Contains(seçilenbuton.TabIndex))
            seçilenbuton.BackgroundImage = yasak.BackgroundImage;
        else
            seçilenbuton.BackgroundImage = ımageList1.Images[sayaç % 12];
        sayaç++;
    }

    private void numericUpDown1_ValueChanged(object sender, EventArgs e)
    {
    }
}
```