

```

using System;
using System.Collections.Generic;
using System.ComponentModel;
using System.Data;
using System.Drawing;
using System.Linq;
using System.Text;
using System.Threading.Tasks;
using System.Windows.Forms;

namespace WindowsFormsApplication95
{
    public partial class Form1 : Form
    {
        PictureBox seçilen;
        Object tiklanan;

        public Form1()
        {
            InitializeComponent();
        }

        private void button1_Click(object sender, EventArgs e)
        {
            int sayi1, sayi2;

            Random rasgele = new Random();
            sayi1 = rasgele.Next(1, 7);
            sayi2 = rasgele.Next(1, 7);

            label1.Text = sayi1.ToString();
            label2.Text = sayi2.ToString();

            pictureBox1.Image = imageList1.Images[sayi1];
            pictureBox2.Image = imageList1.Images[sayi2];
        }

        private void ovalShape1_Click(object sender, EventArgs e)
        {
            tiklanan = sender as Object;
        }

        private void pictureBox3_Click(object sender, EventArgs e)
        {
            seçilen = sender as PictureBox;
        }

        private void Form1_Load(object sender, EventArgs e)
        {
        }

        private void Form1_MouseMove(object sender, MouseEventArgs e)
        {

```

```
}

private void Form1_MouseClick(object sender, MouseEventArgs e)
{
    try
    {
        seçilen.Left = e.X-25;
        seçilen.Top = e.Y-25;
    }
    catch { }
}
}
```