

```

using System;
using System.Collections.Generic;
using System.ComponentModel;
using System.Data;
using System.Drawing;
using System.Linq;
using System.Text;
using System.Threading.Tasks;
using System.Windows.Forms;

namespace WindowsFormsApp2
{
    public partial class Form1 : Form
    {
        double r1, r2, r3, r4 = 4;
        double rt = 16;
        double v, i = 0;

        public Form1()
        {
            InitializeComponent();
        }

        private void button1_Click(object sender, EventArgs e)
        {
            rt = r1 + r2 + r3 + r4;
            i = v / rt;
            i = Math.Round(i, 2);
            label10.Text = rt.ToString();
            label11.Text = i.ToString();
        }

        private void trackBar1_Scroll(object sender, EventArgs e)
        {
            r1 = trackBar1.Value;
            label5.Text = r1.ToString();
        }

        private void trackBar2_Scroll(object sender, EventArgs e)
        {
            r2 = trackBar2.Value;
            label6.Text = r2.ToString();
        }

        private void trackBar5_Scroll(object sender, EventArgs e)
        {
            v = trackBar5.Value;
            label9.Text = v.ToString();
        }

        private void label3_Click(object sender, EventArgs e)
        {
        }
    }
}

```

```
private void label8_Click(object sender, EventArgs e)
{

}

private void trackBar4_Scroll(object sender, EventArgs e)
{
    r4 = trackBar4.Value;
    label8.Text = r4.ToString();

}

private void trackBar3_Scroll(object sender, EventArgs e)
{
    r3 = trackBar3.Value;
    label7.Text = r3.ToString();

}
}
```

```

public partial class Form1 : Form
{
    double r1, r2, r3, rt, i, v = 0;

    private void trackBar3_Scroll(object sender, EventArgs e)
    {
        r3 = trackBar3.Value;
        label3.Text = r3.ToString();
    }

    private void button1_Click(object sender, EventArgs e)
    {
        rt = r1 + r2 + r3;
        i = v / rt;
        MessageBox.Show(rt.ToString(), "toplam direnç");

        MessageBox.Show(i.ToString(), "Akım");
    }

    private void trackBar4_Scroll(object sender, EventArgs e)
    {
        v = trackBar4.Value;
        label4.Text = v.ToString();
    }

    private void trackBar2_Scroll(object sender, EventArgs e)
    {
        r2 = trackBar2.Value;
        label2.Text = r2.ToString();
    }

    private void label8_Click(object sender, EventArgs e)
    {
    }

    public Form1()
    {
        InitializeComponent();
    }

    private void Form1_Load(object sender, EventArgs e)
    {
    }

    private void trackBar1_Scroll(object sender, EventArgs e)
    {
        r1 = trackBar1.Value;
        label1.Text = r1.ToString();
    }
}

```