

```

using System;
using System.Collections.Generic;
using System.ComponentModel;
using System.Data;
using System.Drawing;
using System.Linq;
using System.Text;
using System.Threading.Tasks;
using System.Windows.Forms;

namespace WindowsFormsApplication1
{
    public partial class Form1 : Form
    {
        Color[] renkler = { Color.Black, Color.Brown, Color.Red, Color.Orange,
        Color.Yellow, Color.Green, Color.Blue, Color.Purple, Color.Gray, Color.White };

        public Form1()
        {
            InitializeComponent();
        }

        private void label1_Click(object sender, EventArgs e)
        {
            ColorDialog renk = new ColorDialog();
            renk.ShowDialog();

            int sayac = 0;
            foreach (Color a in renkler)
            {
                if (renk.Color == a) label1.BackColor = a;
                if (renk.Color == a) break;
                sayac++;
            }
            if (sayac < 10) numericUpDown1.Value=sayac;
            else MessageBox.Show("Geçersiz Renk");
        }

        private void label2_Click(object sender, EventArgs e)
        {
            ColorDialog renk = new ColorDialog();
            renk.ShowDialog();

            int sayac = 0;
            foreach (Color a in renkler)
            {
                if (renk.Color == a) label2.BackColor = a;
                if (renk.Color == a) break;
                sayac++;
            }
            if (sayac < 10) numericUpDown2.Value = sayac;
            else MessageBox.Show("Geçersiz Renk");
        }
    }
}

```

```

}

private void label3_Click(object sender, EventArgs e)
{
    ColorDialog renk = new ColorDialog();
    renk.ShowDialog();

    int sayac = 0;
    foreach (Color a in renkler)
    {
        if (renk.Color == a) label3.BackColor = a;
        if (renk.Color == a) break;
        sayac++;
    }
    if (sayac < 10) numericUpDown3.Value = sayac;
    else MessageBox.Show("Geçersiz Renk");
}

private void label4_Click(object sender, EventArgs e)
{
    ColorDialog renk = new ColorDialog();
    renk.ShowDialog();
    label4.BackColor = renk.Color;
}

private void Form1_Load(object sender, EventArgs e)
{
}

private void numericUpDown2_ValueChanged(object sender, EventArgs e)
{
    hesapla();
}

private void numericUpDown1_ValueChanged(object sender, EventArgs e)
{
    hesapla();
}

private void hesapla()
{
    int a = Convert.ToInt32(numericUpDown1.Value);
    int b = Convert.ToInt32(numericUpDown2.Value);
    int c = Convert.ToInt32(numericUpDown3.Value);
    double direnc = (10 * a + b) * Math.Pow(10, c);
    label9.Text=direnc.ToString("N0");
}

private void numericUpDown3_ValueChanged(object sender, EventArgs e)
{
    hesapla();
}

```

}
}
}