

```

using System;
using System.Collections.Generic;
using System.ComponentModel;
using System.Data;
using System.Drawing;
using System.Linq;
using System.Text;
using System.Threading.Tasks;
using System.Windows.Forms;

namespace WindowsFormsApplication138
{
    public partial class Form1 : Form
    {
        Color[] Renk = new Color[4]{Color.Black,Color.Red,Color.Green,Color.Orange};
        Random rasgele = new Random();
        Button Seçilen;
        public Form1()
        {
            InitializeComponent();
        }

        private void tıklama(object sender, EventArgs e)
        {
            Seçilen= sender as Button;
            if (Seçilen.Text == "")
            {
                Seçilen.Text = rasgele.Next(1, 14).ToString();
                Seçilen.ForeColor = Renk[rasgele.Next(3)];
            }
        }

        private void label1_Click(object sender, EventArgs e)
        {
        }

        private void Form1_Load(object sender, EventArgs e)
        {
            Seçilen = button1;
        }

        private void Form1_Click(object sender, EventArgs e)
        {
        }

        private void Form1_MouseDown(object sender, MouseEventArgs e)
        {
            Seçilen.Left = e.X - Seçilen.Width / 2;
            Seçilen.Top = e.Y - Seçilen.Height / 2;
        }
    }
}

```

}