

```

using System;
using System.Collections.Generic;
using System.ComponentModel;
using System.Data;
using System.Drawing;
using System.Linq;
using System.Text;
using System.Threading.Tasks;
using System.Windows.Forms;
using System.Data.OleDb;

namespace WindowsFormsApplication160
{
    public partial class Form1 : Form
    {
        OleDbConnection baglanti = new
OleDbConnection("Provider=Microsoft.ACE.OLEDB.12.0;Data Source=arabalar.accdb");
        //string resimYolu = "";
        public Form1()
        {
            InitializeComponent();

            private void openFileDialog1_FileOk(object sender, CancelEventArgs e)
            {

            }

            void VerileriGetir()
            {
                OleDbDataAdapter da = new OleDbDataAdapter("SELECT * FROM Araba", baglanti);
                DataTable dt = new DataTable();
                da.Fill(dt);
                dataGridView1.DataSource = dt;
            }

            private void pictureBox1_Click(object sender, EventArgs e)
            {
                openFileDialog1.ShowDialog();
                pictureBox1.ImageLocation = openFileDialog1.FileName;
            }

            private void Form1_Load(object sender, EventArgs e)
            {
                // TODO: This line of code loads data into the 'arabalarDataSet1.araba' table.
                You can move, or remove it, as needed.
                this.arabaTableAdapter1.Fill(this.arabalarDataSet1.araba);
                // TODO: This line of code loads data into the 'arabalarDataSet.araba' table.
                You can move, or remove it, as needed.
                //this.arabaTableAdapter.Fill(this.arabalarDataSet.araba);
                VerileriGetir();
            }

            private void button1_Click(object sender, EventArgs e)
            {

```

```

        OleDbCommand komut = new OleDbCommand("INSERT INTO Araba (Marka, Model, Yil,
Fiyat, ResimYolu) VALUES (@Marka, @Model, @Yil, @Fiyat, @ResimYolu)", baglanti);
        komut.Parameters.AddWithValue("@Marka", textBox1.Text);
        komut.Parameters.AddWithValue("@Model", textBox2.Text);
        komut.Parameters.AddWithValue("@Yil", textBox3.Text);
        komut.Parameters.AddWithValue("@Fiyat", numericUpDown1.Value );
        komut.Parameters.AddWithValue("@ResimYolu", openFileDialog1.FileName);

        baglanti.Open();
        komut.ExecuteNonQuery();
        baglanti.Close();

        MessageBox.Show("Araç eklendi.");
        VerileriGetir();
    }

    private void tabPage1_Click(object sender, EventArgs e)
    {

    }

    private void button2_Click(object sender, EventArgs e)
    {
        textBox1.Text = "";
        textBox2.Text = "";
        textBox3.Text = "";
        numericUpDown1.Value = 0;
        pictureBox1.Image = null;
    }

    private void button3_Click(object sender, EventArgs e)
    {
        string secilenAlan = comboBox1.Text;
        string arananDeger = textBox4.Text.Trim();

        if (string.IsNullOrEmpty(arananDeger))
        {
            VerileriGetir();
            return;
        }

        string sorgu = string.Format("SELECT * FROM Araba WHERE [{0}] LIKE ?",
secilenAlan);
        OleDbCommand komut = new OleDbCommand(sorgu, baglanti);
        komut.Parameters.AddWithValue("@deger", "%" + arananDeger + "%");

        OleDbDataAdapter da = new OleDbDataAdapter(komut);
        DataTable dt = new DataTable();
        da.Fill(dt);
        dataGridView2.DataSource = dt;

        tümünüGöster();
    }
    private void tümünüGöster()
    {
        OleDbDataAdapter da = new OleDbDataAdapter("SELECT * FROM Araba ORDER BY
Kimlik", baglanti);

```

```

        DataTable dt = new DataTable();
        da.Fill(dt);
        //dataGridView1.DataSource = dt;
        dataGridView2.DataSource = dt; // Eğer her ikisini de kullanıyorsan
    }

    private void button6_Click(object sender, EventArgs e)
    {
        tümünüGöster();
    }

    private void dataGridView2_CellContentClick(object sender,
DataGridViewCellEventArgs e)
    {
        if (e.RowIndex >= 0)
        {
            DataGridViewRow satir = dataGridView2.Rows[e.RowIndex];

            textBox7.Text = satir.Cells[1].Value.ToString(); // Marka
            textBox6.Text = satir.Cells[2].Value.ToString(); // Model
            textBox5.Text = satir.Cells[3].Value.ToString(); // Yıl
            numericUpDown2.Value = Convert.ToDecimal(satir.Cells[4].Value); // Fiyat
            pictureBox2.ImageLocation = satir.Cells[5].Value.ToString();

            // Not: pictureBox1.ImageLocation varsa, resmi otomatik gösterir.
            dataGridView2.Tag = satir.Cells[0].Value;
            this.Text = satir.Cells[0].Value.ToString();
        }
    }

    private void button5_Click(object sender, EventArgs e)
    {
        string sorgu = "UPDATE araba SET Marka = @Marka, Model = @Model, Yil = @Yil,
Fiyat = @Fiyat, ResimYolu = @Resim WHERE Kimlik = @ID";

        OleDbCommand komut = new OleDbCommand(sorgu, baglanti);
        komut.Parameters.AddWithValue("@Marka", textBox7.Text);
        komut.Parameters.AddWithValue("@Model", textBox6.Text);
        komut.Parameters.AddWithValue("@Yil", textBox5.Text);
        komut.Parameters.AddWithValue("@Fiyat", numericUpDown2.Value);
        komut.Parameters.AddWithValue("@Resim", pictureBox2.ImageLocation);
        komut.Parameters.AddWithValue("@ID", dataGridView2.Tag); // gizli tuttuğumuz
ID

        baglanti.Open();
        komut.ExecuteNonQuery();
        baglanti.Close();

        MessageBox.Show("Kayıt güncellendi.");
        VerileriGetir();
        tümünüGöster();
    }

    private void pictureBox2_Click(object sender, EventArgs e)
    {
        openFileDialog1.ShowDialog();
        pictureBox2.ImageLocation = openFileDialog1.FileName;
    }

```

```
    }

    private void button4_Click(object sender, EventArgs e)
    {
        if (dataGridView2.Tag == null) return; // Eğer seçili bir kayıt yoksa, işlem
        yapılmasın

        var id = dataGridView2.Tag;
        OleDbCommand komut = new OleDbCommand("DELETE FROM Araba WHERE Kimlik=@id",
        baglanti);
        komut.Parameters.AddWithValue("@id", id);

        baglanti.Open();
        komut.ExecuteNonQuery();
        baglanti.Close();

        MessageBox.Show("Kayıt silindi.");
        VerileriGetir(); // Verileri tekrar getirerek DataGridView'i güncelle
        tümünü göster();
    }
}
```