

```

using System;
using System.Collections.Generic;
using System.ComponentModel;
using System.Data;
using System.Drawing;
using System.Linq;
using System.Text;
using System.Threading.Tasks;
using System.Windows.Forms;

namespace WindowsFormsApplication145
{
    public partial class Form1 : Form
    {
        int sayaç = 0;
        public Form1()
        {
            InitializeComponent();

            görünümToolStripMenuItem_Click(object sender, EventArgs e)
            {

            }

            timer1_Tick(object sender, EventArgs e)
            {
                sayaç++; label1.Text = sayaç.ToString();
            }

            başlatToolStripMenuItem_Click(object sender, EventArgs e)
            {
                timer1.Enabled = true;
            }

            durToolStripMenuItem_Click(object sender, EventArgs e)
            {
                timer1.Enabled = false;
                sayaç = 0;
                label1.Text = "0";
            }

            duraklatToolStripMenuItem_Click(object sender, EventArgs e)
            {
                timer1.Enabled = false;
            }

            casio0123ToolStripMenuItem_Click(object sender, EventArgs e)
            {
                label1.Font = casio.Font;
                label1.Font = new Font(label1.Font.FontFamily, 100);
            }

            yazıtipi(object sender, EventArgs e)
            {

            }
        }
    }
}

```

```
private void casio0123ToolStripMenuItem1_Click(object sender, EventArgs e)
{
    label1.Font = casio.Font;
    label1.Font = new Font(label1.Font.FontFamily, 100);
}

private void ccitizen_Click(object sender, EventArgs e)
{
    label1.Font = ccitizen.Font;
    label1.Font = new Font(label1.Font.FontFamily, 100);
}

private void versace_Click(object sender, EventArgs e)
{
    label1.Font = versace.Font;
    label1.Font = new Font(label1.Font.FontFamily, 100);
}

private void lacoste_Click(object sender, EventArgs e)
{
    label1.Font = lacoste.Font;
    label1.Font = new Font(label1.Font.FontFamily, 100);
}

private void siyahBeyazToolStripMenuItem_Click(object sender, EventArgs e)
{
    this.BackColor = Color.Black;
    label1.ForeColor = Color.White;
}

private void sarıKırmızıToolStripMenuItem_Click(object sender, EventArgs e)
{
    this.BackColor = Color.Yellow;
    label1.ForeColor = Color.Red;
}

private void kırmızıBeyazToolStripMenuItem_Click(object sender, EventArgs e)
{
    this.BackColor = Color.Red;
    label1.ForeColor = Color.White;
}

private void sarıLacivertToolStripMenuItem_Click(object sender, EventArgs e)
{
    this.BackColor = Color.Yellow;
    label1.ForeColor = Color.DarkBlue;
}

private void bordoMaviToolStripMenuItem_Click(object sender, EventArgs e)
{
    this.BackColor = Color.IndianRed;
    label1.ForeColor = Color.Blue;
}

private void toolStripMenuItem2_Click(object sender, EventArgs e)
{
    timer1.Interval = 1;
}
```

```
private void toolStripMenuItem3_Click(object sender, EventArgs e)
{
    timer1.Interval = 10;
}

private void toolStripMenuItem4_Click(object sender, EventArgs e)
{
    timer1.Interval = 100;
}

private void toolStripMenuItem5_Click(object sender, EventArgs e)
{
    timer1.Interval = 1000;
}

private void Form1_Load(object sender, EventArgs e)
{
}
}
```