Dreamari Career Simulation Master SOP

Version 1.8 · 21 October 2026 · AI builds and repairs; human QA reviews the finished game

This is the shareable production standard for building a complete Level 1 from a career name. The vetted Investment Banking simulation is the gameplay, narrative, sequence, UX and scoring reference. New careers inherit its proven player experience while using their own authentic work, projects, colleagues and varied tasks. This SOP supersedes earlier editions and older exact beat/question lists.

1. Goal and decision rights

The human supplies a career name and may add preferences. The AI researches entry-level work, chooses sensible defaults, writes the game, makes scenes and supporting graphics, integrates them, runs it, fixes failures and packages evidence. Do not ask the human to write a script, scene list, question list or image brief. Human review happens on the assembled result. A contact sheet remains useful for internal art QA, but the AI repairs and integrates without waiting for approval of intermediate sheets.

Use current user feedback and repository handoff documents as the latest authority. Read `AGENTS.md`, `docs/HANDOFF_INDEX.md`, `docs/AI_HANDOFF.md`, the shared player/types/scoring, and the current Investment Banking Level 1 implementation. Inspect actual behavior, not a remembered description. Preserve vetted IB gameplay. Do not change the reference game to make another career fit.

2. Gameplay and pacing contract

Keep IB's vetted gameplay, story rhythm, sequence, UX conventions and scoring foundation. Do not force the same question types on every career. Give each profession a believable mix of shared interactions that match its work: UX may evaluate observations, claims, keyboard flow and a presentation; food science may adjust a trial batch, sort variables, notice tasting bias and interpret a result. Reusing one judgment question seven times is not variety.

The current examples use 21 runtime beats for UX and Food Science and 26 for Nursing; these are current career builds, not a fixed length for future games. The current Level 1 contract is `generationTemplate: "ib-narrative-v2"`, with the IB-validated seven scored decisions and narrative/checkpoint rhythm. Start at reputation 50. Each scored decision changes reputation by +6 or -6. There are no strikes. Decision one appears by story screen 3-6. The midpoint follows four scored decisions; checkpoint passes at 68. The final pass threshold is 85. Practice is unscored. Preserve shared feedback, option locking, correction, shuffle, touch/keyboard, sound and progression behavior. Do not carry forward the older fixed 29-lesson/beat list or its exact interaction-kind sequence. Do not invent a second scoring engine.

Start the player doing meaningful work early. Keep general career education in an optional "What Is a [Career]?" lesson outside the game. Avoid unnecessary teaching, transition, title-repeat and operation-instruction screens. The game should establish a real assignment and a first useful action quickly, usually by decision three to six. Every activity needs a story reason, the knowledge needed to act, and a consequence or next step. Carry work state forward; do not say a wrong choice was correct.

Nursing reference timeline

When extending or rebuilding the current nursing Level 1, use its one continuous `RN1-01` to `RN1-26` timeline from early morning to evening. Rosa owns the morning work (beats 4-17); Denise enters for the afternoon (18-20); Tyler and Room 12 are afternoon (21-23); beats 24-26 close in the evening. Reaction art keeps the base camera and time unchanged. Keep the existing work sequence and vary action/camera rather than repeating a centered counter pose. Current nursing shot plan and selected assets are the implementation record; the timing summary here is the continuity rule.

3. Real work, evidence and educational honesty

Research entry-level work using primary sources: official professional standards, government and regulator guidance, primary organization documentation, product manuals and official training materials. Record each source title and URL, the fact it supports, the role's authority and any limit. Distinguish researched facts from fictional training data. A fictional prestigious project may create stakes, but must not imply a real company endorsement or career guarantee.

Give the learner an honest role. Introduce a mentor, authority and colleagues only when they contribute to later work. Avoid repeating the same client, missing-record crisis or peer-misconduct plot across careers. Choose a concrete deliverable and a credible project. Explain the goal and stakes without claiming a junior controls decisions outside their role.

A small test supports only its observed result. Do not turn one UX session into universal usability, a tasting trial into product release approval, or an unverified reading into a clinical recommendation. Do not invent clinical dosages, thresholds, technical limits, legal rules, salaries or release approval. In nursing content, stay within sourced and role-appropriate basics. For example, the Joint Commission's identifier guidance and AHRQ's handoff material can support an identity-check or communication concept; neither authorizes made-up medication values. If evidence is unavailable, say so and design a task that does not need it.

Useful research examples for UX include NN/g's Usability Testing 101 and Task Scenarios for Usability Testing. They support realistic, actionable tasks that do not reveal the answer. For Nursing, use AHRQ PSNet's Handoffs and the Joint Commission's Two Patient Identifiers FAQ. Cite evidence in career briefs and graphics research, not in student copy.

4. Copy and question design

Write American English for a US eighth-grade reader. Prefer common words, direct actions and short sentences. Explain necessary terms where they first appear. These are authoring targets, not a comprehension certificate:

- Title: usually 2-6 words; maximum 10.
- Story body: usually one sentence, around 20 words or fewer.
- Question: one clear instruction, usually 24 words or fewer; include essential facts even if longer.
- Answer options: brief, parallel and specific.
- Feedback: one useful reason, usually 18 words or fewer.

Do not repeat the same instruction in title, subtitle, graphic header and question. The shared control teaches how to operate the interaction; avoid "Sort into buckets" plus "Sort the notes." The question should present one task and its needed facts without asking the player to inspect an optional graphic. Word counts and reading formulas are diagnostics only. Read actual screens for clarity, tone and comprehension.

5. Optional work graphics

Use graphics only when a real work surface adds useful context: a native app screen, rough wireframe, message, notepad, short sample label or relevant monitor. Nursing’s ECG-like context is an example of a career-relevant screen, not a template to reuse everywhere. A graphic is optional atmosphere and context, not another task, evidence gate or hidden answer. Keep it to about 6-14 visible words; avoid dense charts, tables, paragraphs and repeated task labels. Omit a graphic that adds nothing.

All answer facts stay in the game question. The scored question must remain answerable if its graphic is removed. No separate tabs, button clicking, typing, reset, mandatory exploration or embedded playable demo. No decorative vector equipment and no fake live readings or metrics. Only actual game controls accept answers or advance. Use native UI, shared tokens and semantic text where interaction or legibility matters. Provide concise text equivalents and verify at desktop and phone size, including focus order: a decorative asset must not create extra keyboard stops.

Examples already established in the package: the UX AMPLIFY music-app release, the Food Scientist LUMA drink trial, and Nursing’s First Shift. They illustrate career-specific settings and work surfaces. They do not create a rule that a food product needs an arbitrary release-approval screen.

6. Cast identity and character style

Build a varied cast across ethnicity, gender, complexion, age, eye color and hair texture. Avoid assigning one complexion or feature set to an entire ethnicity. Keep older characters visibly older in every shot. Preserve Eleanor's age 60 and Sofia's age 67 with consistent face, hair, posture and age cues. Each person has one canonical identity: face shape and proportions, skin base and undertone, iris color, hairline and texture, age, outfit and identifying details. Reuse that reference in every scene and compare face, neck and hands together under scene lighting.

For the requested Black cast update, make move the Black cast one shade darker in one canonical palette update, then propagate it to every scene and face chip. Keep the shade consistent across the whole cast; do not tune one shot at a time. Preserve skin bases in light and shadow; never crush shadows into black.

Use the approved UX character reference and its flat anime drawing style: thin controlled linework, expressive eyes, small nose mark, short line mouth, flat base color and one broad cel shadow. Hair is built from 4-6 solid masses at most, with no more than two internal separation lines. Avoid glossy strands, painted lips, sculpted cheeks, heavy comic outlines, photoreal skin and 3D rendering. Canonical identity is fixed while expression and pose may change.

Hashes bind a review to the files actually inspected and help identify stale reviews. A hash proves file provenance, not facial identity or visual quality. Reuse the exact saved asset when identical pixels are required; fresh generation cannot promise pixel identity. Record the prompt, source references, selected file, hash and repair history. A changed face or scene requires a new review.

7. Complete-scene art and composition

Generate one complete, opaque painted scene with characters, room, furniture and lighting together. Do not assemble runtime sprites, character cutouts or counter portraits. Never show player arms or hands as foreground cutouts. The player is the camera. A colleague speaking to the player looks toward the lens; an observed conversation may look at its participants. Keep gestures natural and near the body.

Use the UX v3 / approved RN character reference: flat anime, thin lines, one cel shadow, controlled solid hair shapes. Pair it with a luxurious five-star workplace: ivory stone, walnut, brass and thoughtful architecture. Keep environment detail selective and anime-flat, not photoreal. No mirror floors, glossy skin, bloom, fog or unsupported light beams. Lighting should come from plausible windows and practical fixtures. Never shine a beam through a closed door.

For nursing, every window looks onto the same lake, red-roof houses, trees and green hill. Do not substitute a city skyline or parking lot. Keep the established architecture, windows and exterior landmarks. The current sequence moves from early morning to evening without showing sunrise after daytime: Rosa's morning is beats 4-17; Denise, Tyler and Room 12 are afternoon at 18-23; 24-26 are evening. Lighting changes must match plausible window conditions and room fixtures. A reaction variant keeps the base camera and time.

Vary camera and action to fit the moment; avoid making each new beat a centered counter scene. Compose for the actual game overlay: reserve the top 20% for HUD without faces, bottom 38% for dialogue, and place main heads around y=.23-.44. Do not use a zoom or crop at runtime to make art fit. Inspect full compositions and the real desktop/phone UI. Prompt coordinates do not prove the layout works.

8. Build, integrate and test the whole game

Integrate into the shared simulation system and use existing interaction components, scoring, progression, scene rendering and semantic tokens. Avoid career-specific UI controls unless a real mechanic requires them. Create a full source-backed brief, career task mix, beat/script map, cast and room ledgers, artifact mapping, exact prompt records, selected assets, coverage and QA evidence.

Play the complete game end to end through both passing and non-passing outcomes. Check first decision timing, question answerability without graphics, scoring and reputation, checkpoint pass/fail, the midpoint Continue route, mid-act Continue, act transitions, final results, retry and restart. Test every interaction used and all regressions from earlier failures. A missing flag must not strand the player. Each card must auto-advance, expose a checkpoint control or offer Continue. Record actual pass/fail and retry results; mark unrun branches clearly. Do not call QA complete based only on structural validators or a contact sheet.

Run the project’s relevant structural validators, regression tests, TypeScript, scoped lint, token check and production build as required by the repo’s release workflow. Inspect the assembled game on desktop and phone. Test image loading, crops, focus, scrolling and legible controls. Report unsupported browser/device checks as unverified. Human QA should assess career authenticity, learning value, fun, art quality and whether the complete flow feels coherent.

9. Handoff and publication

Deliver a playable QA build, source-backed research brief, script and keys, coverage map, cast and room ledgers, canonical references, prompts, selected art, native graphics, screenshots, actual QA records and open issues. Update this SOP when feedback exposes a reusable failure. Old editions are history, not instructions. A public release follows existing authorization and needs verified live behavior; a local preview is not a live release.

Appendix A. Copy-ready build prompt

Build and deliver one complete Dreamari Level 1 for {CAREER}. Read `output/career-master/master-sop.md`, current user feedback, `AGENTS.md`, `docs/HANDOFF_INDEX.md`, `docs/AI_HANDOFF.md`, the shared simulation engine and the actual Investment Banking Level 1 before writing. If only a career name is supplied, choose sensible defaults and record them. The AI researches, writes, generates, integrates, plays and repairs. The human reviews the finished game; do not require approval of intermediate contact sheets.

Use the vetted IB gameplay, narrative rhythm, sequence, UX and scoring as the foundation. Declare `generationTemplate: "ib-narrative-v2"`. Current UX and Food Science builds use 21 runtime beats; Nursing uses 26. Treat these as current examples, not a required length. Current contract: first meaningful decision by story screen 3-6; seven scored decisions at ±6 from reputation 50; no strikes; midpoint after four scored decisions, threshold 68; final pass 85; practice unscored. Do not impose the obsolete fixed 29-beat lesson list or exact interaction-kind sequence. Keep career task types authentic and varied. Preserve the shared engine; do not change IB to fit the career.

Research entry-level work with primary sources. Choose an exciting, prestigious fictional project with a concrete deliverable, credible stakes, honest junior authority, and a distinct work story. Introduce only colleagues who contribute later. Keep optional career education outside the game. Avoid invented clinical values, dosages, safety thresholds, legal or technical rules, salary claims and approval. A small test supports only its observed result.

Write US English for eighth-grade comprehension. Use one task and one instruction; remove redundant lesson, title, transition and operation screens. Aim for title 2-6 words (max 10), body one sentence around 20 words, one question/instruction around 24 words, brief parallel options, and feedback around 18 words. Keep every scored question self-contained and answerable when its graphic is removed. Reading scores are diagnostics, not proof.

Research work surfaces with `work-graphics-research-prompt.txt`. Use `artifact-master-prompt.txt` for optional native context graphics: about 6-14 words, no tabs/clicking/typing/reset, no hidden evidence, no dense graphs, and no answer facts that are missing from the question. Only real game controls interact. Use shared native renderers and test desktop and phone.

Use `art-master-prompt.txt` for complete opaque anime scenes. Cast should vary ethnicity, gender, complexion, age and hair/eye traits; fix one canonical identity per person and keep older characters visibly older; Eleanor (60) and Sofia (67) retain consistent age cues in every shot. For the requested Black-cast update, move the cast one shade darker in one canonical palette change and propagate it to every scene and face chip; do not crush shadows into black. Flat anime with thin lines, one cel shadow, and blonde hair in no more than four broad solid masses with at most two internal hairlines. No runtime sprites, counter cutouts or player arms. Five-star ivory/walnut/brass architecture with selective anime-flat detail, not photorealism. Compose for the real UI: top 20% and bottom 38% clear of faces, heads around y=.23-.44. No runtime zoom/crop.

For Nursing, keep `RN1-01` to `RN1-26` on one early-morning-to-evening timeline. Rosa beats 4-17 morning; Denise 18-20 afternoon; Tyler and Room 12 21-23 afternoon; 24-26 evening. All windows show the same lake, red-roof houses, trees and green hill. No city or parking lot. Use plausible window/practical lighting, never beams through closed doors. Reaction variants retain the base camera and time. Vary new action/camera; do not center every beat at a counter.

Integrate into the shared player and test actual rendered scenes. Play all the way through passing and non-passing paths. Verify scoring, checkpoint, mid-act Continue, second-act transition, final result, retry, restart, each used interaction and regressions. No dead ends. Test desktop and phone composition, controls, image loading and question answerability without graphics. Run relevant validators, tests, TypeScript, scoped lint, tokens and production build per repo workflow. Record actual evidence and clearly name unrun checks. Contact sheets may inform internal AI repair; integrate the repaired result and leave only final human QA.

Deliver the playable QA game, research brief with source links and limits, script/keys, task and scene coverage, cast/room ledgers, canonical references, exact prompts, selected assets, graphic mappings, screenshots, end-to-end pass/fail/retry records and open QA issues. Update the SOP when new feedback creates a reusable rule. Publication requires existing user authorization and verified live behavior.

Appendix B. Copy-ready complete-scene art prompt

DREAMARI COMPLETE ANIME SCENE

Career / beat: {CAREER, BEAT_ID} Story action: {ACTION} Location / canonical camera: {LOCATION_AND_CAMERA} Time / plausible light: {TIME, WINDOW_DIRECTION, PRACTICALS} Visible cast: {NAMES_AND_FIXED_IDENTITIES} Drawing reference: {APPROVED UX v3 / RN CHARACTER REFERENCE} Identity references: {ONE CANONICAL FACE AND COLOR CROP PER PERSON} Room reference: {SELECTED COMPLETE SCENE} Allowed edit: {EXACT CHANGE OR NEW CAMERA} Output: {DIMENSIONS, FILE_ID}

Paint one complete, opaque 2D anime scene with people, room, furniture and lighting together. The runtime uses this full scene as one background image. Never create separate sprites, character cutouts, counter portraits, unfinished bodies hidden by HUD, or player arms/hands in the foreground. The player is the camera. A person addressing the player looks toward the lens; observed conversations may look at each other. Keep gestures natural and near each character's body.

Match the approved character style: thin controlled outlines, expressive anime eyes, small nose mark, short line mouth, flat base color and one broad cel shadow. Hair is a few solid masses; blonde hair uses no more than four broad solid masses and no more than two internal hairlines. No glossy strands, painted lips, sculpted cheeks, heavy comic outlines, photoreal skin or 3D.

Maintain each canonical identity in every shot: age, face proportions, skin base and undertone, iris color, brows, hairline and texture, outfit and identifying details. Keep older characters visibly older. Eleanor (60) and Sofia (67) retain clear, consistent age cues in every shot. Keep face, neck and hands consistent under scene light. For the requested Black-cast update, move the cast one shade darker in one canonical palette change and propagate it to every scene and face chip. Keep the shade consistent; preserve skin bases under light and shadow, with no crushed-black shadows.

Create luxurious five-star architecture suited to the real workplace: ivory stone, walnut joinery, brass trim, considered ceilings and beautiful functional furniture. Environment rendering stays selective and anime-flat. No photographic detail, mirror floors, glossy skin, bloom, haze or beams from closed doors. Light should come from plausible windows and practical fixtures.

For Nursing, every window shows the same lake, red-roof houses, trees and green hill. Never substitute a city or parking lot. Preserve room geography, window placement, furniture and exterior. The established RN timeline is early morning through evening; daytime must not become sunrise. Rosa beats 4-17 are morning, Denise 18-20 and Tyler/Room 12 21-23 are afternoon, and 24-26 are evening. Use plausible window and practical light. Reaction art keeps the exact base camera and time.

Compose for the actual game UI: keep the top 20% clear of faces for HUD; keep the bottom 38% clear of faces for dialogue; place main heads around y=.23-.44. Complete bodies, chairs, hands and floor beneath UI areas. Make camera and action fit the beat; avoid a repeated centered-counter template. Do not rely on runtime zoom or crop to make the image fit. Prompt dimensions are not verification; inspect the assembled desktop and phone screens.

Reuse the saved image when identical pixels are required. Fresh generation cannot promise pixel identity. Record source references, full prompt, selected filename, file hash and QA status. Hashes prove provenance, not facial identity or visual quality. Compare every recurring character with the canonical crop and compare room geography and actual UI. Repair drift before integration; repeat visual review after edits. The internal contact sheet is a QA aid, not a human approval gate.

Appendix C. Copy-ready native work-graphic prompt

OPTIONAL NATIVE WORK GRAPHIC

Career / beat: {CAREER, BEAT_ID} Project: {PROJECT} Work surface: {REAL APP, MESSAGE, SHORT NOTE, LABEL OR RELEVANT MONITOR} Purpose in the scene: {ATMOSPHERE OR CONTEXT} Source and limits: {PRIMARY SOURCE, FACT SUPPORTED, ROLE AUTHORITY, FICTIONAL VALUES} Native implementation: {SHARED RENDERER / TOKENS}

Create a small optional context visual for a real work surface used by an entry-level {CAREER}. It may be an app screen, rough wireframe, short message, concise notepad, sample label or relevant monitor. It adds atmosphere and context. Nursing's ECG-like display is one career-specific example, not a template. If the visual adds no useful context, omit it.

Use about 6-14 visible words, strong hierarchy and enough whitespace to read at game size. Avoid dense graphs, tables, paragraphs, repeated task titles, equipment drawings and long notes. Make a UX interface look like a real UI; make a wireframe visibly rough. Do not make decoration look like a live measurement.

The question contains every fact needed to answer. The visual is not a second task, hidden clue, answer key or evidence gate; removing it cannot change the correct answer. Do not invent clinical readings, dosages, safety thresholds, technical limits or release approval. Mark fictional training values as fictional when needed.

Implement with native HTML/CSS/text, semantic tokens and a shared renderer. No embedded independent buttons, tabs, typing, reset, mandatory exploration or playable demo. Only actual game controls accept answers or advance. Do not create extra focus targets. Supply a concise text equivalent and scene mapping. Verify legibility, focus behavior and lack of duplicated copy on desktop and phone. Record the source, supported fact and limits. The final human reviews the assembled game; no intermediate approval gate.

Appendix D. Copy-ready work-graphics research prompt

Research authentic work surfaces for {CAREER}, an entry-level role, and {FICTIONAL PROJECT}.

Use primary sources: official standards and regulator material, government sources, professional bodies, first-party product documentation, manuals and official training resources. Find the screens, files, messages, labels and devices a person in this role actually uses. For every source, record title, URL, retrieval date, the specific fact it supports, role authority and limits. Separate verified work facts from fictional teaching values.

Choose only a few optional graphics that make the setting feel real. A UX app screen can fit an AMPLIFY music-app release; a clean sample label can fit a LUMA drink trial. A nursing ECG-like monitor can provide scene context. These are examples, not required quotas or reusable career-neutral props. Do not add an arbitrary food-product release-approval step.

Graphics are optional context, not required evidence. Keep each around 6-14 visible words. Avoid dense reports, graphs, tables and notes that require decoding. All answer facts belong in the actual game question, which must remain answerable if the graphic is removed. Do not invent measurements, dosages, safety limits, live readings or approvals. No independent interaction or hidden clue.

Save `work-graphics-research.json` and `work-surface-plan.json` with source-backed facts, role authority and limits, chosen surface or reason for none, concise visual brief, story state, and proof that the question works without the visual. Implement using `artifact-master-prompt.txt`. Test the assembled screen at desktop and phone size, including focus order and legibility. Cite research in the production brief; keep source citations out of student-facing copy.

Appendix E. Approved art-style references

UX v3 arrival



Character and environment style reference.

Nursing morning



Rosa at the station; morning scene composition.

Investment Banking office



Christina presents; office scene reference.

References

- Nielsen Norman Group, Usability Testing 101.
- Nielsen Norman Group, Task Scenarios for Usability Testing.
- AHRQ Patient Safety Network, Handoffs.
- The Joint Commission, Two Patient Identifiers - Understanding The Requirements.