You are logged in as a temporary admin user. To harden security, create a permanent admin account and delete the temporary one.

LDAP

Enabled

Action

Settings | Mappers

General options

UI display name * : acme-ldap

Vendor * : Other

Connection and authentication settings

Connection URL * : ldap://openldap:389

Enable StartTLS : Off

Use Truststore SPI : Always

Connection pooling : On

Connection timeout :

Save Cancel

Test connection

Bind type * : simple

Bind DN * : cn=admin,dc=acme,dc=local

Bind credentials * : ••••••••••

Test authentication

LDAP searching and updating

Edit mode * : READ_ONLY

Users DN * : ou=people,dc=acme,dc=local

Relative user creation DN :

Username LDAP

Save Cancel

UUID LDAP attribute * : entryUUID

User object classes * : inetOrgPerson, organizationalPerson

User LDAP filter :

Search scope : One Level

Read timeout :

Pagination : On

Referral :

Synchronization settings

Import users : On

Save Cancel

Batch size :

Periodic full sync : Off

Periodic changed users sync : Off

Remove invalid users during searches : On

Kerberos integration

Allow Kerberos authentication : Off

Use Kerberos for password authentication : Off

Cache policy : DEFAULT

Advanced settings

Enable the LDAPv3 password modify extended operation : Off

Validate password policy : Off

Enable LDAP password policy : Off

Trust Email : Off

Connection trace : Off

Query Supported Extensions

Save Cancel

Jump to section

General options

Connection and authentication settings

LDAP searching and updating

Synchronization settings

Kerberos integration

Cache settings

Advanced settings