


Experiment: 10 5G Network Slicing Environment Using MATLAB

Objective – 1 :

MATLAB Code:

```
clc;
clear;
close all;
slices = {'eMBB','URLLC','mMTC','Private','IoT'};
count = [1 1 1 1 1];
figure
bar(count)
% One instance of each network slice
grid on
set(gca,'XTickLabel',slices)
xlabel('Network Slice Type')
ylabel('Number of Network Slices')
title('Number of Configured 5G Network Slices')
```

OUTPUT




Objective – 2 :

MATLAB Code:

```
clc;
clear;
close all;
slices = categorical({'eMBB','URLLC','mMTC','Private','IoT'});
utilization = [85 70 60 75 50];
figure;
bar(slices, utilization);
grid on;
xlabel('Network Slice Type');
ylabel('Slice Utilization (%)');
title('Slice Utilization in 5G Network Slicing');
ylim([0 100]);
```

OUTPUT



Objective – 3 :

MATLAB Code:

```
clc;
clear;
close all;
slices = [1 2 3 4 5];
latency = [25 5 40 15 60];
figure;
plot(slices, latency, '-o','LineWidth',2,'MarkerSize',8);
grid on;
xticks(slices);
xticklabels({'eMBB','URLLC','mMTC','Private','IoT'});
xlabel('Network Slice Type');
ylabel('End-to-End Latency (ms)');
title('5G Network Slicing: End-to-End Latency');
ylim([0 70]);
```

OUTPUT

