

USER MANUAL

Operations and Usage Guide

Project: VOO Ward Citizen Engagement Platform

Version: 2.0.0

Date: April 2, 2026

USER MANUAL

VOO Ward Citizen Engagement Platform

Project Name: VOO Ward (Kyamatu Ward) Citizen Engagement Platform

Version: 2.0.0

Date: April 2, 2026

Document Type: User Manual

1. Introduction

1.1 Platform Description

The VOO Ward platform is an integrated citizen engagement architecture developed for Kyamatu Ward. It facilitates interactions between residents and administrative staff through four structured channels:

- **USSD:** Accessible via standard cellular devices.
- **Mobile Application:** A dedicated software application for smartphone environments.
- **WhatsApp:** A conversational text-based interface.
- **Web Portal:** Browser-accessible secure dashboard routing.

1.2 User Classifications

- **Citizen User:** Residents utilizing the public access channels.
- **Administrator (PA):** Appointed staff managing system resources and data pipelines.
- **Super Administrator (MCA):** Primary authority governing system control and personnel administration.

1.3 Permitted Operations

Users interacting with the system may perform the following structured actions:

- Constituent registration data entry.
- Infrastructure and civil issue reporting.
- Retrieval of administrative announcements.
- Submission and tracking of ward-allocated bursary applications.

- Review of active district projects.
-

2. Getting Started

2.1 USSD Initialization

Requirements: An active SIM card on a compatible telecommunications network.

1. Initiate a call to the specified short code (e.g., *384#).
2. The initial prompt requests a language selection parameter.
3. Select English, Swahili, or Kamba.
4. Input the corresponding number values to navigate the resulting directory trees.

2.2 Mobile Application Initialization

Requirements: Android or iOS environment.

1. Deploy the designated application software directly to the device.
2. Initialize the application.
3. Complete the authentication loop by submitting the device phone number and inputting the returned One-Time Password (OTP).

2.3 Administration Initialization

Requirements: Modern web browser with internet access.

1. Navigate to the defined administration uniform resource locator (URL).
 2. Authenticate using the assigned username parameter and the corresponding 6-digit numeric Personal Identification Number (PIN).
 3. Session limits terminate connections after 30 minutes of inactivity.
-

3. USSD Service Guide

3.1 Primary Menu Hierarchy

Following language selection, the root directory outlines the primary functions:

1. Register
2. Report Issue
3. Announcements
4. Projects

0. Exit

3.2 Registration Protocol

1. Provide the input value **1** at the root menu.
2. Input the legal full name parameter.
3. Input the primary National Identification Number.
4. A network confirmation details the completion of the registration process.

3.3 Issue Reporting Protocol

1. Provide the input value **2** at the root menu.
2. Input a textual description outlining the scope of the administrative issue.
3. A confirmation value containing a categorical ticket number is returned.

3.4 Navigation Instructions

Use the value **0** to regress to previous directory layers.

Use the value **00** to instantly return to the root menu.

4. Mobile Application Guide

4.1 Interface Layout

Following the authorization loop, the primary user interface presents operational modules:

- Issue Reporting
- Issue Tracking
- Administrative Announcements
- Bursary Status Verification
- Voter Registration Data Collection

4.2 Issue Data Entry

1. Select the Issue Reporting module.
2. Categorize the issue using the strict drop-down selection parameters.
3. Provide descriptive textual data.
4. Capture or upload applicable media evidence.
5. Location vectors are captured automatically if permitted by the operating system.

6. Submit the data payload to retrieve an alphanumeric tracking ticket.

4.3 Bursary Monitoring Processing

1. Select the Bursary verification module.
 2. The interface retrieves specific relational data bound to the authorizing phone number.
 3. View current assessment statuses (Pending, Approved, Rejected) and read linked administrative notations.
-

5. WhatsApp Service Guide

5.1 Communication Protocols

1. Initiate contact with the defined institutional WhatsApp identifier number.
 2. A language selection gateway requires a numeric response (1, 2, or 3).
 3. A secondary directory restricts actionable commands to numeric parameters.
 4. Follow standard systemic prompts to submit string data or media files for issue diagnostics.
-

6. Administration Dashboard Guide

6.1 Administrator Capabilities (PA)

System administrators review aggregated datasets to perform the following oversight parameters:

- **Announcements:** Generate and categorize public textual broadcasts. Ensure priority markers are accurately assigned.
- **Issues:** Alter the resolution tags linked to individual citizen tickets. Add internal notation strings.
- **Bursaries:** Alter the application status of specific financial requests. Document the decision parameters.
- **Data Exportation:** Compress active tables into Comma-Separated Values (CSV) formats for analytical modeling.

6.2 Super Administrator Capabilities (MCA)

The primary authority identifier retains all PA capabilities and implements the following constraints:

- **Identity Verification:** Review citizen registration data and toggle the active verification boolean values.
- **Personnel Enforcement:** Authorize or terminate secondary Administrator (PA) credentials.

7. Citizen Portal Guide

The backend infrastructure exposes endpoints for direct HTTP integration. All data must adhere to strict payload boundaries outlined in the core API design schema. Initial handshake operations require OTP implementation resulting in the allocation of a time-limited JSON Web Token.

8. Troubleshooting Data

8.1 Systemic Resolutions

- **Connection Terminations:** Prolonged inactivity disconnects USSD and Administrative sessions. Re-authenticate standard credentials.
- **Authentication Failures:** Five concurrent incorrect login assessments temporarily suspend account access parameters for fifteen minutes.
- **Application Anomalies:** Application failures resulting from internal data latency should resolve within standardized retry windows. Ensure devices maintain a robust network signal strength prior to establishing contact protocols.

End of Document