

# DAY-3

## Test-1

Selenium IDE - project 1

Project: project 1

Tests +

Search tests...

https://demo.opencart.com/index.php?route=checkout/voucher&language=en-gb

Command	Target	Value
1 open	/	
2 set window size	1382x784	
3 click	linkText=Desktops	
4 click	linkText=Mac (1)	

Command: open / #

Target: https://demo.opencart.com

Value:

Description:

Log Reference

- 1. open on / OK 11:34:38
- 2. setWindowSize on 1382x784 OK 11:34:38
- 3. mouseOver on linkText=Desktops OK 11:34:38
- 4. mouseOut on linkText=Desktops OK 11:34:41
- 5. click on linkText=Desktops OK 11:34:42
- 6. click on linkText=Mac (1) OK 11:34:43

\*Test-1\* completed successfully 11:34:44

## Test-2

Selenium IDE - project 1

Project: project 1

Tests +

Search tests...

https://demo.opencart.com/index.php?route=checkout/voucher&language=en-gb

Command	Target	Value
1 open	/	
2 set window size	1382x784	
3 click	linkText=Phones & PDAs	
4 click	linkText=HTC Touch HD	
5 store text	css=h1	test-2
6 echo	\$[test-2]	

Command: open / #

Target: /

Value:

Description:

Log Reference

- 1. open on / OK 11:56:53
- 2. setWindowSize on 1382x784 OK 11:56:53
- 3. click on linkText=Phones & PDAs OK 11:56:53
- 4. click on linkText=HTC Touch HD OK 11:56:56
- 5. storeText on css=h1 with value test-2 OK 11:56:58
- 6. echo: HTC Touch HD 11:57:00

\*Test-2\* completed successfully 11:57:00

## Test-3

Selenium IDE - project 1

Project: project 1

Tests +

Search tests...

https://demo.opencart.com/index.php?route=checkout/voucher&language=en-gb

Command	Target	Value
1 open		
2 execute script	return window.location.href	t1
3 assert	t1	https://demo.opencart.com/

Command open #

Target

Value

Description

Log Reference

Running "Test-3"

1. open OK 15:37:51

2. executeScript on return window.location.href with value t1 OK 15:37:53

3. assert on t1 with value https://demo.opencart.com/ OK 15:37:56

"Test-3" completed successfully 15:37:57

Running "Test-5"

1. open on https://demo.opencart.com/index.php?route=checkout/voucher&language=en-gb OK 16:41:30

## Test-4

Selenium IDE - project 1

Project: project 1

Tests +

Search tests...

https://demo.opencart.com/index.php?route=checkout/voucher&language=en-gb

Command	Target	Value
1 open	/	
2 set window size	1382x784	
3 click	linkText=Phones & PDAs	
4 click	linkText=HTC Touch HD	
5 click	id=button-cart	
6 assert element present	id=alert	

Command open #

Target /

Value

Description

Log Reference

1. open on / OK 14:37:42

2. setWindow Size on 1382x784 OK 14:37:42

3. click on linkText=Phones & PDAs OK 14:37:42

4. click on linkText=HTC Touch HD OK 14:37:44

5. click on id=button-cart OK 14:37:46

6. assertElementPresent on id=alert OK 14:37:48

"Test-4" completed successfully 14:37:49

Test-5

Selenium IDE - project 1

Project: project 1

Tests +

Search tests...

https://demo.opencart.com/index.php?route=checkout/voucher&language=en-gb

	Command	Target	Value
✓ Test-1	✓ open	https://demo.opencart.com/index.php?route=checkout/voucher&language=en-gb	
✓ Test-2	✓ assert not text	id=input-amount	1
✓ Test-3	✓ click	id=input-amount	
✓ Test-4	✓ click	name=agree	
✓ Test-5	✓ click	css=btn-primary	

Commandopen

Targethttps://demo.opencart.com/index.php?route=checkout

Value

Description

LogReference

Running "Test-5"

1. open on https://demo.opencart.com/index.php?route=checkout/voucher&language=en-gb OK

2. assertNotText on id=input-amount with value 1 OK

3. click on id=input-amount OK

4. click on name=agree OK

5. click on css=btn-primary OK

"Test-5" completed successfully

15:48:04

15:48:05

15:48:05

15:48:07

15:48:08

15:48:09

15:48:10