Cucumber Report

Start : Apr 23, 8:25:45.469 am	End : Apr 23, 8:25:58.428 am	Duration : 12.959 s
Features	Scenarios	Steps
PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 5 FAILED - 0 SKIPPED - 0

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Login feature	*12.959 s*	*1*	*1*	*0*	*0*	*5*	*5*	*0*	*0*

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@login	1	1	0	0	1	1	0	0
@invalid	1	1	0	0	1	1	0	0

#	Feature Name	T	P	F	S	Duration
1	Login feature	1	1	0	0	12.959 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login feature	verify that user can able to login with invalid userid	5	5	0	0	12.956 s

Login feature

PASSED	DURATION - 12.959 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 8:25:45.469 am // 8:25:58.428 am /					

verify that user can able to login with invalid userid

PASSED	DURATION - 12.956 s		Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 8:25:45.472 am // 8:25:58.428 am /				
Login feature				
@login @invalid				

#	Step / Hook Details	Status	Duration
1	Given verify that user navigate to right applictaion	PASSED	0.020 s
2	And user enter the invalid userid as "mnr486474"	PASSED	0.760 s
3	And user enter the password as "bemajat"	PASSED	0.116 s
4	Then user clicks the login button	PASSED	0.511 s
5	And verify that user get a alert message and accept and return to loginpage	PASSED	0.015 s
	AFTER - hooks.myhooks.screenshot(io.cucumber.java.Scenario) verify that user can able to login with invalid userid 	PASSED	1.235 s