KRIPYA TECHNICAL EVALUATION · INFRASTRUCTURE MANAGEMENT TOOL

Infra Portal

A self-service portal for requesting servers on Proxmox VE and AWS

Muthu · October 2026 · github.com/Muthujar/infra-portal

THE PROBLEM

Getting a server today means a ticket and a wait

- A developer raises a ticket and waits days for the DevOps team.
- Servers are built by hand, so no two are quite the same.
- There is no single record of who asked for what, who approved it, and what was built.
- Test servers are forgotten and keep using capacity.

Goal: a catalog, an approval step and automation, in the spirit of VMware vRealize Automation (Aria).

THE SOLUTION

Four steps from request to ready server

1 · DEVELOPER

Request

Picks a server from the catalog, names it, chooses DEV / QA / PROD and a lease.

2 · API

Check

Validates input, checks the team quota and saves the request with an audit entry.

3 · TEAM LEAD

Approve

Approves DEV/QA for the team. PROD needs an admin. Terraform code is generated.

4 · WORKER


Build

Runs Terraform, then the AWX (Ansible) job. The UI shows every status live.

Every change is recorded in the audit log. Servers with a lease are deleted automatically when it ends.

ARCHITECTURE


API, queue and worker keep slow work out of the web request



React UI · Node.js + Express API · PostgreSQL (Prisma) · Redis + BullMQ queue · worker with pluggable provisioner (mock / local Terraform / GitLab CI) and configurator (mock / AWX)

REQUEST LIFE CYCLE


One state machine controls every status change




- Only allowed moves are accepted. A rejected request can never be built.
- The update succeeds only if the status has not changed meanwhile, so two approvers or two workers cannot act at once.
- Each change writes who, when, from and to into the audit log.

DEMO · REQUEST AND APPROVE

Catalog with team quota, and the approval queue




Developer: catalog and remaining team quota




Team lead: approve or reject with a comment

DEMO · PROVISIONING

Live status, timeline and the generated Terraform



Creating the server: progress bar, timeline, main.tf



Failure path: error, log, Retry and Decommission

GOVERNANCE

Who can do what, and what it costs

Roles (RBAC)

Requester, approver, admin. Nobody approves their own request. PROD needs an admin. Requesters see only their own requests.

Team quotas

CPU, RAM and disk limits per team, checked on request, on approval and on retry. Admins edit them.

Audit log

Every action with actor, time and status change. Visible on each request and in full to admins.

Leases

7, 30 or 90 days or no expiry. The worker deletes expired servers every minute; owners can extend.

Secrets

Proxmox and AWS credentials go to Terraform as environment variables, never into main.tf or the database.

Validation

Every input is checked with Zod: hostname format, unique names, sizes, comments.

HONEST SCOPE

What is real and what is simulated

PART	STATUS	SWITCH
UI, API, database, RBAC, quotas, approvals, leases, audit, queue, worker	Real	always on
Terraform generation (Proxmox LXC, AWS EC2)	Real	validated in CI
Creating containers in Proxmox VE	Real	PROVISIONER=local
AWS EC2 apply	Validate only	AWS_APPLY_ENABLED=true
GitLab CI pipeline	Mock in demo	PROVISIONER=gitlab
AWX / Ansible job	Mock in demo	CONFIGURATOR=awx
SAML / LDAP login	Not built	next step: Keycloak

QUALITY

Tested and checked on every push

- **34 automated tests** (Vitest + Supertest) on a real PostgreSQL database
- Full life cycle, approval rules, validation, quotas, leases, state machine, Terraform generator, GitLab connector
- Connector pattern: the same tests run the worker steps with the mock provisioner

- **GitHub Actions CI**, four jobs:
  - backend: typecheck, tests, build
  - frontend: lint, build
  - terraform: fmt + validate of the generated files
  - docker: compose up, then a smoke test drives a request to Ready

NEXT STEPS FOR PRODUCTION

From prototype to a real platform

- Single sign-on with SAML / LDAP (Keycloak or Active Directory), directory groups mapped to roles
- Remote Terraform state (GitLab or S3) instead of local folders
- Secrets in a vault (HashiCorp Vault, AWS Secrets Manager)
- Email or Slack notifications on approval, completion and before a lease ends
- Run the real GitLab pipeline and AWX job template against the company's own instances

Setup and demo: README.md · docs/setup-windows-proxmox.md · docs/demo.md · docs/architecture.md