Status	Finished
Started	Saturday, 17 October 2026, 9:13 PM
Completed	Saturday, 17 October 2026, 9:18 PM
Duration	5 mins 4 secs
Grade	**13.00** out of 15.00 (**86.67**%)

Question **1**

Correct

Mark 1.00 out of 1.00

Which function/statement delete the dictionary from the memory?

a. pop

b. del ✓

c. clear

d. delete

Question **2**

Correct

Mark 1.00 out of 1.00

Write the output of the following codes.

>>>dl={1:10,2:20,3:30,4:40, 5:50}

>>>dl.items ()

a. Error

b. [(1, 10), (2, 20), (3, 30), (4, 40), (5, 50)] ✓

c. [10, 20, 30, 40, 50]

d. [1, 2, 3, 4, 5]

Question **3**

Correct

Mark 1.00 out of 1.00

Which of the following are true of Python dictionaries:

a) All the keys in a dictionary must be of the same type.

b) Items are accessed by their position in a dictionary.

c) A dictionary can contain any object type except another dictionary.

d) Dictionaries can be nested to any depth.

e) Dictionaries are mutable.

f) Dictionaries are accessed by key.

- a. a,b
- b. d,e,f ✓
- c. c,d,e
- d. b,c

Question **4**

Incorrect

Mark 0.00 out of 1.00

Only values (without keys) can be printed in dictionary?

- a. False ✗
- b. True

Question **5**

Correct

Mark 1.00 out of 1.00

Key – value concept is in ____.

a. String
b. Tuple
c. Dictionary ✓
d. List

Question **6**

Incorrect

Mark 0.00 out of 1.00

Which statement is used to create an empty dictionary?

a. d1 = { }
b. d1 = dict{ } ✗
c. d1 = 
d. d1 = [ ]

Question **7**

Correct

Mark 1.00 out of 1.00

In dictionary Keys and values are separated by ____.

a. dot(.)
b. Comma(,)
c. Colon (:) ✓
d. Semicolon(;)

Question **8**

Correct

Mark 1.00 out of 1.00

Which one of the following is correct?

a. A dictionary can have two same keys or same values but cannot have two same key-value pair

b. A dictionary can have two same keys with different values.

c. A python, a dictionary can neither have two same keys nor two same values.

d. A dictionary can have two same values with different keys. ✓

Question **9**

Correct

Mark 1.00 out of 1.00

What will be the output of the following Python code snippet?

```
a={}
a['a']=1
a['b']=[2,3,4]
print(a)
```

a. ✓
{'b': [2, 3, 4], 'a': 1}

b. Error

c. {'b': [2], 'a': [3]}

d. {'b': [2], 'a': 1}

Question **10**

Correct

Mark 1.00 out of 1.00

Write a statement to retrieve the value corresponding to the key 7 in dictionary 'D1'.

a. D1.disp(7)
b. D1.values(7)
c. D1.pop(7)
d. D1.get(7) ✓

Question **11**

Correct

Mark 1.00 out of 1.00

1,2,3 are the ____ in the following dictionary. D = {1 : "One", 2 : "Two", 3 : "Three"}

a. Keys ✓
b. Values
c. None of the mentioned
d. Items

Question **12**

Correct

Mark 1.00 out of 1.00

Which one of the following is correct?

a. A python, a dictionary can neither have two same keys nor two same values.
b. A dictionary can have two same keys or same values but cannot have two same key-value pair
c. A dictionary can have two same values with different keys. ✓
d. A dictionary can have two same keys with different values.

Question **13**

Correct

Mark 1.00 out of 1.00

Choose the correct statement, in reference to the following code: D1.update(D2) #D1 and D2 are dictionaries

a. It will merge all the elements of dictionary 'D1' in dictionary 'D2'.
b. It will create a new dictionary.
c. It will merge all the elements of dictionary 'D2' in dictionary 'D1'. ✓
d. None of the mentioned

Question **14**

Correct

Mark 1.00 out of 1.00

Which function helps to merge dictionary 'D1' and 'D2'?

a. merge
b. get
c. update ✓
d. append

Question **15**

Correct

Mark 1.00 out of 1.00

Traversing a dictionary can be done using ____.

a. None of the mentioned
b. loop ✓
c. jump statement
d. if statement