

```

2 rows in set (0.01 sec)

mysql> select * from Faculty;;
+-----+-----+-----+-----+-----+
| FacNo | FacName | Gender | DOB      | DOJ      | MobileNo |
+-----+-----+-----+-----+-----+
| 12    | NewName | f      | 2023-10-12 | 2022-01-23 | 9999999999 |
+-----+-----+-----+-----+-----+
1 row in set (0.01 sec)

ERROR:
No query specified

mysql> select * from Department;
+-----+-----+-----+
| DeptNo | DeptName | DeptHead |
+-----+-----+-----+
| a112   | cse      | amb     |
| a232   | it       | mut     |
+-----+-----+-----+
2 rows in set (0.00 sec)

mysql> select * from faculty
      -> where SemNo between 2 and 3;
ERROR 1054 (42S22): Unknown column 'SemNo' in 'where clause'
mysql> select * from Course
      -> -> where SemNo between 2 and 3;
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near
mysql> ERROR 1054 (42S22): Unknown column 'SemNo' in 'where clause'
      -> ;
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near
're clause'' at line 1
mysql> SELECT *
      -> FROM Course
      -> WHERE SemNo BETWEEN 2 AND 3;
+-----+-----+-----+-----+-----+-----+-----+
| CourseNo | Course   | CourseDesc | CourseType | SemNo | HallNo | FacNo |
+-----+-----+-----+-----+-----+-----+-----+
| c00      | computer  | yrdrd     | o          | 2      | h01    | mary   |
| c01      | commerce  | yrdrd     | 1          | 3      | h01    | john   |
+-----+-----+-----+-----+-----+-----+-----+
2 rows in set (0.00 sec)

mysql> select *
      -> from course
      -> where CourseNo in(c00);
ERROR 1054 (42S22): Unknown column 'CourseNo' in 'where clause'
mysql> SELECT *
      -> FROM course
      -> WHERE CourseNo IN ('c00');
ERROR 1054 (42S22): Unknown column 'CourseNo' in 'where clause'
mysql> SELECT *
      ->      FROM course
      ->      WHERE CourseNo IN ('c00');
+-----+-----+-----+-----+-----+-----+
| CourseNo | Course   | CourseDesc | CourseType | SemNo | HallNo | FacNo |
+-----+-----+-----+-----+-----+-----+-----+

```

```

mysql> select * from Department;
+-----+-----+-----+
| DeptNo | DeptName | DeptHead |
+-----+-----+-----+
| a112   | cse      | amb     |
| a232   | it       | mut     |
+-----+-----+-----+
2 rows in set (0.00 sec)

mysql> UPDATE Faculty
      -> SET MobileNo = '9999999999', FacName = 'NewName'
      -> WHERE FacNo = 12;
Query OK, 1 row affected (0.00 sec)
Rows matched: 1  Changed: 1  Warnings: 0

mysql> select * from Faculty;
+-----+-----+-----+-----+-----+
| FacNo | FacName | Gender | DOB      | DOJ      | MobileNo |
+-----+-----+-----+-----+-----+
| 12    | NewName | f      | 2023-10-12 | 2022-01-23 | 9999999999 |
| 123   | mut     | m      | 2023-10-12 | 2022-01-23 | 9261371514 |
+-----+-----+-----+-----+-----+
2 rows in set (0.00 sec)

mysql> update Faculty
      -> set FacName = 'vij',MobileNo='888888888'
      -> where FacNo=123;
ERROR 3819 (HY000): Check constraint 'CHK_MobileNo_Length' is violated.
mysql> update Faculty set FacName = 'vij',MobileNo='8888888888' where FacNo=123;
Query OK, 1 row affected (0.00 sec)
Rows matched: 1  Changed: 1  Warnings: 0

mysql> select * from;
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near '' at line 1
mysql> select * from Faculty;
+-----+-----+-----+-----+-----+
| FacNo | FacName | Gender | DOB      | DOJ      | MobileNo |
+-----+-----+-----+-----+-----+
| 12    | NewName | f      | 2023-10-12 | 2022-01-23 | 9999999999 |
| 123   | vij     | m      | 2023-10-12 | 2022-01-23 | 8888888888 |
+-----+-----+-----+-----+-----+

```

```

mysql> select * from Course;
+-----+-----+-----+-----+-----+-----+-----+
| CourseNo | Course | CourseDesc | CourseType | SemNo | HallNo | FacNo | CourseMark |
+-----+-----+-----+-----+-----+-----+-----+
| c00 | computer | yrdrd | o | 2 | h01 | mary | 98 |
| c01 | commerce | yrd | 1 | 3 | h01 | john | 97 |
+-----+-----+-----+-----+-----+-----+-----+
2 rows in set (0.00 sec)

mysql> insert into Course(CourseNo,Course,CourseDesc,CourseType,SemNo,HallNo,FacNo,CourseMark) values
-> ();
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near '' at
mysql> desc Course;
+-----+-----+-----+-----+-----+-----+-----+
| Field | Type | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| CourseNo | varchar(3) | NO | PRI | NULL |
| Course | varchar(255) | YES | | NULL |
| CourseDesc | varchar(14) | YES | | NULL |
| CourseType | char(1) | YES | | NULL |
| SemNo | char(1) | YES | | NULL |
| HallNo | varchar(4) | YES | | NULL |
| FacNo | varchar(4) | YES | | NULL |
| CourseMark | int | YES | | NULL |
+-----+-----+-----+-----+-----+-----+
8 rows in set (0.01 sec)

mysql> insert into Course(CourseNo,Course,CourseDesc,CourseType,SemNo,HallNo,FacNo,CourseMark) values
-> ('c02','science','yr','2','4','h02','viv',87)
-> ('c03','math','y','3','5','h03','ajl',89);
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near '(c0' at
e 3
mysql> INSERT INTO Course (CourseNo, Course, CourseDesc, CourseType, SemNo, HallNo, FacNo, CourseMark)
-> VALUES ('c02', 'science', 'yr', '2', '4', 'h02', 'viv', 87),
-> ('c03', 'math', 'y', '3', '5', 'h03', 'ajl', 89);
Query OK, 2 rows affected (0.00 sec)
Records: 2 Duplicates: 0 Warnings: 0

mysql> select * from Course;
+-----+-----+-----+-----+-----+-----+-----+
| CourseNo | Course | CourseDesc | CourseType | SemNo | HallNo | FacNo | CourseMark |
+-----+-----+-----+-----+-----+-----+-----+
| c00 | computer | yrdrd | o | 2 | h01 | mary | 98 |
| c01 | commerce | yrd | 1 | 3 | h01 | john | 97 |
| c02 | science | yr | 2 | 4 | h02 | viv | 87 |
| c03 | math | y | 3 | 5 | h03 | ajl | 89 |
+-----+-----+-----+-----+-----+-----+
4 rows in set (0.00 sec)

mysql> select avg(CourseMark) from Course ;
+-----+
| avg(CourseMark) |
+-----+
| 92.7500 |
+-----+
1 row in set (0.00 sec)

mysql> select avg(CourseMark) from Course where course id ='c03';
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near 'id =' at
mysql> ■

```

```

mysql> UPDATE course
-> SET CourseMark = 99
-> WHERE CourseNo = 'c000';
Query OK, 0 rows affected (0.00 sec)
Rows matched: 0 Changed: 0 Warnings: 0

mysql> UPDATE course
-> SET CourseMark = '99'
-> WHERE CourseNo = 'c000';
Query OK, 0 rows affected (0.00 sec)
Rows matched: 0 Changed: 0 Warnings: 0

mysql> select * from Course;
+-----+-----+-----+-----+-----+-----+-----+
| CourseNo | Course | CourseDesc | CourseType | SemNo | HallNo | FacNo | CourseMark |
+-----+-----+-----+-----+-----+-----+-----+
| c00 | computer | yrdrd | o | 2 | h01 | mary | NULL |
| c01 | commerce | yrd | 1 | 3 | h01 | john | NULL |
+-----+-----+-----+-----+-----+-----+-----+
2 rows in set (0.00 sec)

mysql> UPDATE Course
-> SET CourseMark = '99'
-> WHERE CourseNo = 'c000';
Query OK, 0 rows affected (0.00 sec)
Rows matched: 0 Changed: 0 Warnings: 0

mysql> select * from Course;
+-----+-----+-----+-----+-----+-----+-----+
| CourseNo | Course | CourseDesc | CourseType | SemNo | HallNo | FacNo | CourseMark |
+-----+-----+-----+-----+-----+-----+-----+
| c00 | computer | yrdrd | o | 2 | h01 | mary | NULL |
| c01 | commerce | yrd | 1 | 3 | h01 | john | NULL |
+-----+-----+-----+-----+-----+-----+-----+
2 rows in set (0.00 sec)

mysql> update Course
-> set CourseMark = 98
-> where CourseNo='c00';
Query OK, 1 row affected (0.01 sec)
Rows matched: 1 Changed: 1 Warnings: 0

mysql> update Course
-> set CourseMark=97
-> where CourseNo =c01';
Query OK, 1 row affected (0.00 sec)
Rows matched: 1 Changed: 1 Warnings: 0

mysql> select * from Course;
+-----+-----+-----+-----+-----+-----+-----+
| CourseNo | Course | CourseDesc | CourseType | SemNo | HallNo | FacNo | CourseMark |
+-----+-----+-----+-----+-----+-----+-----+
| c00 | computer | yrdrd | o | 2 | h01 | mary | 98 |
| c01 | commerce | yrd | 1 | 3 | h01 | john | 97 |
+-----+-----+-----+-----+-----+-----+-----+
2 rows in set (0.00 sec)

mysql> ■

```

Records: 0 Duplicates: 0 Warnings: 0

```
mysql> select * from Course;
+-----+-----+-----+-----+-----+-----+-----+
| CourseNo | Course | CourseDesc | CourseType | SemNo | HallNo | FacNo | CourseMark |
+-----+-----+-----+-----+-----+-----+-----+
| c00     | computer | yrdrd    | o       | 2      | h01    | mary   | NULL   |
| c01     | commerce  | yrd      | 1       | 3      | h01    | john   | NULL   |
+-----+-----+-----+-----+-----+-----+-----+
2 rows in set (0.00 sec)
```

```
mysql> UPDATE course
      -> SET CourseMark = 95
      -> WHERE CourseID = 'c001';
ERROR 1054 (42S22): Unknown column 'CourseID' in 'where clause'
```

```
mysql> UPDATE course
      -> SET CourseMark = 95
      -> WHERE CourseNo = 'c001';
Query OK, 0 rows affected (0.00 sec)
Rows matched: 0 Changed: 0 Warnings: 0
```

```
mysql> UPDATE course
      -> SET CourseMark = 99
      -> WHERE CourseNo = 'c000';
Query OK, 0 rows affected (0.00 sec)
Rows matched: 0 Changed: 0 Warnings: 0
```

```
mysql> select * from Course;
+-----+-----+-----+-----+-----+-----+-----+
| CourseNo | Course | CourseDesc | CourseType | SemNo | HallNo | FacNo | CourseMark |
+-----+-----+-----+-----+-----+-----+-----+
| c00     | computer | yrdrd    | o       | 2      | h01    | mary   | NULL   |
| c01     | commerce  | yrd      | 1       | 3      | h01    | john   | NULL   |
+-----+-----+-----+-----+-----+-----+-----+
2 rows in set (0.00 sec)
```

```
mysql> select * from Course;
+-----+-----+-----+-----+-----+-----+-----+
| CourseNo | Course | CourseDesc | CourseType | SemNo | HallNo | FacNo | CourseMark |
+-----+-----+-----+-----+-----+-----+-----+
| c00     | computer | yrdrd    | o       | 2      | h01    | mary   | NULL   |
| c01     | commerce  | yrd      | 1       | 3      | h01    | john   | NULL   |
+-----+-----+-----+-----+-----+-----+-----+
2 rows in set (0.00 sec)
```

```
mysql> UPDATE course
      -> SET CourseMark = 99
      -> WHERE CourseNo = 'c000';
Query OK, 0 rows affected (0.00 sec)
Rows matched: 0 Changed: 0 Warnings: 0
```

```

| Department |
| Faculty   |
| STUDEN    |
| STUDENT   |
| VIJAY     |
+-----+
6 rows in set (0.00 sec)

mysql> desc Faculty;
+-----+-----+-----+-----+-----+-----+
| Field | Type  | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| FacNo | varchar(4) | NO   | PRI  | NULL    |       |
| FacName| varchar(15) | YES  |      | NULL    |       |
| Gender | char(1)    | YES  |      | NULL    |       |
| DOB   | date     | YES  |      | NULL    |       |
| DOJ   | date     | YES  |      | NULL    |       |
| MobileNo| bigint   | YES  | UNI  | NULL    |       |
+-----+-----+-----+-----+-----+-----+
6 rows in set (0.01 sec)

mysql> desc VIJAY;
+-----+-----+-----+-----+-----+-----+
| Field | Type  | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| reg_no | int   | YES  |      | NULL    |       |
| stu_name| varchar(20) | YES  |      | NULL    |       |
| AGE    | int   | YES  |      | NULL    |       |
+-----+-----+-----+-----+-----+-----+
3 rows in set (0.00 sec)

mysql> desc Department;
+-----+-----+-----+-----+-----+-----+
| Field | Type  | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| DeptNo | varchar(4) | NO   | PRI  | NULL    |       |
| DeptName| varchar(15) | YES  | UNI  | NULL    |       |
| DeptHead| varchar(4)  | YES  |      | NULL    |       |
+-----+-----+-----+-----+-----+-----+
3 rows in set (0.00 sec)

mysql> desc Course;
+-----+-----+-----+-----+-----+-----+
| Field | Type  | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| CourseNo | varchar(3) | NO   | PRI  | NULL    |       |
| Course  | varchar(255) | YES  |      | NULL    |       |
| CourseDesc| varchar(14) | YES  |      | NULL    |       |
| CourseType| char(1)    | YES  |      | NULL    |       |
| SemNo   | char(1)    | YES  |      | NULL    |       |
| HallNo  | varchar(4)  | YES  |      | NULL    |       |
| FacNo   | varchar(4)  | YES  |      | NULL    |       |
+-----+-----+-----+-----+-----+-----+
7 rows in set (0.01 sec)

mysql> desc STUDENT;
+-----+-----+-----+-----+-----+
| Field | Type  | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+
| S_NO   | int   | YES  |      | NULL    |       |
| NAME   | varchar(10) | YES  |      | NULL    |       |
| DESCRIPTION | varchar(10) | YES  |      | NULL    |       |
+-----+-----+-----+-----+-----+

```

```

+-----+
| CourseNo | Course   | CourseDesc | CourseType | SemNo | HallNo | FacNo |
+-----+
| c00      | computer | yrdrd     | o          | 2      | h01    | mary   |
+-----+
1 row in set (0.00 sec)

mysql> INSERT INTO course values('c01','commerce','yrd','1'3,'h01','vijay'),('c01','DBMS','abc','2',4,'h02','ajith');
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax
'ajith')' at line 1
mysql> INSERT INTO course values('c01','commerce','yrd','1',3,'h01','vijay'),('c01','DBMS','abc','2',4,'h02','ajith');
ERROR 1406 (22001): Data too long for column 'FacNo' at row 1
mysql> INSERT INTO course VALUES
      ('c01', 'commerce', 'yrd', 13, 'h01', 'vijay'),
      ('c01', 'DBMS', 'abc', 2, 'h02', 'ajith');
ERROR 1136 (21S01): Column count doesn't match value count at row 1
mysql> INSERT INTO course VALUES ('c01', 'commerce', 'yrd', 13, 'h01', 'vijay');
ERROR 1136 (21S01): Column count doesn't match value count at row 1
mysql> INSERT INTO course VALUES ('c01', 'commerce', 'yrd', '1',3, 'h01', 'vijay');
ERROR 1406 (22001): Data too long for column 'FacNo' at row 1
mysql> INSERT INTO course VALUES ('c01', 'commerce', 'yrd', '1',3, 'h01', 'vij');
Query OK, 1 row affected (0.00 sec)

mysql> INSERT INTO course VALUES ('c02', 'science', 'yr', '2',4, 'h02', 'aji');
Query OK, 1 row affected (0.00 sec)

mysql> SELECT * FROM Course;
+-----+
| CourseNo | Course   | CourseDesc | CourseType | SemNo | HallNo | FacNo |
+-----+
| c00      | computer | yrdrd     | o          | 2      | h01    | mary   |
| c01      | commerce | yrd       | 1          | 3      | h01    | vij    |
| c02      | science   | yr         | 2          | 4      | h02    | aji    |
+-----+
3 rows in set (0.01 sec)

mysql> UPDATE Course
      > SET FacNo = 'john'
      > WHERE CourseNo = 'c01';
Query OK, 1 row affected (0.00 sec)
Rows matched: 1  Changed: 1  Warnings: 0

mysql> SELECT * FROM Course;
+-----+
| CourseNo | Course   | CourseDesc | CourseType | SemNo | HallNo | FacNo |
+-----+
| c00      | computer | yrdrd     | o          | 2      | h01    | mary   |
| c01      | commerce | yrd       | 1          | 3      | h01    | john   |
| c02      | science   | yr         | 2          | 4      | h02    | aji    |
+-----+
3 rows in set (0.00 sec)

mysql> DELETE FROM Course
      > WHERE CourseNo = 'c02';
Query OK, 1 row affected (0.00 sec)

mysql> SELECT * FROM Course;
+-----+
| CourseNo | Course   | CourseDesc | CourseType | SemNo | HallNo | FacNo |
+-----+
| c00      | computer | yrdrd     | o          | 2      | h01    | mary   |
| c01      | commerce | yrd       | 1          | 3      | h01    | john   |
+-----+

```

```
0 rows in set (0.00 sec)

mysql> ALTER TABLE Department
    -> ADD CONSTRAINT PK_Department PRIMARY KEY (DeptNo);
Query OK, 0 rows affected (0.02 sec)
Records: 0  Duplicates: 0  Warnings: 0

mysql> ALTER TABLE Department
    -> ADD CONSTRAINT UK_DeptName UNIQUE (DeptName);
Query OK, 0 rows affected (0.01 sec)
Records: 0  Duplicates: 0  Warnings: 0

mysql> ALTER TABLE Course
    -> ADD CONSTRAINT PK_Course PRIMARY KEY (CourseNo);
Query OK, 0 rows affected (0.02 sec)
Records: 0  Duplicates: 0  Warnings: 0

mysql> ALTER TABLE Course
    -> ADD CONSTRAINT FK_FacNo FOREIGN KEY (FacNo) REFERENCES Faculty(FacNo);
ERROR 1822 (HY000): Failed to add the foreign key constraint. Missing index for constraint 'FK_FacNo' in the referenced table 'Faculty'
mysql> ALTER TABLE Faculty
    -> ADD CONSTRAINT PK_Faculty PRIMARY KEY (FacNo);
Query OK, 0 rows affected (0.01 sec)
Records: 0  Duplicates: 0  Warnings: 0

mysql>
mysql> ALTER TABLE Faculty
    -> ADD CONSTRAINT UK_MobileNo UNIQUE (MobileNo);
Query OK, 0 rows affected (0.00 sec)
Records: 0  Duplicates: 0  Warnings: 0

mysql> ALTER TABLE Faculty
    -> ADD CONSTRAINT CHK_MobileNo_Length CHECK (LENGTH(MobileNo) = 10);
Query OK, 0 rows affected (0.02 sec)
Records: 0  Duplicates: 0  Warnings: 0
```

```
Query OK, 0 rows affected (0.01 sec)

[mysql> SHOW TABLES;
+-----+
| Tables_in_vijay |
+-----+
| Course
| Department
| STUDEN
| STUDENT
| VIJAY
+-----+
5 rows in set (0.01 sec)

[mysql> SELECT * FROM department;
Empty set (0.00 sec)

[mysql> desc studen;
+-----+-----+-----+-----+-----+-----+
| Field      | Type       | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| S_NO        | int         | YES  |     | NULL    |          |
| NAME        | varchar(10) | YES  |     | NULL    |          |
| DESCRIPTION | varchar(20) | YES  |     | NULL    |          |
| MOBILE_NUMBER | bigint     | YES  |     | NULL    |          |
+-----+-----+-----+-----+-----+-----+
4 rows in set (0.01 sec)

[mysql> desc course;
+-----+-----+-----+-----+-----+-----+
| Field      | Type       | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| CourseNo   | varchar(3) | YES  |     | NULL    |          |
| Course     | varchar(255) | YES  |     | NULL    |          |
| CourseDesc | varchar(14) | YES  |     | NULL    |          |
| CourseType | char(1)    | YES  |     | NULL    |          |
| SemNo      | char(1)    | YES  |     | NULL    |          |
| HallNo     | varchar(4) | YES  |     | NULL    |          |
| FacNo      | varchar(4) | YES  |     | NULL    |          |
+-----+-----+-----+-----+-----+-----+
7 rows in set (0.01 sec)

mysql> █
```

```
mysql> CREATE TABLE STUDENT (
    ->     S_NO INT,
    ->     NAME VARCHAR(10),
    ->     DESCRIPTION VARCHAR(20), -- Increased to accommodate longer descriptions
    ->     MOBILE_NUMBER BIGINT
    -> );
ERROR 1050 (42S01): Table 'student' already exists
mysql> CREATE TABLE STUDEN (
    ->     S_NO INT,
    ->     NAME VARCHAR(10),
    ->     DESCRIPTION VARCHAR(20), -- Increased to accommodate longer descriptions
    ->     MOBILE_NUMBER BIGINT
    -> );
Query OK, 0 rows affected (0.00 sec)

mysql> INSERT INTO STUDEN (S_NO, NAME, DESCRIPTION, MOBILE_NUMBER) VALUES
    -> (1, 'MUTHU', 'MANAGER', 9361371514),
    -> (2, 'KARTHIK', 'ASST MANAGER', 6303158400), -- Shortened "ASSISTANT MANAGER"
    -> (3, 'KUMAR', 'CEO', 9952640216);
Query OK, 3 rows affected (0.00 sec)
Records: 3  Duplicates: 0  Warnings: 0

mysql> SELECT * FROM STUDEN
    ->
    -> ;
+-----+-----+-----+-----+
| S_NO | NAME   | DESCRIPTION | MOBILE_NUMBER |
+-----+-----+-----+-----+
|    1 | MUTHU | MANAGER    |      9361371514 |
|    2 | KARTHIK | ASST MANAGER |      6303158400 |
|    3 | KUMAR  | CEO        |      9952640216 |
+-----+-----+-----+-----+
3 rows in set (0.01 sec)

mysql> CREATE TABLE Department (DeptNo VARCHAR(4), DeptName VARCHAR(15), DeptHead VARCHAR(15), Loc VARCHAR(15))
```

Copyright (c) 2000, 2024, Oracle and/or its affiliates.

Oracle is a registered trademark of Oracle Corporation and/or its  
affiliates. Other names may be trademarks of their respective  
owners.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

```
[mysql]> CREATE DATABASE VIJAY;
Query OK, 1 row affected (0.00 sec)
```

```
[mysql]> SHOW DATABASES;
+-----+
| Database      |
+-----+
| information_schema |
| muthu          |
| mysql          |
| performance_schema |
| sys            |
| VIJAY          |
+-----+
6 rows in set (0.00 sec)
```

```
[mysql]> USE VIJAY;
Database changed
mysql> CREATE TABLE VIJAY (
    ->     reg_no INT,
    ->     stu_name VARCHAR(20),
    ->     AGE INT
    -> );
Query OK, 0 rows affected (0.01 sec)
```

```
mysql> INSERT INTO VIJAY (reg_no, stu_name, AGE) VALUES
    -> (1234, 'john', 20),
    -> (5678, 'vijay', 20),
    -> (23442, 'msd', 22);
Query OK, 3 rows affected (0.00 sec)
Records: 3  Duplicates: 0  Warnings: 0
```

```
[mysql]> SELECT * FROM VIJAY
[   -> ;
+-----+-----+-----+
| reg_no | stu_name | AGE  |
+-----+-----+-----+
| 1234  | john     | 20  |
| 5678  | vijay    | 20  |
| 23442 | msd      | 22  |
+-----+-----+-----+
```