

```
orvi@orvi-MS-7C96:~$ touch yourld_1.txt
orvi@orvi-MS-7C96:~$ touch yourld_2.txt
orvi@orvi-MS-7C96:~$ touch yourld_3.txt
orvi@orvi-MS-7C96:~$ touch yourld_4.txt
orvi@orvi-MS-7C96:~$ mkdir YourName1
mkdir: cannot create directory 'YourName1': File exists
orvi@orvi-MS-7C96:~$ mkdir YourName_1
orvi@orvi-MS-7C96:~$ mkdir YourName_2
orvi@orvi-MS-7C96:~$ mv yourld_1 YourName_1
mv: cannot stat 'yourld_1': No such file or directory
orvi@orvi-MS-7C96:~$ mv yourld_1 YourName_1\
>
mv: cannot stat 'yourld_1': No such file or directory
orvi@orvi-MS-7C96:~$ mv yourld_1.txt YourName_1\
>
orvi@orvi-MS-7C96:~$ mv yourld_2.txt YourName_1\
>
orvi@orvi-MS-7C96:~$ mv yourld_3.txt YourName_1\
>
orvi@orvi-MS-7C96:~$ cp yourld_1.txt yourld_2 YourName_2\
>
cp: cannot stat 'yourld_1.txt': No such file or directory
cp: cannot stat 'yourld_2': No such file or directory
orvi@orvi-MS-7C96:~$ cp yourld_1.txt YourName_2\
>
cp: cannot stat 'yourld_1.txt': No such file or directory
orvi@orvi-MS-7C96:~$ cp yourld_1.txt yourld_2.txt YourName_2/
cp: cannot stat 'yourld_1.txt': No such file or directory
cp: cannot stat 'yourld_2.txt': No such file or directory
orvi@orvi-MS-7C96:~$ ls
Desktop Documents Downloads encription Music Pictures Public snap temp Templates
Videos yourld_4.txt YourName_1 YourName1 YourName_2
orvi@orvi-MS-7C96:~$ chdir
Command 'chdir' not found, did you mean:
  command 'cd' from deb cdtool (2.1.8-release-8)
  command 'hdir' from deb hfsutils (3.2.6-15build2)
Try: sudo apt install <deb name>
orvi@orvi-MS-7C96:~$ cd YourName_1
orvi@orvi-MS-7C96:~/YourName_1$ cp yourld_1.txt yourld_2.txt YourName_2/
cp: target 'YourName_2/' is not a directory
orvi@orvi-MS-7C96:~/YourName_1$ cd YourName_2
bash: cd: YourName_2: No such file or directory
orvi@orvi-MS-7C96:~/YourName_1$ mkdir YourName_2
orvi@orvi-MS-7C96:~/YourName_1$ cp yourld_1.txt yourld_2.txt YourName_2/
```

```

orvi@orvi-MS-7C96:~/YourName_1$ mkdir YourName_3
orvi@orvi-MS-7C96:~/YourName_1$ ..
...: command not found
orvi@orvi-MS-7C96:~/YourName_1$ cd
orvi@orvi-MS-7C96:~$ cp -r YourName_1 YourNmae_3
orvi@orvi-MS-7C96:~$ cd YourName_3
bash: cd: YourName_3: No such file or directory
orvi@orvi-MS-7C96:~$ cd YourName_3
bash: cd: YourName_3: No such file or directory
orvi@orvi-MS-7C96:~$ cd YourName_3
bash: cd: YourName_3: No such file or directory
orvi@orvi-MS-7C96:~$ ls
Desktop Documents Downloads encription Music Pictures Public snap temp Templates
Videos yourId_4.txt YourName_1 YourName1 YourName_2 YourNmae_3
orvi@orvi-MS-7C96:~$ cd YourName_3
bash: cd: YourName_3: No such file or directory
orvi@orvi-MS-7C96:~$ cd YourName_3
bash: cd: YourName_3: No such file or directory
orvi@orvi-MS-7C96:~$ cd YourName_2
orvi@orvi-MS-7C96:~/YourName_2$ cd YourName_3
bash: cd: YourName_3: No such file or directory
orvi@orvi-MS-7C96:~/YourName_2$ cd YourNmae_3
bash: cd: YourNmae_3: No such file or directory
orvi@orvi-MS-7C96:~/YourName_2$ cd
orvi@orvi-MS-7C96:~$ cd YourNmae_3
orvi@orvi-MS-7C96:~/YourNmae_3$ chmod -R755 YourName_1
chmod: invalid mode: '-R755'
Try 'chmod --help' for more information.
orvi@orvi-MS-7C96:~/YourNmae_3$ chmod -R 755 YourName_1
chmod: cannot access 'YourName_1': No such file or directory
orvi@orvi-MS-7C96:~/YourNmae_3$ cd
orvi@orvi-MS-7C96:~$ chmod -R 755 YourName_1
orvi@orvi-MS-7C96:~$ cd
orvi@orvi-MS-7C96:~$ ls -l
total 60
drwxr-xr-x 2 orvi orvi 4096 ফেব 24 17:01 Desktop
drwxr-xr-x 2 orvi orvi 4096 ফেব 24 17:01 Documents
drwxr-xr-x 2 orvi orvi 4096 আগস্ট 12 21:12 Downloads
-rw-rw-r-- 1 orvi orvi 1959 এপ্রিল 24 09:50 encription
drwxr-xr-x 2 orvi orvi 4096 ফেব 24 17:01 Music
drwxr-xr-x 2 orvi orvi 4096 ফেব 24 17:01 Pictures
drwxr-xr-x 2 orvi orvi 4096 ফেব 24 17:01 Public
drwx----- 5 orvi orvi 4096 মার্চ 7 17:52 snap
-rw-rw-r-- 1 orvi orvi 72 এপ্রিল 23 22:39 temp

```

```

drwxr-xr-x 2 orvi orvi 4096 ফেব 24 17:01 Templates
drwxr-xr-x 2 orvi orvi 4096 ফেব 24 17:01 Videos
-rw-rw-r-- 1 orvi orvi 0 আগস্ট 21 00:27 yourId_4.txt
drwxr-xr-x 4 orvi orvi 4096 আগস্ট 21 00:36 YourName_1
drwxr-xr-x 2 root root 4096 আগস্ট 21 00:19 YourName1
drwxrwxr-x 2 orvi orvi 4096 আগস্ট 21 00:27 YourName_2
drwxrwxr-x 4 orvi orvi 4096 আগস্ট 21 00:37 YourNmae_3
orvi@orvi-MS-7C96:~$ ls
Desktop Documents Downloads encription Music Pictures Public snap temp Templates
Videos yourId_4.txt YourName_1 YourName1 YourName_2 YourNmae_3
orvi@orvi-MS-7C96:~$ mv YourNmae_3
mv: missing destination file operand after 'YourNmae_3'
Try 'mv --help' for more information.
orvi@orvi-MS-7C96:~$ mv YourNmae_3 /
mv: cannot move 'YourNmae_3' to '/YourNmae_3': Permission denied
orvi@orvi-MS-7C96:~$ mv YourNmae_3 \
>
mv: missing destination file operand after 'YourNmae_3'
Try 'mv --help' for more information.
orvi@orvi-MS-7C96:~$ mv YourNmae_3 \
>
mv: missing destination file operand after 'YourNmae_3'
Try 'mv --help' for more information.
orvi@orvi-MS-7C96:~$ rm YourNmae_1
rm: cannot remove 'YourNmae_1': No such file or directory
orvi@orvi-MS-7C96:~$ rm YourName1
rm: cannot remove 'YourName1': Is a directory
orvi@orvi-MS-7C96:~$ rm -r YourName1
rm: descend into write-protected directory 'YourName1'? y
rm: remove write-protected regular empty file 'YourName1/yourID_3.txt'? y
rm: cannot remove 'YourName1/yourID_3.txt': Permission denied
rm: remove write-protected regular empty file 'YourName1/yourID_2.txt'? y
rm: cannot remove 'YourName1/yourID_2.txt': Permission denied
rm: remove write-protected regular empty file 'YourName1/yourID_1.txt'? y
rm: cannot remove 'YourName1/yourID_1.txt': Permission denied
orvi@orvi-MS-7C96:~$ grep -c "CSE"course.txt
cse321 operating system

```

```

orvi@orvi-MS-7C96:~$ nano
orvi@orvi-MS-7C96:~$ qls -a
Command 'qls' not found, did you mean:
  command 'rls' from snap rustup (1.27.1)
  command 'ls' from deb coreutils (8.32-4.1ubuntu1.2)

```

command 'qbs' from deb qbs (1.19.2-1)  
command 'qps' from deb qps (2.3.0-0ubuntu1)  
command 'ils' from deb sleuthkit (4.11.1+dfsg-1)  
command 'fls' from deb sleuthkit (4.11.1+dfsg-1)  
command 'jls' from deb sleuthkit (4.11.1+dfsg-1)  
command 'ols' from deb speech-tools (1:2.5.0-12)  
command 'hls' from deb hfsutils (3.2.6-15build2)  
command 'als' from deb atool (0.39.0-11)  
command 'qrls' from deb gridengine-client (8.1.9+dfsg-10build1)  
command 'qrls' from deb slurm-wlm-torque (21.08.5-2ubuntu1)

See 'snap info <snapname>' for additional versions.

orvi@orvi-MS-7C96:~\$ qls -a\

>

Command 'qls' not found, did you mean:

command 'rls' from snap rustup (1.27.1)  
command 'ols' from deb speech-tools (1:2.5.0-12)  
command 'jls' from deb sleuthkit (4.11.1+dfsg-1)  
command 'als' from deb atool (0.39.0-11)  
command 'fls' from deb sleuthkit (4.11.1+dfsg-1)  
command 'qps' from deb qps (2.3.0-0ubuntu1)  
command 'qbs' from deb qbs (1.19.2-1)  
command 'hls' from deb hfsutils (3.2.6-15build2)  
command 'ils' from deb sleuthkit (4.11.1+dfsg-1)  
command 'ls' from deb coreutils (8.32-4.1ubuntu1.2)  
command 'qrls' from deb gridengine-client (8.1.9+dfsg-10build1)  
command 'qrls' from deb slurm-wlm-torque (21.08.5-2ubuntu1)

See 'snap info <snapname>' for additional versions.

orvi@orvi-MS-7C96:~\$ qls -a \

>

Command 'qls' not found, did you mean:

command 'rls' from snap rustup (1.27.1)  
command 'qbs' from deb qbs (1.19.2-1)  
command 'fls' from deb sleuthkit (4.11.1+dfsg-1)  
command 'ls' from deb coreutils (8.32-4.1ubuntu1.2)  
command 'jls' from deb sleuthkit (4.11.1+dfsg-1)  
command 'ols' from deb speech-tools (1:2.5.0-12)  
command 'hls' from deb hfsutils (3.2.6-15build2)  
command 'als' from deb atool (0.39.0-11)  
command 'qrls' from deb gridengine-client (8.1.9+dfsg-10build1)  
command 'qrls' from deb slurm-wlm-torque (21.08.5-2ubuntu1)  
command 'ils' from deb sleuthkit (4.11.1+dfsg-1)  
command 'qps' from deb qps (2.3.0-0ubuntu1)

See 'snap info <snapname>' for additional versions.

```
orvi@orvi-MS-7C96:~$ sed -n '5,9p' Ajaira
sed: can't read Ajaira: No such file or directory
orvi@orvi-MS-7C96:~$ nano
orvi@orvi-MS-7C96:~$ sed -n '5,9p' Ajaira.txt
Move yourID_1.txt, yourID_2.txt, yourID_3.txt in YourName1 directory.
Copy yourID_1.txt, yourID_2.txt YourName2 directory.
Create another directory YourName3.
Now, copy the YourName1 directory along with its contents to the YourName3 directory.
Now go into the YourName3 directory and check the permissions of the files/directory and
change the permissions for both groups and others to only read-execute for all the files.
orvi@orvi-MS-7C96:~$ ^C
orvi@orvi-MS-7C96:~$
```

```

orvi@orvi-MS-7C96:~$ touch yourId_1.txt
orvi@orvi-MS-7C96:~$ touch yourId_2.txt
orvi@orvi-MS-7C96:~$ touch yourId_3.txt
orvi@orvi-MS-7C96:~$ touch yourId_4.txt
orvi@orvi-MS-7C96:~$ mkdir YourName1
mkdir: cannot create directory 'YourName1': File exists
orvi@orvi-MS-7C96:~$ mkdir YourName_1
orvi@orvi-MS-7C96:~$ mkdir YourName_2
orvi@orvi-MS-7C96:~$ mv yourId_1 YourName_1
mv: cannot stat 'yourId_1': No such file or directory
orvi@orvi-MS-7C96:~$ mv yourId_1 YourName_1\
>
mv: cannot stat 'yourId_1': No such file or directory
orvi@orvi-MS-7C96:~$ mv yourId_1.txt YourName_1\
>
orvi@orvi-MS-7C96:~$ mv yourId_2.txt YourName_1\
>
orvi@orvi-MS-7C96:~$ mv yourId_3.txt YourName_1\
>
orvi@orvi-MS-7C96:~$ cp yourId_1.txt yourId_2 YourName_2\
>
cp: cannot stat 'yourId_1.txt': No such file or directory
cp: cannot stat 'yourId_2': No such file or directory
orvi@orvi-MS-7C96:~$ cp yourId_1.txt YourName_2\
>
cp: cannot stat 'yourId_1.txt': No such file or directory
orvi@orvi-MS-7C96:~$ cp yourId_1.txt yourId_2.txt YourName_2/
cp: cannot stat 'yourId_1.txt': No such file or directory
cp: cannot stat 'yourId_2.txt': No such file or directory
orvi@orvi-MS-7C96:~$ ls
Desktop Documents Downloads encryption Music Pictures Public snap temp Templates Videos yourId_4.txt YourName_1 YourName1 YourName_2
orvi@orvi-MS-7C96:~$ chdir
Command 'chdir' not found, did you mean:
  command 'cdir' from deb cdtol (2.1.8-release-8)
  command 'hdir' from deb hfsutils (3.2.6-15build2)
Try: sudo apt install <deb name>
orvi@orvi-MS-7C96:~$ cd YourName_1
orvi@orvi-MS-7C96:~/YourName_1$ cp yourId_1.txt yourId_2.txt YourName_2/
cp: target 'YourName_2/' is not a directory
orvi@orvi-MS-7C96:~/YourName_1$ cd YourName_2
bash: cd: YourName_2: No such file or directory
orvi@orvi-MS-7C96:~/YourName_1$ mkdir YourName_2
orvi@orvi-MS-7C96:~/YourName_1$ cp yourId_1.txt yourId_2.txt YourName_2/
orvi@orvi-MS-7C96:~/YourName_1$ mkdir YourName_3
orvi@orvi-MS-7C96:~/YourName_1$ ..
.: command not found
orvi@orvi-MS-7C96:~/YourName_1$ cd
orvi@orvi-MS-7C96:~$ cp -r YourName_1 YourName_3
orvi@orvi-MS-7C96:~$ cd YourName_3
bash: cd: YourName_3: No such file or directory
orvi@orvi-MS-7C96:~$ cd YourName_3
bash: cd: YourName_3: No such file or directory
orvi@orvi-MS-7C96:~$ cd YourName_3
bash: cd: YourName_3: No such file or directory
orvi@orvi-MS-7C96:~$ cd YourName_3
bash: cd: YourName_3: No such file or directory

```

```

orvi@orvi-MS-7C96:~/YourName_1$ cp yourId_1.txt yourId_2.txt YourName_2/
orvi@orvi-MS-7C96:~/YourName_1$ mkdir YourName_3
orvi@orvi-MS-7C96:~/YourName_1$ ..
.: command not found
orvi@orvi-MS-7C96:~/YourName_1$ cd
orvi@orvi-MS-7C96:~$ cp -r YourName_1 YourName_3
orvi@orvi-MS-7C96:~$ cd YourName_3
bash: cd: YourName_3: No such file or directory
orvi@orvi-MS-7C96:~$ cd YourName_3
bash: cd: YourName_3: No such file or directory
orvi@orvi-MS-7C96:~$ cd YourName_3
bash: cd: YourName_3: No such file or directory
orvi@orvi-MS-7C96:~$ ls
Desktop Documents Downloads encryption Music Pictures Public snap temp Templates Videos yourId_4.txt YourName_1 YourName1 YourName_2 YourName_3
orvi@orvi-MS-7C96:~$ cd YourName_3
bash: cd: YourName_3: No such file or directory
orvi@orvi-MS-7C96:~$ cd YourName_3
bash: cd: YourName_3: No such file or directory
orvi@orvi-MS-7C96:~$ cd YourName_2
orvi@orvi-MS-7C96:~/YourName_2$ cd YourName_3
bash: cd: YourName_3: No such file or directory
orvi@orvi-MS-7C96:~/YourName_2$ cd YourName_3
bash: cd: YourName_3: No such file or directory
orvi@orvi-MS-7C96:~/YourName_2$ cd
orvi@orvi-MS-7C96:~$ cd YourName_3
orvi@orvi-MS-7C96:~/YourName_3$ chmod -R755 YourName_1
chmod: invalid mode: '-R755'
Try 'chmod --help' for more information.
orvi@orvi-MS-7C96:~/YourName_3$ chmod -R 755 YourName_1
chmod: cannot access 'YourName_1': No such file or directory
orvi@orvi-MS-7C96:~/YourName_3$ cd
orvi@orvi-MS-7C96:~$ chmod -R 755 YourName_1
orvi@orvi-MS-7C96:~$ cd
orvi@orvi-MS-7C96:~$ ls -l
total 60
drwxr-xr-x 2 orvi orvi 4096 ২৫ ২৪ ১৭:৪১ Desktop
drwxr-xr-x 2 orvi orvi 4096 ২৫ ২৪ ১৭:৪১ Documents
drwxr-xr-x 2 orvi orvi 4096 ২৫ ২৪ ২১:১২ Downloads
-rw-rw-r-- 1 orvi orvi 1959 ২৫ ২৪ ০৯:৫০ encryption
drwxr-xr-x 2 orvi orvi 4096 ২৫ ২৪ ১৭:৪১ Music
drwxr-xr-x 2 orvi orvi 4096 ২৫ ২৪ ১৭:৪১ Pictures
drwxr-xr-x 2 orvi orvi 4096 ২৫ ২৪ ১৭:৪১ Public
drwx----- 5 orvi orvi 4096 ২৫ ২৪ ১৭:৫২ snap
-rw-rw-r-- 1 orvi orvi 72 ২৫ ২৪ ২২:৩৯ temp
drwxr-xr-x 2 orvi orvi 4096 ২৫ ২৪ ১৭:৪১ Templates
drwxr-xr-x 2 orvi orvi 4096 ২৫ ২৪ ১৭:৪১ Videos
-rw-rw-r-- 1 orvi orvi 0 ২৫ ২৪ ২১:০০:২৭ yourId_4.txt
drwxr-xr-x 4 orvi orvi 4096 ২৫ ২৪ ২১:০০:২৬ YourName_1
drwxr-xr-x 2 root root 4096 ২৫ ২৪ ২১:০০:১৯ YourName1
drwxrwxr-x 2 orvi orvi 4096 ২৫ ২৪ ২১:০০:২৭ YourName_2
drwxrwxr-x 4 orvi orvi 4096 ২৫ ২৪ ২১:০০:৩৭ YourName_3
orvi@orvi-MS-7C96:~$ ls
Desktop Documents Downloads encryption Music Pictures Public snap temp Templates Videos yourId_4.txt YourName_1 YourName1 YourName_2 YourName_3

```

```

drwxr-xr-x 2 orvl orvl 4096 য়েবা 24 17:01 Documents
drwxr-xr-x 2 orvl orvl 4096 জাতি 12 21:12 Downloads
-rw-rw-r-- 1 orvl orvl 1959 এপ্লিকেশন 24 09:50 encryption
drwxr-xr-x 2 orvl orvl 4096 য়েবা 24 17:01 Music
drwxr-xr-x 2 orvl orvl 4096 য়েবা 24 17:01 Pictures
drwxr-xr-x 2 orvl orvl 4096 য়েবা 24 17:01 Public
drwx----- 5 orvl orvl 4096 মারিউ 7 17:52 snap
-rw-rw-r-- 1 orvl orvl 72 এপ্লিকেশন 23 22:39 temp
drwxr-xr-x 2 orvl orvl 4096 য়েবা 24 17:01 Templates
drwxr-xr-x 2 orvl orvl 4096 য়েবা 24 17:01 Videos
-rw-rw-r-- 1 orvl orvl 0 জাতি 21 00:27 yourId_4.txt
drwxr-xr-x 4 orvl orvl 4096 জাতি 21 00:36 YourName_1
drwxr-xr-x 2 root root 4096 জাতি 21 00:19 YourName1
drwxrwxr-x 2 orvl orvl 4096 জাতি 21 00:27 YourName_2
drwxrwxr-x 4 orvl orvl 4096 জাতি 21 00:37 YourNmae_3
orvl@orvl-MS-7C96:~$ ls
Desktop Documents Downloads encryption Music Pictures Public snap temp Templates Videos yourId_4.txt YourName_1 YourName1 YourName_2 YourNmae
orvl@orvl-MS-7C96:~$ mv YourNmae_3
mv: missing destination file operand after 'YourNmae_3'
Try 'mv --help' for more information.
orvl@orvl-MS-7C96:~$ mv YourNmae_3 /
mv: cannot move 'YourNmae_3' to '/YourNmae_3': Permission denied
orvl@orvl-MS-7C96:~$ mv YourNmae_3 \
>
mv: missing destination file operand after 'YourNmae_3'
Try 'mv --help' for more information.
orvl@orvl-MS-7C96:~$ mv YourNmae_3 \
>
mv: missing destination file operand after 'YourNmae_3'
Try 'mv --help' for more information.
orvl@orvl-MS-7C96:~$ rm YourNmae_1
rm: cannot remove 'YourNmae_1': No such file or directory
orvl@orvl-MS-7C96:~$ rm YourName1
rm: cannot remove 'YourName1': Is a directory
orvl@orvl-MS-7C96:~$ rm -r YourName1
rm: descend into write-protected directory 'YourName1'? y
rm: remove write-protected regular empty file 'YourName1/yourID_3.txt'? y
rm: cannot remove 'YourName1/yourID_3.txt': Permission denied
rm: remove write-protected regular empty file 'YourName1/yourID_2.txt'? y
rm: cannot remove 'YourName1/yourID_2.txt': Permission denied
rm: remove write-protected regular empty file 'YourName1/yourID_1.txt'? y
rm: cannot remove 'YourName1/yourID_1.txt': Permission denied
orvl@orvl-MS-7C96:~$ grep -c "CSE"course.txt
cse321 operating system
cse321 operating system

```